Form 3160-5 (June 2015)

1. Type of Well

3a. Address

Name of Operator

☑ Oil Well ☐ Gas Well ☐ Other

5 GREENWAY PLAZA SUITE 110

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

OXY USA INCORPORATED

HOUSTON, TX 77046-0521

Multiple--See Attached

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB NO. 1004-0137

SUNDRY N	OTICES	AND REP	ORTS OF	WELLS	f:
Do not use this	form for	proposals	to drill or	to re-enter a	n
llow boardaned	lica forr	n 2460-2 //	DDI for co	ich proposs	le.

SUBMIT IN TRIPLICATE - Other instructions on page 2

Contact:

E-Mail: SARAH CHAPMAN@OXY.COM

Expires: January 31, 2018 5. Lease Serial No. *NMNM45236 16. If Indian, Allottee or Tribe Name 7. If Unit or CA/Agreement, Name and/or No. Well Name and No JAN 31 2019 Multiple-See Attached 9. API Well No. Multiple-See Attached RECEIVED 10. Field and Pool or Exploratory Area **INGLE WELLS** 11. County or Parish, State EDDY COUNTY, NM ■ Water Shut-Off ■ Well Integrity Other Change to Original A PD

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ☐ Acidize □ Deepen □ Production (Start/Resume) ■ Notice of Intent □ Alter Casing ☐ Hydraulic Fracturing ☐ Reclamation ☐ Subsequent Report Casing Repair ■ New Construction □ Recomplete ☐ Final Abandonment Notice □ Change Plans □ Plug and Abandon ☐ Temporarily Abandon □ Convert to Injection ☐ Plug Back ☐ Water Disposal 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

SARAH CHAPMAN

Ph: 713-350-4997

3b. Phone No. (include area code)

ARTEGIA LI

OXY respectfully requests to make the following change:

This is a bulk sundry request for 4 wells in Sterling Silver MDP1 33-4 Fed Com to include a 4 string contingency into our original 3 string design. The wells related to this sundry request are:

Sterling Silver MDP1 33-4 Fed Com 1H (30-015-45335) Sterling Silver MDP1 33-4 Fed Com 2H (30-015-45390) Sterling Silver MDP1 33-4 Fed Com 3H (30-015-45391) Sterling Silver MDP1 33-4 Fed Com 3H (30-015-45392)

which would entitle the applicant to conduct operations thereon.

SEE ATTACHED FOR CONDITIONS OF APPROVAL

*Oxy requests the option to run the 7.625? Intermediate II as a contingency string to be run only Accepted For Record NMOCD M

14. I hereby certify that the	ne foregoing is true and correct. Electronic Submission #447824 verification For OXY USA INCORPOR Committed to AFMSS for processing by PR	ATEĎ, s	sent to the Carlsbad	2.9
Name (Printed/Typed)	DAVID STEWART	Title	REGULATORY ADVISOR	
Signature	(Electronic Submission)	Date	12/14/2018	
	THIS SPACE FOR FEDER	AL OR	STATE OFFICE USE	
	FA_HAQUE	$\overline{}$	PETROLEUM ENGINEER	Date 01/22/2019

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

Office Carlsbad

RN2-19-19

Additional data for EC transaction #447824 that would not fit on the form

Wells/Facilities, continued

Lease	Well/Fac Name, Number	API Number	Location
NMNM45236	STERLING SILVER MDP1 33-4 FD	D3D-2H15-45390-00-X1	Sec 33 T23S R31E NWNW 90FNL 939FWL
			32.267933 N Lat, 103.788254 W Lon
NMNM45236	STERLING SILVER MDP1 33-4 FD	D3D-8H5-45391-00-X1	Sec 33 T23S R31E NENW 69FNL 2369FWL
			32.267994 N Lat. 103.783623 W Lon
NMNM45236	STERLING SILVER MDP1 33-4 FD	03 0-0 ff5-45392-00-X1	Sec 33 T23S R31E NENW 69FNL 2474FWL
			32.267994 N Lat, 103.783287 W Lon
NMNM45236	STERLING SILVER MDP1 33-4 FD	030-045-45335-00-X1	Sec 33 T23S R31E NWNW 90FNL 834FWL
111111111111111111111111111111111111111	0.2.12.110.0.2.12.1.11.0.1.100.1.1.2		32.267933 N Lat. 103.788589 W Lon
	NMNM45236 NMNM45236	NMNM45236 STERLING SILVER MDP1 33-4 FC NMNM45236 STERLING SILVER MDP1 33-4 FC NMNM45236 STERLING SILVER MDP1 33-4 FC	NMNM45236 STERLING SILVER MDP1 33-4 FD3D-8H5-45390-00-X1 NMNM45236 STERLING SILVER MDP1 33-4 FD3D-8H5-45391-00-X1 NMNM45236 STERLING SILVER MDP1 33-4 FD3D-8H5-45392-00-X1

32. Additional remarks, continued

if severe hole conditions dictate an additional casing string necessary.

*Oxy requests the option to set casing shallower yet still below the salts if losses or hole conditions require this. Cement volumes may be adjusted if casing is set shallower.

*Oxy requests the option to run production casing with DQX and/or SF TORQ connections to accommodate hole conditions or drilling operations.

Please see attached updated drill plan and specs for more information.

Thank you.

1. Bulk Sundry Details

This is a bulk sundry request for 4 wells in Sterling Silver MDP1 33-4 Fed Com to include a 4 string contingency into our original 3 string design. The wells related to this sundry request are:

Well Name	API	Lease Number
Sterling Silver MDP1 33-4 Fed Com 1H	30-015-45335	NMNM45236
Sterling Silver MDP1 33-4 Fed Com 2H	30-015-45390	NMNM45236
Sterling Silver MDP1 33-4 Fed Com 3H	30-015-45391	NMNM45236
Sterling Silver MDP1 33-4 Fed Com 4H	30-015-45392	NMNM45236

2. Casing Program

Primary Plan:

									Buoyant	Buoyant	
Hole Size (in)	Casing	Interval	Csg. Size	Weight	Csg. Size Weight	Grade		SF		_Body SF	Joint SF
note Star (III)	From (ft)	To (ft)	(in)	(lbs)	Grade	Conn.	Collapse	SF Burst	Tension	Tension	
17.5	0	474	13.375	54.5	J-55	BTC	1.125	1.2	1.4	1.4	
12.25	0	4246	9.625	43.5	L-80	BTC	1.125	1.2	1.4	1.4	
8.5	0	20097	5.5	20	P-110	DQX	1.125	1.2	1.4	1.4	
		-					SF Va	lues will meet	or Exceed		

Contingency Plan:

									oucyant	buoyan
Hole Size (in)	Casing	Interval	Cag. Size	Weight	Weight	C	SF	er n	Body SF	Joint SF
note Size (iii)	From (ft)	To (ft)	(ta)	(lbs)	Grade	Grade Conn.	Collapse	SF Burst	Tension	Tension
17.5	0	474	13.375	54.5	J-55	BTC	1.125	1.2	1.4	1.4
12.25	0	4246	9.625	43.5	L-80	BTC	1.125	1.2	1.4	1.4
8.5	0	9326	7.625	26.4	L-80 HC	SF (0 ft to 4000 ft) FJ (4000 ft to 9326 ft)	1.125	1.2	1.4	1.4
6.75	0	20097	5.5	20	P-110	DQX	1.125	1.2	1.4	1.4
•							SF Va	lues will meet	or Exceed	

All casing strings will be tested in accordance with Onshore Oil and Gas Order #2 III.B.1.h

^{*}Oxy requests the option to run the 7.625" Intermediate II as a contingency string to be run only if severe hole conditions dictate an additional casing string necessary.

^{*}Oxy requests the option to set casing shallower yet still below the salts if losses or hole conditions require this. Cement volumes may be adjusted if casing is set shallower.

^{*}Oxy requests the option to run production casing with DQX and/or SF TORQ connections to accommodate hole conditions or drilling operations.

Oxy USA Inc. - Sterling Silver MDP1 33-4 Fed Com 1H, 2H, 3H & 4H Amended Drill Plan

3. Cementing Program

Primary plan:

Casing String	# Sks	Wt.	Yld (ft3/sack)	H20 (gal/sk)	500# Comp. Strength (bours)	Slurry Description
Surface (Lead)	N/A	N/A	N/A	N/A	N/A	N/A
Surface (Tail)	507	14.8	1.33	6.365	5:26	Class C Cement, Accelerator
Intermediate (Lead)	988	12.9	1.73	8.784	1526	Pozzolan Cement, Retarder
Intermediate (Tail)	155	14.8	1.33	6.368	7:11	Class C Cement, Accelerator
Production 1st Stage (Lead)	284	13.2	1.38	6.692	17:50	Class H Cement, Retarder, Dispersant, Salt
Production 1st Stage (Tail)	2113	13.2	1.38	6.686	3:49	Class H Cement, Retarder, Dispersant, Salt
2nd Stage Producti	on Lead Shur	ry to be pumpe	d as Bradenhe	ad Squeeze f	rom surface, o	down the Production annulus.
Production 2nd Stage (Tail)	903	12.9	1.872	10.11	21:54	Class C Cement, Accelerator

Casing String	Top (ft)	Bottom (ft)	% Excess
Surface (Lead)	N/A	N/A	N/A
Surface (Tail)	0	474	100%
Intermediate (Lead)	0	3746	50%
Intermediate (Tail)	3746	4246	20%
Production 1st Stage (Lead)	6393	8019	5%
Production 1st Stage (Tail)	8019	20097	5%
Production 2nd Stage (Tail)	0	6393	25%

Contingency plan:

Casing String	# Sks	Wt.	Yid (ft3/sack)	H20 (gal/sk)	500# Comp. Strength (hours)	Slurry Description	
Surface (Lead)	N/A	N/A	N/A	N/A	N/A	N/A	
Surface (Tail)	507	14.8	1.33	6.365	5:26	Class C Cement, Accelerator	
Intermediate (Lead)	910	12.9	1.88	10.130	14:22	Pozzolan Cement, Retarder	
Intermediate (Tail)	155	14.8	1.33	6.370	12:45	Class C Cement, Accelerator	
Intermediate II 1st Stage (Lead)	N/A	N/A	N/A	N/A	N/A	N/A	
Intermediate II 1st Stage (Tail)	65	13.2	1.65	8.640	11:54	Class H Cement, Retarder, Dispersant, Salt	
Intermediate II 2nd Stage	(Tail Slurry) 1	o be pumpe	d as Bradenhe	ad Squeeze f	rom surface,	down the Intermediate annulus	
Intermediate II 2nd Stage (Lead)	N/A	N/A	N/A	N/A	N/A	N/A	
Intermediate II 2nd Stage (Tail)	419	12.9	1.92	10.410	23:10	Class C Cement, Accelerator	
Production (Lead)	N/A	N/A	N/A	N/A	N/A	N/A	
Production (Tail)	827	13.2	1.38	6.686	3:49	Class H Cement, Retarder, Dispersant, Salt	

Oxy USA Inc. - Sterling Silver MDP1 33-4 Fed Com 1H, 2H, 3H & 4H Amended Drill Plan

Casing String	Top (ft)	Bottom (ft)	% Excess
Surface (Lead)	N/A	N/A	N/A
Surface (Tail)	. 0	474	100%
Intermediate (Lead)	0	3746	50%
Intermediate (Tail)	3746	4246	20%
Intermediate II 1st Stage (Lead)	N/A	N/A	N/A
Intermediate II 1st Stage (Tail)	8019	9326	5%
Intermediate II 2nd Stage	N/A	N/A	N/A
Intermediate II 2nd Stage (Tail)	0	8019	25%
Production (Lead)	N/A	N/A	N/A
Production (Tail)	8826	20097	20%

4. Mud Program

De	pth	T	Weight	177	NA A T A A A
From (ft)	To (ft)	Туре	(ppg)	Viscosity	Water Loss
0	474	Water-Based Mud	8.6-8.8	40-60	N/C
474	4246	Saturated Brine- Based Mud	9.8-10.0	35-45	N/C
4246	9326	Water-Based or Oil- Based Mud	8.0-9.6	38-50	N/C
9326	20097	Water-Based or Oil- Based Mud	8.0-9.6	38-50	N/C

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept on location at all times. The following is a general list of products: Barite, Bentonite, Gypsum, Lime, Soda Ash, Caustic Soda, Nut Plug, Cedar Fiber, Cotton Seed Hulls, Drilling Paper, Salt Water Clay, CACL2. Oxy will use a closed mud system.

5. Drilling Conditions

Condition	Specify what type and where?
BH Pressure at deepest TVD	4976 psi
Abnormal Temperature	No
BH Temperature at deepest TVD	160°F

Attachments

_x__ Premium Connection Specs

Oxy USA Inc. - Sterling Silver MDP1 33-4 Fed Com 1H, 2H, 3H & 4H Amended Drill Plan

6. Company Personnel

Name	<u>Title</u>	Office Phone	Mobile Phone
Edgar Diaz-Aguirre	Drilling Engineer	713-552-8594	713-550-2699
Diego Tellez	Drilling Engineer Supervisor	713-350-4602	713-303-4932
Simon Benavides	Drilling Superintendent	713-522-8652	281-684-6897
John Willis	Drilling Manager	713-366-5556	713-259-1417

PERFORMANCE DATA

TMK UP SF TORQ™ Technical Data Sheet

5.500 in

20.00 lbs/ft

P110 HC

1 ecm	ncai	Data	Once
Tubul	ar D	arama	tore


Nom Pipe Body Area

Tubular Parameters					
Size	5.500	in	Minimum Yield	110,000	psi
Nominal Weight	20.00	lbs/ft	Minimum Tensile	125,000	psi
Grade	P110 HC		Yield Load	641.000	lbs
PE Weight	19.81	lbs/ft	Tensile Load	728,000	lbs
Wall Thickness	0.361	in	Min. Internal Yield Pressure	12,640	psi
Nominal ID	4.778	in	Collapse Pressure	12.780	psi
Drift Diameter	4.653	in			

Connection Parameters				
Connection OD	5 777	in		
Connection ID	4 734	in		
Make-Up Loss	5.823	in		
Critical Section Area	5.875	in²		
Tension Efficiency	90.0	0/0		
Compression Efficiency	90.0	6/0		
Yield Load In Tension	576,000	lbs		
Min. Internal Yield Pressure	12,640	psi		
Collapse Pressure	12.780	psi		
Uniaxial Bending	83	°/ 100 ff		

5.828

Make-Up Torques				
Min. Make-Up Torque	15.700	ft-lbs		
Opt. Make-Up Torque	19.600	ft-lbs		
Max Make-Up Torque	21,600	ft-lbs		
Operating Torque	29 000	ft-lbs		
Yield Torque	36,000	ft-lbs		



Printed on: February-22-2018


NOTE:

The content of this Technical Data Sheet is for general information only and does not guarantee performance or imply fitness for a particular purpose, which only a competent drilling professional can determine considering the specific installation and operation parameters. Information that is printed or downloaded is no longer controlled by TMK IPSCO and might not be the latest information. Anyone using the information herein does so at their own risk. To verify that you have the latest TMK IPSCO technical information, please contact TMK IPSCO Technical Sales toll-free at 1-888-258-2000.



TECHNICAL DATA SHEET TMK UP FJ 7.625 X 26.4 L80 HC

TUBULAR PARAMETERS		PIPE BODY PROPERTIES	
Nominal OD, (inch)	7.625	PE Weight, (lbs/ft) 2:	5.56
Wall Thickness, (inch)	0.328	Nominal Weight, (lbs/ft)	6.40
Pipe Grade	L80 HC	Nominal ID, (inch) 6.	.969
Drift	Standard	Drift Diameter, (inch) 6.	.844
		Nominal Pipe Body Area, (sq inch) 7.	.519
CONNECTION PARAMETERS		Yield Strength in Tension, (klbs)	501
Connection OD (inch)	7.63	Min. Internal Yield Pressure, (psi) 6	020
Connection ID, (inch)	6.975	Collapse Pressure, (psi) 3	910
Make-Up Loss, (inch)	4.165	,	
Connection Critical Area, (sq inch)	2.520	'nterval Propositi	
Yield Strength in Tension, (klbs)	347		
Yeld Strength in Compression, (klbs)	347		
Tension Efficiency	58%		
Compression Efficiency	58%		
Min. Internal Yield Pressure, (psi)	6 020		· ·
Collapse Pressure, (psi)	3 910		4 -1
Uniaxial Bending (deg/100ft)	28.0		
MAKE-UP TORQUES			
Yield Torque, (ft-lb)	22 200		
Minimum Make-Up Torque, (ft-lb)	12 500		
Optimum Make-Up Torque, (ft-lb)	13 900	A kternal Program	1 d.
Maximum Make-Up Torque, (ft-lb)	15 300		




NOTE: The content of this Technical Data Sheet is for general information only and documor journantee or imply in section particular purpose, which only a competent drilling professional can determine unside rights specific installation and operation, arameters. This information supersede all prior version, for this connection, information that is printed to downloaded is no longer controlled by TMK and applicable the late. First-inclination reports on controlled by TMK and applicable the lates it exhibits alternational information please contact PAO "TMK." Technical Sales in Russia (Tel. * 1495) 775-76-00 and techsales@tmi-group.com) and "MK IPSCU in Nort. America (Tel. (281):640-1044, Emplif techsales@tmi-group.com).

Print date: 07/10/2018 20:11

TECHNICAL DATA SHEET TMK UP SF 7.625 X 26.4 L80 HC

TUBULAR PARAMETERS		PIPE BODY PROPERTIES	
Nominal OD, (inch)	7.625	PE Weight, (lbs/ft) 2	25.56
Wall Thickness, (inch)	0.328	Nominal Weight, (lbs/ft) 2	26.40
Pipe Grade	L80 HC	Nominal ID, (inch) 6	5.969
Drift	Standard	Drift Diameter, (inch) 6	5.844
CONNECTION PARAMETERS		, , , , ,	7.519 601
Connection OD (inch)	7.79		020
Connection ID, (inch)	6.938	· • ·	3 910
Make-Up Loss, (inch)	6.029	,	
Connection Critical Area, (sq inch)	5.948	intensel Pressure	
Yield Strength in Tension, (klbs)	533		
Yeld Strength in Compression, (klbs)	533		
Tension Efficiency	89%	965 19 6 5	
Compression Efficiency	89%		
Min. Internal Yield Pressure, (psi)	6 020		
Collapse Pressure, (psi)	3 910		والمالا
Uniaxial Bending (deg/100ft)	42.7		
MAKE-UP TORQUES			
Yield Torque, (ft-lb)	22 600		
Minimum Make-Up Torque, (ft-lb)	15 000		
Optimum Make-Up Torque, (ft-lb)	16 500	Free al Pressure	e d
Maximum Make-Up Torque, (ft-lb)	18 200		



NOTE: The content of this Technical Data Sheet is for general information only and does not guarantee performance or imply fitness for a particular purpose which only a competent drilling professional can determine considering the specific installation, and operation parameters. This information supersed all prior versions for the connection information that is primed or downloaded is no longer controlled by TMK can, might not be the latest technical source using the information herein does in a time own risk. To exertly that you for the latest technical information please contact PAY, TMK. Technical Sales in Russia (Tel.) (281)°40°10°41° Email techsales@tinkinjacc.tom).

Print date: 07/10/2018 20:00

PECOS DISTRICT DRILLING CONDITIONS OF APPROVAL

OPERATOR'S NAME: OXY USA INC.

LEASE NO.: | NMNM 045236

WELL NAME & NO.: | Sterling Silver MDP1 33-4 Fed Com 1H

SURFACE HOLE FOOTAGE: 90'/N & 834'/W BOTTOM HOLE FOOTAGE 180'/S & 440'/W

LOCATION: | SECTION 33, T23S, R31E, NMPM

COUNTY: | EDDY

Potash	None	Secretary	ে R-111-P
Cave/Karst Potential	e row		← High
Variance	None	Flex Hose	C Other
Wellhead	Conventional	6 Multibowl	
Other	☐4 String Area	☐Capitan Reef	□WIPP

All previous COAs still apply except for the following:

A. CASING

- 1. The minimum required fill of cement behind the 7 5/8 inch second intermediate casing is:
 - Cement to surface. If cement does not circulate, contact the appropriate BLM office. Wait on cement (WOC) time for a primary cement job is to include the lead cement slurry due to potash.

Operator has proposed to pump down 9 5/8" X 7 5/8" annulus. Operator must run a CBL from the TD of the 7 5/8" casing to surface.

MHH 01222019

GENERAL REQUIREMENTS

The BLM is to be notified in advance for a representative to witness:

- a. Spudding well (minimum of 24 hours)
- b. Setting and/or Cementing of all casing strings (minimum of 4 hours)
- c. BOPE tests (minimum of 4 hours)
 - Chaves and Roosevelt Counties
 Call the Roswell Field Office, 2909 West Second St., Roswell NM 88201.
 During office hours call (575) 627-0272.
 After office hours call (575)
 - Eddy County
 Call the Carlsbad Field Office, 620 East Greene St., Carlsbad, NM 88220, (575) 361-2822

A. CASING

- 1. Changes to the approved APD casing program need prior approval if the items substituted are of lesser grade or different casing size or are Non-API. The Operator can exchange the components of the proposal with that of superior strength (i.e. changing from J-55 to N-80, or from 36# to 40#). Changes to the approved cement program need prior approval if the altered cement plan has less volume or strength or if the changes are substantial (i.e. Multistage tool, ECP, etc.). The initial wellhead installed on the well will remain on the well with spools used as needed.
- 2. Wait on cement (WOC) for Potash Areas: After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi for all cement blends, 2) until cement has been in place at least 24 hours. WOC time will be recorded in the driller's log.
- 3. Wait on cement (WOC) for Water Basin: After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi at the shoe, 2) until cement has been in place at least 8 hours. WOC time will be recorded in the driller's log. See individual casing strings for details regarding lead cement slurry requirements.

- 4. Provide compressive strengths including hours to reach required 500 pounds compressive strength prior to cementing each casing string. Have well specific cement details onsite prior to pumping the cement for each casing string.
- 5. No pea gravel permitted for remedial or fall back remedial without prior authorization from the BLM engineer.
- 6. On that portion of any well approved for a 5M BOPE system or greater, a pressure integrity test of each casing shoe shall be performed. Formation at the shoe shall be tested to a minimum of the mud weight equivalent anticipated to control the formation pressure to the next casing depth or at total depth of the well. This test shall be performed before drilling more than 20 feet of new hole.
- 7. If hardband drill pipe is rotated inside casing, returns will be monitored for metal. If metal is found in samples, drill pipe will be pulled and rubber protectors which have a larger diameter than the tool joints of the drill pipe will be installed prior to continuing drilling operations.

1

8. Whenever a casing string is cemented in the R-111-P potash area, the NMOCD requirements shall be followed.

Page 3 of 3