Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

Lease Serial No.
NMNM100549

	OTICES AND REPORTS ON WELLS
Do not use this	form for proposals to drill or to re-enter an
	Use form 3160-3 (APD) for such proposals.

6. If Indian, Allottee or Tribe Name

abandoned we	ell. Use form 3160-3 (APD) fo	r such proposals.	o. Il fildian, F	Anouee or Tribe Name
SUBMIT IN	TRIPLICATE - Other instruct	ions on page 2	7. If Unit or C	CA/Agreement, Name and/or No.
Type of Well Oil Well	ther		8. Well Name HH SO 8	and No. 5 FED 004 4H
Name of Operator CHEVRON USA INCORPOR	9. API Well N 30-015-4	No. 5990-00-X1		
3a. Address 6301 DEAUVILLE BLVD MIDLAND, TX 79706		Phone No. (include area code): 432-687-7655	10. Field and POKER I	Pool or Exploratory Area LAKE-DELAWARE, EAST
4. Location of Well (Footage, Sec., 7	11. County or	Parish, State		
Sec 17 T26S R27E NWNE 78 32.047596 N Lat, 104.208588			EDDY Co	OUNTY, NM
12. CHECK THE A	PPROPRIATE BOX(ES) TO	NDICATE NATURE O	F NOTICE, REPORT, O	R OTHER DATA
TYPE OF SUBMISSION		TYPE OF	ACTION	
Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resu	ume)
_	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity
☐ Subsequent Report	☐ Casing Repair	■ New Construction	☐ Recomplete	Other
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	Change to Original A PD
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	10
APDs approved May 2019.	uests authorization to change nade to the original 9 Pt. drilling		the original Carlsbad F OCD A	
 Added a first intermediate st brine. 	ring from surface to ~2,100'. D	rilling fluid will be a satura	ated	RECENSO
 Added a second intermediat cement job in this string. Cem 	e string from surface to ~9,100 ent planned to 300' into previo	l'. We are no longer pump us shoe. Drilling fluid will	ing a two stage be a cut	JUL & 3 2019
14. I hereby certify that the foregoing is	Electronic Submission #47360	NCORPORATED, sent to ti		STRICTILARTESIAO.C.D.
Name (Printed/Typed) LAURA B	ECERRA	Title REGUL/	ATORY SPECIALIST	
Signature (Electronic S	Submission)	Date 07/16/20	19	
	THIS SPACE FOR F	EDERAL OR STATE (OFFICE USE	
Approved By NDUNGU KAMAU_	. _	TitlePETROLEU	JM ENGINEER	Date 07/19/2019
Conditions of approval, if any, are attache certify that the applicant holds legal or equal which would entitle the applicant to condu	iitable title to those rights in the subje			
Fitle 18 U.S.C. Section 1001 and Title 43	U.S.C. Section 1212 make it a crime	for any person knowingly and	villfully to make to any depart	ment or agency of the United

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

Rut 10-29-19

Additional data for EC transaction #473609 that would not fit on the form

32. Additional remarks, continued

brine.

- Production string is planned as a liner.

The rest of the drilling plans remain unchanged. These changes apply to the following wells:

HH SO 8 5 FED 004 1H - 30-015-45987 HH SO 8 5 FED 004 2H - 30-015-45988 HH SO 8 5 FED 004 3H - 30-015-45989 HH SO 8 5 FED 004 4H - 30-015-45990 - Deepest well: 10,261' TVD HH SO 8 5 FED 004 5H - 30-015-45991 HH SO 8 5 FED 004 6H - 30-015-45992

Revisions to Operator-Submitted EC Data for Sundry Notice #473609

Operator Submitted

APDCH

Lease: NMNM118108

Agreement:

Sundry Type:

Operator:

CHEVRON USA INC 6301 DEAUVILLE BLVD MIDLAND, TX 79706 Ph: 432-687-7665

Admin Contact:

LAURA BECERRA REGULATORY SPECIALIST E-Mail: LBECERRA@CHEVRON.COM

Ph: 432-687-7665

Tech Contact:

LAURA BECERRA REGULATORY SPECIALIST E-Mail: LBECERRA@CHEVRON.COM

Ph: 432-687-7665

Location:

State: County: NM **EDDY**

Field/Pool:

PURPLE SAGE; WOLFCAMP (GAS

Well/Facility:

HH SO 8 5 FED 004 4H

Sec 17 T26S R27E Mer NMP NWNE 783FNL 1509FEL

BLM Revised (AFMSS)

APDCH

NOI

NMNM100549

CHEVRON USA INCORPORATED 6301 DEAUVILLE BLVD MIDLAND, TX 79706 Ph: 432 687 7100

LAURA BECERRA
REGULATORY SPECIALIST
E-Mail: LBECERRA@CHEVRON.COM

Ph: 432-687-7655

LAURA BECERRA REGULATORY SPECIALIST E-Mail: LBECERRA@CHEVRON.COM

Ph: 432-687-7655

NM

EDDY

POKER LAKE-DELAWARE, EAST

HH SO 8 5 FED 004 4H Sec 17 T26S R27E NWNE 783FNL 1509FEL 32.047596 N Lat, 104.208588 W Lon

ONSHORE ORDER NO. 1 Chevron HH SO 08 05 FED 004 4H Eddy County, NM CONFIDENTIAL -- TIGHT HOLE DRILLING PLAN PAGE: 1

1. FORMATION TOPS

The estimated tops of important geologic markers are as follows:

Elevation: 3268 ft

FORMATION	SUB-SEA TVD	TVD	MD ·	LITHOLOGIES	MIN. RESOURCES	PROD. FORMATION
Lamar		2,100			· N/A	
Bell Canyon		2,337			N/A	1
Cherry Canyon		3,182			N/A	
Brushy Canyon	•	4,331		· · · · · · · · · · · · · · · · · · ·	N/A	
Bone Spring Limestone		5,973			N/A	
Avalon		6,083			N/A	
First Bone Spring		6,836			Oil	
Second Bone Spring	·	7,469			Oil	
SBSG 3rd Carb		8,239			Oil	
Third Bone Spring		8,690			Oil	
Wolfcamp A		9,036			Oil	
Wolfcamp B	,	9,541			Oil	
Wolfcamp C		9,867			Oil	
Wolfcamp D		9,962			Oil	
Target		10,261	20,719			Wolfcamp D

WELLBORE LOCATIONS	SUB-SEA TVD	RKB TVD	MD
SHL	3268	-	
КОР	-6420	9,688	9,779
FTP	-6993	10,261	10,679
LTP	-6993	10,261	20,669

2. ESTIMATED DEPTH OF WATER, OIL, GAS & OTHER MINERAL BEARING FORMATIONS

The estimated depths at which the top and bottom of the anticipated water, oil, gas, or other mineral bearing formations are expected to be encountered are as follows:

Substance	Formation	Depth
Deepest Expe	450	
Water	Lamar	2,100
Oil/Gas	Bell Canyon	2,337
Oil/Gas	Cherry Canyon	3,182
Oil/Gas	Brushy Canyon	4,331

All shows of fresh water and minerals will be reported and protected.

3. **BOP EQUIPMENT**

Chevron will have a minimum of a 5,000 psi rig stack (see proposed schematic) for drill out below surface casing. The stack will be tested as specified in the attached testing requirements. Batch drilling of the surface, intermediate, and production will take place. A full BOP test will be performed per hole section, unless approval from BLM is received otherwise. Flex choke hose will be used for all wells on the pad (see attached specs and variance). BOP test will be conducted by a third party.

Chevron requests a variance to use a FMC Technologies UH-S Multibowl wellhead, which will be run through the rig floor on surface casing. BOPE will be nippled up and tested after cementing surface casing. Subsequent tests will be performed as needed, not to exceed 30 days. The field report from FMC Technologies and BOP test information will be provided in a subsequent report at the end of the well. Please see the attached wellhead schematic. An installation manual has been placed on file with the BLM office and remains unchanged from previous submittal. All tests performed by third party.

CONFIDENTIAL -- TIGHT HOLE DRILLING PLAN PAGE:

4. CASING PROGRAM

a. The proposed casing program will be as follows:

Purpose	From	То	Hole Size	Csg Size	Weight	Grade	Thread	Condition
Surface	0'	450'	17-1/2"	13-3/8"	54.5#	J-55	BTC	New
Intermediate	0'	2,115'	12-1/4"	9-5/8"	40#	L-80	BTC	New
Production	0'	9,136'	8-3/4"	7"	29.0#	P-110	BLUE	New
Production Liner	8,836'	20,719	6-1/8"	4-1/2"	11.6#	P-110	W521	New

- \mathbf{b}_{\cdot} Casing design subject to revision based on geologic conditions encountered.
- A "Worst Case" casing design for wells in a particular area is used below to calculate the Casing Safety Factors. If for any reason the C. casing design for a particular well requires setting casing deeper than the following "worst case" design, then the Casing Safety Factors will be recalculated & sent to the BLM prior to drilling.
- d. Chevron will fill casing at a minimum of every 20 jts (~840') while running for intermediate and production casing in order to maintain collapse SF.

SF Calculations based on the following "Worst Case" casing design:

Surface Casing: Intermediate Casing: **Production Casing:**

450' ftTVD 2,580' ftTVD ftTVD 9,350'

Production Casing:

20,719' ftMD

Casing String	Min SF Burst	Min SF Collapse	Min SF Tension	Min SF Tri-Axial
Surface	1.41	5.09	3.56	1.54
Intermediate	2.93	3.02	4.63	3.48
Production	1.14	1.86	1.62	1.41
Production Liner	1.13	1.28	1.92	1.36

The following worst case load cases were considered for calculation of the above Min. Safety Factors:

Burst Design	Surf	Int	Prod	Prod Lnr
Pressure Test- Surface, Int, Prod Csg		'		
P external: Mud weight above TOC, PP below	X) X	X	X
P internal: Test psi + next section heaviest mud in csg				
Displace to Gas- Surf Csg				ĺ
P external: Mud weight above TOC, PP below	X			
P internal: Dry Gas from Next Csg Point				
Gas over mud (60/40) - Int Csg	•	,		
P external: Mud weight above TOC, PP below		X		,
P internal: 60% gas over 40% mud from hole TD PP				
Stimulation (Frac) Pressures- Prod Csg				
P external: Mud weight above TOC, PP below			X	X
P internal: Max inj pressure w/ heaviest injected fluid				
Tubing leak- Prod Csg (packer at KOP)				ì
P external: Mud weight above TOC, PP below			X	l X
P internal: Leak just below surf, 8.45 ppg packer fluid				
Collapse Design	Surf	Int	Prod	Prod
Full Evacuation				
P external: Mud weight gradient	X	X	X	X
P internal: none				
Cementing- Surf, Int, Prod Csg				i
P external: Wet cement	X	Χ.	X	×
P internal: displacement fluid - water	l			
Tension Design	Surf	Int	Prod	Prod
100k lb overpull				
	X	X	X	X
	l	l	L	L

CONFIDENTIAL -- TIGHT HOLE DRILLING PLAN PAGE: 3

5. **CEMENTING PROGRAM**

Slurry	Туре	Тор	Bottom	Sacks	Yield	Density	%Excess	Water	Volume	Additives
Surface		FILE	, , , , , , , , , , , , , , , , , , ,	0.5	(cu ft/sk)	(ppg)	Open Hole	gal/sk 🔝	cuft	
Tail	Class C	0'	450'	377	1.33	14.8	10	6.37	_、 501	Extender, Antifoam, Retarder
//Intermediate Csg.//		144 - 120 - 1		10 7 10 3 1 3 1 5 1 S						
Lead	Class C	0'	1,115'	150	2.56	11.9	10	14.66	384	Extender, Antifoam, Retarder, Viscosifier
Tail	Class C	1,115'	2,115'	287	1.33	14.8	10	6.38	382	Extender, Antifoam, Retarder, Viscosifier
Production (LIESEY!			Link of La	14.79 Y	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Lead	Class C	1,815′	8,500'	565	2.46	11.9	10	14.05	1391	Extender, Antifoam, Retarder, Viscosifier
Tail	Class C	8,636'	9,136'	59	1.4	14.5	10	6.77	83	Extender, Antifoam, Retarder, Viscosifier
Production Liner					وذاد أغلطتنا					LEFTE
Lead	Class C	8,836'	19,719'	955	1.18	15.6	10	5.14	1127	Extender, Antifoam, Retarder, Viscosifier
Tail	Acid Sol Class H	19,719'	20,719'	55	1.9	16	10	7.44	104	Extender, Antifoam, Retarder, Viscosifier

^{1.} Final cement volumes will be determined by caliper.

^{2.} Surface casing shall have at least one centralizer installed on each of the bottom three joints starting with the shoe joint.

^{3.} Production casing will have one solid body type centralizer on every joint in the lateral, then every other joint to KOP. Bowspring type centralizers will be run from KOP to intermediate casing and surface.

6. MUD PROGRAM

From	To	Туре	Weight	Viscosity	Filtrate	Notes
· 0'	450'	Fresh water mud	8.3 - 8.9	26-30	N/C	
450'	2,115'	Brine	9.5 - 10.2	40-45 ·	<20	
2,115'	9,136'	WBM	8.3 - 9.6	40-45	<20	
						Due to wellbore stability, the mud program may exceed the MW weight window needed to maintain overburden of pore
9,136'	20,719'	ОВМ	9.2 - 11.8	50-80	05 - 15	pressure

A closed system will be used consisting of above ground steel tanks. All wastes accumulated during drilling operations will be contained in a portable trash cage and removed from location and deposited in an approved sanitary landfill. Sanitary wastes will be contained in a chemical porta-toilet and then hauled to an approved sanitary landfill.

All fluids and cuttings will be disposed of in accordance with New Mexico Oil Conservation Division rules and regulations. And transportating of E&P waste will follow EPA regulations and accompanying manifests.

A mud test shall be performed every 24 hours after mudding up to determine, as applicable: density, viscosity, gel strength, filtration, and pH.

Visual mud monitoring equipment shall be in place to detect volume changes indicating loss or gain of circulating fluid volume. When abnormal pressures are anticipated -- a pit volume totalizer (PVT), stroke counter, and flow sensor will be used to detect volume changes indicating loss or gain of circulating fluid volume.

A weighting agent and lost circulating material (LCM) will be onsite to mitigate pressure or lost circulation as hole conditions dictate.

7. TESTING, LOGGING, AND CORING

The anticipated type and amount of testing, logging, and coring are as follows:

- a. Drill stem tests are not planned.
- b. The logging program will be as follows:

TYPE	Logs	Interval	Timing	
Mudlogs	2 man mudlog	Surface casing shoe	While drilling or	
		through prod hole TD	circulating	
LWD	MWD Gamma	Int. and Prod. Hole	While Drilling	

- c. Conventional whole core samples are not planned.
- d. A directional survey will be run.

8. ABNORMAL PRESSURES AND HYDROGEN SULFIDE

a. No abnormal pressure or temperatures are expected. Estimated BHP is: 4,039 p

b. Hydrogen sulfide gas is not anticipated. An H2S Contingency plan is attached with this APD in the event that H2S is encountered

PECOS DISTRICT DRILLING CONDITIONS OF APPROVAL

OPERATOR'S NAME: CHEVRON USA INCORPORATED
LEASE NO.: NMNM100549
COUNTY: EDDY

HH SO 8 5 FED 004 1H

LOCATION: Section 17, T.26 S., R.27 E., NMPM SURFACE HOLE FOOTAGE: 783'/N & 1584'/E BOTTOM HOLE FOOTAGE: 280'/S & 1590'/E

HH SO 8 5 FED 004 2H

LOCATION: Section 17, T.26 S., R.27 E., NMPM SURFACE HOLE FOOTAGE: 783'/N & 1559'/E BOTTOM HOLE FOOTAGE: 280'/S & 1254'/E

HH SO 8 5 FED 004 3H

LOCATION: Section 17, T.26 S., R.27 E., NMPM SURFACE HOLE FOOTAGE: 783'/N & 1534'/E BOTTOM HOLE FOOTAGE: 280'/S & 1170'/E

HH SO 8 5 FED 004 4H

LOCATION: Section 17, T.26 S., R.27 E., NMPM SURFACE HOLE FOOTAGE: 783'/N & 1509'/E BOTTOM HOLE FOOTAGE: 280'/S & 750'/E

HH SO 8 5 FED 004 5H

LOCATION: Section 17, T.26 S., R.27 E., NMPM SURFACE HOLE FOOTAGE: 783'/N & 1484'/E BOTTOM HOLE FOOTAGE: 280'/S & 30'/E

HH SO 8 5 FED 004 6H

LOCATION: Section 17, T.26 S., R.27 E., NMPM SURFACE HOLE FOOTAGE: 783'/N & 1459'/E BOTTOM HOLE FOOTAGE: 280'/S & 330'/E

ALL PREVIOUS COAS STILL APPLY.

A. CASING

Primary Casing Design:

- 1. The 13-3/8 inch surface casing shall be set at approximately 450 feet (a minimum of 70 feet (Eddy County) into the Rustler Anhydrite and above the salt) and cemented to the surface.
 - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
 - b. Wait on cement (WOC) time for a primary cement job will be a minimum of **8** hours or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
 - c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
 - d. If cement falls back, remedial cementing will be done prior to drilling out that string.
- 2. The minimum required fill of cement behind the 9-5/8 inch intermediate casing is:

Option 1 (Single Stage):

• Cement to surface. If cement does not circulate see B.1.a, c-d above. Wait on cement (WOC) time for a primary cement job is to include the lead cement slurry due to cave/karst or potash.

Option 2:

Operator has proposed a DV tool, the depth may be adjusted as long as the cement is changed proportionally. The DV tool may be cancelled if cement circulates to surface on the first stage.

- a. First stage to DV tool: Cement to circulate. If cement does not circulate off the DV tool, contact the appropriate BLM office before proceeding with second stage cement job.
- b. Second stage above DV tool:

- Cement to surface. If cement does not circulate, contact the appropriate BLM office.
 - Wait on cement (WOC) time for a primary cement job is to include the lead cement slurry due to cave/karst or potash.
- ❖ In <u>High Cave/Karst Areas</u> if cement does not circulate to surface on the first two casing strings, the cement on the 3rd casing string must come to surface.
- 3. The minimum required fill of cement behind the 7 inch production casing is:

Option 1 (Single Stage):

• Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

Option 2:

Operator has proposed a DV tool, the depth may be adjusted as long as the cement is changed proportionally. The DV tool may be cancelled if cement circulates to surface on the first stage.

- a. First stage to DV tool: Cement to circulate. If cement does not circulate off the DV tool, contact the appropriate BLM office before proceeding with second stage cement job.
- b. Second stage above DV tool:
 - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.
- 4. The minimum required fill of cement behind the 4-1/2 inch production liner is:
 - Cement should tie-back 100 feet into the previous casing. Operator shall provide method of verification.

B. PRESSURE CONTROL

1. Variance approved to use flex line from BOP to choke manifold. Manufacturer's specification to be readily available. No external damage to flex line. Flex line to be installed as straight as possible (no hard bends).'

2.

Option 1:

a. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be **5000 (5M)** psi.

Option 2:

- 1. Operator has proposed a multi-bowl wellhead assembly. This assembly will only be tested when installed on the surface casing. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be **5000 (5M)** psi.
 - a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
 - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
 - c. Manufacturer representative shall install the test plug for the initial BOP test.
 - d. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
 - e. Whenever any seal subject to test pressure is broken, all the tests in OOGO2.III.A.2.i must be followed.

GENERAL REQUIREMENTS

The BLM is to be notified in advance for a representative to witness:

- a. Spudding well (minimum of 24 hours)
- b. Setting and/or Cementing of all casing strings (minimum of 4 hours)
- c. BOPE tests (minimum of 4 hours).
 - Chaves and Roosevelt Counties
 Call the Roswell Field Office, 2909 West Second St., Roswell NM 88201.
 During office hours call (575) 627-0272.
 After office hours call (575)
 - Eddy County
 Call the Carlsbad Field Office, 620 East Greene St., Carlsbad, NM 88220, (575) 361-2822
 - ✓ Lea CountyCall the Hobbs Field Station, 414 West Taylor, Hobbs NM 88240, (575)393-3612
- 1. Unless the production casing has been run and cemented or the well has been properly plugged, the drilling rig shall not be removed from over the hole without prior approval.
 - a. In the event the operator has proposed to drill multiple wells utilizing a skid/walking rig. Operator shall secure the wellbore on the current well, after installing and testing the wellhead, by installing a blind flange of like pressure rating to the wellhead and a pressure gauge that can be monitored while drilling is performed on the other well(s).
 - b. When the operator proposes to set surface casing with Spudder Rig
 - Notify the BLM when moving in and removing the Spudder Rig.
 - Notify the BLM when moving in the 2nd Rig. Rig to be moved in within 90 days of notification that Spudder Rig has left the location.
 - BOP/BOPE test to be conducted per Onshore Oil and Gas Order No. 2 as soon as 2nd Rig is rigged up on well.
- 2. Floor controls are required for 3M or Greater systems. These controls will be on the rig floor, unobstructed, readily accessible to the driller and will be operational at all times during drilling and/or completion activities. Rig floor is defined as the area immediately around the rotary table; the area immediately above the substructure on which the draw works are located, this does not include the dog house or stairway area.

3. The record of the drilling rate along with the GR/N well log run from TD to surface (horizontal well – vertical portion of hole) shall be submitted to the BLM office as well as all other logs run on the borehole 30 days from completion. If available, a digital copy of the logs is to be submitted in addition to the paper copies. The Rustler top and top and bottom of Salt are to be recorded on the Completion Report.

A. CASING

- 1. Changes to the approved APD casing program need prior approval if the items substituted are of lesser grade or different casing size or are Non-API. The Operator can exchange the components of the proposal with that of superior strength (i.e. changing from J-55 to N-80, or from 36# to 40#). Changes to the approved cement program need prior approval if the altered cement plan has less volume or strength or if the changes are substantial (i.e. Multistage tool, ECP, etc.). The initial wellhead installed on the well will remain on the well with spools used as needed.
- 2. Wait on cement (WOC) for Potash Areas: After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi for all cement blends, 2) until cement has been in place at least 24 hours. WOC time will be recorded in the driller's log. The casing intergrity test can be done (prior to the cement setting up) immediately after bumping the plug.
- 3. Wait on cement (WOC) for Water Basin: After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi at the shoe, 2) until cement has been in place at least 8 hours. WOC time will be recorded in the driller's log. See individual casing strings for details regarding lead cement slurry requirements. The casing intergrity test can be done (prior to the cement setting up) immediately after bumping the plug.
- 4. Provide compressive strengths including hours to reach required 500 pounds compressive strength prior to cementing each casing string. Have well specific cement details onsite prior to pumping the cement for each casing string.
- 5. No pea gravel permitted for remedial or fall back remedial without prior authorization from the BLM engineer.
- 6. On that portion of any well approved for a 5M BOPE system or greater, a pressure integrity test of each casing shoe shall be performed. Formation at the shoe shall be tested to a minimum of the mud weight equivalent anticipated to control the formation pressure to the next casing depth or at total depth of the well. This test shall be performed before drilling more than 20 feet of new hole.
- 7. If hardband drill pipe is rotated inside casing, returns will be monitored for metal. If metal is found in samples, drill pipe will be pulled and rubber protectors which have a

- larger diameter than the tool joints of the drill pipe will be installed prior to continuing drilling operations.
- 8. Whenever a casing string is cemented in the R-111-P potash area, the NMOCD requirements shall be followed.

B. PRESSURE CONTROL

- 1. All blowout preventer (BOP) and related equipment (BOPE) shall comply with well control requirements as described in Onshore Oil and Gas Order No. 2 and API RP 53 Sec. 17.
- 2. If a variance is approved for a flexible hose to be installed from the BOP to the choke manifold, the following requirements apply: Check condition of flexible line from BOP to choke manifold, replace if exterior is damaged or if line fails test. Line to be as straight as possible with no hard bends and is to be anchored according to Manufacturer's requirements. The flexible hose can be exchanged with a hose of equal size and equal or greater pressure rating. Anchor requirements, specification sheet and hydrostatic pressure test certification matching the hose in service, to be onsite for review. These documents shall be posted in the company man's trailer and on the rig floor.
- 3. 5M or higher system requires an HCR valve, remote kill line and annular to match. The remote kill line is to be installed prior to testing the system and tested to stack pressure.
- 4. If the operator has proposed a multi-bowl wellhead assembly in the APD. The following requirements must be met:
 - a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
 - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
 - c. Manufacturer representative shall install the test plug for the initial BOP test.
 - d. Whenever any seal subject to test pressure is broken, all the tests in OOGO2.III.A.2.i must be followed.
 - e. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
- 5. The appropriate BLM office shall be notified a minimum of 4 hours in advance for a representative to witness the tests.
 - a. In a water basin, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been

done. The casing cut-off and BOP installation can be initiated four hours after installing the slips, which will be approximately six hours after bumping the plug. For those casing strings not using slips, the minimum wait time before cut-off is eight hours after bumping the plug. BOP/BOPE testing can begin after cut-off or once cement reaches 500 psi compressive strength (including lead when specified), whichever is greater. However, if the float does not hold, cut-off cannot be initiated until cement reaches 500 psi compressive strength (including lead when specified).

- b. In potash areas, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. For all casing strings, casing cut-off and BOP installation can be initiated at twelve hours after bumping the plug. However, **no tests** shall commence until the cement has had a minimum of 24 hours setup time, except the casing pressure test can be initiated immediately after bumping the plug (only applies to single stage cement jobs).
- c. The tests shall be done by an independent service company utilizing a test plug not a cup or J-packer. The operator also has the option of utilizing an independent tester to test without a plug (i.e. against the casing) pursuant to Onshore Order 2 with the pressure not to exceed 70% of the burst rating for the casing. Any test against the casing must meet the WOC time for water basin (8 hours) or potash (24 hours) or 500 pounds compressive strength, whichever is greater, prior to initiating the test (see casing segment as lead cement may be critical item).
- d. The test shall be run on a 5000 psi chart for a 2-3M BOP/BOP, on a 10000 psi chart for a 5M BOP/BOPE and on a 15000 psi chart for a 10M BOP/BOPE. If a linear chart is used, it shall be a one hour chart. A circular chart shall have a maximum 2 hour clock. If a twelve hour or twenty-four hour chart is used, tester shall make a notation that it is run with a two hour clock.
- e. The results of the test shall be reported to the appropriate BLM office.
- f. All tests are required to be recorded on a calibrated test chart. A copy of the BOP/BOPE test chart and a copy of independent service company test will be submitted to the appropriate BLM office.
- g. The BOP/BOPE test shall include a low pressure test from 250 to 300 psi. The test will be held for a minimum of 10 minutes if test is done with a test plug and 30 minutes without a test plug. This test shall be performed prior to the test at full stack pressure.
- h. BOP/BOPE must be tested by an independent service company within 500 feet of the top of the Wolfcamp formation if the time between the setting of the intermediate casing and reaching this depth exceeds 20 days. This test

does not exclude the test prior to drilling out the casing shoe as per Onshore Order No. 2.

C. DRILLING MUD

Mud system monitoring equipment, with derrick floor indicators and visual and audio alarms, shall be operating before drilling into the Wolfcamp formation, and shall be used until production easing is run and cemented.

D. WASTE MATERIAL AND FLUIDS

All waste (i.e. drilling fluids, trash, salts, chemicals, sewage, gray water, etc.) created as a result of drilling operations and completion operations shall be safely contained and disposed of properly at a waste disposal facility. No waste material or fluid shall be disposed of on the well location or surrounding area.

Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.

NMK7192019

Wedge 521®

Printed on: 05/09/2019



Min. Wall 87.5% **Outside Diameter** 4.500 in. (*) Grade P110 Thickness **Connection OD** REGULAR Wall Thickness 0.250 in. COUPLING PIPE BODY Option Body: White 1st Band: White Grade Drift P110* API Standard 1st Band: -2nd Band: • 2nd Band: -3rd Band: -3rd Band: -4th Band: -Type Casing

PIPE BODY DATA					
GEOMETRY					
Nominal OD	4.500 in.	Nominal Weight	11.60 lbs/ft	Drift	3.875 in.
Nominal ID	4.000 in.	Wall Thickness	0.250 in.	Plain End Weight	11.36 lbs/ft
OD Tolerance	API				
PERFORMANCE					
Body Yield Strength	367 x1000 lbs	Internal Yield	10690 psi	SMYS	110000 psi
Collapse	7580 psi				
CONNECTION DATA					
GEOMETRY			•		
Connection OD	4.695 in.	Connection ID	3.960 in.	Make-up Loss	3.620 in.
Threads per in	3.36	Connection OD Option	RÉGULAR		
PERFORMANCE					<u> </u>
Tension Efficiency	64.2 %	Joint Yield Strength	235.614 x1000 lbs	Internal Pressure Capacity	10690.000 ps
Compression Efficiency	84.8 %	Compression Strength	311.216 x1000 lbs	Max. Allowable Bending	71.9 °/100 ft
External Pressure Capacity	7580.000 psi	N.		·	•
MAKE-UP TORQUES	<u> </u>				
Minimum	3600 ft-lbs	Optimum .	4300 ft-lbs	Maximum	6300 ft-lbs
OPERATION LIMIT T	ORQUES		,	10. July 10.000 Mar. 10.000 11.11.11.	
Dperating Torque	14000 ft-lbs	Yield Torque	21000 ft-lbs	***************************************	***************************************

Notes

This connection is fully interchangeable with:

Wedge 521® - 4.5 in. - 10.5 / 11 / 12.6 / 13.5 lbs/ft

Connections with Dopeless® Technology are fully compatible with the same connection in its Standard version


For further information on concepts indicated in this datasheet, download the Datasheet Manual from www.tenaris.com

Tenaris has issued this document for general information only, and the information in this document, including, without limitation, any pictures, drawings or designs ("Information") is not intended to constitute professional or any other type of advice or recommendation and is provided on an "as is" basis. No warranty is given. Tenaris has not independently verified any information -if any- provided by the user in connection with, or for the purpose of, the Information contained hereunder. The use of the Information is at user's own risk and Tenaris does not assume any responsibility or liability of any kind for any loss, damage or injury resulting from, or in connection with any Information contained hereunder

or any use thereof. The Information in this document is subject to change or modification without notice. Tenaris's products and services are subject to Tenaris's standard terms and conditions or otherwise to the terms resulting from the respective contracts of sale or services, as the case may be, between petitioner and Tenaris. For more complete information please contact a Tenaris's representative or visit our website at www.tenaris.com . @Tenaris 2017. All rights reserved.

Print Datasheet Comparison

2 selected connections




Blue®

Min. Wall Thickness:87.5 Drift: API Standard Type: Casing

Connection OD Option:

REGULAR



Blue®-SD

Min. Wall Thickness:87.5 Drift: Special Drift Type: Casing

Connection OD Option:

REGULAR

Pipe Features

Outside Diameter

Wall Thickness

(Maiaht)

(Weight)

7 in.

7 in.

0.408 in.(lbs/ft)

0.408 in.(lbs/ft)

Grade Tenaris Grades

P110

P110

PIPE BODY DATA

GEOMETRY

Nominal OD

7 in.

7 in.

→ OD Tolerance

API

API.

Nominal Weight

29.00 lbs/ft

29.00 lbs/ft

Drift

6.059 in.

6.125 in.

Printed on: 04/23/2019

							*
	Nominal ID	6.184 in.	6.184 in				
	Wall Thickness	0.408 in.	0.408 in		•		
	. Plain End Weight	28.75 lbs/ft	28.75 lbs/ft		* . * *		· -
	PERFORMANCE		•		•		
	Collapse	8530 psi	8530 psi				
	Body Yield Strength	929 ×1000 lbs	929 x1000 lbs	·			
	Internal Yield	11220 psi	11220 psi	•			
	SMYS ·	110000 psi	110000 psi				
	CONNECTION DATA		,				
	GEOMETRY						
	Connection OD	7.677 in.	7.68 in.				
	Coupling Length	10.551 in.	10.55 in.				
	Connection ID	6.118 in.	6.19 in.			•	
	Make-up Loss	4.480 in.	4.480 in.				
	Threads per in	4	4			· -	
	Connection OD Option	REGULAR	REGULAR		·		
	PERFORMANCE				•	· .	·
	Tension Efficiency	100.0 %	100.0 %				
	Joint Yield Strength	929 x1000 lbs	929 x1000 lbs				•
	Internal Pressure Capacity	11220 psi	11220 psi				
	Compression Efficiency ·	100 %	89.3 %				
-	Compression Strength	929 x1000 lbs	829.597 x1000 lbs				
	Max. Allowable Bending	72 °/100 ft	64.3 °/100 ft			•	

External Pressure Capacity	8530 psi	8530 psi					
Coupling Face Load	433000 lbs	433000 lbs					
MAKE-UP TORQUES							
Minimum	10480 ft-lbs	9060 ft-lbs					
Optimum	11640 ft-lbs	10070 ft-lbs					
Maximum	12800 ft-lbs	11080 ft-lbs					
SHOULDER TORQUES							
Minimum	1750 ft-lbs	1510 ft-lbs					
Maximum	9890 ft-lbs	8560 ft-lbs					
OPERATION LIMIT TORQUES							
Operating Torque	29100 ft-lbs	25220 ft-lbs					
Yield Torque	36380 ft-lbs	31520 ft-lbs					

Notes

For further information on concepts indicated in this datasheet, download the Datasheet Manual from www.tenaris.com

Tenaris has issued this document for general information only, and the information in this document, including, without limitation, any pictures, drawings or designs ("Information") is not intended to constitute professional or any other type of advice or recommendation and is provided on an "as is" basis. No warranty is given. Tenaris has not independently verified any information—if any-provided by the user in connection with, or for the purpose of, the Information contained hereunder. The use of the Information is at user's own risk and Tenaris does not assume any responsibility or liability of any kind for any loss, damage or injury resulting from, or in connection with any Information contained hereunder or any use thereof. The Information in this document is subject to change or modification without notice. Tenaris's products and services are subject to Tenaris's standard terms and conditions or otherwise to the terms resulting from the respective contracts of sale or services, as the case may be, between petitioner and Tenaris. For more complete information please contact a Tenaris's representative or visit our website at www.tenaris.com . ©Tenaris 2017. All rights reserved.