

NEW MEXICO OIL CONSERVATION COMMISSION

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

OIL ☐ GAS ☒ OTHER-

Name of Operator  
BCO, Inc.

Address of Operator  
135 Grant, Santa Fe, New Mexico 87501

Location of Well

UNIT LETTER D 970 FEET FROM THE North LINE AND 910 FEET FROM

THE West LINE, SECTION 2 TOWNSHIP 23N RANGE 7W NMPM

15. Elevation (Show whether DF, RT, CR, etc.)  
6904 GR

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
INFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>		COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
WELL OR ALTER CASING <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER _____ <input type="checkbox"/>		OTHER <u>Drilling Progress</u> <input checked="" type="checkbox"/>	

1. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

9-1-80 to 9-11-80 Drilled 7 7/8" hole to 6505'. Bits run as follows:

Bit #	Type	Date Out	Footage Out	Rotate Hours	Feet Drilled	Avg. Per Hour	Deviation
1	HTC-OSC	8-31	317	5 1/2	317	58	Failed to Take
2	HTC-J2	9-2	1857	14 1/4	1540	108	1 3/4
3	REED-HS51	9-6	4718	97 1/2	2861	29	1
4	HTC-J22	9-10	6270	83	1552	19	2 3/4
5	STC-F3	9-11	6505	18	235	13	Failed to take

9-11-80 Ran Go Induction Electrical Log & Compensated Density : Compensated Neutron Log  
Go will mail 1 copy to OCC Aztec directly.

9-12-80 Ran 6503' 11.60 # N-80 casing. Three stage cement job ran as follows:

SEP 19 1980  
OIL CON. COM.  
DIST. 3

Stage 1 6503-5011 500 sacks 50-50 POZ Mix. Circulated cement to surface.

Stage 2 5011-2623 550 sacks Halliburton Lite. Circulated cement to surface.

Stage 3 2623-surface 410 sacks Halliburton Lite. Circulated approximately 150 sacks of good cement to pit.

Note: Each stage of cement was preceded by 10 Bbls. mud flush. Each sack of cement was mixed with 10 lbs. of Gilsonite, 7 lbs. of salt and 2% CaCl. The 1st stage had 1/4 lbs. of flocele in addition to the above. The hole was circulated with mud for 4 hours between the 1st and 2nd stage and 3 hours between the 2nd and 3rd.

9-13-80 Moved off. Waiting on cement to set up and completion unit.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Harry R. Bush TITLE President DATE 9-18-80

Original Signed by FRANK T. CHAVEZ

**SUPERVISOR DISTRICT 43**

DATE **SEP 19 1980**

CTIONS OF APPROVAL, IF ANY: