


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office Santa Fe
Lease No. 072302
Unit Rincon Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 2, 1960

Well No. 150(10) is located 10 ft. from N line and 20 ft. from E line of sec.

<u>NE/4 Sec. 6</u>	<u>20N</u>	<u>6E</u>	<u>N.M.P.M.</u>
(1/4 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)

<u>Blanco M.V. & So. Blanco Dsk.</u>	<u>Rio Arriba</u>	<u>New Mexico</u>
(Field)	(County or Subdivision)	(State or Territory)

The elevation of the derrick floor above sea level is 622 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

On 12-15-59 Total Depth 3155'.

Ran 93 joints 9 5/8", J-55, 36.00#, casing (3144') set at 3154' with 125 sacks regular cement, 625# Gilsenite and 2# Gel, followed with 50 sacks Neat cement. Held 1000#/30 minutes. Top of cement by temperature survey at 2450'.

On 12-24-59 Total Depth 7120'. Ran 227 joints 7", J-55 & H-40, 23.00# casing (7104') set at 7116' with 475 sacks regular cement, 475 sacks Pozmix, 1/4# Flocele/sk., 1/2# fine tuffing/sk. & 6# Gel, followed with 50 sacks Neat cement. Held 1000#/30 Minutes. Top of cement by temperature survey at 2950'.

On 1-2-60 Total Depth 7520'.

Ran 12 joints 5", J-55, 15.00#, casing (494') set from 7020' to 7514' with 125 sacks Pozmix 140, 15# Flocele mat.

Held 1000#/30 minutes. Top of cement by temperature survey at 7070'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas CompanyAddress Box 997Farmington, New MexicoBy ORIGINAL SIGNED J.J. TILLEPSONTitle Petroleum Engineer