Form 9-331 (May 1963)	UNITED STATES SUBMIT IN TRIP	Budget Bureau No. 42-K1424
•	DEPARTMENT OF THE INTERIOR (Other Instruction verse side)	5. LEASE DESIGNATION AND SERIAL NO.
	GEOLOGICAL SURVEY	SF-078309
(Do not	SUNDRY NOTICES AND REPORTS ON WELLS t use this form for proposals to drill or to deepen or plug back to a different reservo Use "APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
OIL WELL	GAS WELL X OTHER	7. UNIT AGREEMENT NAME
2. NAME OF OP		8. FARM OR LEASE NAME
мт	DDANNON	Federal 29
3. ADDRESS OF	BRANNON OPERATOR	9. WELL NO.
3417 F	Hulen St., Suite 124, Ft. Worth, Texas 761	07   1
See also spa At surface	NL, 1780 FEL	10. FIELD AND POOL, OR WILDCAT  Basin Dakota  11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  Sec. 29-T25N-R9N  N.M.P.M.
14. PERMIT NO.	15. ELEVATIONS (Show whether he, str., cr., etc.)	12. COUNTY OR PARISH 13. STATE
	6664'G.L.	San Juan   N.M.
TEST WATE FRACTURE SHOOT OR A REPAIR WE (Other)	ACIDIZE ABANDON* SHOOTING OR ACID  CHANGE PLANS (Other)  (NOTE: Repu	SUBSEQUENT REPORT OF:  X  REPAIRING WELL  ALTERING CASING 5 1981

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated at the proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and nent to this work.)\*

## AMENDED REPORT

6/13/81	Spud	Well				
		~ •	_		0 - 1011	

6/14/81 T.D. 255'. Ran 6 joints 8-5/8', 23.0 lbs., ERW casing (241.71') set at 254.71' with 250 sacks Class 'B" cement with 3% Calcium Chloride and 1/4 lbs. Flocele per sack. Cement circulated. Pressure test with 500 psig. Test ok.

6/26/81 T.D. 6525'. Ran 163 joints 4-1/2", 10.50 & 11.60 J-55 casing (6547.79') set at 6532' with:

First Stage: 525 sacks 50-50 Pozmix with 6-1/4 lbs. Gilsonite and 6 lbs. salt

per sack. Calculated top of cement 4682'.

Second Stage: 525 sacks 65-35 Pozmix (12% Ge1) with 6-1/4 lbs. Gilsonite per

sack followed by 50 sacks Class "B" cement. Stage Collar 4682'.

Calculated top of cement 2189'.

Third Stage: 500 sacks 65-35 Pozmix (12% Gel) with 6-1/4 lbs. Gilsonite per

sack followed by 50 sacks Class "B" cement. Cement circulated

sto surface. Stage collar 2189.

FOR: M. J. BRANNON		
18. I hereby certify that the foregoing is true and correct  ORIGINAL SIGNED BY  EWELL N., WALSEN, P. E.	President, Walsh Engineering TITLE Production Corp. DATE 7/9/81	
(This space for Federal or State office use)		
APPROVED BYCONDITIONS OF APPROVAL, IF ANY:	TITLE DATE RESERV	<del></del>

\*See Instructions on Reverse Side

By Dean Ellist