

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐

b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RENVR. ☐ Other ☐

2. NAME OF OPERATOR
Hixon Development Company

3. ADDRESS OF OPERATOR
P.O. Box 2810, Farmington, New Mexico 87499

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 1650' FSL, 330' FEL, Section 26, T25N, R12W

At top prod. interval reported below

At total depth

14. PERMIT NO. DATE ISSUED

5. LEASE DESIGNATION AND SERIAL NO.

NM 67094

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Dodd Geiger

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Bisti Lower Gallup

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 26, T25N, R12W

12. COUNTY OR PARISH
San Juan

13. STATE
New Mexico

15. DATE SPUDDED 3-3-89 16. DATE T.D. REACHED 3-7-89 17. DATE COMPL. (Ready to prod.) 3-28-89 18. ELEVATIONS (DF, RKB, RT, GE, ETC.)* 6405' GLE 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 4940' 21. PLUG, BACK T.D., MD & TVD 4885' 22. IF MULTIPLE COMPL., HOW MANY* N/A 23. INTERVALS DRILLED BY → ROTARY TOOLS X CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 4740' - 4750' 25. WAS DIRECTIONAL SURVEY MADE Yes

26. TYPE ELECTRIC AND OTHER LOGS RUN Induction Log with Gamma Ray & Compensated Density-Neutron Logs 27. WAS WELL CORED No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD
8-5/8"	24#	265.69' KB	12-1/4"	See Exhibit "A" attached
5-1/2"	15.5#	4928.04'	7-7/8"	See Exhibit "A" attached

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	SCREEN SET (MD)
					2-3/8"	4741' KB	

31. PERFORATION RECORD (Interval, size and number)

4740'-4750' 4" 40 holes

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4740'-4750'	Acidized with 500 gal. 15% HCL acid and 65 bbls. 2% KCL water.

33.* PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
3-28-89		Pumping				Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
4-25-89	24	3/8"	→	20	130	0	6500
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
30	30	→	20	130	0	39	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

to be used on lease

TEST WITNESSED BY

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

Aldrich L. Kuchera

TITLE President/CEO

DATE April 26, 1989

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Pictured Cliffs Lewis Cliffhouse Menefee Pt. Lookout Mancos Gallup	1152' 1301' 1920' 2537' 3564' 3718' 4621'					

HIxon DEVELOPMENT COMPANY
COMPLETION REPORT
DODD GEIGER WELL NO. 1
1650' FSL, 330' FEL
SECTION 26, T25N, R12W
SAN JUAN COUNTY, NEW MEXICO
EXHIBIT "A"

CEMENTING RECORD

- Surface Casing - Mixed and pumped 175 sks. (207 cu. ft.)
Class "B" cement containing 2% CaCl_2 .
Cement circulated to surface.
- Production Casing - Mixed and pumped 385 sks. (1498 cu. ft.)
of Class "B" cement containing 3% A-2
(chemical extender) and 1/4#/sk. Cello-
Flake. Tailed in with 200 sks. (236 cu.
ft.) of Class "B" cement containing 2%
 CaCl_2 and 1/4#/sk. Cello-Flake. Cement
circulated to surface.