

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE\*

(See other instructions on reverse side)

Form approved.  
Budget Bureau No. 1004-0137  
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other ☐  
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other ☐

2. NAME OF OPERATOR  
Giant Exploration & Production Company

3. ADDRESS OF OPERATOR  
P.O. Box 2810 Farmington, NM 87499

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)\*  
At surface 2310' FSL, 790' FWL, Sec. 22, T25N, R12W

At top prod. interval reported below

At total depth

API# 30-045-28243

14. PERMIT NO. DATE ISSUED

15. DATE SPUDDED 10-12-90  
16. DATE T.D. REACHED 10-16-90  
17. DATE COMPL. (Ready to prod.) 4-22-91

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)\* 6378' GLE  
19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 1250'  
21. PLUG BACK T.D., MD & TVD 1215.2'  
22. IF MULTIPLE HOW MANY 23. INTERVALS N/A  
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (and TVD)\* 1117' - 1135'

26. TYPE ELECTRIC AND OTHER LOGS RUN

Compensated Density - Neutron Logs

OIL CON. DIV

DIST. 3

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
7"	20#	134'	8-3/4"	See exhibit "A" attached	
4-1/2"	9.5#	1249.4'	6-1/4"	See exhibit "A" attached	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					1-1/2"	1136'	

31. PERFORATION RECORD (Interval, size and number)

1117' - 1135' .40" 72 holes

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
1117' - 1135'	Fraced with 8800# 40/70 Arizona sand, 56,200 # 12/20 Arizona sand, and 624 bbls slurry

33.\*

PRODUCTION

DATE FIRST PRODUCTION 4-22-91		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing				WELL STATUS (Producing or shut-in) SI - PL Conn	
DATE OF TEST 5-1-91	HOURS TESTED 24	CHOKE SIZE 3/4"	PROD'N. FOR TEST PERIOD	OIL—BBL. -0-	GAS—MCF. 329	WATER—BBL. 1	GAS-OIL RATIO N/A
FLOW. TUBING PRESS. 8 psi	CASING PRESSURE 34 psi	CALCULATED 24-HOUR RATE	OIL—BBL. -0-	GAS—MCF. 329	WATER—BBL. 1	OIL GRAVITY-API (CORR.) N/A	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

to be sold

TEST WITNESSED BY

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Aldrich L. Kuchera President

DATE

\*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

ACCEPTED FOR RECORD  
JUN 4 1991  
FARMINGTON RESOURCE AREA

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Fruitland	1002'					
Basal Fruitland Coal	1118'					
Pictured Cliffs	1158'					

GIANT EXPLORATION & PRODUCTION COMPANY  
BISTI COAL 22 WELL NO. 2  
2310' FSL, 790' FWL  
SEC. 22, T25N, R12W  
SAN JUAN COUNTY, NEW MEXICO  
LEASE NO.: NOO-C-14-20-5578  
COMPLETION REPORT  
EXHIBIT "A"

CEMENT RECORD

- Surface Casing - Mixed and pumped 60 sks. (70.8 cu. ft.)  
Class "B" cement containing 2%  $\text{CaCl}_2$  and  
1/4#/sk. cellophane flakes. Cement  
circulated to surface.
- Production Casing - Mixed and pumped 70 sks. (144.2 cu. ft.)  
Class "B" cement containing 2%  
Thriftyment and 1/4#/sk. cellophane  
flakes. Tailed in with 70 sks. (82.6 cu.  
ft.) Class "B" cement containing 2%  $\text{CaCl}_2$   
and 1/4#/sk. cellophane flakes. Cement  
circulated to surface.