

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED
MAR 23 PM 1:35

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator

**BURLINGTON
RESOURCES**

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

1130' FSL, 2105' FWL, Sec. 18, T-26-N, R-8-W, NMPM

NSL-3741

5. Lease Number
14-20-603-771
6. If Indian, All. or
Tribe Name
Navajo
7. Unit Agreement Name

8. Well Name & Number
Kas Des Pah #500
9. API Well No.
30-045-
10. Field and Pool
Basin Fruitland Coal
11. County and State
San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input checked="" type="checkbox"/> Change of Plans
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other -	

13. Describe Proposed or Completed Operations

It is intended to change the casing program for the subject well as follows:

Drill an 8 3/4" surface hole to 120'. Run 7" 20# K-55 surface casing, set at 120'. Cement with 46 sacks Class "G" cement with 3% calcium chloride, 0.25 pps Cellophane (54 cu.ft. of slurry, 200% excess to circulate to surface). WOC for eight hours. PT casing to 600 psi for 30 minutes.

Drill an 6 1/4" production hole to 2025'. Run 4 1/2" 11.6# J-55 production casing, set at 2025'. Cement with lead of 185 sacks Class "G" 65/35 poz w/6% gel, 2% calcium chloride, 0.25 pps Cellophane, 5 pps Kolite (347 cu.ft. of slurry, 120% excess to circulate to surface). Tail with 100 sacks Class "G" cement with 2% calcium chloride, 0.25 pps Cellophane (116 cu.ft. of slurry).

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] (LCW) Title Regulatory Administrator Date 4/22/98
no

(This space for Federal or State Office use)

APPROVED BY AS/ Duane W. Spencer

Title

Date

CONDITION OF APPROVAL, if any:

[Signature]

NMOC