


- 3 - USGS
- 2 - NMCC
- 3 - El Paso Natural (SUBMIT IN TRIPLICATE)
- 1 - State Land Office
- 1 - L. G. Truby UNITED STATES
- 1 - File

Land Office Santa Fe
Lease No. 87-079051-8
Unit 14-98-001-1051



DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 5th, 1958

S.J. 28-6
Well No. 88-35 is located 1837 ft. from (N) line and 1090 ft. from (W) line of sec. 35

28-6 Sec. 35 28 North 6 West N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)


Blanco Mesa Verde Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the ground above sea level is 6551 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded July 22nd, 1958. Set 184.66' of 10-3/4", 32.75#, N-40 casing @ 126.66', cemented w/200 sz Portland regular w/3% CaCl₂. Volume of cement slurry 244 cu. ft. Approximate temp. of cement slurry when mixed 60°F. Estimated formation temp. 70°F. Estimated strength of cement 2375# per square inch. Cement was in place 12 hours before test. Casing tested OK.
Set 3488' of 7-5/8", 26.40#, J-55 casing @ 3500', cemented w/150 sz Portland regular w/0% gal and 70 sz neat w/2% CaCl₂. Cement was in place 20 hours before test. Casing tested OK.
Set 173.17' of 5-1/2", 15.50#, J-55 and 2085.64' of 5-1/2", 14#, J-55 liner @ 5700', Burns Liner Hanger (3.50') @ 3437.69', cemented w/200 sz Portland regular w/1% gal plus 1/2# floccs per sz. Cement was in place 18 hours before test. Casing tested OK.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company PACIFIC EQUIPMENT PIPELINE CORPORATION

Address 418 1/2 West Broadway

Farmington, New Mexico

By Original signed by Geo. E. Poppin

Title District Production Engineer

