



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 077111
Unit Storey

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	<input type="checkbox"/>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	<input type="checkbox"/>
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	<input type="checkbox"/>
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	<input type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	<input type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL		<input type="checkbox"/>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 24, 19 20

Well No. 11-C(14) is located 1745 ft. from [N] line and 1720 ft. from [E] line of sec. 34

S&NS/4 Sec. 34 20N 14W S.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco M.V. & Co. San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6033 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On 6-3-58, Total depth 4926'.
Ran 144 joints 7 5/8", 26.4#, J-55 casing (4916') set at 4925'. Two stage cementing tool at 3066'. First stage 75 sacks regular cement, 75 sacks Pozmix w/2% gel and 1/4# Floccs per sack, followed w/50 sacks Heat cement. Second stage 75 sacks regular cement, 75 sacks Pozmix with 2% gel. Held 1000# 30 minutes.

Top of cement by temperature survey on second stage at 3010'.

6-7-58 T.D. 5475'.

Ran 15 joints 5 1/2", 15.5#, J-55 casing (644') set from 4033-5474' w/75 sacks regular cement, 75 sacks Pozmix, 6% Gel, 1/5# Floccs/sk. followed by 50 sacks regular cement. Held 1000# 30 minutes.

Top of cement by temperature survey at 2500'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 997

Farmington, New Mexico

By Original Signed D. C. Johnston

Title Petroleum Engineer