


2-10000
2-10000
1-State Land Office
1-L. E. Truby
1-File

Budget Bureau No. 42-R358.4
Approval expires 12-31-60.



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. NM-012671
Unit 14-08-001-439

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 10th, 1958

S.J. 29-6 Unit
Well No. 42-25 is located 1450 ft. from N line and 1070 ft. from E line of sec. 25

SW/4 NE/4 Sec. 25 29 North 6 West N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Blanco Mesa Verde Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the ground ~~surface~~ above sea level is 6646 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded May 28th, 1958. Set 201.75' of 10-3/4", H-40, 32.75# casing @ 213.57', cemented w/200 sx Portland regular w/3% CaCl. Volume of cement slurry 244 cu ft. Approximate temp. of cement slurry when mixed 60° F. Est. formation temp. 70° F. Est. of cement strength 2575# /in². Cement was in place 12hrs before test. Casing tested OK.

Set 3728' of 7-5/8", J-55, 26.40# casing @ 3740', cemented w/150 sx Portland regular w/8% gel & 50 sx neat w/2% CaCl. Cement was in place 24hrs before test. Casing tested OK.

Set 372.17' of 5-1/2", J-55, 15.50# casing and 1885.92' of 5-1/2", J-55, 14# casing @ 5950', Burns liner changer (3.50') @ 3688.41', cemented w/200 sx Portland regular w/4% gel plus 1/2 floccs per sx. Pressured to 2000#, held OK. Cement in place 18hrs before test.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company PACIFIC NORTHWEST PIPELINE CORPORATION

Address 418 1/2 West Broadway

Farmington, New Mexico

By Original signed by Geo. H. Peppin

Title District Protraction Engineer