


2 - MOCC
 1 - State Land Office
 Form 9-881a 1 - L. G. Truby
 (Feb. 1961) 1 - File

Budget Bureau No. 42-R358.4
 Approval expires 12-31-60.



(SUBMIT IN TRIPLICATE)

UNITED STATES
 DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY

Land Office Santa Fe
 Lease No. SF-078278
 Unit 14-08-001-439

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	X
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 27th, 1958
 S.J. 29-6 Unit
 Well No. 29-3 is located 990 ft. from ^[N]_[S] line and 1650 ft. from ^[E]_[W] line of sec. 3
 SE/4 SW/4 Sec. 3 29 North 6 West N.M.P.M.
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
 Blanco Mesa Verde Rio Arriba New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the ~~deck floor~~ ^{ground} above sea level is 6488.8 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded May 5th, 1958. Set 183.26' of 10-3/4", H-40, 32.75# casing @ 195.26', cemented w/200 sx Portland regular w/2% CaCl₂. Volume of cement slurry 244 cu. ft. Approx. Temp. of cement slurry when mixed 60° F. Est. formation temp. 70° F. Est. of cement strength 2575# /in². Cement was in place 12hrs before test. Casing tested OK.
 Set 3608' of 7-5/8", J-55, 26.40# casing @ 3620', cemented w/150 sx Portland regular w/8% gel & 50 sx neat. Cement in place 24hrs before test. Casing tested OK.
 Set 208.48' of 5-1/2", J-55, 15.50# and 2035.38' of 5-1/2", J-55, 14# liner @ 5790', Burns liner hanger (3.50') @ 3542.64', cemented w/200 sx Portland regular w/4% gel plus 1# flocele per sx. Cement was in place 18hrs before test. Pressured to 2000#, held OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company PACIFIC NORTHWEST PIPELINE CORPORATION

Address 118 1/2 West Broadway

Farminston, New Mexico

Original By George H. Peppin

Title District Protraction Engineer