

(SUBMIT IN TRIPLICATE)

Land Office Santa Fe

Lease No. 079060

Unit Northeast Blanco

Unit Agreement No. 1, Sec 29

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 29, 1957

Well No. 35-19 is located 1500 ft. from S line and 1800 ft. from E line of sec. 19

NW/SE/4 Sec. 19 30N 7W NMPM
($\frac{1}{4}$ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco Mesaverte Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6392 ft. (Graded)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded at 4:30 PM 6-14-57

On 6-16-57, ran 9 Jts 10-3/4" 32.75# H40 casing - 247' set at 260'. Cemented with 300 sacks regular cement with 1/2 lb. floccle per sack. Cement circulated. Tested casing with 800 PSI for 30 minutes. Held OK.

On 7-14-57, ran 87 Jts 7-5/8" 26.40# J55 casing - 3506' set at 3518'. Cemented with 225 sacks 1:1 cement and pozzix with 4% gel and 1/4 lb. floccle per sack. Tested casing with 1000 PSI for 30 minutes. Held OK. Drilled with gas from 7-5/8" casing point

On 7-21-57, ran 136 Jts 5-1/2" 15.50# J55 casing - 5676' set at 5687'. Cemented with 150 sacks 4% gel cement with 1/4 lb. floccle per sack. Tested casing with 1000 PSI for 15 minutes. Held OK. Cement plug back depth: 5663'. Top of cement at 3880' by temperature survey.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Blackwood & Nichols Company (Unit Operator)

Address P. O. Box 1237

Durango, Colorado

Original Signed
By by Delasso-Loss Delasso Loss

Title Field Superintendent