



Form 9-331a  
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES

DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYLand Office Santa FeLease No. EE-03356Unit Northeast Blanco  
Unit Agreement No. 1, Sec. 929

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 10, 1957

Well No. 52-15 is located 1650 ft. from N line and 1650 ft. from E line of sec. 15

34/NE/4 Sec. 15 31N 7W R12N  
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Blanco Mesaverte San Juan New Mexico  
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5536 ft. (Grade: Ground)

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On 4-13-57, ran 5 Jts. 10 3/4" 32.75# H40 casing-152' set at 167'. Cemented with 200 sacks regular cement. Cement circulated. Tested casing with 800 PSI for 20 minutes. Held OK.

On 5-1-57, ran 113 Jts 7 5/8" 26.40# J55 casing-3589' set at 3602'. Cemented with 225 sacks 1:1 mixture of cement &amp; pozzol with 4% gel and 1/2 lb. floccs per sack. Tested casing with 1000 PSI for 30 minutes. Held OK. Drilled with gas from 7 5/8" casing point.

On 5-15-57, ran 183 Jts. 5 1/2" 15.50# J55 casing-5890' set at 5902'. Cemented with 200 sacks 4% gel cement with 1/4 lb. floccs per sack. Tested casing with 1000 PSI for 15 minutes. Held OK. Cement plug back depth 5890'. Top of cement at 3805', by temperature survey.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Blackwood & Nichols Company (Unit Operator)Address P. O. Box 1237Durango, ColoradoBy Dr. Lasso Lorenzo LassoTitle Field Superintendent

