0

20

(SUBMIT IN TRIPLICATE)

UNITED STATES

DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Indian Agency	Ute-Indian
Contract N	Mountain Tribal 8-60h-82

CLINDDY MOTICES

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF SUBSEQUENT REPORT OF SHOOTING OR ACID SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF REDRILLING OR RE	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASINGSUBSEQUENT REPORT OF REDRILLING OR RE	F 2 7
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF REDRILLING OR RE	
		PAIR
NOTICE OF INTENTION TO PULL OR ALTER CASING.	SUBSEQUENT REPORT OF ABANDONMENT	ácð
	SUPPLEMENTARY WELL HISTORY	190° 5 190°
NOTICE OF INTENTION TO ABANDON WELL		171:
(INDICATE ABOVE BY CHECK MARK	NATURE OF REPORT, NOTICE, OR OTHER DATA)	
	April 30	
Ute-Incian	Ani) . (Ge)	
ell No. 2-20/ is located 700 ft. fro	om ${S \atop S}$ line and 1940ft. from ${W \atop W}$ li	ne of sec20
//4 SE//4 Sec. 20 31N	144 H. P. M.	
(¼ Sec. and Sec. No.) (Twp.)	(Range) (Meridian)	1/24
erde-Gallup San Juan	New Mexico	
	or Subdivision) (State or To	erritory)
he elevation of the derrick floor above sea lev	val in K620 ft	
the elevation of the deflick hoor above sea lev	VEL 15 2444. IT.	on con co
DETAI	LS OF WORK	
ate names of and expected depths to objective sands; show aiz ing points, and all o	oe, weights, and lengths of proposed casings; indicat ther important proposed work)	mudding jobs, coment
Ran 86 joints 52", J-55, 15.5# car 3329. Cemented with 70 sacks re	sing on April 20, 1959. Casi gular cement with 2% gel. Se	ng landed at t Baker Stage
Collar at 2476.		
Cemented second stage through Bake	er Stage Collar with 40 sacks	regular
cement with 2% gel. Ran temperate	ure surveys - top of lat stage	e cement at
3150'; top of 2nd stage cement at	22h0*.	
Perforate 8 shots per ft. 3222-329	93. Frac with 30,000 sand a	nd 35,196 gall
of old. avg. injection rate 27.6 h	BPM.	
Ran 105 joints 2", J-55, 4.7# tub	ing on April 27, 1959. Lande	d at 3278 R.C

U. S. GOVERNMENT PRINTING OFFICE 16-8437b-8