


- 3 - USGS
2 - NMCC
3 - El Paso
1 - State Land Office IN TRIPLICATE)
1 - L. G. Truby
1 - File

Land Office Santa FeLease No. 87-079717Unit 14-08-001-446

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 5th, 1958

S.J. 32-8 Unit
Well No. 30-27 is located 990 ft. from S line and 990 ft. from W line of sec. 27
SW 1/4 SW 1/4 Sec. 27 32 North 8 West N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Alamosa Mesa Verde San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~datum~~ ^{ground} above sea level is 6638 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded July 29th, 1958. Set 231.72' of 10-3/4", H-40, 32.73# casing @ 243.47', cemented w/200 sz Portland regular w/2# CaCl₂. Volume of cement slurry 244 cubic ft. Approximate temp. of cement slurry when mixed 67°. Estimated formation temp. 70°F. Estimated strength of cement 2573# per square inch. Cement was in place 12 hrs before test. Casing tested OK.

Set 3854.00' of 7-5/8", J-55, 26.40# casing @ 3865.00', cemented w/150 sz Portland regular 8# gal and 90 sz w/2# CaCl₂. Cement was in place 24 hrs before test. Casing tested OK.

Set 209.09' of 5-1/2", J-55, 15.50# and 2127.18' of 5-1/2", 14#, J-55 liner @ 6130.77', Beach-Ross liner hanger (4.50') @ 3789.00', cemented w/200 sz Portland regular w/4# gal and 1/2# floccule per sz. Cement was in place 18 hrs before test. Pressured to 2500#, held good.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company PACIFIC NORTHWEST PIPELINE CORPORATIONAddress 418 1/2 West BroadwayFarmington, New MexicoBy Original signed by Gen. E. PappinTitle Dist. Protection Engineer