


3 - USGS
3 - El Paso
2 - MIOCC
1 - State Land Office
1 - L. G. Truby
1 - File

Land Office Santa FeLease No. 37-078687Unit 14-08-001-569

(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 30th, 1958

3.J. 32-9 Unit
Well No. 65-9 is located 1650 ft. from N line and 1650 ft. from W line of sec 9

NE/4 SW/4 Sec. 9 32 North 9 West N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Blanco Mesa Verde San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

ungraded ground
The elevation of the ~~drainage~~ above sea level is 6959 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded June 3, 1958. Set 227.55' of 10-3/4", 32.75#, H-40 casing @ 238.80', cemented w/225 sx Portland regular w/3% CaCl. Volume of cement slurry 244 cu. ft. Approximate temp. of cement slurry when mixed 60° F. Estimated formation temp. 70° F. Estimated strength of cement 2575# per square inch. Cement was in place 12hrs before test. Casing tested OK.

Set 4038.88' of 7-5/8", 26.40#, J-55 casing @ 4050.13', Baker two stage collar @ 1844', cemented 1st stage w/150 sx Portland regular w/8% gel and 50 sx w/2% CaCl, cemented 2nd stage w/150 sx Portland regular w/4% gel plus 1/2 floccs per sx. Cement was in place 24hrs before test, casing tested OK.

Set 1048.92' of 5-1/2", 15.50#, J-55 and 1294.78' of 1 1/2", J-55 liner @ 6311', Beach-Ross liner hanger @ 3962', cemented w/200 sx Portland regular w/4% gel plus 1/2 floccs per sx. Cement was in place 12hrs before test, pressured to 2500#, held OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company PACIFIC NORTHWEST PIPELINE CORPORATIONAddress 418 1/2 West BroadwayFarmington, New MexicoBy Original signed by Geo. H. PeypinTitle District Production Engineer