1. GEOLOGIC NAME OF SURFACE FORMATION:

Permian

2. ESTIMATED TOPS OF IMPORTANT GEOLOGICAL MARKERS:

Rustler	1,125'
Top of Salt	1,630'
Base of Salt / Top Anhydrite	4,800'
Base Anhydrite	5,048'
Lamar	5,048'
Bell Canyon	5,087
Cherry Canyon	6,169
Brushy Canyon	7,647
Bone Spring Lime	9,192'
1st Bone Spring Sand	10,168
2 nd Bone Spring Shale	10,384
2 nd Bone Spring Sand	10,727
3 rd Bone Spring Carb	11,213'
3 rd Bone Spring Sand	11,814'
Wolfcamp	12,272
TD	12,402

3. ESTIMATED DEPTHS OF ANTICIPATED FRESH WATER, OIL OR GAS:

Upper Permian Sands	0-400'	Fresh Water
Cherry Canyon	6,169	Oil
Brushy Canyon	7,647	Oil
1st Bone Spring Sand	10,168	Oil
2 nd Bone Spring Shale	10,384'	Oil
2 nd Bone Spring Sand	10,727	Oil
3 rd Bone Spring Carb	11,213'	Oil
3 rd Bone Spring Sand	11,814'	Oil
Wolfcamp	12,272	Oil

No other Formations are expected to give up oil, gas or fresh water in measurable quantities. Surface fresh water sands will be protected by setting 10.75" casing at 1,150' and circulating cement back to surface.

4. CASING PROGRAM - NEW

Hole		Csg				DF _{min}	DF _{min}	\mathbf{DF}_{\min}
Size	Interval	OD	Weight	Grade	Conn	Collapse	Burst	Tension
14.75"	0 - 1,150	10.75"	40.5#	J55	STC	1.125	1.25	1.60
9.875"	0-1,000	7.625"	29.7#	HCP-	LTC	1.125	1.25	1.60
				110				
9.875"	1,000' -	7.625"	29.7#	P-110EC	SLIJ II	1.125	1.25	1.60
	3,000'							
8.75"	3,000' - 11,300'	7.625"	29.7#	HCP-	FlushMax III	1.125	1.25	1.60
				110				
6.75"	0'-10,800'	5.5"	20#	P-110EC	DWC/C-IS	1.125	1.25	1.60
					MS			
6.75"	10,800'-22,481'	5.5"	20#	P-110EC	VAM SFC	1.125	1.25	1.60

Variance is requested to wave the centralizer requirements for the 7-5/8" FJ casing in the 8-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 8-3/4" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to wave any centralizer requirements for the 5-1/2" FJ casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

Cementing Program:

Depth	No. Sacks	Wt.	Yld Ft³/ft	Mix Water Gal/sk	Slurry Description	
10-3/4" 1,150°	400	13.5	1.73	9.13	Class C + 4.0% Bentonite + 0.6% CD-32 + 0.5% CaCl ₂ + 0.25 lb/sk Cello-Flake (TOC @ Surface)	
	200	14.8	1.34	6.34	Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate	
7-5/8" 11,300°	250	14.8	1.38	6.48	Class C + 5% Gypsum + 3% CaCl2 pumped via Bradenhead (TOC @ Surface)	
	2000	14.8	1.38	6.48	Class C + 5% Gypsum + 3% CaCl2 pumped via Bradenhead	
	550	14.4	1.20	4.81	50:50 Class H:Poz + 0.25% CPT20A + 0.40% CPT49 + 0.20% CPT35 + 0.80% CPT16A + 0.25% CPT503P pumped Conventionally	
5-1/2" 22,481'	850	14.1	1.26	5.80	Class H + 0.1% C-20 + 0.05% CSA-1000 + 0.20% C-49 + 0.40% C-17 (TOC @ 10,800')	

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

Variance is requested to use a co-flex line between the BOP and choke manifold (instead of using a 4" OD steel line).

The minimum blowout preventer equipment (BOPE) shown in Exhibit #1 will consist of a single ram, mud cross and double ram-type (10,000 psi WP) preventer and an annular preventer (5000-psi WP). Both units will be hydraulically operated and the ram-type will be equipped with blind rams on bottom and drill pipe rams on top. All BOPE will be tested in accordance with Onshore Oil & Gas order No. 2.

Before drilling out of the surface casing, the ram-type BOP and accessory equipment will be tested to 5000/250 psig and the annular preventer to 3500/250 psig. The surface casing will be tested to 1500 psi for 30 minutes.

Before drilling out of the intermediate casing, the ram-type BOP and accessory equipment will be tested to 5000/250 psig and the annular preventer to 3500/250 psig. The intermediate casing will be tested to 2000 psi for 30 minutes.

Pipe rams will be operationally checked each 24-hour period. Blind rams will be operationally checked on each trip out of the hole. These checks will be noted on the daily tour sheets.

A hydraulically operated choke will be installed prior to drilling out of the intermediate casing shoe.

6. TYPES AND CHARACTERISTICS OF THE PROPOSED MUD SYSTEM:

During this procedure we plan to use a Closed-Loop System and haul contents to the required disposal.

The applicable depths and properties of the drilling fluid systems are as follows.

Depth	Type	Weight (ppg)	Viscosity	Water Loss
0 – 1,150'	Fresh - Gel	8.6-8.8	28-34	N/c
1,150' – 11,300'	Brine	8.8-10.0	28-34	N/c
11,300' - 22,481'	Oil Base	10.0-14.0	58-68	3 - 6
Lateral				

The highest mud weight needed to balance formation is expected to be 11.5 ppg. In order to maintain hole stability, mud weights up to 14.0 ppg may be utilized.

An electronic pit volume totalizer (PVT) will be utilized on the circulating system, to monitor pit volume, flow rate, pump pressure and stroke rate.

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept at the wellsite at all times.

7. AUXILIARY WELL CONTROL AND MONITORING EQUIPMENT:

- (A) A kelly cock will be kept in the drill string at all times.
- (B) A full opening drill pipe-stabbing valve (inside BOP) with proper drill pipe connections will be on the rig floor at all times.
- (C) H₂S monitoring and detection equipment will be utilized from surface casing point to TD.

8. LOGGING, TESTING AND CORING PROGRAM:

Open-hole logs are not planned for this well.

GR-CCL Will be run in cased hole during completions phase of operations.

9. ABNORMAL CONDITIONS, PRESSURES, TEMPERATURES AND POTENTIAL HAZARDS:

The estimated bottom-hole temperature (BHT) at TD is 181 degrees F with an estimated maximum bottom-hole pressure (BHP) at TD of 7416 psig (based on 11.5 ppg MW). No hydrogen sulfide or other hazardous gases or fluids have been encountered, reported or are known to exist at this depth in this area. Severe loss circulation is expected from 7,300' to Intermediate casing point.

10. ANTICIPATED STARTING DATE AND DURATION OF OPERATIONS:

The drilling operation should be finished in approximately one month. If the well is productive, an additional 60-90 days will be required for completion and testing before a decision is made to install permanent facilities.

(A) EOG Resources requests the option to contract a Surface Rig to drill, set surface casing, and cement on the subject well. If the timing between rigs is such that EOG Resources would not be able to preset the surface, the Primary Rig will MIRU and drill the well in its entirety per the APD.

11. WELLHEAD:

A multi-bowl wellhead system will be utilized.

After running the 10-3/4" surface casing, a 13-5/8" BOP/BOPE system with a minimum working pressure of 5000 psi will be installed on the wellhead system and will be pressure tested to 250 psi low followed by a 5000 psi pressure test. This pressure test will be repeated at least every 30 days, as per Onshore Order No. 2

The minimum working pressure of the BOP and related BOPE required for drilling below the surface casing shoe shall be 5000 psi.

The multi-bowl wellhead will be installed by vendor's representative(s). A copy of the installation instructions for the Stream Flo FBD100 Multi-Bowl WH system has been sent to the NM BLM office in Carlsbad, NM.

The wellhead will be installed by a third party welder while being monitored by WH vendor's representative.

All BOP equipment will be tested utilizing a conventional test plug. Not a cup or J-packer type.

A solid steel body pack-off will be utilized after running and cementing the intermediate casing. After installation the pack-off and lower flange will be pressure tested to 5000 psi.

Both the surface and intermediate casing strings will be tested as per Onshore Order No. 2 to at least 0.22 psi/ft or 1500 psi, whichever is greater.

Exhibit 1a




Exhibit 1 EOG Resources 5M BOPE

1


17

2






16. Flow Line 17. 2" Fill Line




16

Exhibit 4 EOG Resources Caballo 23 Fed Com #704H

Well Site Diagram





O.D. 5.500 WEIGHT 20.00

WALL 0.361

GRADE VST P110EC

Connection OD

DRIFT 4.653

5.701 in

PIPE BODY PROPERTIES

Material Grade Min. Yield Strength	VST P110EC 125	
Min. Tensile Strength	135	ksi
Outside Diameter	5.500	in
Inside Diameter	4.778	in
Nominal Area	5.828	sq.in.
Yield Strength	729	kips

729	KIPS
787	kips
14,360	psi
12,090	psi
	787 14,360

Contact: tech.support@vam-usa.com Ref. Drawing: SI-PD 100414 Rev.B

Date: Time: 14-Jun-16 2:31 PM

CONNECTION PROPERTIES

Connection ID Make up Loss	4.719 5.132	
Day Orthinal Arran	4.000	
Box Critical Area %PB Section Area	70.1%	sq.in.
Pin Critical Area %PB Section Area	4.123 70.7%	sq.in.
Yield Strength	510	kips
Parting Load	551	kips
Min Internal Yield	14,360	psi
*High Collapse	12,090	psi
Wk Compression	357	kips
Max Pure Bending	20	°/100 ft

TORQUE DATA ft-lb

min	opt	max
8,700	9,700	10,700



All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.

TECHNICAL SPECIFICATIONS

These specifications are furnished for general information only and are not intended for design purposes. This information is preliminary and may change subject to a final design by VAM-USA Engineering. This is not a controlled document.

DWC/C-IS MS		Casing	5.500" O.D.	20.00 lb./ft.	VST P-110EC
VST P-110EC 125,000 135,000		Material Grade Minimum Yield Strength (p Minimum Ultimate Strength	,	V	
5.500 4.778 0.361 20.00 19.83 5.828		Pipe Dimensions Nominal Pipe Body OD (in Nominal Pipe Body ID (in.) Nominal Wall Thickness (in Nominal Weight (lbs./ft.) Plain End Weight (lbs./ft.) Nominal Pipe Body Area (see Nominal Pipe Body	n.)	Houston, TX 770 Phone: (713) 47 Fax: (713) 479-	79-3200
729,000 12,090 14,360 13,100		Pipe Body Performance Minimum Pipe Body Yield Minimum Collapse Pressu Minimum Internal Yield Pre Hydrostatic Test Pressure	Strength (lbs.) re (psi.) essure (psi.)		
6.115 4.778 4.653 4.13 5.828 100.0		Connection Dimensions Connection OD (in.) Connection ID (in.) Connection Drift Diameter Make-up Loss (in.) Critical Area (sq. in.) Joint Efficiency (%)	(in.)		
729,000 26,040 728,000 729,000 12,090 14,360 104.2	(1) (2) (3)	Connection Performance Joint Strength (lbs.) Reference String Length (lbs.) API Joint Strength (lbs.) Compression Rating (lbs.) API Collapse Pressure Ra API Internal Pressure Res Maximum Uniaxial Bend R	ft.) 1.4 Design I ting (psi.) istance (psi.)		
16,600 19,100 21,600	(5) (5) (6)	Approximated Field End Minimum Final Torque (ft Maximum Final Torque (ft. Connection Yield Torque (lbs.) -lbs.)		

- (1) Joint Strength is the minimum pipe body yield strength multiplied by the connection critical area.
- (2) Reference String Length is the joint strength divided by both the weight in air and the design factor.
- (3) API Joint Strength is for reference only. It is calculated from Formulas 42 and 43 in the API Bulletin 5C3.
- (4) API Internal Pressure Resistance is calculated from Formulas 31, 32, and 35 in the API Bulletin 5C3.
- (5) Torque values are approximated and may be affected by field conditions.
- (6) Connection yield torque is not to be exceeded.

Connection specifications within the control of VAM-USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades voltained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advite obtain current connection specifications and verify pipe mechanical properties for each application.



OD	Weight	Wall Th.	Grade	API Drift	Connection
7 5/8 in.	29.70 lb/ft	0.375 in.	VM 110 HC	6.750 in.	VAM® SLIJ-II

PIPE	PROPERTIES
Nominal OD	7.625 in.
Nominal ID	6.875 in.
Nominal Cross Section A	rea 8.541 sqin.
Grade Type	High Collapse
Min. Yield Strength	110 ksi
Max. Yield Strength	140 ksi
Max. Yield Strength Min. Ultimate Tensile Stre	


PROPERTIES
Premium integral semi-flush
7.711 in.
6.820 in.
4.822 in.
5.912 sqin.
69.2 % of pipe
48.5 % of pipe
100 % of pipe
100 % of pipe

CONNECTION PERFORMA	NCES
Tensile Yield Strength	651 klb
Compression Resistance	455 klb
Internal Yield Pressure	9470 psi
Uniaxial Collapse Pressure	7890 psi
Max. Bending Capacity	TDB
Max Bending with Sealability	20 °/100 ft

FIELD TORQUE VALUES			
Min. Make-up torque	11300 ft.lb		
Opti. Make-up torque	12600 ft.lb		
Max. Make-up torque	13900 ft.lb		

VAM® SLIJ-II is a semi-flush integral premium connection for all casing applications. It combines a near flush design with high performances in tension, compression and gas sealability.

VAM® SLIJ-II has been validated according to the most stringent tests protocols, and has an excellent performance history in the world's most prolific HPHT wells.



Do you need help on this product? - Remember no one knows VAM® like VAM

canada@vamfieldservice.com usa@vamfieldservice.com mexico@vamfieldservice.com brazil@vamfieldservice.com uk@vamfieldservice.com dubal@vamfieldservice.com nigeria@vamfieldservice.com angola@vamfieldservice.com china@vamfieldservice.com baku@vamfieldservice.com singapore@vamfieldservice.com australia@vamfieldservice.com

Over 140 VAM® Specialists available worldwide 24/7 for Rig Site Assistance

Other Connection Data Sheets are available at www.vamservices.com





FLUSHMAX-III Connection Data Sheet

Page	44-0
Date	1-Oct-15
Rev	N-O



	Make u	o loss _	
	Jumes	m	Lynn
٥	Pin critical area	P	Box critical area

Pipe Body	Imperial		S.I.		
Grade	P110		P110		
Pipe OD (D)	7 5/8	in	193.68	mm	
Weight	29.7	lb/ft	44.25	kg/m	
Actual weight	29.0	lb/ft	43.26	kg/m	
Wall thickness (t)	0.375	in	9.53	mm	
Pipe ID (d)	6.875	in	174.63	mm	
Pipe body cross section	8.537	in ²	5,508	mm ²	
Drift Dia.	6.750	in	171.45	mm	

Connection

Commodian				the second secon
Box OD (W)	7.625	in	193.68	mm
PIN ID	6.875	in	174.63	mm
Pin critical area	4.420	in ²	2,852	mm ²
Box critical area	4.424	in ²	2,854	mm ²
Joint load efficiency	60	%	60	%
Make up loss	3.040	in	77.22	mm
Thread taper	1/16 (3/4 in per ft)			
Number of threads	5 thread per in.			

Connection Performance Properties

Tensile Yield load	563.4	kips	2,506	kN
M.I.Y.P.	7,574	psi	52.2	MPa
Collapse strength	5,350	psi	36.9	MPa

Note

M.I.Y.P. = Minimum Internal Yield Pressure of the connection

Torque Recommended

Min.	8,700	ft-lb	11,700	N-m
Opti.	9,700	ft-lb	13,100	N-m
Max.	10,700	ft-lb	14,500	N-m
Operational Max.	23,600	ft-lb	32,000	N-m

Note: Operational Max. torque can be applied for high torque application

Manufacturer: Midwest Hose & Specialty

Serial Number: SN#90067

Length: 35'

Size: OD = 8" ID = 4"

Ends: Flanges Size: 4-1/16"

WP Rating: 10,000 psi Anchors required by manfacturer: No

MIDWEST

HOSE AND SPECIALTY INC.

INTERNAL HYDROSTATIC TEST REPORT						
Customer:				P.O. Numb	er:	
CACTUS				RIG #123		
				Asset # N	11076	
		HOSE SPECIF	ICATIONS			-
Type: CHOKE L	INE			Length:	35'	
I.D.	4"	INCHES	O.D.	8"	INC	CHES
WORKING PRESSURE	T	TEST PRESSUR	E	BURST PRES	SURE	
10,000 PS	,	15,000	PSI			PSI
		COUP	LINGS			
Type of End Fitting 4 1/16 10	_	ANGE				
Type of Coupling: SWEDGE	Type of Coupling: MANUFACTURED BY SWEDGED MIDWEST HOSE & SPECIALTY					,
		PROC	EDURE			
			ith water at ambier			
TIME HELD	1	EST PRESSURE	ACTUAL E	URST PRESSU		
COMMENTS:		MIN.			0	PSI
SN#90067	M	110761				
			ess steel armo	ur cover and		
wraped with fire resistant vermiculite coated fiberglass						
insulation rated for 1500 degrees complete with lifting eyes						
Date: 6/6/2011		rested By: BOBBY FINK		Approved: MENDI J	ACKS	ON



Internal Hydrostatic Test Graph

Customer: CACTUS

SALES ORDER# 90067

Hose Specifications

Hose Type C& K I.D. 4" **Working Pressure** 10000 PSI

Length 351 O.D. 8" **Burst Pressure** Standard Safety Multiplier Applies **Verification**


Type of Fitting 4 1/16 10K Die Size 6.62"

Hose Serial #

Coupling Method Swage

Final O.D. 6.68"

Hose Assembly Serial # 90067



Test Pressure 15000 PSI

Time Held at Test Pressure 11 1/4 Minutes

Actual Burst Pressure

Peak Pressure 15439 PSI

Comments: Hose assembly pressure tested with water at ambient temperature.

Tested By: Bobby Fink

Approved By: Mendi Jackson

x Mendi Jackson