eceived by Oc P: 10/11/2023 2:09:4 Office	7 AM State of New M	exico	Form C-103
<u>District I</u> – (575) 393-6161	Energy, Minerals and Nat	ural Resources	Revised July 18, 2013 WELL API NO.
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283	OIL CONSERVATION	NDWISION	30-045-38314
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	1220 South St. Fra		5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 8		STATE     FEE       6. State Oil & Gas Lease No.
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Sunta 10, 1001 C	1505	
87505	CES AND DEDODTS ON WELL	c	NMNM03358
(DO NOT USE THIS FORM FOR PROPO DIFFERENT RESERVOIR. USE "APPLIC		LUG BACK TO A	7. Lease Name or Unit Agreement Name NORTHEAST BLANCO UNIT
PROPOSALS.) 1. Type of Well: Oil Well	Gas Well 🗹 Other		8. Well Number 004H
2 Name of Operator	SIMCOE LLC		9. OGRID Number 329736
3. Address of Operator 1199 MAIN AVE.	, STE #101, DURANGO, CC	81301	10. Pool name or Wildcat BASIN MANCOS
4. Well Location	705 NOB	<b>T</b> 11	745
Unit Letter D :	735 feet from the NOR		745 feet from the WEST line
Section 12	Township <b>31N</b> R 11. Elevation (Show whether DI	ange 7W	NMPM County SAN JUAN
	6522'	к, ККВ, КІ, GK, <i>еіс</i> .,	)
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or comp of starting any proposed wo proposed completion or rec SIMCOE LLC is requesting to extend the Sur Current Surface Casing Program (as approved Casing size 13-3/8" set at ±1100' TVD; conv Revised Surface Casing Program: Casing size 13-3/8" set at ±3598' TVD (roug) Reasons for setting deeper surface casing: To mitigate expected lost circulation problem offset operator's wells in addition to historic 1	PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPL Clearly state all ork). SEE RULE 19.15.7.14 NMA ompletion. face Casing to 3,598' TVD. d in the APD): entional cement job (1 stage), circulated to hly 25' into the Lewis Shale); conventional s in previously designed long (±5500' MD BP NEBU wells; will allow depleted interv	SUB REMEDIAL WOR COMMENCE DRI CASING/CEMENT OTHER: pertinent details, and C. For Multiple Cor surface. cement job (1 stage), circ ), deviated intermediate ca als in Kirtland, Fruitland G	SEQUENT REPORT OF: ALTERING CASING    ILLING OPNS.    P AND A    T JOB    d give pertinent dates, including estimated dat mpletions: Attach wellbore diagram of culated to surface. asing section; extreme lost circulation encountered both in Coal, & Pictured Cliffs to be isolated behind pipe (surface)
also increases the safety of drilling operations	through these depleted sections.		(into the Lewis) allows for improved drilling efficiency & use see attached NEBU 602-4H Updated Casing Safety
Spud Date:	Rig Release D	ate:	
I hereby certify that the information	above is true and complete to the l	best of my knowledg	e and belief.
SIGNATURE Cale Rea	pathTITLEF	REGULATORY AN	IALYSTDATE
Type or print name Cale R For State Use Only		SS:cale.redpath@ika	aveenergy.com PHONE: 970-852-5154
APPROVED BY:	TITLE		DATE
Conditions of Approval (if any):			

•

ceived by OCD: D0/11/2023 9:09:47 AM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sunary Print Repo
Well Name: NORTHEAST BLANCO UNIT 602 COM	Well Location: T31N / R7W / SEC 12 / NWNW /	County or Parish/State:
Well Number: 004H	<b>Type of Well:</b> CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM03358	Unit or CA Name: NEBUST	Unit or CA Number: NMNM78402X
US Well Number:	Well Status: Approved Application for Permit to Drill	Operator: SIMCOE LLC

### **Notice of Intent**

Sundry ID: 2750468

Type of Submission: Notice of Intent

Date Sundry Submitted: 09/11/2023

Date proposed operation will begin: 09/11/2023

Type of Action: Casing Time Sundry Submitted: 11:02

**Procedure Description:** SIMCOE LLC is requesting to extend the Surface Casing to 3,598' TVD. Current Casing Program (as approved in the APD) Conductor – 20" set at 150'; conventional cement job, circulated to surface Surface – 13-3/8" set at ±1100' TVD; conventional cement job (1 stage), circulated to surface Intermediate – 9-5/8" set at ±6350' TVD (roughly 150' into the Mancos Shale); conventional cement job (2 stage), circulated to surface Revised Casing Program Conductor – 20" set at 150'; conventional cement job, circulated to surface Surface – 13-3/8" set at ±3598' TVD (roughly 25' into the Lewis Shale); conventional cement job (1 stage), circulated to surface Intermediate – 9-5/8" set at ±6350' TVD (roughly 150' into the Mancos Shale); conventional cement job (2 stage), circulated to surface Intermediate – 9-5/8" set at ±6350' TVD (roughly 150' into the Mancos Shale); conventional cement job (2 stage), circulated to surface Intermediate – 9-5/8" set at ±6350' TVD (roughly 150' into the Mancos Shale); conventional cement job (2 stage), circulated to surface (no change from the original approved casing program) Reasons for setting deeper surface casing .... - to mitigate expected lost circulation problems in previously designed long (±5500' MD), deviated intermediate casing section - extreme lost circulation encountered both in offset operator's wells in addition to historic BP NEBU wells - will allow depleted intervals in Kirtland, Fruitland Coal, & Pictured Cliffs to be isolated behind pipe (surface casing) before drilling into the known depleted intervals in the Mesa Verde section - setting surface casing deeper (into the Lewis) allows for improved drilling efficiency & also increases the safety of drilling operations through these depleted sections Please see attached NEBU 602-4H Revised Casing and Cement Program for details.

**Surface Disturbance** 

Is any additional surface disturbance proposed?: No

## **NOI Attachments**

### **Procedure Description**

NEBU\_602\_4H\_Revised\_Casing\_and\_Cement\_Program\_20230911110209.pdf

Received by OCD: 10/11/2023 9:09:47 AM Well Name: NORTHEAST BLANCO UNIT 602 COM	Well Location: T31N / R7W / SEC 12 / NWNW /	County or Parish/State: Page 3 of 24
Well Number: 004H	<b>Type of Well:</b> CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM03358	Unit or CA Name: NEBUST	Unit or CA Number: NMNM78402X
US Well Number:	<b>Well Status:</b> Approved Application for Permit to Drill	Operator: SIMCOE LLC

## Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature: CALE REDPATH** 

Name: SIMCOE LLC

Title: NOT RECORDED

Street Address: 1199 MAIN AVE SUITE 101

City: DURANGO

State: CO

Phone: (970) 852-0082

Email address: CALE.REDPATH@IKAVENERGY.COM

Field

Representative Name: Street Address: City: State: Phone: Email address:

## **BLM Point of Contact**

BLM POC Name: KENNETH G RENNICK BLM POC Phone: 5055647742 Disposition: Approved Signature: Kenneth Rennick BLM POC Title: Petroleum Engineer BLM POC Email Address: krennick@blm.gov

Zip:

Signed on: SEP 11, 2023 11:02 AM

Disposition Date: 09/11/2023

## Received by OCD: 10/11/2023 9:09:47 AM

<i>(eceived by OCD. 10/11/202)</i>	3 <b>7.07.4</b> 7 AM			I uge 4 0j	
	UNITED STATI EPARTMENT OF THE I JREAU OF LAND MAN	O	FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021 5. Lease Serial No.		
Do not use thi		ORTS ON WELLS to drill or to re-enter an APD) for such proposals.	6. If Indian, Allottee or	Tribe Name	
SUBMIT	IN TRIPLICATE - Other instr	ructions on page 2	7. If Unit of CA/Agree	ment, Name and/or No.	
1. Type of Well     Oil Well	as Well Other		8. Well Name and No.		
2. Name of Operator			9. API Well No.		
3a. Address		3b. Phone No. (include area code)	10. Field and Pool or E	Exploratory Area	
4. Location of Well (Footage, Sec.,	T.,R.,M., or Survey Description	)	11. Country or Parish,	State	
12. C	HECK THE APPROPRIATE B	BOX(ES) TO INDICATE NATURE OF	NOTICE, REPORT OR OTH	ER DATA	
TYPE OF SUBMISSION		ТҮРЕ С	OF ACTION		
Notice of Intent	Acidize	Deepen Hydraulic Fracturing	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair	New Construction       Plug and Abandon	Recomplete Temporarily Abandon	Other	
Final Abandonment Notice	Convert to Injection	n Plug Back	Water Disposal		
the proposal is to deepen directi the Bond under which the work completion of the involved oper	onally or recomplete horizontal will be perfonned or provide th ations. If the operation results i	lly, give subsurface locations and measure Bond No. on file with BLM/BIA. Re	ured and true vertical depths o equired subsequent reports mus on in a new interval, a Form 31	60-4 must be filed once testing has been	

14. I hereby certify that the foregoing is true and correct. Name ( <i>Printed/Typed</i> )			
т	Title		
Signature	Date		
THE SPACE FOR FEDER	RAL OR STATE OF	FICE USE	
Approved by			
	Title	Date	
Conditions of approval, if any, are attached. Approval of this notice does not warrant o certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any any false, fictitious or fraudulent statements or representations as to any matter within		illfully to make to any department or agency of the United Sta	ates

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

*Item 13:* Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

## **Additional Information**

## **Additional Remarks**

Reasons for setting deeper surface casing.

- to mitigate expected lost circulation problems in previously designed long (5500 MD), deviated intermediate casing section

- extreme lost circulation encountered both in offset operators wells in addition to historic BP NEBU wells

- will allow depleted intervals in Kirtland, Fruitland Coal, & Pictured Cliffs to be isolated behind pipe (surface casing) before drilling into the

known depleted intervals in the Mesa Verde section

- setting surface casing deeper (into the Lewis) allows for improved drilling efficiency & also increases the safety of drilling operations through these depleted sections

Please see attached NEBU 602-4H Revised Casing and Cement Program for details.

## Location of Well

0. SHL: NWNW / 735 FNL / 745 FWL / TWSP: 31N / RANGE: 7W / SECTION: 12 / LAT: 36.9192592 / LONG: -107.5287443 (TVD: 0 feet, MD: 0 feet ) PPP: NWSW / 2425 FSL / 630 FWL / TWSP: 31N / RANGE: 7W / SECTION: 1 / LAT: 36.9279393 / LONG: -107.5291272 (TVD: 7108 feet, MD: 8243 feet ) PPP: NESE / 2318 FSL / 1316 FEL / TWSP: 31N / RANGE: 7W / SECTION: 1 / LAT: 36.9276282 / LONG: -107.5177827 (TVD: 7108 feet, MD: 11561 feet ) PPP: NWSW / 2275 FSL / 5265 FEL / TWSP: 31N / RANGE: 6W / SECTION: 6 / LAT: 36.9275044 / LONG: -107.5132809 (TVD: 7108 feet, MD: 12877 feet ) BHL: NESE / 2145 FSL / 285 FEL / TWSP: 31N / RANGE: 6W / SECTION: 6 / LAT: 36.9271642 / LONG: -107.4962448 (TVD: 7108 feet, MD: 17858 feet )

## **SECTION 3: CASING**

#### BIT & CASING PROGRAM (all new casing strings)

ТҮРЕ	HOLE SIZE (IN)	CASING (IN)	WEIGHT (LBS/FT)	GRADE	COUPLING	SETTING DEPTH (MD FT)	COMMENTS
Conductor	26	20	94.00	J55	BT&C	0-150	New casing. May be pre-set. Cement circulated to surface.
Surface	17-1/2	13-3/8	54.50	J55	BT&C	0-3910	New casing. May be pre-set. Cement circulated to surface.
Intermediate	12-1/4	9-5/8	40.00	P110HC	BT&C	0-7052	New casing. Two-stage cement job, circulated to surface.
Production	8-3/4	5-1/2	20.00	P110HC	TCBC-HT	0-17,858	New casing. Single-stage cement job to overlap previous casing shoe.

#### **Design Factor Tables**

Conductor Casing Design - Evacuation/Casing Test (collapse & burst), 100K overpull (tension)

					Collapse (psi)	Burst (psi)	Tension (lbs)	
			Minimu	n Safety Factors	1.125	1.100	1.400	
	Size (in.)	Weight (lb/ft)	Grade	Connection	Collapse (psi)	Burst (psi)	Yield - Body (lbs)	Yield - Connection (lbs)
Conductor	20	94	J55	BTC	520	2,110	1,480,000	1,402,000
					80% of Burst =	1,688		
	Casing Depth, TVD (ft)	Mud Wt In (ppg)	Mud Wt Out (ppg)	Pressure Inside (psi)	Pressure Outside (psi)	Safety Factor		
Collapse	150	0	8.33	0	65	8.00		
Burst	150	8.33	0	1500	0	1.35	1500 psi casing	test
	Casing Depth, TVD (ft)	Mud Wt (ppg)	Air Wt (lbs)	Bouyant Wt (Ibs)	Bouyant Wt + 100K (lbs)			
Tension (Pipe Body)	150	9.00	14,100	12,163	112,163	13.20	100K lbs	
Tension (Connection)	150	9.00	14,100	12,163	112,163	12.50	<ul> <li>100K lbs overpull</li> </ul>	

NOTE: BF = 1-((MW)/65.5)

#### Surface Casing Design - Evacuation/Casing Test (collapse & burst), 100K overpull (tension)

					Collapse (psi)	Burst (psi)	Tension (lbs)	
			Minimum	Safety Factors	1.125	1.100	1.400	
	Size (in.)	Weight (Ib/ft)	Grade	Connection	Collapse (psi)	Burst (psi)	Yield - Body (lbs)	Yield - Connection (lbs)
Surface	13.375	54.50	J55	BTC	1,130	2,730	850,000	909,000
					80% of Burst =	<b>2,184</b>		
	Casing Depth, TVD (ft)	Mud Wt In (ppg)	Mud Wt Out (ppg)	Pressure Inside (psi)	Pressure Outside (psi)	Safety Factor		
Collapse	3598	9.00	9.00	842	1684	1.34	50% Casing volume with 9.0 ppg mud system	
Burst	3598	9.00	9.00	3184	1684	1.82	1500 psi c	asingtest
	Casing Depth, TVD (ft)	Mud Wt (ppg)	Air Wt (lbs)	Bouyant Wt (Ibs)	Bouyant Wt + 100K (lbs)			
Tension (Pipe Body)	3598	9.00	196,091	169,147	269,147	3.16	– 100K lbs overpull	
Tension (Connection)	3598	9.00	196,091	169,147	269,147	3.38		

NOTE: BF = 1-((MW)/65.5)

#### Intermediate Casing Design - Evacuation/Casing Test (collapse & burst), 100K overpull (tension)

				_	Collapse (psi)	Burst (psi)	Tension (lbs)	
			Minimum	Safety Factors	1.125	1.100	1.400	
	Size (in.)	Weight (Ib/ft)	Grade	Connection	Collapse (psi)	Burst (psi)	Yield - Body (Ibs)	Yield - Connection (lbs)
Intermediate	9.625	40.00	P110HC	BTC	4,230	7,910	1,260,000	1,265,000
					80% of Burst =	6,328		
	Casing Depth, TVD (ft)	Mud Wt In (ppg)	Mud Wt Out (ppg)	Pressure Inside (psi)	Pressure Outside (psi)	Safety Factor		
Collapse	6348	0	10.00	0	3301	1.28	Full evacuatior mud in a	n with 10.0 ppg annulus
Burst	6348	10.00	0	1500	0	1.65	1500 psi c	asingtest
	Casing Depth, TVD (ft)	Mud Wt (ppg)	Air Wt (lbs)	Bouyant Wt (Ibs)	Bouyant Wt + 100K (lbs)			
Tension (Pipe Body)	6348	10.00	253,920	215,154	315,154	4.00	- 100K lbs	overpull
Tension (Connection)	6348	10.00	253,920	215,154	315,154	4.01	TOOKIDS	overpuil

NOTE: BF = 1-((MW)/65.5)

#### Production Casing Design - Evacuation/Casing Test (collapse & burst), 100K overpull (tension)

				Collapse (psi)	Burst (psi)	Tension (lbs)	
		Minimum	Safety Factors	1.125	1.100	1.400	
Size (in.)	Weight (Ib/ft)	Grade	Connection	Collapse (psi)	Burst (psi)	Yield - Body (lbs)	Yield - Connection (lbs)
5.5	20.00	P110HC	TCBC-HT	12,150	12,640	641,000	641,000
				80% of Burst =	10,112		
Casing Depth, TVD (ft)	Mud Wt In (ppg)	Mud Wt Out (ppg)	Pressure Inside (psi)	Pressure Outside (psi)	Safety Factor		
7108	0	13.30	0	4916	2.47	Full evacuation with 13.3 pp mud in annulus	
7108	13.30	0	1500	0	1.97	1500 psi c	asingtest
Casing Depth, TVD (ft)	Mud Wt (ppg)	Air Wt (lbs)	Bouyant Wt (Ibs)	Bouyant Wt + 100K (lbs)			
7108	13.30	142,160	113,294	213,294	3.01	— 100K lbs overpull	
7109	13.30	142,160	113,294	213,294	2.01		
-	5.5 Casing Depth, TVD (ft) 7108 7108 Casing Depth, TVD (ft)	Size (in.)         (ib/ft)           5.5         20.00           5.5         20.00           Casing Depth, TVD (ft)         Mud Wt In (ppg)           7108         0           7108         13.30           Casing Depth, TVD (ft)         Mud Wt In (ppg)           7108         13.30           7108         13.30	Size (in.)Weight (lb/ft)Grade5.520.00P110HCCasing Depth, TVD (r)Mud Wt (r) (ppg)Mud Wt (r)7108013.30Casing Depth, TVD (r)Mud Wt (ppg)0710813.300710813.30142,160	Size (in.)         Grade (ib/ft)         Grade (connection           5.5         20.00         P110HC         TCBC-HT           Casing Depth, TVD (ft)         Mud Wt In (ppg)         Mud Wt (ppg)         Pressure (nside (psi))           7108         0         13.30         0           7108         13.30         0         1500           Kitter (ib) (ib) (ib) (ib) (ib)           7108         Air Wt (ib) (ib)         Bouyant Wt (ib)           7108         13.30         142,160         113,294	Minimum Safety Factors         1.125           Size (in.)         Weight (lb/ft)         Grade         Connection         Collapse (psi)           5.5         20.00         P110HC         TCBC-HT         12,150           5.5         20.00         P110HC         TCBC-HT         12,150           6         20.00         P110HC         TCBC-HT         12,150           7         10         Mud Wt In (ppg)         Mud Wt Out (ppg)         Pressure Inside (psi)         Pressure Outside (psi)           7108         0         13.30         0         4916           7108         Mud Wt (ppg)         Air Wt (lbs)         Bouyant Wt + 100K (lbs)           7108         13.30         142,160         113,294	Minimum Safety Factors1.1251.100Size (in.)Weight (lb/ft)GradeConnectionCollapse (psi)Burst (psi)5.520.00P110HCTCBC-HT12,15012,6405.520.00P110HCTCBC-HT12,15012,640Casing Depth, TVD (ft)Mud Wt In (ppg)Mud Wt Out (ppg)Pressure Inside (psi)Pressure Outside (psi)Safety Factor7108013.30049162.47Casing Depth, TVD (ft)Mud Wt (pgg)Air Wt (lbs)Bouyant Wt (lbs)Bouyant Wt + 100K (lbs)Jona710813.30142,160113,294213,2943.01	Minimum Safety Factors1.1251.1001.400Size (in.)Weight (lb/ft)GradeConnectionCollapse (psi)Burst (psi)Yield - Body (lbs)5.520.00P110HCTCBC-HT12,15012,640641,000Casing Depth, TVD (ft)Mud Wt In (ppg)Mud Wt Out (ppg)Pressure Inside (psi)Pressure Outside (psi)Safety Factor7108013.30049162.47Full evacuation mud in a 1500 psi c710813.300150001.971500 psi c710813.30142,160113,294213,2943.01100K (lbs)

NOTE: BF = 1-((MW)/65.5)

All casing strings (including conductor) will be tested to 0.22 psi/ft of string length or 1500 psi (whichever is greater), but not to exceed 70% of minimum internal yield.

Minimum casing design safety factors:

Collapse – 1.125 Burst – 1.100 Tension – 1.400

Casing centralization:

Surface Casing – Centralizers to be placed on bottom 4 joints of casing (1 per joint) and 1 every 3<sup>rd</sup> joint thereafter to surface.

Intermediate Casing – Centralizers to be placed on bottom 3 joints of casing (1 per joint) and 1 every 3<sup>rd</sup> joint thereafter to surface. A DV tool and external casing packer (ECP) may be placed at roughly 5640' MD, if necessary. \*

Production Casing – Centralizers to be placed along lateral to achieve adequate standoff for quality cement job. Toe sleeves (2) will be placed 2 and 3 joints above the shoe track.

\*NOTE: Use of the DV tool and ECP will be based on the magnitude of drilling fluid losses encountered while drilling the Intermediate section and concerns about cement possibly not being circulated to surface. Should heavy losses not be encountered, the DV tool and ECP will not be used. **API #:** 


# **Wellbore Schematic**

Northeast Blanco Unit 602 COM 4H
San Juan Basin – Mancos Shale (S2/Black)
Horizontal Well
San Juan County

TBD

STATE: New Mexico

REVISED 06/05/2023



## **SECTION 4: CEMENT**

The proposed cementing program has been designed to protect and/or isolate all usable water zones, potential productive zones, lost circulation zones, abnormally pressured zones, and any prospectively valuable deposits of minerals. Any isolating medium utilized (other than cement) shall receive approval prior to use. The casing setting depth shall be calculated to position the casing seat in a competent formation which will contain the maximum pressure to which it will be exposed during the drilling process. All indications of usable water shall be reported.

- Pea gravel or other material shall not be used to fill around the conductor or surface casing in the event cement is not circulated to surface or if cement fallback occurs.
- The conductor casing and surface casing shall be cemented back to surface. If cement is not circulated, or if the cement column falls back after circulation, remedial cementing will be performed to cement the casing to surface using 1" tubing. No more than 100' will be remediated without prior approval.
- Top plugs will be used to reduce possible contamination of the cement slurry by the displacement fluid. A bottom plug (or other acceptable technique such as a pre-flush fluid, inner string, etc.) will be used to isolate the cement slurry from the drilling fluid being displaced ahead of the cement.
- All cement volumes will be based on actual hole conditions.

#### Conductor Casing: Single Stage (0'-150' MD) – 26" Hole x 20" Casing, 100% XS

Cement to be circulated to surface with approximately 383 sx Class G cement (94 lb/sk) with 2% CaCl and 0.125 lb/sk poly flake mixed at 14.6 ppg using 6.69 gal/sk fresh water with yield of 1.39 ft3/sk, Approximate volume of 532 ft3.

#### Surface Casing: Single Stage (0'-3910' MD) - 17-1/2" Hole x 13-3/8" Casing, 50% XS

Cement to be circulated to surface. Lead Slurry will consist of approximately 1813 sx 65/35 Class G/Poz (87 lb/sk) with 5% D-CSE 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.3% D-SA 1 + 0.3% D-CD 2 + 0.5% D-FP 1 + 0.25 lb/sk D-Phenoseal and 0.125 lb/sk D-Plexfiber mixed at 12.5 ppg using 10.71 gal/sk fresh water with yield of 1.96 ft3/sk. Tail Slurry will consist of approximately 459 sx Class G cement (94 lb/sk) with 5% D-CSE 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk D-Phenoseal and 0.125 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 0.2% D-R 1 + 0.2\% 1 + 0.2\% 1 + 0.2\% 1 + 0.2\% 1 +

### Intermediate Casing: Two Stages (0'-7052' MD) - 12-1/4" Hole x 9-5/8" Casing, DV tool at ±5640', 30% XS

Cement to be circulated to surface. Stage 1 Lead Slurry will consist of approximately 233 sx 65/35 Class G/Poz (87 lb/sk) with 5% D-CSE 1 + 0.6% D-R 1 + 0.6% D-MPA-2 + 0.6% D-SA 1 + 0.6% D-CD 2 and 0.6% D-FP 1 mixed at 12.5 ppg using 10.72 gal/sk fresh water with yield of 1.95 ft3/sk. Stage 1 Tail Slurry will consist of approximately 133 sx Class G cement (94 lb/sk) with 0.4% D-CD2 + 0.2% D-R 1 + 0.3% D-MPA-2 mixed at 15.6 ppg using 5.20 gal/sk fresh water with yield of 1.18 ft3/sk. Total approximate volume of both slurries is 611 ft3.

Stage 2 Lead Slurry will consist of approximately 1027 sx 65/35 Class G/Poz (87 lb/sk) with 5% D-CSE 1 + 0.6% D-R 1 + 0.6% D-MPA-2 + 0.6% D-SA 1 + 0.6% D-CD 2 and 0.6% D-FP 1 mixed at 12.5 ppg using 10.72 gal/sk fresh water with yield of 1.95 ft3/sk. Stage 2 Tail Slurry will consist of approximately 104 sx Class G cement (94 lb/sk) with 0.4% D-CD2 + 0.2% D-R 1 + 0.3% D-MPA-2 mixed at 15.6 ppg using 5.20 gal/sk fresh water with yield of 1.18 ft3/sk. Total approximate volume of both slurries is 2125 ft3.

Total approximate volume of all slurries is 2736 ft3.

### Production Casing: Single Stage (0'-17,858' MD) – 8-3/4" Hole x 5-1/2" Casing, 50% XS

Cement to be circulated into Intermediate Casing (estimated TOC at 5600') with approximately 3965 sx 80/20 Class G/Poz (91 lb/sk) with 0.25 lb/sk Cello Flake + 1.0% D-R 1 + 1.2% D-MPA-2 and 0.2% D-CD mixed at 15.8 ppg using 4.40 gal/sk fresh water with yield of 1.10 ft3/sk. Approximate volume of 4362 ft3.

All cement slurries will meet or exceed minimum BLM and NMOCD requirements. Slurries used will the slurries listed above or equivalent slurries, depending on service provider selected. Cement yields may change based on actual slurries selected.

All "waiting on cement" (WOC) times shall be either a minimum of 8 hours or the time required to achieve a minimum of 500 psi compressive strength at the casing shoe.

ceived by OCD: D0/11/2023 9:09:47 AM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Report 10/11/2023
Well Name: NORTHEAST BLANCO UNIT 602 COM	Well Location: T31N / R7W / SEC 12 / NWNW /	County or Parish/State:
Well Number: 004H	<b>Type of Well:</b> CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM03358	Unit or CA Name: NEBUST	Unit or CA Number: NMNM78402X
US Well Number:	Well Status: Approved Application for Permit to Drill	Operator: SIMCOE LLC

## **Notice of Intent**

Sundry ID: 2750468

Type of Submission: Notice of Intent

Date Sundry Submitted: 09/11/2023

Date proposed operation will begin: 09/11/2023

Type of Action: Casing Time Sundry Submitted: 11:02

**Procedure Description:** SIMCOE LLC is requesting to extend the Surface Casing to 3,598' TVD. Current Casing Program (as approved in the APD) Conductor – 20" set at 150'; conventional cement job, circulated to surface Surface – 13-3/8" set at ±1100' TVD; conventional cement job (1 stage), circulated to surface Intermediate – 9-5/8" set at ±6350' TVD (roughly 150' into the Mancos Shale); conventional cement job (2 stage), circulated to surface Revised Casing Program Conductor – 20" set at 150'; conventional cement job, circulated to surface Surface – 13-3/8" set at ±3598' TVD (roughly 25' into the Lewis Shale); conventional cement job (1 stage), circulated to surface Intermediate – 9-5/8" set at ±6350' TVD (roughly 150' into the Mancos Shale); conventional cement job (2 stage), circulated to surface Intermediate – 9-5/8" set at ±6350' TVD (roughly 150' into the Mancos Shale); conventional cement job (2 stage), circulated to surface Intermediate – 9-5/8" set at ±6350' TVD (roughly 150' into the Mancos Shale); conventional cement job (2 stage), circulated to surface (no change from the original approved casing program) Reasons for setting deeper surface casing .... - to mitigate expected lost circulation problems in previously designed long (±5500' MD), deviated intermediate casing section - extreme lost circulation encountered both in offset operator's wells in addition to historic BP NEBU wells - will allow depleted intervals in Kirtland, Fruitland Coal, & Pictured Cliffs to be isolated behind pipe (surface casing) before drilling into the known depleted intervals in the Mesa Verde section - setting surface casing deeper (into the Lewis) allows for improved drilling efficiency & also increases the safety of drilling operations through these depleted sections Please see attached NEBU 602-4H Revised Casing and Cement Program for details.

**Surface Disturbance** 

Is any additional surface disturbance proposed?: No

## **NOI Attachments**

### **Procedure Description**

NEBU\_602\_4H\_Revised\_Casing\_and\_Cement\_Program\_20230911110209.pdf

Received by OCD: 10/11/2023 9:09:47 AM Well Name: NORTHEAST BLANCO UNIT 602 COM	Well Location: T31N / R7W / SEC 12 / NWNW /	County or Parish/State: Page 14 of 24
Well Number: 004H	<b>Type of Well:</b> CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM03358	Unit or CA Name: NEBUST	Unit or CA Number: NMNM78402X
US Well Number:	<b>Well Status:</b> Approved Application for Permit to Drill	Operator: SIMCOE LLC

## Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature: CALE REDPATH** 

Name: SIMCOE LLC

Title: NOT RECORDED

Street Address: 1199 MAIN AVE SUITE 101

City: DURANGO

State: CO

Phone: (970) 852-0082

Email address: CALE.REDPATH@IKAVENERGY.COM

Field

Representative Name: Street Address: City: State: Phone: Email address:

## **BLM Point of Contact**

BLM POC Name: KENNETH G RENNICK BLM POC Phone: 5055647742 Disposition: Approved Signature: Kenneth Rennick BLM POC Title: Petroleum Engineer

Zip:

Signed on: SEP 11, 2023 11:02 AM

BLM POC Email Address: krennick@blm.gov

Disposition Date: 09/11/2023

## Received by OCD: 10/11/

abandoned

Oil Well

4. Location of Well (Footage,

Form 3160-5 (June 2019)

1. Type of Well

3a. Address

2. Name of Operator

OCD: 10/11/2023 9:	09:47 AM	Page 15 of 24
	UNITED STATES ARTMENT OF THE INTERIOR AU OF LAND MANAGEMENT	FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021 5. Lease Serial No.
Do not use this fo	OTICES AND REPORTS ON WELLS orm for proposals to drill or to re-enter a se Form 3160-3 (APD) for such proposa	
SUBMIT IN T	RIPLICATE - Other instructions on page 2	7. If Unit of CA/Agreement, Name and/or No.
ll Oil Well 🔲 Gas We perator	ell Other	8. Well Name and No. 9. API Well No.
	3b. Phone No. (include area co	<i>ode)</i> 10. Field and Pool or Exploratory Area
Well (Footage, Sec., T.,R.,	M., or Survey Description)	11. Country or Parish, State
12. CHEC	K THE APPROPRIATE BOX(ES) TO INDICATE NATU	RE OF NOTICE, REPORT OR OTHER DATA
DE SUDMISSION	r	VDE OF ACTION

TYPE OF SUBMISSION		TYPE OF ACTION							
Notice of Intent	Acidize	Deepen Hydraulic Fracturing	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity					
Subsequent Report	Casing Repair	New Construction	Recomplete	Other					
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal						

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)			
Т	ïtle		
Signature	Date		
THE SPACE FOR FEDER	AL OR STATE OF	ICE USE	
Approved by			
	Title	Da	ate
Conditions of approval, if any, are attached. Approval of this notice does not warrant o certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any		fully to make to any dep	artment or agency of the United States
any false, fictitious or fraudulent statements or representations as to any matter within	ts jurisdiction.		

#### (Instructions on page 2)

#### Released to Imaging: 10/11/2023 12:54:22 PM

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

*Item 13:* Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

### NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

## **Additional Information**

## **Additional Remarks**

Reasons for setting deeper surface casing.

- to mitigate expected lost circulation problems in previously designed long (5500 MD), deviated intermediate casing section

- extreme lost circulation encountered both in offset operators wells in addition to historic BP NEBU wells

- will allow depleted intervals in Kirtland, Fruitland Coal, & Pictured Cliffs to be isolated behind pipe (surface casing) before drilling into the

known depleted intervals in the Mesa Verde section

- setting surface casing deeper (into the Lewis) allows for improved drilling efficiency & also increases the safety of drilling operations through these depleted sections

Please see attached NEBU 602-4H Revised Casing and Cement Program for details.

## Location of Well

0. SHL: NWNW / 735 FNL / 745 FWL / TWSP: 31N / RANGE: 7W / SECTION: 12 / LAT: 36.9192592 / LONG: -107.5287443 (TVD: 0 feet, MD: 0 feet ) PPP: NWSW / 2425 FSL / 630 FWL / TWSP: 31N / RANGE: 7W / SECTION: 1 / LAT: 36.9279393 / LONG: -107.5291272 (TVD: 7108 feet, MD: 8243 feet ) PPP: NESE / 2318 FSL / 1316 FEL / TWSP: 31N / RANGE: 7W / SECTION: 1 / LAT: 36.9276282 / LONG: -107.5177827 (TVD: 7108 feet, MD: 11561 feet ) PPP: NWSW / 2275 FSL / 5265 FEL / TWSP: 31N / RANGE: 6W / SECTION: 6 / LAT: 36.9275044 / LONG: -107.5132809 (TVD: 7108 feet, MD: 12877 feet ) BHL: NESE / 2145 FSL / 285 FEL / TWSP: 31N / RANGE: 6W / SECTION: 6 / LAT: 36.9271642 / LONG: -107.4962448 (TVD: 7108 feet, MD: 17858 feet )

## **SECTION 3: CASING**

#### BIT & CASING PROGRAM (all new casing strings)

ТҮРЕ	HOLE SIZE (IN)	CASING (IN)	WEIGHT (LBS/FT)	GRADE	COUPLING	SETTING DEPTH (MD FT)	COMMENTS
Conductor	26	20	94.00	J55	BT&C	0-150	New casing. May be pre-set. Cement circulated to surface.
Surface	17-1/2	13-3/8	54.50	J55	BT&C	0-3910	New casing. May be pre-set. Cement circulated to surface.
Intermediate	12-1/4	9-5/8	40.00	P110HC	BT&C	0-7052	New casing. Two-stage cement job, circulated to surface.
Production	8-3/4	5-1/2	20.00	P110HC	TCBC-HT	0-17,858	New casing. Single-stage cement job to overlap previous casing shoe.

#### **Design Factor Tables**

Conductor Casing Design - Evacuation/Casing Test (collapse & burst), 100K overpull (tension)

					Collapse (psi)	Burst (psi)	Tension (lbs)	
			Minimum Safety Factors		1.125	1.100	1.400	ſ
	Size (in.)	Weight (lb/ft)	Grade	Connection	Collapse (psi)	Burst (psi)	Yield - Body (lbs)	Yield - Connection (lbs)
Conductor	20	94	J55	BTC	520	2,110	1,480,000	1,402,000
					80% of Burst =	1,688		
	Casing Depth, TVD (ft)	Mud Wt In (ppg)	Mud Wt Out (ppg)	Pressure Inside (psi)	Pressure Outside (psi)	Safety Factor		
Collapse	150	0	8.33	0	65	8.00		
Burst	150	8.33	0	1500	0	1.35	1500 psi casing	test
	Casing Depth, TVD (ft)	Mud Wt (ppg)	Air Wt (lbs)	Bouyant Wt (Ibs)	Bouyant Wt + 100K (lbs)			
Tension (Pipe Body)	150	9.00	14,100	12,163	112,163	13.20	100K lbs	everevil.
Tension (Connection)	150	9.00	14,100	12,163	112,163	12.50	- 100K lbs	overpull

NOTE: BF = 1-((MW)/65.5)

### Surface Casing Design - Evacuation/Casing Test (collapse & burst), 100K overpull (tension)

					Collapse (psi)	Burst (psi)	Tension (lbs)	
			Minimum	Safety Factors	1.125	1.100	1.400	
	Size (in.)	Weight (Ib/ft)	Grade	Connection	Collapse (psi)	Burst (psi)	Yield - Body (lbs)	Yield - Connection (lbs)
Surface	13.375	54.50	J55	BTC	1,130	2,730	850,000	909,000
					80% of Burst =	<b>2,184</b>		
	Casing Depth, TVD (ft)	Mud Wt In (ppg)	Mud Wt Out (ppg)	Pressure Inside (psi)	Pressure Outside (psi)	Safety Factor		
Collapse	3598	9.00	9.00	842	1684	1.34	50% Casing vo ppg muc	lume with 9.0 I system
Burst	3598	9.00	9.00	3184	1684	1.82	1500 psi c	asingtest
	Casing Depth, TVD (ft)	Mud Wt (ppg)	Air Wt (lbs)	Bouyant Wt (Ibs)	Bouyant Wt + 100K (lbs)			
Tension (Pipe Body)	3598	9.00	196,091	169,147	269,147	3.16	100K lbc	overpull
Tension (Connection)	3598	9.00	196,091	169,147	269,147	3.38	1008 105	overpuii

NOTE: BF = 1-((MW)/65.5)

#### Intermediate Casing Design - Evacuation/Casing Test (collapse & burst), 100K overpull (tension)

				_	Collapse (psi)	Burst (psi)	Tension (lbs)	
			Minimum Safety Factors		1.125	1.100	1.400	
	Size (in.)	Weight (Ib/ft)	Grade	Connection	Collapse (psi)	Burst (psi)	Yield - Body (Ibs)	Yield - Connection (lbs)
Intermediate	9.625	40.00	P110HC	BTC	4,230	7,910	1,260,000	1,265,000
					80% of Burst =	6,328		
	Casing Depth, TVD (ft)	Mud Wt In (ppg)	Mud Wt Out (ppg)	Pressure Inside (psi)	Pressure Outside (psi)	Safety Factor		
Collapse	6348	0	10.00	0	3301	1.28	Full evacuation with 10.0 ppg mud in annulus	
Burst	6348	10.00	0	1500	0	1.65	1500 psi c	asingtest
	Casing Depth, TVD (ft)	Mud Wt (ppg)	Air Wt (lbs)	Bouyant Wt (Ibs)	Bouyant Wt + 100K (lbs)			
Tension (Pipe Body)	6348	10.00	253,920	215,154	315,154	4.00	- 100K lbs	overpull
Tension (Connection)	6348	10.00	253,920	215,154	315,154	4.01	1000103	overpun

NOTE: BF = 1-((MW)/65.5)

#### Production Casing Design - Evacuation/Casing Test (collapse & burst), 100K overpull (tension)

					Collapse (psi)	Burst (psi)	Tension (lbs)	
		Minimum Safety Factors		1.125	1.100	1.400		
	Size (in.)	Weight (Ib/ft)	Grade	Connection	Collapse (psi)	Burst (psi)	Yield - Body (lbs)	Yield - Connection (lbs)
Production	5.5	20.00	P110HC	TCBC-HT	12,150	12,640	641,000	641,000
					80% of Burst =	10,112		
	Casing Depth, TVD (ft)	Mud Wt In (ppg)	Mud Wt Out (ppg)	Pressure Inside (psi)	Pressure Outside (psi)	Safety Factor		
Collapse	7108	0	13.30	0	4916	2.47	Full evacuation with 13.3 ppg mud in annulus	
Burst	7108	13.30	0	1500	0	1.97	1500 psi c	asingtest
	Casing Depth, TVD (ft)	Mud Wt (ppg)	Air Wt (lbs)	Bouyant Wt (Ibs)	Bouyant Wt + 100K (lbs)			
Tension (Pipe Body)	7108	13.30	142,160	113,294	213,294	3.01	100% lbs	e ve re ull
Tension (Connection)	7108	13.30	142,160	113,294	213,294	3.01	- 100K lbs overpull	

NOTE: BF = 1-((MW)/65.5)

All casing strings (including conductor) will be tested to 0.22 psi/ft of string length or 1500 psi (whichever is greater), but not to exceed 70% of minimum internal yield.

Minimum casing design safety factors:

Collapse – 1.125 Burst – 1.100 Tension – 1.400

Casing centralization:

Surface Casing – Centralizers to be placed on bottom 4 joints of casing (1 per joint) and 1 every 3<sup>rd</sup> joint thereafter to surface.

Intermediate Casing – Centralizers to be placed on bottom 3 joints of casing (1 per joint) and 1 every 3<sup>rd</sup> joint thereafter to surface. A DV tool and external casing packer (ECP) may be placed at roughly 5640' MD, if necessary. \*

Production Casing – Centralizers to be placed along lateral to achieve adequate standoff for quality cement job. Toe sleeves (2) will be placed 2 and 3 joints above the shoe track.

\*NOTE: Use of the DV tool and ECP will be based on the magnitude of drilling fluid losses encountered while drilling the Intermediate section and concerns about cement possibly not being circulated to surface. Should heavy losses not be encountered, the DV tool and ECP will not be used. **API #:** 


# **Wellbore Schematic**

Northeast Blanco Unit 602 COM 4H
San Juan Basin – Mancos Shale (S2/Black)
Horizontal Well
San Juan County

TBD

STATE: New Mexico

REVISED 06/05/2023



## **SECTION 4: CEMENT**

The proposed cementing program has been designed to protect and/or isolate all usable water zones, potential productive zones, lost circulation zones, abnormally pressured zones, and any prospectively valuable deposits of minerals. Any isolating medium utilized (other than cement) shall receive approval prior to use. The casing setting depth shall be calculated to position the casing seat in a competent formation which will contain the maximum pressure to which it will be exposed during the drilling process. All indications of usable water shall be reported.

- Pea gravel or other material shall not be used to fill around the conductor or surface casing in the event cement is not circulated to surface or if cement fallback occurs.
- The conductor casing and surface casing shall be cemented back to surface. If cement is not circulated, or if the cement column falls back after circulation, remedial cementing will be performed to cement the casing to surface using 1" tubing. No more than 100' will be remediated without prior approval.
- Top plugs will be used to reduce possible contamination of the cement slurry by the displacement fluid. A bottom plug (or other acceptable technique such as a pre-flush fluid, inner string, etc.) will be used to isolate the cement slurry from the drilling fluid being displaced ahead of the cement.
- All cement volumes will be based on actual hole conditions.

#### Conductor Casing: Single Stage (0'-150' MD) – 26" Hole x 20" Casing, 100% XS

Cement to be circulated to surface with approximately 383 sx Class G cement (94 lb/sk) with 2% CaCl and 0.125 lb/sk poly flake mixed at 14.6 ppg using 6.69 gal/sk fresh water with yield of 1.39 ft3/sk, Approximate volume of 532 ft3.

#### Surface Casing: Single Stage (0'-3910' MD) - 17-1/2" Hole x 13-3/8" Casing, 50% XS

Cement to be circulated to surface. Lead Slurry will consist of approximately 1813 sx 65/35 Class G/Poz (87 lb/sk) with 5% D-CSE 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.3% D-SA 1 + 0.3% D-CD 2 + 0.5% D-FP 1 + 0.25 lb/sk D-Phenoseal and 0.125 lb/sk D-Plexfiber mixed at 12.5 ppg using 10.71 gal/sk fresh water with yield of 1.96 ft3/sk. Tail Slurry will consist of approximately 459 sx Class G cement (94 lb/sk) with 5% D-CSE 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk D-Phenoseal and 0.125 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 1.2% D-MPA-2 + 0.5% D-FP 1 + 0.25 lb/sk Cello Flake + 0.5% D-R 1 + 0.2% D-R 1 + 0.2\% 1 + 0.2\% 1 + 0.2\% 1 + 0.2\% 1 +

### Intermediate Casing: Two Stages (0'-7052' MD) - 12-1/4" Hole x 9-5/8" Casing, DV tool at ±5640', 30% XS

Cement to be circulated to surface. Stage 1 Lead Slurry will consist of approximately 233 sx 65/35 Class G/Poz (87 lb/sk) with 5% D-CSE 1 + 0.6% D-R 1 + 0.6% D-MPA-2 + 0.6% D-SA 1 + 0.6% D-CD 2 and 0.6% D-FP 1 mixed at 12.5 ppg using 10.72 gal/sk fresh water with yield of 1.95 ft3/sk. Stage 1 Tail Slurry will consist of approximately 133 sx Class G cement (94 lb/sk) with 0.4% D-CD2 + 0.2% D-R 1 + 0.3% D-MPA-2 mixed at 15.6 ppg using 5.20 gal/sk fresh water with yield of 1.18 ft3/sk. Total approximate volume of both slurries is 611 ft3.

Stage 2 Lead Slurry will consist of approximately 1027 sx 65/35 Class G/Poz (87 lb/sk) with 5% D-CSE 1 + 0.6% D-R 1 + 0.6% D-MPA-2 + 0.6% D-SA 1 + 0.6% D-CD 2 and 0.6% D-FP 1 mixed at 12.5 ppg using 10.72 gal/sk fresh water with yield of 1.95 ft3/sk. Stage 2 Tail Slurry will consist of approximately 104 sx Class G cement (94 lb/sk) with 0.4% D-CD2 + 0.2% D-R 1 + 0.3% D-MPA-2 mixed at 15.6 ppg using 5.20 gal/sk fresh water with yield of 1.18 ft3/sk. Total approximate volume of both slurries is 2125 ft3.

Total approximate volume of all slurries is 2736 ft3.

### Production Casing: Single Stage (0'-17,858' MD) – 8-3/4" Hole x 5-1/2" Casing, 50% XS

Cement to be circulated into Intermediate Casing (estimated TOC at 5600') with approximately 3965 sx 80/20 Class G/Poz (91 lb/sk) with 0.25 lb/sk Cello Flake + 1.0% D-R 1 + 1.2% D-MPA-2 and 0.2% D-CD mixed at 15.8 ppg using 4.40 gal/sk fresh water with yield of 1.10 ft3/sk. Approximate volume of 4362 ft3.

All cement slurries will meet or exceed minimum BLM and NMOCD requirements. Slurries used will the slurries listed above or equivalent slurries, depending on service provider selected. Cement yields may change based on actual slurries selected.

All "waiting on cement" (WOC) times shall be either a minimum of 8 hours or the time required to achieve a minimum of 500 psi compressive strength at the casing shoe.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
SIMCOE LLC	329736
1199 Main Ave., Suite 101	Action Number:
Durango, CO 81301	274503
	Action Type:
	[C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
dmcclure	Fresh water-based mud shall be used when drilling the hole for the surface casing.	10/11/2023
dmcclure	If cement does not circulate for the surface casing, Simcoe shall do the following; (a) contact the Division's Northern Compliance Officer Supervisor and coordinate the remediation of the cement; (b) provide the Division a CBL demonstrating competent cement after the remediation of the cement; and (c) not proceed with drilling the well until approved to do so by the Division.	10/11/2023

Action 274503