

•

Stevens & Tull Inc.

Well Plan

West Teas Field

Lea County, New Mexico

Prepared By:

Muhan J'afroncy

Michael G. Mooney

DRILLING PROGNOSIS & PROCEDURE

West Teas Field

MIRU Drilling Rig

1

v) (4)

5

6.

- Drill 12-1/4" hole to a depth of approximately 1350' with fresh water mud
- Run 8-5/8" -24#, K55 Casing to surface TD
- Cement with adequate amounts of class "C" cement with 2% CaCl2 to circulate cement to surface
- Wait on cement for 12 hrs while pressure is being held on casing
- Start Nipple up of 3000 PSIG Blow out Preventer, Install H2S monitoring equipment
- Start drilling operations after cement has set for a total 24 hrs
- 8. Drill 7-7/8" hole to Total Depth estimated to be 3500' utilizing saturated 10 ppg brine water
- 9. Once Total Depth is obtained condition the hole for open hole logging by raising the viscosity of the mud system
- 10. Run open hole logs to determine the productivity of the well
- 11. If not productive plug and abandon as per NMOCD or BLM recommendations
- 12.) If productive run 5-1/2" 15.5#,K55, LT&C casing to Total Depth
- 13.

Cement with adequate amounts of class "C" cement with flocelle and fluid loss additives to circulate the cement to surface.

- (14.) Allow cement to set for 12 hrs before commencing rig down operations
- 15. Complete well as required
- 16. Place well into production by installing a sucker rod pumping system

MUD PROGRAM

.

.

.

.

•

.

.

WEST TEAS FIELD

	Density	Funnel Viscosity	Type Mud	Filtrate (cc)
Depth Interval (feet)	(PPG)	(Seconds)	Spud Mud	NC
0-1350'	8.5	40-45 28	Saturated Brine Water	NC
1350'-3500'	10.0	35	Saturated Brine Water	10-15
3500'	10.0	-		

CASING STRING DESIGN

 DEPTH:
 1350'

 TYPE:
 Surface

 SIZE:
 8-5/8''

 MUD WEIGHT:
 8.5

Description .	Inte rval	Length Per Section	Weight Per Section	Cumm. Weight	Min. Strength	Tens. S.F.
24#,ST&C,K-55	0-1350'	1350'	32400#	32400#	263,000	8.12

Collaps Force	e *Resist	S.F.	Burst Force	Resist	S.F.	Minimum Torque	Optimum Torque	Maximum Torque
596	1370	2.29	624	2950	4.72	1970	2630	,3290

*Tension effect on collapse resistance included

•

Procedure:

<u>،</u> ۲

- 1. Clean threads on shoe joint, float collar, and guide shoe to bare shiny metal. Apply Thread Lock to connections prior to make-up.
- 2. The casing assembly will be made up as follows:

Note: Best-o-Life 2000 will be applied to all connections not receiving Thread Lock.

- a. Guide shoe
- b. Shoe Joint
- c. Float collar

.

- d. Remainder of casing string
- 3. Centralizers should be applied 10 feet above the guide shoe by means of a stop collar, around the first coupling above the float collar, and every fourth coupling back to surface.

CASING STRING DESIGN

 DEPTH:
 3500'

 TYPE:
 Production

 SIZE:
 5-1/2"

 MUD WEIGHT:
 10.0

Description	Interval	Length Per Section	Weight Per Section	Cumm. Weight	Min. Strength	Tens. S.F.
15.50#,ST&C,K-55	0-3500	3500'	54,250#	54,250#	222,000	4.09

Collaps Force	e Resist	S.F.	Burst Force	Resist	S.F.	Minimum Torque	Optimum Torqu e	Maximum Torque
1820	4040	2.22	1691	5320	3.14	1500	2000	2500
	·.•							

Procedure:

Make up and run 5 1/2" casing as per the following:

- A. Clean exposed threads on the guide shoe, first joint of 5 1/2" casing, float collar, and second joint of casing. Apply Thread Lock to these connections prior to make-up.
- B. The bottom assembly of the casing assembly must be made up as follows with the first listed being the first in the hole:

Note: Seal Lube will be applied to all connections not receiving Thread Lock.

- 1. Guide Shoe
- 2. First joint of 5 1/2" casing
- 3. Float collar
- 4. 5 1/2" casing back to 2950" with a rough coat bonding
- 5. 5 1/2" casing back to surface (sandblasted)
- 6. Rotate casing while cementing
- C. Install centralizers as follows on the 5 1/2" casing:
 - 1. 10' above the guide shoe by means of a stop collar
 - 2. Around the first coupling above the float collar
 - 3. Every third coupling back to surface

CEMENTING PROGRAM

8-5/8" Surface Casing

Depth:	1350'
Casing Size:	8-5/8''
Hole Size:	12.25"
Calculated Cement Fill:	1350'
Excess Calculated:	100%
Cementing Company:	Haliburton

Cement Recommendation:

Spacer: 20 Bbls Fresh Water

Slurry: 860 sack Premium Plus + 2% CaCl2

Slurry Weight:	14.8 ppg
Slurry Yeild:	1.34 cu.ft./sack

Procedure:

- 1. Utilize the two-plug system
- 2. Wait on cement a minimum of 12 hours (with pressure)
- 3. Wait on cement a minimum of 24 hours total before drill out
- NOTE: VOLUME ADJUSTMENTS BASED ON THE CALIPER WILL BE UNATTAINABLE. THE STANDARD PRACTICE FOR SURFACE CASING CEMENT VOLUME DETERMINATION HAS BEEN CALCULATED (GAUGE HOLE PLUS 100% EXCESS). NO FURTHER CALCULATIONS WILL BE MADE FOR CEMENT VOLUME.

CEMENTING PROGRAM

5-1/2" Production Casing

 Depth:
 3500

 Casing Size:
 5-1/2"

 Hole Size:
 7-7/8"

 Calculated Cement Fill:
 3500

 Excess Calculated :
 100%

Cement Recommendation:

• •

Lead Slurry:	650 sacks Premium Plus + 1%	6 CaCl2 + 15 #/sk Salt
	Slurry Weight: Slurry Yield:	14.0 ppg 1.75 cu.ft./sack
Tail Slurry:	230 sacks Premium Plus + .4	% HALAD - 322 (fluid loss) + 2% CaCl2
	Slurry Weight: Slurry Yield:	14.8 ppg 1.32 cu.ft./sack

Procedure:

•


Cement the 5-1/2" casing string as follows:

- 1. Rotate casing during cementation
- 2. Wait on cement 12 hours before commencing rig operations

Stevens & Tull Inc. R-111-P Hearing Wellbore Schematic Plug and Abandonment Procedure

50 Sx Surface Plug		
of Ox Sunace Flug	新聞会 第213 「APPA-Astan Landard Astan	
	1977年後日に、1979年年日 1979年後日の一連び第1日の1月 1979年後日の1月日の日本の1月日の日本の1月日の日本の1月日の日本の1月日の日本の1月日の日本の1月日の日本の1月日の日本の1月日の日本の1月日の日本の1月日の日本の1月日の日本の1月日の日本の1月日の日本の1月日の日本	
•		
	y weighted the state of the second	
	and the second	
	and And many and a second s Second second	
	化碱基金 医肌肉 机结构 化合成分子 化合体合金 化合体合金 化化离子塔	
Coment Plug 100! Above	การให้การที่สามารถและเป็นการให้สายสีสารแสดงสารประการให้การให้การให้การในการให้การในการที่สายสีสารให้สายการได้กา สามารถในสายการที่สายการให้การให้สายสีสารแสดงสารประการให้การให้การในการให้การในการที่สายสีสารให้สายการไ	
Cement Plug 100' Above And Below Casing Shoe	en geben der eine für der Beite Beite der eine Beiten der Beiten der Beiten der Beiten der Beiten der Beiten der eine geben der Beiten d eine Beiten der Beiten Beiten der Beiten der Beiten Beiten der Beiten der Beite	
And Below Casing Bride		
	建筑学	
	Management in a second s	
	Hole Loaded w/ 9	.5PPG Mud
	載機能 一般的 一般的 一般的 一般的 一般的 一般的 一般的 一般的 一般的 一般的	
	1999年1月1日 - 1999年1月1日 1999年1月1日 - 1999年1月1日 1999年1月1日 - 1999年1月1日	
	e etter Maria de la companya	
CIBP w/ 35' Cement on	Top	
CIBP w/ 35' Cement on	1999年)(1999年)(1999年) 1999年) 1999年(1999年) 1999年)	
	高橋長 し、 し、 の 高橋 し、 し、 の 、 の 、 の 、 の 、 の 、 の 、 の 、 の 、 の	
· · ·	With the second	
	PBTD Production	Casing
	- 新築大学を決定した。 - 新美大学を決定した。 - 新美大学を決定した。 - 新美大学を決定した。 - 新美大学を決定した。 - 新美大学を決定した。 - 新大学を決定した。 - 新築大学を決定した。 - 新築大学 - 新築大学を決定した。 - 新築大学 - 新築大学を決定した。 - 新築大学 - 新 - 新 - 新 - 新 - 新 - 新 - 新 - 新	casing
	a na she a ta she an	

۰.



••

West Teas Rod Pump Setup


3,000 psi Working Pressure

3 MWP

STACK REQUIREMENTS

No.	ltern		Min. 1.D.	Min. Nominal
1	Flowline			
2	Fill up line			2*
3	Drilling nipple			
4	Annular preventer			
5	Two single or one dual hydra operated rams	ulically		
6a	Drilling spool with 2" min. kil 3" min choke line outlets	l line and		
6b	2" min, kill line and 3" min, c outlets in ram. (Alternate to 6			
7	Valve	Gate 🗍 Plug 🗍	3-1/8″	
8	Gate valve-power operated	<u> </u>	3-1/8*	
9	Line to choke manifold			3″
10	Valves	Gate 🗔 Plug 🚍	2-1/16"	
11	Check valve		2-1/16*	
12	Casing head	<u> </u>		
13	valve	Gate I Plug I	1-13/16"	,
14	Pressure gauge with needle v	alve		
15	Kill line to rig mud pump man	fold	[]	2″





	. 0	PTIONAL	
16	Flanged valve	1-13/16"	

CONTRACTOR'S OPTION TO FURNISH:

1

- 1.All equipment and connections above bradenhead or casinghead. Working pressure of preventers to be 3,000 psi, minimum.
- 2.Automatic accumulator (80 gallon, minimum) capable of closing BOP in 30 seconds or less and, holding them closed against full rated.working pressure.
- 3.80P controls, to be located near drillers position.
- 4.Kelly equipped with Kelly cock.
- Inside blowout prevventer or its equivalent on derrick floor at all times with proper threads to fit pipe being used.
- 6.Kelly saver-sub equipped with rubber casing protector at all times.
- 7. Plug type blowout preventer tester.
- 8.Extra set pipe rams to fit drill pipe in use on location at all times.
- 9. Type RX ring gaskets in place of Type R.

MEC TO FURNISH:

- 1.Bradenhead or casinghead and side valves.
- 2.Wear bushing, if required.

GENERAL NOTES:

- Deviations from this drawing may be made only with the express permission of MEC's Drilling Manager.
- 2.All connections, valves, fittings, piping, etc., subject to well or pump pressure must be flanged (suitable clamp connections acceptable) and have minimum working pressure equal to rated working pressure of preventers up through choke. Valves must be full opening and suitable for high pressure mud service.
- Controls to be of standard design and each marked, showing opening and closing position.
- 4.Chokes will be positioned so as not to hamper or delay changing of choke beans. Replaceable parts for adjustable choke, other bean sizes, retainers, and choke wrenches to be conveniently located for immediate use.
- S.All valves to be equipped with handwheels or handles ready for immediate use.
- 6. Choke lines must be suitably anchored.

- 7.Handwheels and extensions to be connected and ready for use.
- Valves adjacent to drilling spool to be kept open. Use outside valves except for emergency.
- All seamless steel control piping (3000 psi working pressure) to have flexible joints to avoid stress. Hoses will be permitted.
- 10.Casinghead connections shall not be used except in case of emergency.
- 11.Do not use kill line for routine fill-up operations.