

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE - Other instructions on page 2**

**HOBBS OCD**

**JAN 16 2019**

**RECEIVED**

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NMNM122622
2. Name of Operator EOG RESOURCES INCORPORATED Contact: SARAH MITCHELL E-Mail: sarah_mitchell@eogresources.com		6. If Indian, Allottee or Tribe Name
3a. Address MIDLAND, TX 79702	3b. Phone No. (include area code) Ph: 432-848-9133	7. If Unit or CA/Agreement, Name and/or No.
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 24 T26S R33E SESE 190FSL 732FEL 32.022179 N Lat, 103.519905 W Lon		8. Well Name and No. PEACHTREE 24 FED COM 701H
		9. API Well No. 30-025-44831-00-X1
		10. Field and Pool or Exploratory Area RED TANK
		11. County or Parish, State LEA COUNTY, NM

**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Change to Original A PD
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

EOG respectfully requests an amendment to our approved APD for this well to reflect changes in the casing design in accordance with the attached drill plan.

Attached please find the revised Permit Information and revised Wellbore Diagram.

Estimated spud date for this well is 1/10/19.

**Carlsbad Field Office**  
**OCD Hobbs**

**SEE ATTACHED FOR  
CONDITIONS OF APPROVAL**

14. I hereby certify that the foregoing is true and correct. <b>Electronic Submission #447306 verified by the BLM Well Information System</b> <b>For EOG RESOURCES INCORPORATED, sent to the Hobbs</b> <b>Committed to AFMSS for processing by PRISCILLA PEREZ on 12/13/2018 (19PP0605SE)</b>	
Name (Printed/Typed) BEN HOCHER	Title ENGINEERING ASSOCIATE
Signature (Electronic Submission)	Date 12/11/2018

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By <u>JEROMY PORTER</u>	Title <u>PETROLEUM ENGINEER</u>	Date <u>12/19/2018</u>
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\***

*K-2*

## Revisions to Operator-Submitted EC Data for Sundry Notice #447306

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	APDCH NOI	APDCH NOI
Lease:	NMNM122622	NMNM122622
Agreement:		
Operator:	EOG RESOURCES, INC. P.O. BOX 2267 MIDLAND, TX 79707 Ph: 432-848-9133	EOG RESOURCES INCORPORATED  MIDLAND, TX 79702 Ph: 432.686.3689
Admin Contact:	SARAH MITCHELL REGULATORY CONTRACTOR E-Mail: sarah_mitchell@eogresources.com  Ph: 432-848-9133	SARAH MITCHELL REGULATORY CONTRACTOR E-Mail: sarah_mitchell@eogresources.com  Ph: 432-848-9133
Tech Contact:	BEN HOCHER ENGINEERING ASSOCIATE E-Mail: ben_hocher@eogresources.com  Ph: 432-686-3623	BEN HOCHER ENGINEERING ASSOCIATE E-Mail: ben_hocher@eogresources.com  Ph: 432-686-3623
Location:		
State:	NM	NM
County:	LEA	LEA
Field/Pool:	RED HILLS/SANDERS TANK	RED TANK
Well/Facility:	PEACHTREE 24 FED COM 701H Sec 24 T26S R33E Mer NMP SESE 190FSL 732FEL 32.022178 N Lat, 103.519900 W Lon	PEACHTREE 24 FED COM 701H Sec 24 T26S R33E SESE 190FSL 732FEL 32.022179 N Lat, 103.519905 W Lon

**Revised Permit Information 12/11/18:**

Well Name: Peachtree 24 Fed Com No. 701H

**Location:**

SHL: 190' FSL &amp; 732' FEL, Section 24, T-26-S, R-33-E, Lea Co., N.M.

BHL: 230' FNL &amp; 330' FEL, Section 13, T-26-S, R-33-E, Lea Co., N.M.

**Casing Program:**

Hole Size	Interval	Csg OD	Weight	Grade	Conn	DF <sub>min</sub> Collapse	DF <sub>min</sub> Burst	DF <sub>min</sub> Tension
12.25"	0 – 1,150'	9.625"	40#	J55	LTC	1.125	1.25	1.60
8.75"	0 – 11,600'	7.625"	29.7#	HCP-110	FXL	1.125	1.25	1.60
6.75"	0' – 11,100'	5.5"	20#	P-110EC	DWC/C-IS MS	1.125	1.25	1.60
6.75"	11,100' - 22,779'	5.5"	20#	P-110EC	VAM SFC	1.125	1.25	1.60

Variance is requested to wave the centralizer requirements for the 7-5/8" FJ casing in the 8-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 8-3/4" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to wave any centralizer requirements for the 5-1/2" FJ casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

**Cement Program:**

Depth	No. Sacks	Wt. ppg	Yld Ft <sup>3</sup> /ft	Slurry Description
9-5/8" 1,150'	600	13.5	1.73	Lead: Class C + 4.0% Bentonite + 0.6% CD-32 + 0.5% CaCl <sub>2</sub> + 0.25 lb/sk Cello-Flake (TOC @ Surface)
	200	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate
7-5/8" 11,600'	390	9.0	3.71	Lead: Class C + 5% Salt + 12% HGS-4K28 + 22% B-52 + 0.15% GXT-C + 0.3% CPT-30 + 0.4% CPT-24 (TOC @ Surface)
	175	11	2.54	Middle: Class C + 3% Salt + 1% PreMag-M + 0.15% GXT-C + 0.15% CPT-30 + 4 pps Blitz + 0.35% CPT-23
	180	14.2	1.11	Tail: Class H + 5% Salt + 0.2% CD-3 + 0.15% CPT-51A + 0.35% CPT-23 + 1% PreMag-M
5-1/2" 22,779'	950	14.1	1.26	Class H + 0.1% C-20 + 0.05% CSA-1000 + 0.20% C-49 + 0.40% C-17 (TOC @ 11,100')

**Mud Program:**


Depth	Type	Weight (ppg)	Viscosity	Water Loss
0 – 1,150'	Fresh - Gel	8.6-8.8	28-34	N/c
1,150' – 11,600'	Oil Base	8.7-9.4	58-68	N/c - 6
11,600' – 22,779' Lateral	Oil Base	10.0-14.0	58-68	3 - 6

**Peachtree 24 Fed Com #701H  
Lea County, New Mexico**

**190' FSL  
732' FEL  
Section 24  
T-26-S, R-33-E**


**Proposed Wellbore  
Revised 12/11/18  
API: 30-025-44831**

**KB: 3,401'  
GL: 3,376'**



Lateral: 22,779' MD, 12,688' TVD  
Upper Most Perf:  
330' FSL & 330' FEL Sec. 24  
Lower Most Perf:  
330' FNL & 330' FEL Sec. 13  
BH Location: 230' FNL & 330' FEL  
Section 13  
T-26-S, R-33-E

# VAM® SFC



<b>O.D.</b> 5.500	<b>WEIGHT</b> 20.00	<b>WALL</b> 0.361	<b>GRADE</b> VST P110EC	<b>DRIFT</b> 4.653
----------------------	------------------------	----------------------	----------------------------	-----------------------

## PIPE BODY PROPERTIES

<b>Material Grade</b>	VST P110EC
<b>Min. Yield Strength</b>	125 ksi
<b>Min. Tensile Strength</b>	135 ksi
<b>Outside Diameter</b>	5.500 in
<b>Inside Diameter</b>	4.778 in
<b>Nominal Area</b>	5.828 sq.in.
<b>Yield Strength</b>	729 kips
<b>Ultimate Strength</b>	787 kips
<b>Min Internal Yield</b>	14,360 psi
<b>*High Collapse</b>	12,090 psi


## CONNECTION PROPERTIES

<b>Connection OD</b>	5.701 in
<b>Connection ID</b>	4.719 in
<b>Make up Loss</b>	5.132 in
<b>Box Critical Area</b>	4.083 sq.in.
<b>%PB Section Area</b>	70.1%
<b>Pin Critical Area</b>	4.123 sq.in.
<b>%PB Section Area</b>	70.7%
<b>Yield Strength</b>	510 kips
<b>Parting Load</b>	551 kips
<b>Min Internal Yield</b>	14,360 psi
<b>*High Collapse</b>	12,090 psi
<b>Wk Compression</b>	357 kips
<b>Max Pure Bending</b>	20 °/100 ft

Contact: [tech.support@vam-usa.com](mailto:tech.support@vam-usa.com)  
 Ref. Drawing: SI-PD 100414 Rev.B  
 Date: 14-Jun-16  
 Time: 2:31 PM

## TORQUE DATA ft-lb

min	opt	max
8,700	9,700	10,700



All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.

# TECHNICAL SPECIFICATIONS

These specifications are furnished for general information only and are not intended for design purposes. This information is preliminary and may change subject to a final design by VAM-USA Engineering. This is not a controlled document.

**DWC/C-IS MS      Casing      5.500" O.D.      20.00 lb./ft.      VST P-110EC**  
*standard*

## Material

VST P-110EC  
 125,000  
 135,000

Grade  
 Minimum Yield Strength (psi.)  
 Minimum Ultimate Strength (psi.)



## Pipe Dimensions

5.500      Nominal Pipe Body OD (in.)  
 4.778      Nominal Pipe Body ID (in.)  
 0.361      Nominal Wall Thickness (in.)  
 20.00      Nominal Weight (lbs./ft.)  
 19.83      Plain End Weight (lbs./ft.)  
 5.828      Nominal Pipe Body Area (sq. in.)

VAM-USA  
 4424 W. Sam Houston Pkwy, Suite 150  
 Houston, TX 77041  
 Phone: (713) 479-3200  
 Fax: (713) 479-3234  
 E-mail: VAMUSAsales@na.vallourec.com

## Pipe Body Performance Properties

729,000      Minimum Pipe Body Yield Strength (lbs.)  
 12,090      Minimum Collapse Pressure (psi.)  
 14,360      Minimum Internal Yield Pressure (psi.)  
 13,100      Hydrostatic Test Pressure (psi.)

## Connection Dimensions

6.115      Connection OD (in.)  
 4.778      Connection ID (in.)  
 4.653      Connection Drift Diameter (in.)  
 4.13      Make-up Loss (in.)  
 5.828      Critical Area (sq. in.)  
 100.0      Joint Efficiency (%)

## Connection Performance Properties

729,000      (1)      Joint Strength (lbs.)  
 26,040      (2)      Reference String Length (ft.)      1.4 Design Factor  
 728,000      (3)      API Joint Strength (lbs.)  
 729,000           Compression Rating (lbs.)  
 12,090           API Collapse Pressure Rating (psi.)  
 14,360      (4)      API Internal Pressure Resistance (psi.)  
 104.2           Maximum Uniaxial Bend Rating (degrees/100 ft.)

## Approximated Field End Torque Values

16,600      (5)      Minimum Final Torque (ft.-lbs.)  
 19,100      (5)      Maximum Final Torque (ft.-lbs.)  
 21,600      (6)      Connection Yield Torque (ft.-lbs.)

- (1) Joint Strength is the minimum pipe body yield strength multiplied by the connection critical area.
- (2) Reference String Length is the joint strength divided by both the weight in air and the design factor.
- (3) API Joint Strength is for reference only. It is calculated from Formulas 42 and 43 in the API Bulletin 5C3.
- (4) API Internal Pressure Resistance is calculated from Formulas 31, 32, and 35 in the API Bulletin 5C3.
- (5) Torque values are approximated and may be affected by field conditions.
- (6) Connection yield torque is not to be exceeded.

Connection specifications within the control of VAM-USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

Metal One Corp.  Metal One	MO-FXL  Connection Data Sheet	Page	MCTP
		Date	3-Nov-16
		Rev.	0

### Geometry


Imperial

S.I.

#### Pipe Body

Grade	P110HC *1		P110HC *1	
Pipe OD ( D )	7 5/8	in	193.68	mm
Weight	29.70	lb/ft	44.25	kg/m
Actual weight	29.04		43.26	kg/m
Wall Thickness (t)	0.875	in	9.53	mm
Pipe ID ( d )	6.875	in	174.63	mm
Pipe body cross section	8.537	in <sup>2</sup>	5.508	mm <sup>2</sup>
Drift Dia.	6.750	in	171.45	mm

MO-FXL



#### Connection

Box OD (W)	7.625	in	193.68	mm
PIN ID	6.875	in	174.63	mm
Make up Loss	4.219	in	107.16	mm
Box Critical Area	6.714	in <sup>2</sup>	4.3686	mm <sup>2</sup>
Joint load efficiency	70	%	70	%
Thread Taper	1 / 10 ( 1.2" per ft )			
Number of Threads	5 TPI			

### Performance

#### Performance Properties for Pipe Body

S.M.Y.S. *1	1007	ksi	47.47	MPa
M.I.Y.P. *1	10,760	psi	74.21	MPa
Collapse Strength *1	7,360	psi	60.76	MPa

Note S.M.Y.S. = Specified Minimum YIELD Strength of Pipe body

M.I.Y.P. = Minimum Internal Yield Pressure of Pipe body

\*1 Based on VSB P110HC (YS=125~140ksi)

#### Performance Properties for Connection

Tensile Yield Load	747 kips ( 70% of S.M.Y.S. )
Min. Compression Yield	747 kips ( 70% of S.M.Y.S. )
Internal Pressure	6,610 psi ( 60% of M.I.Y.P. )
External Pressure	100% of Collapse Strength
Max. DLS (deg./100ft)	40

#### Recommended Torque

Min	15,500	ft-lb	21,000	N-m
Opti.	17,200	ft-lb	23,300	N-m
Max	19,900	ft-lb	25,600	N-m
Operational Max.	23,600	ft-lb	32,000	N-m

Note : Operational Max. torque can be applied for high torque application

9 5/8 surface csg in a		12 1/4 inch hole.	Design Factors				SURFACE		
Segment	#/ft	Grade	Coupling	Joint	Collapse	Burst	Length	Weight	
"A"	40.00	J 55	LTC	11.30	4.89	0.7	1,150	46,000	
"B"			LTC				0	0	
w/8.4#/g mud, 30min Sfc Csg Test psig: 1,500			Tail Cmt	does not	circ to sfc.	Totals:	1,150	46,000	
<u>Comparison of Proposed to Minimum Required Cement Volumes</u>									
Hole	Annular	1 Stage	1 Stage	Min	1 Stage	Drilling	Calc	Req'd	Min Dist
Size	Volume	Cmt Sx	CuFt Cmt	Cu Ft	% Excess	Mud Wt	MASP	BOPE	Hole-Cplg
12 1/4	0.3132	800	1306	403	224	8.80	3112	5M	0.81

Burst Frac Gradient(s) for Segment(s) A, B = , b All > 0.70, OK.

7 5/8 casing inside the		9 5/8		Design Factors				INTERMEDIATE	
Segment	#/ft	Grade	Coupling	Joint	Collapse	Burst	Length	Weight	
"A"	29.70	P HC 110	FXL	2.17	1.3	1.17	11,600	344,520	
"B"			FXL				0	0	
w/8.4#/g mud, 30min Sfc Csg Test psig:						Totals:	11,600	344,520	
The cement volume(s) are intended to achieve a top of				0	ft from surface or a		1150	overlap.	
Hole	Annular	1 Stage	1 Stage	Min	1 Stage	Drilling	Calc	Req'd	Min Dist
Size	Volume	Cmt Sx	CuFt Cmt	Cu Ft	% Excess	Mud Wt	MASP	BOPE	Hole-Cplg
8 3/4	0.1005	745	2095	1186	77	9.40	6436	10M	0.56
Class 'H' tail cmt yld > 1.20						MASP is within 10% of 5000psig, need			

Tail cmt		5 1/2 casing inside the		7 5/8		Design Factors		PRODUCTION	
Segment	#/ft	Grade	Coupling	Joint	Collapse	Burst	Length	Weight	
"A"	20.00	P EC 110	JWC C IS M	2.87	1.5	1.56	11,100	222,000	
"B"	20.00	P EC 110	VAM SFC	6.31	1.22	1.56	11,679	233,580	
w/8.4#/g mud, 30min Sfc Csg Test psig: 2,442							Totals:	22,779	455,580
The cement volume(s) are intended to achieve a top of				11100	ft from surface or a		500	overlap.	
Hole	Annular	1 Stage	1 Stage	Min	1 Stage	Drilling	Calc	Req'd	Min Dist
Size	Volume	Cmt Sx	CuFt Cmt	Cu Ft	% Excess	Mud Wt	MASP	BOPE	Hole-Cplg
6 3/4	0.0835	950	1197	986	21	14.00			0.32
Class 'H' tail cmt yld > 1.20									

# PECOS DISTRICT

## DRILLING CONDITIONS OF APPROVAL

<b>OPERATOR'S NAME:</b>	<b>EOG Resources</b>
<b>LEASE NO.:</b>	<b>NM122622</b>
<b>WELL NAME &amp; NO.:</b>	<b>Peachtree 24 FED COM 701H</b>
<b>SURFACE HOLE FOOTAGE:</b>	<b>190' FSL &amp; 732' FEL</b>
<b>BOTTOM HOLE FOOTAGE:</b>	<b>230' FNL &amp; 330' FEL</b>
<b>LOCATION:</b>	<b>Section 24, T. 26 S., R 33 E., NMPM</b>
<b>COUNTY:</b>	<b>Lea County, New Mexico</b>

Potash	<input checked="" type="radio"/> None	<input checked="" type="radio"/> Secretary	<input checked="" type="radio"/> R-111-P
Cave/Karst Potential	<input checked="" type="radio"/> Low	<input checked="" type="radio"/> Medium	<input checked="" type="radio"/> High
Variance	<input checked="" type="radio"/> None	<input checked="" type="radio"/> Flex Hose	<input checked="" type="radio"/> Other
Wellhead	<input checked="" type="radio"/> Conventional	<input checked="" type="radio"/> Multibowl	
Other	<input type="checkbox"/> 4 String Area	<input type="checkbox"/> Capitan Reef	<input type="checkbox"/> WIPP

**All Previous COAs still apply, except for the following:**

### A. CASING

1. The 9 5/8 inch surface casing shall be set at approximately **1150** feet (a minimum of 25 feet into the Rustler Anhydrite and above the salt) and cemented to the surface.
  - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
  - b. Wait on cement (WOC) time for a primary cement job will be a minimum of **8 hours** or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
  - c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
  - d. If cement falls back, remedial cementing will be done prior to drilling out that string.
2. The minimum required fill of cement behind the 7 5/8 inch intermediate casing, which shall be set at **11600** feet is:
  - Cement to surface. If cement does not circulate see B.1.a, c-d above.

3. The minimum required fill of cement behind the 5 1/2 inch production casing is:
- Cement should tie-back at least 200 feet into previous casing string. Operator shall provide method of verification. **Excess calculates to 21% - additional cement may be required.**

**B. PRESSURE CONTROL**

1. Variance approved to use flex line from BOP to choke manifold. Manufacturer's specification to be readily available. No external damage to flex line. Flex line to be installed as straight as possible (no hard bends).

2.

**Option 1:**

- i. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be 10,000 (10M) psi. **Variance is approved to use a 5M Annular which shall be tested to 5000 psi.**

**Option 2:**

- i. Operator has proposed a multi-bowl wellhead assembly. This assembly will only be tested when installed on the surface casing. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be 10000 (10M) psi. **Variance is approved to use a 5M Annular which shall be tested to 5000 psi.**
- a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
  - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
  - c. Manufacturer representative shall install the test plug for the initial BOP test.
  - d. Whenever any seal subject to test pressure is broken, all the tests in OOGO2.III.A.2.i must be followed.
  - e. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.

**JJP 121918**

## GENERAL REQUIREMENTS

The BLM is to be notified in advance for a representative to witness:

- a. Spudding well (minimum of 24 hours)
- b. Setting and/or Cementing of all casing strings (minimum of 4 hours)
- c. BOPE tests (minimum of 4 hours)

☒ Chaves and Roosevelt Counties  
Call the Roswell Field Office, 2909 West Second St., Roswell NM 88201.  
During office hours call (575) 627-0272.  
After office hours call (575)

☒ Eddy County  
Call the Carlsbad Field Office, 620 East Greene St., Carlsbad, NM 88220,  
(575) 361-2822

☒ Lea County  
Call the Hobbs Field Station, 414 West Taylor, Hobbs NM 88240, (575)  
393-3612

1. Unless the production casing has been run and cemented or the well has been properly plugged, the drilling rig shall not be removed from over the hole without prior approval.
  - a. In the event the operator has proposed to drill multiple wells utilizing a skid/walking rig. Operator shall secure the wellbore on the current well, after installing and testing the wellhead, by installing a blind flange of like pressure rating to the wellhead and a pressure gauge that can be monitored while drilling is performed on the other well(s).
  - b. When the operator proposes to set surface casing with Spudder Rig
    - Notify the BLM when moving in and removing the Spudder Rig.
    - Notify the BLM when moving in the 2<sup>nd</sup> Rig. Rig to be moved in within 90 days of notification that Spudder Rig has left the location.
    - BOP/BOPE test to be conducted per Onshore Oil and Gas Order No. 2 as soon as 2nd Rig is rigged up on well.
2. Floor controls are required for 3M or Greater systems. These controls will be on the rig floor, unobstructed, readily accessible to the driller and will be operational at all times during drilling and/or completion activities. Rig floor is defined as the area immediately around the rotary table; the area immediately above the substructure on which the draw works are located, this does not include the dog house or stairway area.

3. The record of the drilling rate along with the GR/N well log run from TD to surface (horizontal well – vertical portion of hole) shall be submitted to the BLM office as well as all other logs run on the borehole 30 days from completion. If available, a digital copy of the logs is to be submitted in addition to the paper copies. The Rustler top and top and bottom of Salt are to be recorded on the Completion Report.

A. CASING

1. Changes to the approved APD casing program need prior approval if the items substituted are of lesser grade or different casing size or are Non-API. The Operator can exchange the components of the proposal with that of superior strength (i.e. changing from J-55 to N-80, or from 36# to 40#). Changes to the approved cement program need prior approval if the altered cement plan has less volume or strength or if the changes are substantial (i.e. Multistage tool, ECP, etc.). The initial wellhead installed on the well will remain on the well with spools used as needed.
2. Wait on cement (WOC) for Potash Areas: After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi for all cement blends, 2) until cement has been in place at least 24 hours. WOC time will be recorded in the driller's log.
3. Wait on cement (WOC) for Water Basin: After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi at the shoe, 2) until cement has been in place at least 8 hours. WOC time will be recorded in the driller's log. See individual casing strings for details regarding lead cement slurry requirements.
4. Provide compressive strengths including hours to reach required 500 pounds compressive strength prior to cementing each casing string. Have well specific cement details onsite prior to pumping the cement for each casing string.
5. No pea gravel permitted for remedial or fall back remedial without prior authorization from the BLM engineer.
6. On that portion of any well approved for a 5M BOPE system or greater, a pressure integrity test of each casing shoe shall be performed. Formation at the shoe shall be tested to a minimum of the mud weight equivalent anticipated to control the formation pressure to the next casing depth or at total depth of the well. This test shall be performed before drilling more than 20 feet of new hole.
7. If hardband drill pipe is rotated inside casing, returns will be monitored for metal. If metal is found in samples, drill pipe will be pulled and rubber protectors which have a larger diameter than the tool joints of the drill pipe will be installed prior to continuing drilling operations.

8. Whenever a casing string is cemented in the R-111-P potash area, the NMOCD requirements shall be followed.

B. PRESSURE CONTROL

2. All blowout preventer (BOP) and related equipment (BOPE) shall comply with well control requirements as described in Onshore Oil and Gas Order No. 2 and API RP 53 Sec. 17.
3. If a variance is approved for a flexible hose to be installed from the BOP to the choke manifold, the following requirements apply: Check condition of flexible line from BOP to choke manifold, replace if exterior is damaged or if line fails test. Line to be as straight as possible with no hard bends and is to be anchored according to Manufacturer's requirements. The flexible hose can be exchanged with a hose of equal size and equal or greater pressure rating. Anchor requirements, specification sheet and hydrostatic pressure test certification matching the hose in service, to be onsite for review. These documents shall be posted in the company man's trailer and on the rig floor.
4. 5M or higher system requires an HCR valve, remote kill line and annular to match. The remote kill line is to be installed prior to testing the system and tested to stack pressure.
4. If the operator has proposed a multi-bowl wellhead assembly in the APD. The following requirements must be met:
  - a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
  - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
  - c. Manufacturer representative shall install the test plug for the initial BOP test.
  - d. Whenever any seal subject to test pressure is broken, all the tests in OOGO2.III.A.2.i must be followed.
  - e. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
5. The appropriate BLM office shall be notified a minimum of 4 hours in advance for a representative to witness the tests.
  - a. In a water basin, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. The casing cut-off and BOP installation can be initiated four hours after installing the slips, which will be approximately six hours after bumping the

plug. For those casing strings not using slips, the minimum wait time before cut-off is eight hours after bumping the plug. BOP/BOPE testing can begin after cut-off or once cement reaches 500 psi compressive strength (including lead when specified), whichever is greater. However, if the float does not hold, cut-off cannot be initiated until cement reaches 500 psi compressive strength (including lead when specified).

- b. In potash areas, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. For all casing strings, casing cut-off and BOP installation can be initiated at twelve hours after bumping the plug. However, **no tests** shall commence until the cement has had a minimum of 24 hours setup time.
- c. The tests shall be done by an independent service company utilizing a test plug not a cup or J-packer. The operator also has the option of utilizing an independent tester to test without a plug (i.e. against the casing) pursuant to Onshore Order 2 with the pressure not to exceed 70% of the burst rating for the casing. Any test against the casing must meet the WOC time for water basin (8 hours) or potash (24 hours) or 500 pounds compressive strength, whichever is greater, prior to initiating the test (see casing segment as lead cement may be critical item).
- d. The test shall be run on a 5000 psi chart for a 2-3M BOP/BOP, on a 10000 psi chart for a 5M BOP/BOPE and on a 15000 psi chart for a 10M BOP/BOPE. If a linear chart is used, it shall be a one hour chart. A circular chart shall have a maximum 2 hour clock. If a twelve hour or twenty-four hour chart is used, tester shall make a notation that it is run with a two hour clock.
- e. The results of the test shall be reported to the appropriate BLM office.
- f. All tests are required to be recorded on a calibrated test chart. A copy of the BOP/BOPE test chart and a copy of independent service company test will be submitted to the appropriate BLM office.
- g. The BOP/BOPE test shall include a low pressure test from 250 to 300 psi. The test will be held for a minimum of 10 minutes if test is done with a test plug and 30 minutes without a test plug. This test shall be performed prior to the test at full stack pressure.
- h. BOP/BOPE must be tested by an independent service company within 500 feet of the top of the Wolfcamp formation if the time between the setting of the intermediate casing and reaching this depth exceeds 20 days. This test does not exclude the test prior to drilling out the casing shoe as per Onshore Order No. 2.

C. DRILLING MUD

Mud system monitoring equipment, with derrick floor indicators and visual and audio alarms, shall be operating before drilling into the Wolfcamp formation, and shall be used until production casing is run and cemented.

D. WASTE MATERIAL AND FLUIDS

All waste (i.e. drilling fluids, trash, salts, chemicals, sewage, gray water, etc.) created as a result of drilling operations and completion operations shall be safely contained and disposed of properly at a waste disposal facility. No waste material or fluid shall be disposed of on the well location or surrounding area.

Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.