

Proposed Depth: 14,000'

Proposed Casing and Cementing Program

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks cement	TOC
17-1/2"	13-3/8"	48# -H-40	0' – 400'	400	surface
12-1/4"	9-5/8"	36# - J-55	0' – 4,600'	1200	surface
8-3/4"	5-1/2"	17# & 20# - L-80	0 – 14,000'	1200	4,600'