

Sample	Depth	Grain Dens	Poro sity	Kv	Permeability N/S	E/W	Sw	So	Flo	Remarks
435		4116	2.83	7.5	0.04	0.17	0.60	22.9	27.5	Sp100 Dolo, Sc. PPP, Fr.
436		4117	2.83	7.7	0.13	0.18	0.19	30.0	20.0	Sp100 Dolo, S/P, Sc. PPP, Fr.
437		4118	2.83	8.0	0.25	0.31	1.09	31.7	17.3	Sp. 90 Dolo, S/P, Sc. PPP, Fr.
438		4119	2.83	7.6	0.08	0.41	0.62	32.0	17.4	Sp. 80 Dolo, Sc. PPP, Fr.
439	4119	4120	2.84	6.3	1.70	1.00	0.64	24.6	24.6	Sp. 90 Dolo, Sty, Sc. PPP, Fr.
440		4121	2.85	7.4	1.76	1.21	1.47	30.7	15.3	100 Dolo, Sandy, Sty, Sc. PPP, Fr.
441		4122	2.86	6.0	0.87	0.82	1.01	29.0	16.6	100 Dolo, Sty, Fr.
442		4123	2.85	6.6	0.74	1.71	1.36	26.8	19.2	100 Dolo, Fr.
443		4124	2.85	6.5	2.20	1.60	1.30	38.4	12.8	100 Dolo, Sli. Sucrosic, S/P, Sty, Sc. Vugs, Fr.
444	4124	4125	2.85	8.0	6.33	8.34	5.21	27.5	21.2	100 Dolo, Sli. Sucrosic, Sc. Vugs, Fr.
445		4126	2.85	11.2	28.78	18.02	18.23	21.8	21.8	100 Dolo, Sli. Sucrosic, PPP, Fr.
446		4127	2.85	10.8	49.25	18.43	18.43	13.5	29.2	100 Dolo, Sli. Sucrosic, PPP, Fr.
447		4128	2.85	4.1	*0.74	3.40	Plug	29.1	23.3	100 Dolo, Sli. Sucrosic, Sty, Sc. Vugs, Fr.
448		4129	2.84	3.5	0.51	1.01	0.44	83.1	0.0	Sp. 70 Dolo, Sli. Sucrosic, Sty, Sc. Vugs, Fr.
449	4129.5	4129.5	2.84	5.6	0.10	0.67	0.45	49.2	10.5	Sp100 Dolo, Sli. Sucrosic, Sty, Sc. Vugs, Fr.
		4130	SCAL.							
450	4129.5	4131	2.85	7.1	0.23	1.01	0.87	34.6	13.0	100 Dolo, Sli. Sucrosic, Vugy, Fr.
451		4132	2.85	9.6	8.38	32.77	15.02	26.8	23.8	100 Dolo, Sli. Sucrosic, Sty, PPP-Sm. Vugs, Fr.
452		4133	2.85	12.2	72.92	65.39	Plug	30.8	17.1	100 Dolo, Sli. Sucrosic, PPP-Sm. Vugs, Fr.
453		4134	2.84	12.0	38.18	32.77	29.76	26.1	18.7	100 Dolo, Sli. Sucrosic, S/P, PPP-Sm. Vugs, Fr.
454	4134	4135	2.84	10.8	19.81	16.22	15.52	23.0	20.9	100 Dolo, Sli. Sucrosic, S/P, PPP-Sm. Vugs, Fr.
455		4136	2.84	9.0	31.73	11.07	31.50	29.0	20.7	100 Dolo, Sli. Sucrosic, Sty, PPP-Sm. Vugs, Fr.
456		4137	2.85	8.2	12.89	15.30	14.44	27.0	24.9	100 Dolo, Sli. Sucrosic, Sty, Sc. PPP-Sm. Vugs, Fr.
457		4138	2.84	5.6	T/B	0.09	Plug	49.0	22.6	100 Dolo, Sc. PPP-Sm. Vugs, Fr, Brkn.
458		4139	2.83	8.2	T/B	10.38	Plug	25.2	20.2	100 Dolo, Sc. PPP-Sm. Vugs, Fr, Brkn.
459	4139	4140	2.84	5.4	T/B	0.29	Plug	35.4	15.7	100 Dolo, Sc. PPP-Sm. Vugs, Fr, Brkn.
										Core # (6) 4140-4231', Cut 91', Recovered 91'
460	4140	4141	2.85	7.1	25.80	18.33	3.93	28.2	20.1	100 Dolo, Sc. PPP, Fr.
461		4142	2.86	6.9	25.53	12.29	3.59	29.1	19.4	100 Dolo, Sty, Sc. PPP, Fr.
462		4143	2.86	7.0	6.82	5.74	3.39	31.3	17.4	100 Dolo, S/P, Sc. PPP-Sm. Vugs, Fr.
		4143.5	SCAL.							
463		4144	2.85	9.0	4.93	8.79	4.51	32.5	23.2	100 Dolo, Sty, Sc. PPP-Sm. Vugs, Fr.
464	4144	4145	2.84	10.3	22.73	28.46	23.68	29.0	20.7	100 Dolo, Sty, Sc. PPP-Sm. Vugs, Fr.
465		4146	2.84	10.1	*9.70	33.42	Plug	31.5	19.4	100 Dolo, Sty, Sc. PPP-Sm. Vugs, Fr.
466		4147	2.84	11.0	13.04	40.55	20.53	29.3	22.0	100 Dolo, Sc. PPP-Sm. Vugs, Fr.
467		4148	2.84	12.6	218.	25.75	36.45	30.0	21.4	100 Dolo, Sc. PPP-Sm. Vugs, Fr.
468		4149	2.83	12.5	42.74	23.68	23.51	28.5	23.1	100 Dolo, Sty, Sc. PPP-Sm. Vugs, Fr.
469	4149	4150	2.83	13.1	57.31	24.96	26.16	27.9	24.2	100 Dolo, Sc. PPP-Sm. Vugs, Fr.