1. GEOLOGIC NAME OF SURFACE FORMATION: Permian

. .

2. ESTIMATED TOPS OF IMPORTANT GEOLOGICAL MARKERS:

Rustler Top of Salt Base of Salt / Top Anhydrite	834' 1,378' 3,956'
Base Anhydrite	5,299'
Lamar Dall Common	5,299'
Bell Canyon Cherry Canyon	5,331' 6,303'
Brushy Canyon	7,810'
Bone Spring Lime	9,414'
1 st Bone Spring Sand 2 nd Bone Spring Shale	10,447' 10,629'
2 nd Bone Spring Sand	11,028'
3 rd Bone Spring Carb	11,560'
3 rd Bone Spring Sand	12,089'
Wolfcamp TD	12,529' 12,675'

3. ESTIMATED DEPTHS OF ANTICIPATED FRESH WATER, OIL OR GAS:

Water

0-400'	Fresh
6,303'	Oil
7,810'	Oil
10,447'	Oil
10,629'	Oil
11,028'	Oil
11,560'	Oil
12,089'	Oil
12,529'	Oil
	6,303' 7,810' 10,447' 10,629' 11,028' 11,560' 12,089'

No other Formations are expected to give up oil, gas or fresh water in measurable quantities. Surface fresh water sands will be protected by setting 10.75" casing at 860' and circulating cement back to surface.

Hole		Csg				DFmin	DFmin	DFmin
Size	Interval	OD	Weight	Grade	Conn	Collapse	Burst	Tension
14.75"	0 - 860'	10.75"	40.5#	J55	STC	1.125	1.25	1.60
9.875"	0 - 1,000'	7.625"	29.7#	HCP-	LTC	1.125	1.25	1.60
				110				
9.875"	1,000' - 3,000'	7.625"	29.7#	P-110EC	SLIJ II	1.125	1.25	1.60
8.75"	3,000' - 11,700'	7.625"	29.7#	HCP-	FlushMax III	1.125	1.25	1.60
				110				
6.75"	0'-11,200'	5.5"	20#	P-110EC	DWC/C-IS	1.125	1.25	1.60
					MS			
6.75"	11,200'-22,751'	5.5"	20#	P-110EC	VAM SFC	1.125	1.25	1.60

4. CASING PROGRAM - NEW

., 9

Variance is requested to wave the centralizer requirements for the 7-5/8" FJ casing in the 8-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 8-3/4" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to wave any centralizer requirements for the 5-1/2" FJ casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

Depth	No. Sacks	Wt. ppg	Yld Ft ³ /ft	Mix Water Gal/sk	Slurry Description
10-3/4" 860'	325	13.5	1.73	9.13	Class C + 4.0% Bentonite + 0.6% CD-32 + 0.5% CaCl ₂ + 0.25 lb/sk Cello-Flake (TOC @ Surface)
	200	14.8	1.34	6.34	Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate
7-5/8" 11,700'	250	14.8	1.38	6.48	Class C + 5% Gypsum + 3% CaCl2 pumped via Bradenhead (TOC @ Surface)
	2200	14.8	1.38	6.48	Class C + 5% Gypsum + 3% CaCl2 pumped via Bradenhead
	550	14.4	1.20	4.81	50:50 Class H:Poz + 0.25% CPT20A + 0.40% CPT49 + 0.20% CPT35 + 0.80% CPT16A + 0.25% CPT503P pumped Conventionally
5-1/2" 22,751'	1000	14.1	1.26	5.80	Class H + 0.1% C-20 + 0.05% CSA-1000 + 0.20% C-49 + 0.40% C-17 (TOC @ 11,200')

Cementing Program:

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

Variance is requested to use a co-flex line between the BOP and choke manifold (instead of using a 4" OD steel line).

The minimum blowout preventer equipment (BOPE) shown in Exhibit #1 will consist of a single ram, mud cross and double ram-type (10,000 psi WP) preventer and an annular preventer (5000-psi WP). Both units will be hydraulically operated and the ram-type will be equipped with blind rams on bottom and drill pipe rams on top. All BOPE will be tested in accordance with Onshore Oil & Gas order No. 2.

Before drilling out of the surface casing, the ram-type BOP and accessory equipment will be tested to 5000/ 250 psig and the annular preventer to 3500/ 250 psig. The surface casing will be tested to 1500 psi for 30 minutes.

Before drilling out of the intermediate casing, the ram-type BOP and accessory equipment will be tested to 5000/ 250 psig and the annular preventer to 3500/ 250 psig. The intermediate casing will be tested to 2000 psi for 30 minutes.

Pipe rams will be operationally checked each 24-hour period. Blind rams will be operationally checked on each trip out of the hole. These checks will be noted on the daily tour sheets.

A hydraulically operated choke will be installed prior to drilling out of the intermediate casing shoe.

6. TYPES AND CHARACTERISTICS OF THE PROPOSED MUD SYSTEM:

During this procedure we plan to use a Closed-Loop System and haul contents to the required disposal.

Depth	Туре	Weight (ppg)	Viscosity	Water Loss
0 - 860'	Fresh - Gel	8.6-8.8	28-34	N/c
860' - 11,700'	Brine	8.8-10.0	28-34	N/c
11,700' - 22,751'	Oil Base	10.0-14.0	58-68	3 - 6
Lateral				

The applicable depths and properties of the drilling fluid systems are as follows.

The highest mud weight needed to balance formation is expected to be 11.5 ppg. In order to maintain hole stability, mud weights up to 14.0 ppg may be utilized.

An electronic pit volume totalizer (PVT) will be utilized on the circulating system, to monitor pit volume, flow rate, pump pressure and stroke rate.

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept at the wellsite at all times.

7. AUXILIARY WELL CONTROL AND MONITORING EQUIPMENT:

(A) A kelly cock will be kept in the drill string at all times.

. .

- (B) A full opening drill pipe-stabbing valve (inside BOP) with proper drill pipe connections will be on the rig floor at all times.
- (C) H₂S monitoring and detection equipment will be utilized from surface casing point to TD.

8. LOGGING, TESTING AND CORING PROGRAM:

Open-hole logs are not planned for this well.

GR–CCL Will be run in cased hole during completions phase of operations.

9. ABNORMAL CONDITIONS, PRESSURES, TEMPERATURES AND POTENTIAL HAZARDS:

The estimated bottom-hole temperature (BHT) at TD is 181 degrees F with an estimated maximum bottom-hole pressure (BHP) at TD of 7579 psig (based on 11.5 ppg MW). No hydrogen sulfide or other hazardous gases or fluids have been encountered, reported or are known to exist at this depth in this area. Severe loss circulation is expected from 7,300' to Intermediate casing point.

10. ANTICIPATED STARTING DATE AND DURATION OF OPERATIONS:

The drilling operation should be finished in approximately one month. If the well is productive, an additional 60-90 days will be required for completion and testing before a decision is made to install permanent facilities.

(A)EOG Resources requests the option to contract a Surface Rig to drill, set surface casing, and cement on the subject well. If the timing between rigs is such that EOG Resources would not be able to preset the surface, the Primary Rig will MIRU and drill the well in its entirety per the APD.

11. WELLHEAD:

A multi-bowl wellhead system will be utilized.

After running the 10-3/4" surface casing, a 13-5/8" BOP/BOPE system with a minimum working pressure of 5000 psi will be installed on the wellhead system and will be pressure tested to 250 psi low followed by a 5000 psi pressure test. This pressure test will be repeated at least every 30 days, as per Onshore Order No. 2

The minimum working pressure of the BOP and related BOPE required for drilling below the surface casing shoe shall be 5000 psi.


The multi-bowl wellhead will be installed by vendor's representative(s). A copy of the installation instructions for the Stream Flo FBD100 Multi-Bowl WH system has been sent to the NM BLM office in Carlsbad, NM.

The wellhead will be installed by a third party welder while being monitored by WH vendor's representative.


All BOP equipment will be tested utilizing a conventional test plug. Not a cup or J-packer type.


A solid steel body pack-off will be utilized after running and cementing the intermediate casing. After installation the pack-off and lower flange will be pressure tested to 5000 psi.


Both the surface and intermediate casing strings will be tested as per Onshore Order No. 2 to at least 0.22 psi/ft or 1500 psi, whichever is greater.



EOG 5M Choke Manifold Diagram (rev. 3/21/14)








à

Exhibit 4 EOG Resources Ruby 2 Fed Com #704H





455'

Issued on: 24 Jan. 2017

Å



Connection Data Sheet

OD	Weight	Wall Th.	Grade	API Drift	Connection
5/8 in.	29.70 lb/ft	0.375 in.	VM 110 HC	6.750 in.	VAM® SLIJ-II

PIPE PROPER	TIES
Nominal OD	7.625 in.
Nominal ID	6.875 in.
Nominal Cross Section Area	8.541 sqin.
Grade Type	High Collapse
Min. Yield Strength	110 ksi
Max. Yield Strength	140 ksi
Min. Ultimate Tensile Strength	125 ksi


CONNECTION PROPERTIES						
Connection Type	Premium integral semi-flush					
Connection OD (nom)	7.711 in.					
Connection ID (nom)	6.820 in.					
Make-up Loss	4.822 in.					
Critical Cross Section	5.912 sqin.					
Tension Efficiency	69.2 % of pipe					
Compression Efficiency	48.5 % of pipe					
Internal Pressure Efficiency	100 % of pipe					
External Pressure Efficiency	100 % of pipe					

CONNECTION PERFORMANCES							
Tensile Yield Strength	651 klb						
Compression Resistance	455 klb						
Internal Yield Pressure	9470 psi						
Uniaxial Collapse Pressure	7890 psi						
Max. Bending Capacity	TDB						
Max Bending with Sealability	20 °/100 ft						

FIELD TORQUE VALUES					
Min. Make-up torque	11300 ft.lb				
Opti. Make-up torque	12600 ft.lb				
Max. Make-up torque	13900 ft.lb				

VAM® SLIJ-II is a semi-flush integral premium connection for all casing applications. It combines a near flush design with high performances in tension, compression and gas sealability.

VAM® SLIJ-II has been validated according to the most stringent tests protocols, and has an excellent performance history in the world's most prolific HPHT wells.



Do you need help on this product? - Remember no one knows VAM[®] like VAM

canada@vamfieldservice.com usa@vamfieldservice.com mexico@vamfieldservice.com brazil@vamfieldservice.com uk@vamfieldservice.com dubai@vamfieldservice.com nigeria@vamfieldservice.com angola@vamfieldservice.com china@vamfieldservice.com baku@vamfieldservice.com singapore@vamfieldservice.com australia@vamfieldservice.com

Over 140 VAM® Specialists available worldwide 24/7 for Rig Site Assistance

Other Connection Data Sheets are available at www.vamservices.com



Vallourec Group

d One FL	USHMAX-III		Date	1-Oct-15	
Connec	tion Data She	et 🗌			
One Corp	40 		Rev.	N-0	
4	_ Make up los	s			
- Jun		,	ngh		
		Ť			
Pin crit	tical area		law aritical an		
			Box critical an	ea	
Pipe Body	Imperi	al	S.I.		
Grade	P110		P110		
Pipe OD (D)	7 5/8	in	193.68	mm	
Veight	29.7	lb/ft	44.25	kg/m	
Actual weight	29.0	lb/ft	43.26	kg/m	
Vall thickness (t)	0.375	in	9.53	mm	
Pipe ID (d)	6.875	in	174.63	mm	
Pipe body cross section	8.537	in ²	5,508	mm ²	
Drift Dia.	6.750	in	171.45	mm	
Connection					
Box OD (W)	7.625	in	193.68	mm	
PIN ID	6.875	in	174.63	mm	
Pin critical area	4.420	in ²	2,852	mm ²	
Box critical area	4.424	in ²	2.854	mm ²	
oint load efficiency	60	%	60	%	
Aake up loss	3.040	in	77.22	mm	
hread taper		/16 (3/4 i			
lumber of threads		5 thread			
Connection Performance	Proportion				
ensile Yield load	563.4	kips	2,506	kN	
A.I.Y.P.	7,574	psi	52.2	MPa	
Collapse strength	5.350	psi	36.9	MPa	
lote			00.0		
A.I.Y.P. = Minimum Int	ernal Yield Press	sure of the	e connection		
orque Recommended		2			
Min.	8,700	ft-lb	11,700	N-m	
Opti.	9,700	ft-lb	13,100	N-m	
Max.	10,700	ft-lb	14,500	N-m	
Operational Max.	23,600	ft-lb	32,000	N-m	

Manufacturer: Midwest Hose & Specialty

Serial Number: SN#90067

Length: 35'

. . .

Size: OD = 8" ID = 4"

Ends: Flanges Size: 4-1/16"


WP Rating: 10,000 psi Anchors required by manfacturer: No

MIDWEST

.

HOSE AND SPECIALTY INC.

INTE	RNAL	HYDROST	ATIC TEST	REPOR	Т	
Customer:			and the second se	P.O. Numb	er:	
CACTUS			RIG #123			
			Asset # N	110761		
		HOSE SPECIE	ICATIONS			
Туре: СНО	KE LIN	E		Length:	35'	
I.D.	4"	INCHES	O.D.	8"	INC	CHES
WORKING PRESS	URE	TEST PRESSUR	E	BURST PRES	SURE	
10,000	PSI	15,000	PSI			PSI
		COUP	LINGS			
Type of End F 4 1/1	-	LANGE				
Type of Coupl SWE	ing: DGED		MANUFACTU MIDWEST HOS		LTY	
		PROC	EDURE			
		<u>v pressure tested w</u> TEST PRESSURE		<u>nt temperature</u> . SURST PRESSU		
	1	MIN			0	PSI
COMMENTS:						/ 0/
SN#9	0067	M10761				
Hose	is cov	ered with stainl	ess steel armo	ur cover and		
		fire resistant v				
insul	ation ra	ated for 1500 de	grees complete	and the second se	eyes	
Date: 6/6/2	011	Tested By: BOBBY FINK		Approved: MENDI J	ACKS	ON



Comments: Hose assembly pressure tested with water at ambient temperature.

4

Tested By: Bobby Fink

Approved By: Mendi Jackson

Solly 7

Mendi Jackson

autoritation for the state