District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011 Permit 365984

APPLICATION FOR PERMIT TO DRILL	RE-ENTER	DEEPEN	PLUGBACK.	OR ADD A ZONE
	., \ \			

	me and Address G RESOURCES IN	c								2. OGR	ID Number 7377		
-	9 Champions Driv									3. API N			
	land, TX 79706	-								0.7.1.11	30-025-53062	2	
4. Property Cod	de	5. F	roperty Name							6. Well	No.		
	3188							604H					
					7. Surf	ace Location							
UL - Lot	Section	Township	Range	Lo	t Idn	Feet From	N/5	3 Line	Feet From		E/W Line	County	
N	10	25S	34	ŀΕ	Ν	837		S		2491	W		Lea
				8.	Proposed B	ottom Hole Loca	ation						
UL - Lot	Section	Township	Range	Lot	ldn	Feet From	N/3	S Line	Feet From	1	E/W Line	County	
	3	25S	34E		1	2540		S		460	E		Lea
					9. Poo	I Information							
RED HILLS;E	BONE SPRING, EA	ST									97369		
					Additional	Well Information	n						
11. Work Type		12. Well Type		13. Cable/F	Rotary		14. Lea	ise Type	15		evel Elevation		
	w Well	OIL						State		33	-		
16. Multiple		17. Proposed Dep		18. Formati			19. Contractor 20. Spud				d Date 6/18/2024		
N Depth to Grour	d water	2021	/		Bone Spring				Die		arest surface water		
Deptil to Gloui				Distance inc	Jiii nearest nea	si water wen			Dis	stance to ne	alest suitace water		
	using a closed-loo		•			ng and Cement		n				<u> </u>	
Type Surf	Hole Size 12.25	Casing Siz 9.625	e	Casing We 36	eignt/ft		g Depth 100			f Cement 70		Estimated T 0	00
Int1	8.75	7.625		29.7		-	045		-	70 760		0	
Prod	6.75	5.5		17						800 10970			
			•	Casing/C	omont Prog	ram: Additional	Commo	nto					
	tfully requests the o he NMOCD will be			nt program					to do a Bra	denhead	Squeeze on the i	intermedia	te string for
				22. Pro	posed Blow	out Prevention	Program	n					
	Туре			Working Pres	ssure			Test Pressu	re		Manu	Ifacturer	
	Double Ram			5000				3000					
knowledge a	ify I have complied	Ū.						0	IL CONSER	VATION D	DIVISION		
Signature:													
Printed Name:		ly filed by Kay Mac	ldox			Approved By:		Paul F Kautz	2				
Title:	0	ulatory Specialist				Title:		Geologist					
Email Address:	Email Address: kay maddox@eogresources.com						e: (6/18/2024		Ex	piration Date: 6/18	/2026	

Conditions of Approval Attached

5/21/2024

Date:

Phone: 432-638-8475

DISTRICT I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-0120 DISTRICT II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fas: (575) 748-9720 DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone: (505) 334-6178 Fas: (505) 334-6170 DISTRICT IV 1220 S. St. Francis Dr., Santa Fc. NM 87505 Phone: (505) 476-3460 Fas: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, New Mexico 87505


Page 2 of 143 Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

□ AMENDED REPORT

WELL LOCATION	AND ACREAGE	DEDICATION PLAT

	API Number 80-025-			Pool Code 97369							
	Property Code Property Name 05PREY 10								Well Number 604H		
OGRID N 7377			Operator Name Elevation 3334'								
		-			Surface Locat	ion		•			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County		
N	10	25-S	34-E	-	837'	SOUTH	2491'	WEST	LEA		
			Bott	om Hole I	Location If Diffe	erent From Surfac	e				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County		
I	3	25-S	34-E	-	2540' SOUTH 460' EAST LEA						
Dedicated Acres	Joint or	Infill	Consolidated Code Order No.								
240.00				POOLING DESIGNATIONS FILED							

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

EOG RESOURCES INC [7377]

5509 Champions Drive

Midland, TX 79706

Operator Name and Address:

State of New Mexico **Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

PERMIT CONDITIONS OF APPROVAL

API Number: 30-025-53062 Well: OSPREY 10 #604H

OCD	Condition
Reviewer	
pkautz	Notify OCD 24 hours prior to casing & cement
pkautz	Will require a File As Drilled C-102 and a Directional Survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system
pkautz	Cement is required to circulate on both surface and intermediate1 strings of casing
pkautz	If cement does not circulate on any string, a CBL is required for that string of casing

pkautz The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud

District II

Page 3 of 143

Form APD Conditions

Permit 365984

Seog resources

EOG Batch Casing

Pad Name: Osprey 10

SHL: Section 10, Township 25-S, Range 34-E, LEA County, NM

EOG requests for the below wells to be approved for all four designs listed in the Blanket Casing Design ('EOG BLM Variance 5a - Alternate Shallow Casing Designs.pdf' OR 'EOG BLM Variance 5b -Alternate Deep Casing Designs.pdf') document. The MDs and TVDs for all intervals are within the boundary conditions. The max inclination and DLS are also within the boundary conditions. The directional plans for the wells are attached separately.

Well Name		Sur	face	Intermediate		Production	
vv en Ivame	API #	MD	TVD	MD	TVD	MD	TVD
Osprey 10 #101H	30-025-****	1,000	1,000	5,322	5,200	17,170	9,490
Osprey 10 #102H	30-025-****	1,000	1,000	5,208	5,200	17,063	9,490
Osprey 10 #103H	30-025-****	1,000	1,000	5,212	5,200	17,068	9,490
Osprey 10 #104H	30-025-****	1,000	1,000	5,338	5,200	17,165	9,470
Osprey 10 #105H	30-025-****	1,000	1,000	5,239	5,200	17,072	9,470
Osprey 10 #106H	30-025-****	1,000	1,000	5,278	5,200	17,111	9,470
Osprey 10 #501H	30-025-****	1,000	1,000	5,308	5,200	19,018	11,350
Osprey 10 #502H	30-025-****	1,000	1,000	5,201	5,200	18,916	11,350
Osprey 10 #503H	30-025-****	1,000	1,000	5,341	5,200	19,047	11,350
Osprey 10 #504H	30-025-****	1,000	1,000	5,242	5,200	18,956	11,350
Osprey 10 #505H	30-025-****	1,000	1,000	5,261	5,200	18,975	11,350
Osprey 10 #591H	30-025-****	1,000	1,000	5,281	5,200	19,493	11,850
Osprey 10 #592H	30-025-****	1,000	1,000	5,377	5,200	19,581	11,850
Osprey 10 #593H	30-025-****	1,000	1,000	5,541	5,200	19,720	11,850
Osprey 10 #603H	30-025-****	1,000	1,000	11,593	11,472	19,845	12,165
Osprey 10 #604H	30-025-****	1,000	1,000	12,045	11,472	20,217	12,165
Osprey 10 #751H	30-025-****	1,000	1,000	11,608	11,472	20,794	13,100
Osprey 10 #752H	30-025-****	1,000	1,000	11,580	11,472	20,768	13,100
Osprey 10 #753H	30-025-****	1,000	1,000	12,120	11,472	21,207	13,100



EOG Batch Casing

Variances

EOG requests the additional variance(s) in the attached document(s):

- EOG BLM Variance 3a_b BOP Break-test and Offline Intermediate Cement
- EOG BLM Variance 4a Salt Section Annular Clearance
- EOG BLM Variance 5a Alternate Shallow Casing Designs

seog resources

Page 6 of 143

EOG Batch Casing

GEOLOGIC NAME OF SURFACE FORMATION:

Permian

ESTIMATED TOPS OF IMPORTANT GEOLOGICAL MARKERS:


Rustler	890'
Tamarisk Anhydrite	975'
Top of Salt	1,295'
Base of Salt	5,100'
Lamar	5,366'
Bell Canyon	5,395'
Cherry Canyon	6,301'
Brushy Canyon	7,887'
Bone Spring Lime	9,298'
Leonard (Avalon) Shale	9,306'
1st Bone Spring Sand	10,317'
2nd Bone Spring Shale	10,533'
2nd Bone Spring Sand	10,836'
3rd Bone Spring Carb	11,372'
3rd Bone Spring Sand	11,904'
Wolfcamp	12,358'

ESTIMATED DEPTHS OF ANTICIPATED FRESH WATER, OIL OR GAS:


0-400'	Fresh Water
5,395'	Oil
6,301'	Oil
7,887'	Oil
9,306'	Oil
10,317'	Oil
10,533'	Oil
10,836'	Oil
	5,395' 6,301' 7,887' 9,306' 10,317' 10,533'

fresh water sands will be protected by setting surface casing at 1,000' and circulating cement back to surface.

Seog resources









Osprey 10 #604H

Permit Information:

Well Name: Osprey 10 #604H

Location:

SHL: 837' FSL & 2491' FWL, Section 10, T-25-S, R-34-E, LEA Co., N.M.
BHL: 2540' FSL & 460' FEL, Section 3, T-25-S, R-34-E, LEA Co., N.M.

Design A

Casing Program:

Hole	Interval MD		Interval TVD		Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
12-1/4"	0	1,000	0	1,000	9-5/8"	36#	J-55	LTC
8-3/4"	0	12,045	0	11,472	7-5/8"	29.7#	ICYP-110	MO FXL
6-3/4"	0	20,217	0	12,165	5-1/2"	17#	HCP-110	LTC

Cement Program:

		Wt.	Yld	Slurry Description			
Depth	No. Sacks	ppg	Ft3/sk	Starry Description			
1,000'	290	13.5	173	Class C + 4.0% Bentonite + 0.6% CD-32 + 0.5% CaCl2 + 0.25 lb/sk Cello-Flake (TOC @ Surface)			
1,000	80	14.8	1 34	Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate			
11,470'	450	14.2	1.11	1st Stage (Tail): Class C + 5% Salt (TOC @ 7,687')			
11,470	1310	14.8		2nd Stage (Bradenhead squeeze): Class C + 3% Salt + 1% PreMag- M + 6% Bentonite Gel (TOC @ surface)			
20,217'	800	13.2	1 3 1	Class H + 0.1% C-20 + 0.05% CSA-1000 + 0.20% C-49 + 0.40% C-17 (TOC @ 10,970')			

Mud Program:

Depth	Туре	Weight (ppg)	Viscosity	Water Loss
0 – 1,000'	Fresh - Gel	8.6-8.8	28-34	N/c
1,000' - 11,470'	Brine	10.0-10.2	28-34	N/c
11,470' – 12,176'	Oil Base	8.7-9.4	58-68	N/c - 6
12,176' – 20,217'	Oil Base	10.0-14.0	58-68	4 - 6
Lateral				

Osprey 10 #604H

Design B

CASING PROGRAM

Hole	Interv	al MD	Interva	al TVD	Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
13"	0	1,000	0	1,000	10-3/4"	40.5#	J-55	STC
9-7/8"	0	12,045	0	11,472	8-3/4"	38.5#	P110-EC	SLIJ II NA
7-7/8"	0	20,217	0	12,165	6"	24.5#	P110-EC	VAM Sprint-SF

Cementing Program:

Depth	No. Sacks	Wt. ppg	Yld Ft3/sk	Slurry Description
1,000' 10-3/4"	270	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello- Flake (TOC @ Surface)
	70	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 800')
11,472' 8-3/4"	510	14.2	1.11	1st Stage (Tail): Class C + 0.6% Halad-9 + 0.45% HR-601 + 3% Microbond (TOC @ 7,690')
	1490	14.8	1.5	2nd Stage (Bradenhead squeeze): Class C + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (TOC @ surface)
20,217' _{6"}	1300	13.2	1.31	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC @ 10,972')

EOG requests variance from minimum standards to pump a two stage cement job on the 8-3/4" intermediate casing string with the first stage being pumped conventionally with the calculated top of cement at the Brushy Canyon (7,887') and the second stage performed as a 1000 sack bradenhead squeeze with planned cement from the Brushy Canyon to surface. If necessary, a top out consisting of 490 sacks of Class C cement + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (2.30 yld, 12.91 ppg) will be executed as a contingency.

Mud Program:

Depth	Туре	Weight (ppg)	Viscosity	Water Loss
0 – 1,000'	Fresh - Gel	8.6-8.8	28-34	N/c
1,000' - 5,200'	Brine	10.0-10.2	28-34	N/c
5,200' - 11,470'	Oil Base	8.7-9.4	58-68	N/c - 6
11,470' – 20,217' Lateral	Oil Base	10.0-14.0	58-68	4 - 6



Osprey 10 604H

TUBING REQUIREMENTS

EOG respectively requests an exception to the following NMOCD rule:

 19.15.16.10 Casing AND TUBING RQUIREMENTS: J (3): "The operator shall set tubing as near the bottom as practical and tubing perforations shall not be more than 250 feet above top of pay zone."

With horizontal flowing and gas lifted wells an end of tubing depth placed at or slightly above KOP is a conservative way to ensure the tubing stays clean from debris, plugging, and allows for fewer well interventions post offset completion. The deeper the tubulars are run into the curve, the higher the probability is that the tubing will become stuck in sand and or well debris as the well produces over time. An additional consideration for EOT placement during artificial lift installations is avoiding the high dog leg severity and inclinations found in the curve section of the wellbore to help improve reliability and performance. Dog leg severity and inclinations tend not to hamper gas lifted or flowing wells, but they do effect other forms of artificial lift like rod pump or ESP (electric submersible pump). Keeping the EOT above KOP is an industry best practice for those respective forms of artificial lift.



Osprey 10 #604H

Hydrogen Sulfide Plan Summary

A. All personnel shall receive proper H2S training in accordance with Onshore Order III.C.3.a.

- B. Briefing Area: two perpendicular areas will be designated by signs and readily accessible.
- C. Required Emergency Equipment:
 - Well control equipment
 - a. Flare line 150' from wellhead to be ignited by flare gun.
 - b. Choke manifold with a remotely operated choke.
 - c. Mud/gas separator

Protective equipment for essential personnel. Breathing apparatus:

- a. Rescue Packs (SCBA) 1 unit shall be placed at each breathing area, 2 shall be stored in the safety trailer.
- b. Work/Escape packs —4 packs shall be stored on the rig floor with sufficient air hose not to restrict work activity.
- c. Emergency Escape Packs —4 packs shall be stored in the doghouse for emergency evacuation.

Auxiliary Rescue Equipment:

- a. Stretcher
- b. Two OSHA full body harness
- c. 100 ft 5/8 inch OSHA approved rope
- d. 1-20# class ABC fire extinguisher

■ H2S detection and monitoring equipment:

The stationary detector with three sensors will be placed in the upper dog house if equipped, set to visually alarm @ 10 ppm and audible @ 14 ppm. Calibrate a minimum of every 30 days or as needed. The sensors will be placed in the following places: Rig floor / Bell nipple / End of flow line or where well bore fluid is being discharged.

(Gas sample tubes will be stored in the safety trailer)

- Visual warning systems.
 - a. One color code condition sign will be placed at the entrance to the site reflecting the possible conditions at the site.
 - b. A colored condition flag will be on display, reflecting the current condition at the site at the time.
 - c. Two wind socks will be placed in strategic locations, visible from all angles.



Osprey 10 #604H

■ Mud program:

The mud program has been designed to minimize the volume of H2S circulated to surface. The operator will have the necessary mud products to minimize hazards while drilling in H2S bearing zones.

■ Metallurgy:

All drill strings, casings, tubing, wellhead, blowout preventer, drilling spool, kill lines, choke manifold and lines, and valves shall be suitable for H2S service.

■ Communication:

Communication will be via cell phones and land lines where available.

Seog resources

•

PUBLIC SAFETY:		911
Lea County Sheriff's Department		(575) 396-3611
Rod Coffmar	1	
Fire Department:		(575) 005 2125
Carlsbad		(575) 885-3125
Artesia		(575) 746-5050
Hospitals:		(575) 007 4101
Carlsbad		(575) 887-4121
Artesia		(575) 748-3333
Hobbs		(575) 392-1979
Dept. of Public Safety/Carlsbad		(575) 748-9718
Highway Department		(575) 885-3281
New Mexico Oil Conservation		(575) 476-3440
NMOCD Inspection Group - South	1	(575) 626-0830
U.S. Dept. of Labor		(575) 887-1174
EOG Resources, Inc.		
EOG / Midland	Office	e (432) 686-3600
Company Drilling Consultants:		
David Dominque	Cell	(985) 518-5839
Mike Vann	Cell	(817) 980-5507
Drilling Engineer		
Stephen Davis	Cell	(432) 235-9789
Matt Day	Cell	(432) 296-4456
Drilling Manager		
Branden Keener	Office	e (432) 686-3752
	Cell	(210) 294-3729
Drilling Superintendent		
Ryan Reynolds	Cell	(432) 215-5978
Steve Kelly	Cell	(210) 416-7894
H&P Drilling		
H&P Drilling	Office	e (432) 563-5757
H&P 651 Drilling Rig	Rig	(903) 509-7131
Tool Pusher:		
	Cell	(817) 760-6374
Johnathan Craig		
Johnathan Craig Brad Garrett		
Brad Garrett		
-	Office	e (432) 686-3695

Osprey 10 #604H Emergency Assistance Telephone List

Midland

Lea County, NM (NAD 83 NME) Osprey 10 #604H

ОН

Plan: Plan #0.1 RT

Standard Planning Report

07 May, 2024

Planning Report

Database: Company: Project: Site: Well: Wellbore: Design:	PEDMB Midland Lea County, NM (NA Osprey 10 #604H OH Plan #0.1 RT		Local Co-ordin. TVD Reference: MD Reference: North Referenc Survey Calcula	e:	Well #604H kb = 26' @ 3360.0 kb = 26' @ 3360.0 Grid Minimum Curvatur	usft
Geo Datum:	Lea County, NM (NAE US State Plane 1983 North American Datum New Mexico Eastern Zo	1983	System Datum:		Mean Sea Level	
Site	Osprey 10					
Site Position: From: Position Uncertainty:	Мар 0.0 т	Northing: Easting: usft Slot Radius:	415,148.0 809,711.0 13-3/1) usft Longitude	e:	32° 8' 18.063 N 103° 27' 58.640 W
Well	#604H					
Well Position Position Uncertainty	+E/-W 0	.0 usft Northing: .0 usft Easting: .0 usft Wellhead Ele	81	5,794.00 usft 2,184.00 usft usft	Latitude: Longitude: Ground Level:	32° 8' 24.258 N 103° 27' 29.820 W 3,334.0 usft
Grid Convergence:	0.4	17 °				
Wellbore	ОН					
Magnetics	Model Name	Sample Date	Declination (°)	D)ip Angle (°)	Field Strength (nT)
	IGRF2020	5/7/2024		6.14	59.74	47,154.21605015
Design	Plan #0.1 RT					
Audit Notes:						
Version:		Phase:	PLAN	Tie On Depth	: 0.	0
Vertical Section:	D	epth From (TVD) (usft) 0.0	+N/-S (usft) 0.0	+E/-W (usft) 0.0	Direct (°) 17.9	
Plan Survey Tool Pro Depth From	Depth To	5/7/2024				
(usft)	-	(Wellbore)	Tool Name	Remark	(S	
1 0.0	20,217.4 Plan #0	.1 RT (OH)	EOG MWD+IFR1 MWD + IFR1			

.

Planning Report

Database:	PEDMB	Local Co-ordinate Reference:	Well #604H
Company:	Midland	TVD Reference:	kb = 26' @ 3360.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3360.0usft
Site:	Osprey 10	North Reference:	Grid
Well:	#604H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.1 RT		

Plan Sections

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,200.0	0.00	0.00	1,200.0	0.0	0.0	0.00	0.00	0.00	0.00	
2,408.5	24.17	108.34	2,373.0	-79.0	238.4	2.00	2.00	0.00	108.34	
7,166.7	24.17	108.34	6,714.0	-692.0	2,087.6	0.00	0.00	0.00	0.00	
8,375.2	0.00	0.00	7,887.0	-771.0	2,326.0	2.00	-2.00	0.00	180.00	
12,175.7	0.00	0.00	11,687.5	-771.0	2,326.0	0.00	0.00	0.00	0.00	KOP(Oprey 10 # 604
12,396.1	26.46	0.00	11,900.2	-721.0	2,326.0	12.00	12.00	0.00	0.00	FTP(Oprey 10 # 604I
12,925.6	90.00	359.55	12,164.9	-293.5	2,323.7	12.00	12.00	-0.09	-0.51	
20,217.4	90.00	359.55	12,165.0	6,998.0	2,266.0	0.00	0.00	0.00	0.00	PBHL(Oprey 10 # 60

Planning Report

Database:	PEDMB	Local Co-ordinate Reference:	Well #604H
Company:	Midland	TVD Reference:	kb = 26' @ 3360.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3360.0usft
Site:	Osprey 10	North Reference:	Grid
Well:	#604H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.1 RT		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	0.00
700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	0.00
800.0	0.00	0.00	800.0	0.0	0.0	0.0	0.00	0.00	0.00
900.0	0.00	0.00	900.0	0.0	0.0	0.0	0.00	0.00	0.00
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.0	0.00	0.00	0.00
1,100.0	0.00	0.00	1,100.0	0.0	0.0	0.0	0.00	0.00	0.00
1,200.0	0.00	0.00	1,200.0	0.0	0.0	0.0	0.00	0.00	0.00
1,300.0	2.00	108.34	1,300.0	-0.5	1.7	0.0	2.00	2.00	0.00
1,400.0	4.00	108.34	1,399.8	-2.2	6.6	0.0	2.00	2.00	0.00
1,500.0	6.00	108.34	1,499.5	-4.9	14.9	-0.1	2.00	2.00	0.00
1,600.0	8.00	108.34	1,598.7	-8.8	26.5	-0.2	2.00	2.00	0.00
1,700.0	10.00	108.34	1,697.5	-13.7	41.3	-0.3	2.00	2.00	0.00
1,800.0	12.00	108.34	1,795.6	-19.7	59.4	-0.4	2.00	2.00	0.00
1,900.0	14.00	108.34	1,893.1	-26.8	80.8	-0.6	2.00	2.00	0.00
2,000.0	16.00	108.34	1,989.6	-34.9	105.3	-0.8	2.00	2.00	0.00
2,100.0	18.00	108.34	2,085.3	-44.1	133.1	-1.0	2.00	2.00	0.00
2,200.0	20.00	108.34	2,179.8	-54.4	164.0	-1.2	2.00	2.00	0.00
2,300.0	22.00	108.34	2,273.2	-65.6	198.0	-1.4	2.00	2.00	0.00
2,408.5	24.17	108.34	2,373.0	-79.0	238.4	-1.7	2.00	2.00	0.00
2,500.0	24.17	108.34	2,456.5	-90.8	273.9	-2.0	0.00	0.00	0.00
2,600.0	24.17	108.34	2,547.7	-103.7	312.8	-2.3	0.00	0.00	0.00
2,700.0	24.17	108.34	2,638.9	-116.6	351.7	-2.6	0.00	0.00	0.00
2,800.0	24.17	108.34	2,730.2	-129.5	390.5	-2.8	0.00	0.00	0.00
2,900.0	24.17	108.34	2,821.4	-142.3	429.4	-3.1	0.00	0.00	0.00
3,000.0	24.17	108.34	2,912.6	-155.2	468.3	-3.4	0.00	0.00	0.00
3,100.0	24.17	108.34	3,003.9	-168.1	507.1	-3.7	0.00	0.00	0.00
3,200.0	24.17	108.34	3,095.1	-181.0	546.0	-4.0	0.00	0.00	0.00
3,300.0	24.17	108.34	3,186.3	-193.9	584.9	-4.3	0.00	0.00	0.00
3,400.0	24.17	108.34	3,277.6	-206.7	623.7	-4.5	0.00	0.00	0.00
3,500.0	24.17	108.34	3,368.8	-219.6	662.6	-4.8	0.00	0.00	0.00
3,600.0	24.17	108.34	3,460.0	-232.5	701.5	-5.1	0.00	0.00	0.00
3,700.0	24.17	108.34	3,551.3	-245.4	740.3	-5.4	0.00	0.00	0.00
3,800.0	24.17	108.34	3,642.5	-258.3	779.2	-5.7	0.00	0.00	0.00
3,900.0	24.17	108.34	3,733.7	-271.2	818.0	-6.0	0.00	0.00	0.00
4,000.0	24.17	108.34	3,825.0	-284.0	856.9	-6.2	0.00	0.00	0.00
4,100.0	24.17	108.34	3,916.2	-296.9	895.8	-6.5	0.00	0.00	0.00
4,200.0	24.17	108.34	4,007.4	-309.8	934.6	-6.8	0.00	0.00	0.00
4,300.0	24.17	108.34	4,098.7	-322.7	973.5	-7.1	0.00	0.00	0.00
4,400.0	24.17	108.34	4,189.9	-335.6	1,012.4	-7.4	0.00	0.00	0.00
4,500.0	24.17	108.34	4,281.1	-348.5	1,051.2	-7.7	0.00	0.00	0.00
4,600.0	24.17	108.34	4,372.4	-361.3	1,090.1	-7.9	0.00	0.00	0.00
4,700.0	24.17	108.34	4,463.6	-374.2	1,129.0	-8.2	0.00	0.00	0.00
4,800.0	24.17	108.34	4,554.8	-387.1	1,167.8	-8.5	0.00	0.00	0.00
4,900.0	24.17	108.34	4,646.1	-400.0	1,206.7	-8.8	0.00	0.00	0.00
5,000.0	24.17	108.34	4,737.3	-412.9	1,245.6	-9.1	0.00	0.00	0.00
5,100.0	24.17	108.34	4,828.5	-425.7	1,284.4	-9.4	0.00	0.00	0.00
5,200.0	24.17	108.34	4,919.8	-438.6	1,323.3	-9.6	0.00	0.00	0.00
5,300.0	24.17	108.34	5,011.0	-451.5	1,362.1	-9.9	0.00	0.00	0.00
-,	=		-,		,				

5/7/2024 10:12:02AM

Planning Report

Database:	PEDMB	Local Co-ordinate Reference:	Well #604H
Company:	Midland	TVD Reference:	kb = 26' @ 3360.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3360.0usft
Site:	Osprey 10	North Reference:	Grid
Well:	#604H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.1 RT		

Planned Survey

	Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
	5,400.0	24.17	108.34	5,102.2	-464.4	1,401.0	-10.2	0.00	0.00	0.00
	5,500.0	24.17	108.34	5,193.5	-477.3	1,439.9	-10.5	0.00	0.00	0.00
	5,600.0	24.17	108.34	5,284.7	-490.2	1,478.7	-10.8	0.00	0.00	0.00
	5,700.0	24.17	108.34	5,375.9	-503.0	1,517.6	-11.1	0.00	0.00	0.00
	5,800.0	24.17	108.34	5,467.2	-515.9	1,556.5	-11.3	0.00	0.00	0.00
	5,900.0	24.17	108.34	5,558.4	-528.8	1,595.3	-11.6	0.00	0.00	0.00
	6,000.0	24.17	108.34	5,649.6	-541.7	1,634.2	-11.9	0.00	0.00	0.00
	6,100.0	24.17	108.34	5,740.9	-554.6	1,673.1	-12.2	0.00	0.00	0.00
	6,200.0	24.17	108.34	5,832.1	-567.5	1,711.9	-12.5	0.00	0.00	0.00
	6,300.0	24.17	108.34	5,923.3	-580.3	1,750.8	-12.8	0.00	0.00	0.00
	6,400.0	24.17	108.34	6,014.6	-593.2	1,789.7	-13.0	0.00	0.00	0.00
	6,500.0	24.17	108.34	6,105.8	-606.1	1,828.5	-13.3	0.00	0.00	0.00
	6,600.0	24.17	108.34	6,197.0	-619.0	1,867.4	-13.6	0.00	0.00	0.00
	6,700.0	24.17	108.34	6,288.3	-631.9	1,906.2	-13.9	0.00	0.00	0.00
	6,800.0	24.17	108.34	6,379.5	-644.7	1,945.1	-14.2	0.00	0.00	0.00
	6,900.0	24.17	108.34	6,470.7	-657.6	1,984.0	-14.5	0.00	0.00	0.00
	7,000.0 7,100.0	24.17 24.17	108.34 108.34	6,562.0 6,653.2	-670.5 -683.4	2,022.8 2,061.7	-14.7 -15.0	0.00 0.00	0.00 0.00	0.00 0.00
	7,100.0	24.17 24.17	108.34	6,714.0	-603.4 -692.0	2,061.7	-15.0	0.00	0.00	0.00
	7,100.7	24.17 23.50	108.34	6,744.5	-692.0 -696.2	2,007.0	-15.2	2.00	-2.00	0.00
	7,200.0	23.50 21.50	108.34	6,744.5 6,836.9	-090.2 -708.3	2,100.4 2,136.7	-15.5	2.00	-2.00	0.00
	7,400.0 7,500.0	19.50 17.50	108.34 108.34	6,930.6 7,025.4	-719.3 -729.3	2,170.0 2,200.1	-15.8 -16.0	2.00 2.00	-2.00 -2.00	0.00 0.00
	7,500.0	15.50	108.34	7,025.4 7,121.3	-729.3 -738.2	2,200.1 2,227.1	-16.0	2.00	-2.00 -2.00	0.00
	7,600.0	13.50	108.34	7,121.3	-738.2 -746.1	2,227.1	-16.2	2.00	-2.00 -2.00	0.00
	7,700.0 7,800.0	13.50	108.34	7,218.1 7,315.7	-746.1 -752.9	2,250.8 2,271.4	-16.4 -16.6	2.00	-2.00 -2.00	0.00
	7,900.0	9.50	108.34	7,414.0	-758.6	2,288.7	-16.7		-2.00	0.00
	7,900.0 8,000.0	9.50 7.50	108.34	7,414.0	-758.6 -763.3	2,288.7 2,302.7	-16.7	2.00 2.00	-2.00 -2.00	0.00
	8,000.0	5.50	108.34	7,612.3	-765.3	2,302.7 2,313.5	-16.9	2.00	-2.00	0.00
	8,200.0	3.50	108.34	7,012.3	-769.3	2,313.5	-16.9	2.00	-2.00	0.00
	8,200.0	1.50	108.34	7,811.8	-709.3	2,320.9	-10.9	2.00	-2.00	0.00
	8,375.2	0.00	0.00	7,887.0	-771.0	2,326.0	-17.0	2.00	-2.00	0.00
	8,375.2 8,400.0	0.00	0.00	7,887.0 7,911.8	-771.0	2,326.0	-17.0	2.00	-2.00 0.00	0.00
	8,400.0	0.00	0.00	8,011.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
	8,600.0	0.00	0.00	8,111.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
	8,000.0	0.00	0.00	8,211.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
		0.00	0.00	8,311.8	-771.0		-17.0	0.00		0.00
	8,800.0 8,900.0	0.00	0.00	8,311.8 8,411.8	-771.0 -771.0	2,326.0 2,326.0	-17.0 -17.0	0.00	0.00 0.00	0.00
	9,000.0	0.00	0.00	8,511.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
	9,000.0	0.00	0.00	8,611.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
	9,100.0	0.00	0.00	8,711.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
						,				
	9,300.0 9,400.0	0.00 0.00	0.00 0.00	8,811.8 8,911.8	-771.0 -771.0	2,326.0 2,326.0	-17.0 -17.0	0.00 0.00	0.00 0.00	0.00 0.00
	9,400.0 9,500.0	0.00	0.00	8,911.8 9,011.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
	9,500.0 9,600.0	0.00	0.00	9,011.8 9,111.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
	9,600.0	0.00	0.00	9,111.8 9,211.8	-771.0	2,326.0 2,326.0	-17.0 -17.0	0.00	0.00	0.00
				9,311.8						
	9,800.0 9,900.0	0.00 0.00	0.00	9,311.8 9,411.8	-771.0	2,326.0 2,326.0	-17.0 17.0	0.00 0.00	0.00 0.00	0.00
	9,900.0 10,000.0		0.00	,	-771.0	2,326.0 2,326.0	-17.0			0.00
	10,000.0	0.00	0.00	9,511.8	-771.0 771.0	2,326.0 2,326.0	-17.0	0.00	0.00	0.00
	10,100.0	0.00 0.00	0.00 0.00	9,611.8 9,711.8	-771.0 -771.0	2,326.0 2,326.0	-17.0 -17.0	0.00 0.00	0.00 0.00	0.00 0.00
	10,300.0	0.00	0.00	9,811.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
	10,400.0	0.00	0.00	9,911.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
L	10,500.0	0.00	0.00	10,011.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00

5/7/2024 10:12:02AM

Page 5

COMPASS 5000.16 Build 100

Planning Report

Database:	PEDMB	Local Co-ordinate Reference:	Well #604H
Company:	Midland	TVD Reference:	kb = 26' @ 3360.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3360.0usft
Site:	Osprey 10	North Reference:	Grid
Well:	#604H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.1 RT		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
10,600.0	0.00	0.00	10,111.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
10,700.0	0.00	0.00	10,211.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
10,800.0	0.00	0.00	10,311.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
10,900.0	0.00	0.00	10,411.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
11,000.0	0.00	0.00	10,511.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
11,100.0	0.00	0.00	10,611.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
11,200.0	0.00	0.00	10,711.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
11,300.0	0.00	0.00	10,811.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
11,400.0	0.00	0.00	10,911.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
11,500.0	0.00	0.00	11,011.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
11,600.0	0.00	0.00	11,111.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
11,700.0	0.00	0.00	11,211.8	-771.0	2,326.0	-17.0	0.00	0.00	0.00
				-771.0			0.00		0.00
11,800.0	0.00 0.00	0.00 0.00	11,311.8 11,411.8	-771.0	2,326.0 2,326.0	-17.0 -17.0	0.00	0.00 0.00	0.00
11,900.0 12,000.0	0.00			-771.0	2,326.0	-17.0	0.00	0.00	0.00
12,000.0		0.00	11,511.8						
12,100.0 12,175.7	0.00 0.00	0.00 0.00	11,611.8 11,687.5	-771.0 -771.0	2,326.0 2,326.0	-17.0 -17.0	0.00 0.00	0.00 0.00	0.00 0.00
12,200.0	2.92	0.00	11,711.8	-770.4	2,326.0	-16.4	12.00	12.00	0.00
12,225.0	5.92	0.00	11,736.8	-768.5	2,326.0	-14.5	12.00	12.00	0.00
12,250.0	8.92	0.00	11,761.5	-765.2	2,326.0	-11.5	12.00	12.00	0.00
12,275.0	11.92	0.00	11,786.1	-760.7	2,326.0	-7.2	12.00	12.00	0.00
12,300.0	14.92	0.00	11,810.4	-754.9	2,326.0	-1.6	12.00	12.00	0.00
12,325.0	17.92	0.00	11,834.4	-747.8	2,326.0	5.1	12.00	12.00	0.00
12,350.0	20.92	0.00	11,858.0	-739.5	2,326.0	13.0	12.00	12.00	0.00
12,375.0	23.92	0.00	11,881.1	-730.0	2,326.0	22.1	12.00	12.00	0.00
12,396.1	26.46	0.00	11,900.2	-721.0	2,326.0	30.6	12.00	12.00	0.00
12,400.0	26.92	359.99	11,903.7	-719.3	2,326.0	32.3	12.00	12.00	-0.23
12,425.0	29.92	359.94	11,925.7	-707.4	2,326.0	43.6	12.00	12.00	-0.21
12,450.0	32.92	359.90	11,947.0	-694.3	2,326.0	56.0	12.00	12.00	-0.17
12,475.0	35.92	359.86	11,967.6	-680.2	2,325.9	69.4	12.00	12.00	-0.15
12,500.0	38.92	359.83	11,987.5	-665.0	2,325.9	83.9	12.00	12.00	-0.13
12,525.0	41.92	359.80	12,006.5	-648.8	2,325.8	99.3	12.00	12.00	-0.11
12,550.0	44.92	359.77	12,024.6	-631.6	2,325.8	115.6	12.00	12.00	-0.10
12,575.0	47.92	359.75	12,041.9	-613.5	2,325.7	132.8	12.00	12.00	-0.09
12,600.0	50.92	359.73	12,058.1	-594.5	2,325.6	150.8	12.00	12.00	-0.08
12,625.0	53.92	359.71	12,073.4	-574.7	2,325.5	169.6	12.00	12.00	-0.08
12,650.0	56.92	359.69	12,087.6	-554.1	2,325.4	189.2	12.00	12.00	-0.07
12,675.0	59.92	359.68	12,100.7	-532.8	2,325.3	209.4	12.00	12.00	-0.07
12,700.0	62.92	359.66	12,112.6	-510.9	2,325.2	230.3	12.00	12.00	-0.06
12,725.0	65.92	359.65	12,123.4	-488.3	2,325.0	251.7	12.00	12.00	-0.06
12,750.0	68.92	359.63	12,133.0	-465.2	2,324.9	273.6	12.00	12.00	-0.06
12,775.0	71.92	359.62	12,141.4	-441.7	2,324.7	295.9	12.00	12.00	-0.05
12,800.0	74.92	359.61	12,148.5	-417.7	2,324.6	318.7	12.00	12.00	-0.05
12,825.0	77.92	359.60	12,154.4	-393.4	2,324.4	341.8	12.00	12.00	-0.05
12,850.0	80.92	359.58	12,159.0	-368.9	2,324.2	365.1	12.00	12.00	-0.05
12,875.0	83.92	359.57	12,162.3	-344.1	2,324.1	388.6	12.00	12.00	-0.05
12,900.0	86.92	359.56	12,164.3	-319.2	2,323.9	412.2	12.00	12.00	-0.05
12,925.6	90.00	359.55	12,164.9	-293.5	2,323.7	436.6	12.00	12.00	-0.05
13,000.0	90.00	359.55	12,164.9	-293.5	2,323.1	430.0 507.1	0.00	0.00	0.00
13,100.0	90.00	359.55	12,164.9	-119.2	2,322.3	602.0	0.00	0.00	0.00
13,200.0	90.00	359.55	12,164.9	-119.2	2,322.5	696.9	0.00	0.00	0.00
13,300.0	90.00	359.55	12,164.9	80.8	2,321.3	791.8	0.00	0.00	0.00
13,400.0 13,500.0	90.00	359.55	12,164.9	180.8	2,319.9	886.7	0.00	0.00	0.00
13.500.0	90.00	359.55	12,165.0	280.8	2,319.1	981.6	0.00	0.00	0.00

5/7/2024 10:12:02AM

Planning Report

Database:	PEDMB	Local Co-ordinate Reference:	Well #604H
Company:	Midland	TVD Reference:	kb = 26' @ 3360.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3360.0usft
Site:	Osprey 10	North Reference:	Grid
Well:	#604H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.1 RT		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
13,600.0	90.00	359.55	12,165.0	380.8	2,318.3	1,076.5	0.00	0.00	0.00
13,700.0	90.00	359.55	12,165.0	480.8	2,317.5	1,171.3	0.00	0.00	0.00
13,800.0	90.00	359.55	12,165.0	580.8	2,316.7	1,266.2	0.00	0.00	0.00
13,900.0	90.00	359.55	12,165.0	680.8	2,316.0	1,361.1	0.00	0.00	0.00
14,000.0	90.00	359.55	12,165.0	780.8	2,315.2	1,456.0	0.00	0.00	0.00
14,100.0	90.00	359.55	12,165.0	880.8	2,314.4	1,550.9	0.00	0.00	0.00
14,200.0	90.00	359.55	12,165.0	980.8	2,313.6	1,645.8	0.00	0.00	0.00
14,300.0	90.00	359.55	12,165.0	1,080.8	2,312.8	1,740.7	0.00	0.00	0.00
14,400.0	90.00	359.55	12,165.0	1,180.8	2,312.0	1,835.6	0.00	0.00	0.00
14,500.0	90.00	359.55	12,165.0	1,280.8	2,311.2	1,930.5	0.00	0.00	0.00
14,600.0	90.00	359.55	12,165.0	1,380.8	2,310.4	2,025.4	0.00	0.00	0.00
14,700.0	90.00	359.55	12,165.0	1,480.8	2,309.6	2,120.2	0.00	0.00	0.00
14,800.0	90.00	359.55	12,165.0	1,580.8	2,308.8	2,215.1	0.00	0.00	0.00
14,900.0	90.00	359.55	12,165.0	1,680.8	2,308.0	2,310.0	0.00	0.00	0.00
15,000.0	90.00	359.55	12,165.0	1,780.8	2,307.3	2,404.9	0.00	0.00	0.00
15,100.0	90.00	359.55	12,165.0	1,880.7	2,306.5	2,499.8	0.00	0.00	0.00
15,200.0	90.00	359.55	12,165.0	1,980.7	2,305.7	2,594.7	0.00	0.00	0.00
15,300.0	90.00	359.55	12,165.0	2,080.7	2,304.9	2,689.6	0.00	0.00	0.00
15,400.0	90.00	359.55	12,165.0	2,180.7	2,304.1	2,784.5	0.00	0.00	0.00
15,500.0	90.00	359.55	12,165.0	2,280.7	2,303.3	2,879.4	0.00	0.00	0.00
15,600.0	90.00	359.55	12,165.0	2,380.7	2,302.5	2,974.3	0.00	0.00	0.00
15,700.0	90.00	359.55	12,165.0	2,480.7	2,301.7	3,069.2	0.00	0.00	0.00
15,800.0	90.00	359.55	12,165.0	2,580.7	2,300.9	3,164.0	0.00	0.00	0.00
15,900.0	90.00	359.55	12,165.0	2,680.7	2,300.1	3,258.9	0.00	0.00	0.00
16,000.0	90.00	359.55	12,165.0	2,780.7	2,299.4	3,353.8	0.00	0.00	0.00
16,100.0	90.00	359.55	12,165.0	2,880.7	2,298.6	3,448.7	0.00	0.00	0.00
16,200.0	90.00	359.55	12,165.0	2,980.7	2,297.8	3,543.6	0.00	0.00	0.00
16,300.0	90.00	359.55	12,165.0	3,080.7	2,297.0	3,638.5	0.00	0.00	0.00
16,400.0	90.00	359.55	12,165.0	3,180.7	2,296.2	3,733.4	0.00	0.00	0.00
16,500.0	90.00	359.55	12,165.0	3,280.7	2,295.4	3,828.3	0.00	0.00	0.00
16,600.0	90.00	359.55	12,165.0	3,380.7	2,294.6	3,923.2	0.00	0.00	0.00
16,700.0	90.00	359.55	12,165.0	3,480.7	2,293.8	4,018.1	0.00	0.00	0.00
16,800.0	90.00	359.55	12,165.0	3,580.7	2,293.0	4,112.9	0.00	0.00	0.00
16,900.0	90.00	359.55	12,165.0	3,680.7	2,292.2	4,207.8	0.00	0.00	0.00
17,000.0	90.00	359.55	12,165.0	3,780.7	2,291.4	4,302.7	0.00	0.00	0.00
17,100.0	90.00	359.55	12,165.0	3,880.7	2,290.7	4,397.6	0.00	0.00	0.00
17,200.0	90.00	359.55	12,165.0	3,980.7	2,289.9	4,492.5	0.00	0.00	0.00
17,300.0	90.00	359.55	12,165.0	4,080.7	2,289.1	4,587.4	0.00	0.00	0.00
17,400.0	90.00	359.55	12,165.0	4,180.7	2,288.3	4,682.3	0.00	0.00	0.00
17,500.0	90.00	359.55	12,165.0	4,280.7	2,287.5	4,777.2	0.00	0.00	0.00
17,600.0	90.00	359.55	12,165.0	4,380.7	2,286.7	4,872.1	0.00	0.00	0.00
17,700.0	90.00	359.55	12,165.0	4,480.7	2,285.9	4,967.0	0.00	0.00	0.00
17,800.0	90.00	359.55	12,165.0	4,580.7	2,285.1	5,061.8	0.00	0.00	0.00
17,900.0	90.00	359.55	12,165.0	4,680.7	2,284.3	5,156.7	0.00	0.00	0.00
18,000.0	90.00	359.55	12,165.0	4,780.7	2,283.5	5,251.6	0.00	0.00	0.00
18,100.0	90.00	359.55	12,165.0	4,880.7	2,282.7	5,346.5	0.00	0.00	0.00
18,200.0	90.00	359.55	12,165.0	4,980.7	2,282.0	5,441.4	0.00	0.00	0.00
18,300.0	90.00	359.55	12,165.0	5,080.6	2,281.2	5,536.3	0.00	0.00	0.00
18,400.0	90.00	359.55	12,165.0	5,180.6	2,280.4	5,631.2	0.00	0.00	0.00
18,500.0	90.00	359.55	12,165.0	5,280.6	2,279.6	5,726.1	0.00	0.00	0.00
18,600.0	90.00	359.55	12,165.0	5,380.6	2,278.8	5,821.0	0.00	0.00	0.00
18,700.0	90.00	359.55	12,165.0	5,480.6	2,278.0	5,915.9	0.00	0.00	0.00
18,800.0	90.00	359.55	12,165.0	5,580.6	2,277.2	6,010.7	0.00	0.00	0.00
18,900.0	90.00	359.55	12,165.0	5,680.6	2,276.4	6,105.6	0.00	0.00	0.00

5/7/2024 10:12:02AM

COMPASS 5000.16 Build 100

Planning Report

Database:	PEDMB	Local Co-ordinate Reference:	Well #604H
Company:	Midland	TVD Reference:	kb = 26' @ 3360.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3360.0usft
Site:	Osprey 10	North Reference:	Grid
Well:	#604H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.1 RT		

Planned Survey

_

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
19,000.0	90.00	359.55	12,165.0	5,780.6	2,275.6	6,200.5	0.00	0.00	0.00
19,100.0	90.00	359.55	12,165.0	5,880.6	2,274.8	6,295.4	0.00	0.00	0.00
19,200.0	90.00	359.55	12,165.0	5,980.6	2,274.0	6,390.3	0.00	0.00	0.00
19,300.0	90.00	359.55	12,165.0	6,080.6	2,273.3	6,485.2	0.00	0.00	0.00
19,400.0	90.00	359.55	12,165.0	6,180.6	2,272.5	6,580.1	0.00	0.00	0.00
19,500.0	90.00	359.55	12,165.0	6,280.6	2,271.7	6,675.0	0.00	0.00	0.00
19,600.0	90.00	359.55	12,165.0	6,380.6	2,270.9	6,769.9	0.00	0.00	0.00
19,700.0	90.00	359.55	12,165.0	6,480.6	2,270.1	6,864.8	0.00	0.00	0.00
19,800.0	90.00	359.55	12,165.0	6,580.6	2,269.3	6,959.6	0.00	0.00	0.00
19,900.0	90.00	359.55	12,165.0	6,680.6	2,268.5	7,054.5	0.00	0.00	0.00
20,000.0	90.00	359.55	12,165.0	6,780.6	2,267.7	7,149.4	0.00	0.00	0.00
20,100.0	90.00	359.55	12,165.0	6,880.6	2,266.9	7,244.3	0.00	0.00	0.00
20,200.0	90.00	359.55	12,165.0	6,980.6	2,266.1	7,339.2	0.00	0.00	0.00
20,217.4	90.00	359.55	12,165.0	6,998.0	2,266.0	7,355.7	0.00	0.00	0.00

Design Targets									
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
KOP(Oprey 10 # 604H) - plan hits target cent - Point	0.00 ter	0.00	11,687.5	-771.0	2,326.0	415,023.00	814,510.00	32° 8' 16.441 N	103° 27' 2.843 W
FTP(Oprey 10 # 604H) - plan hits target cent - Point	0.00 ter	0.00	11,900.2	-721.0	2,326.0	415,073.00	814,510.00	32° 8' 16.935 N	103° 27' 2.838 W
PBHL(Oprey 10 # 604H) - plan hits target cent - Point	0.00 ter	0.00	12,165.0	6,998.0	2,266.0	422,792.00	814,450.00	32° 9' 33.320 N	103° 27' 2.800 W

leogresources

400-

800-

1200-

1600-

2000-

_ _ _ - - - -

- + + -

- - - - - - - - -

G **Azimuths to Grid North** True North: -0.47° Magnetic North: 5.68° Strength: 47154.2nT Dip Angle: 59.74° Date: 5/7/2024 Model: IGRF2020

To convert a Magnetic Direction to a Grid Direction, Add 5.68° To convert a Magnetic Direction to a True Direction, Add 6.14° East To convert a True Direction to a Grid Direction, Subtract 0.47°


Lea County, NM (NAD 83 NME)

#604H Osprey 10

Plan #0.1 RT

PROJECT DETAILS: Lea County, NM (NAD 83 NME)


Geodetic System: US State Plane 1983 Datum: North American Datum 1983 Ellipsoid: GRS 1980 Zone: New Mexico Eastern Zone System Datum: Mean Sea Level



WELL DETAILS: #604H

Magnetic Field

2400		WELL DETAILS: #604H	
		3334.0 kb = 26' @ 3360.0usft	4750 4750 4750 4750 4750 4750 4750 4750
	Northing 415794.00	Easting Latittude Longitude 812184.00 32° 8' 24.258 N 103° 27' 29.820 W	4500
3200			
		SECTION DETAILS	4000
		VD +N/-S +E/-W Dleg TFace VSect Target	
	2 1200.0 0.00 0.00 120	0.0 0.0 0.00 0.00 0.0 0.0 0.0 0.00 0.00 0.0	3750
4400		'3.0 -79.0 238.4 2.00 108.34 -1.7 4.0 -692.0 2087.6 0.00 0.00 -15.2	3500
		37.0 -771.0 2326.0 2.00 180.00 -17.0	
4800	6 12175.7 0.00 0.00 1168 7 12396.1 26.46 0.00 1190		
	8 12925.6 90.00 359.55 1216 9 20217.4 90.00 359.55 1216		604H)
5200 <u> </u>			
			8 2750
5600 5600			
	CASING DETAILS	WELLBORE TARGET DETAILS (MAP CO-ORDINATES)	
	No casing data is available	NameTVD+N/-S+E/-WNorthingKOP(Oprey 10 # 604H)11687.5-771.02326.0415023.00FTP(Oprey 10 # 604H)11900.2-721.02326.0415073.00PBHL(Oprey 10 # 604H)12165.06998.02266.0422792.00	2250 2250 2250 2250 2250 2250 2250 2250
			1750



Vertical Section at 17.94°

Lea County, NM (NAD 83 NME) Ösprey 10 #604H OH Plan #0.1 RT 10:12, May 07 2024

Re	ceived	by	OCD:	5/21/2024	2:18:08 PM
----	--------	----	------	-----------	------------

		nit Electronically E-permitting						
	N	ATURAL G	AS MANA	GEMENT P	LAN			
This Natural Gas Mana	gement Plan n	nust be submitted w	vith each Applicat	ion for Permit to l	Drill (A	PD) for a	new or	r recompleted well.
			<u>1 – Plan D</u> Effective May 25,					
. Operator:EOG	Resources, In	cOGRI	D: 7377		D	ate: 5/20	/2024	
I. Type: ⊠ Origina f Other, please describ		thent due to \Box 19.13			9.D(6)(b) NMAC	C 🗆 Oti	her.
II. Well(s): Provide the recompleted from a second	e following in	formation for each	new or recomple	ted well or set of	wells p	roposed to) be dri	lled or proposed to
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D		icipated MCF/D	Р	Anticipated roduced Water BBL/D
Osprey 10 604H		N-10-25S-34E	837' FSL & 2491' FWL	+/- 1000	+/- 3	500	+/- 3	
V. Central Delivery I	Point Name: _	Osprey 10 CTB		[See 1	9.15.2	7.9(D)(1)	NMAC]
7. Anticipated Sched r proposed to be recom						r set of we	lls pro	posed to be drilled
Well Name	API	Spud Date	TD Reached Date	Completion Commencement		Initial Back I		First Production Date
Osprey 10 604H		06/18/24	07/2/24	10/01/24		11/01/24	1	12/01/24
7I. Separation Equip 7II. Operational Prac Subsection A through F 7III. Best Manageme Juring active and plann	ctices: ⊠ Atta F of 19.15.27.8 nt Practices:	ch a complete deso NMAC.	cription of the act	tions Operator wi	ll take 1	to comply	with t	he requirements of

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

 \overline{X} Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in		

XI. Map. \Box Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural gas gathering system \Box will \Box will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

XIII. Line Pressure. Operator \Box does \Box does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

□ Attach Operator's plan to manage production in response to the increased line pressure.

XIV. Confidentiality: \Box Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

<u>Section 3 - Certifications</u> <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

 \boxtimes Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

 \Box Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. *If Operator checks this box, Operator will select one of the following:*

Well Shut-In. \Box Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan. \Box Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (**h**) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: Star L Harrell Printed Name: Star L Harrell Title: Sr Regulatory Specialist E-mail Address: Star_Harrell@eogresources.com Date: 5/20/2024 Phone: (432) 848-9161 **OIL CONSERVATION DIVISION** (Only applicable when submitted as a standalone form) Approved By: Title: Approval Date: Conditions of Approval:

Natural Gas Management Plan Items VI-VIII

VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture.

- Separation equipment will be sized to provide adequate separation for anticipated rates.
- Adequate separation relates to retention time for Liquid Liquid separation and velocity for Gas-Liquid separation.
- Collection systems are appropriately sized to handle facility production rates on all (3) phases.
- Ancillary equipment and metering is selected to be serviced without flow interruptions or the need to release gas from the well.

VII. Operational Practices: Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F 19.15.27.8 NMAC.

Drilling Operations

- All flare stacks will be properly sized. The flare stacks will be located at a minimum 100' from the nearest surface hole location on the pad.
- All natural gas produced during drilling operations will be flared, unless there is an equipment malfunction and/or to avoid risk of an immediate and substantial adverse impact on safety and the environment, at which point the gas will be vented.

Completions/Recompletions Operations

- New wells will not be flowed back until they are connected to a properly sized gathering system.
- The facility will be built/sized for maximum anticipated flowrates and pressures to minimize waste.
- For flowback operations, multiple stages of separation will be used as well as excess VRU and blowers to make sure waste is minimized off the storage tanks and facility.
- During initial flowback, the well stream will be routed to separation equipment.
- At an existing facility, when necessary, post separation natural gas will be flared until it meets pipeline specifications, at which point it will be turned into a collection system.
- At a new facility, post separation natural gas will be vented until storage tanks can safely function, at which point it will be flared until it meets pipeline spec.

Production Operations

- Weekly AVOs will be performed on all facilities.
- All flares will be equipped with auto-ignition systems and continuous pilot operations.
- After a well is stabilized from liquid unloading, the well will be turned back into the collection system.
- All plunger lift systems will be optimized to limit the amount of waste.
- All tanks will have automatic gauging equipment installed.
- Leaking thief hatches found during AVOs will be cleaned and properly re-sealed.

Performance Standards

- Production equipment will be designed to handle maximum anticipated rates and pressure.
- All flared gas will be combusted in a flare stack that is properly sized and designed to ensure proper combustion.
- Weekly AVOs will be performed on all wells and facilities that produce more than 60 Mcfd.

Measurement & Estimation

- All volume that is flared and vented that is not measured will be estimated.
- All measurement equipment for flared volumes will conform to API 14.10.
- No meter bypasses with be installed.

• When metering is not practical due to low pressure/low rate, the vented or flared volume will be estimated.

<u>VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize</u> venting during active and planned maintenance.

- During downhole well maintenance, EOG will use best management practices to vent as minimally as possible.
- Prior to the commencement of any maintenance, the tank or vessel will be isolated from the rest of the facilities.
 All valves upstream of the equipment will be closed and isolated.
- After equipment has been isolated, the equipment will be blown down to as low a pressure as possible into the collection system.
- If the equipment being maintained cannot be relieved into the collection system, it shall be released to a tank where the vapor can either be captured or combusted if possible.
- After downhole well maintenance, natural gas will be flared until it reaches pipeline specification.

Seog resources

EOG Batch Casing

Pad Name: Osprey 10

SHL: Section 10, Township 25-S, Range 34-E, LEA County, NM

EOG requests for the below wells to be approved for all four designs listed in the Blanket Casing Design ('EOG BLM Variance 5a - Alternate Shallow Casing Designs.pdf' OR 'EOG BLM Variance 5b -Alternate Deep Casing Designs.pdf') document. The MDs and TVDs for all intervals are within the boundary conditions. The max inclination and DLS are also within the boundary conditions. The directional plans for the wells are attached separately.

Wall Nome	API #	Sur	face	Intermediate		Production	
Well Name	AFI#	MD	TVD	MD	TVD	MD	TVD
Osprey 10 #101H	30-025-****	1,000	1,000	5,322	5,200	17,170	9,490
Osprey 10 #102H	30-025-****	1,000	1,000	5,208	5,200	17,063	9,490
Osprey 10 #103H	30-025-****	1,000	1,000	5,212	5,200	17,068	9,490
Osprey 10 #104H	30-025-****	1,000	1,000	5,338	5,200	17,165	9,470
Osprey 10 #105H	30-025-****	1,000	1,000	5,239	5,200	17,072	9,470
Osprey 10 #106H	30-025-****	1,000	1,000	5,278	5,200	17,111	9,470
Osprey 10 #501H	30-025-****	1,000	1,000	5,308	5,200	19,018	11,350
Osprey 10 #502H	30-025-****	1,000	1,000	5,201	5,200	18,916	11,350
Osprey 10 #503H	30-025-****	1,000	1,000	5,341	5,200	19,047	11,350
Osprey 10 #504H	30-025-****	1,000	1,000	5,242	5,200	18,956	11,350
Osprey 10 #505H	30-025-****	1,000	1,000	5,261	5,200	18,975	11,350
Osprey 10 #591H	30-025-****	1,000	1,000	5,281	5,200	19,493	11,850
Osprey 10 #592H	30-025-****	1,000	1,000	5,377	5,200	19,581	11,850
Osprey 10 #593H	30-025-****	1,000	1,000	5,541	5,200	19,720	11,850
Osprey 10 #603H	30-025-****	1,000	1,000	11,593	11,472	19,845	12,165
Osprey 10 #604H	30-025-****	1,000	1,000	12,045	11,472	20,217	12,165
Osprey 10 #751H	30-025-****	1,000	1,000	11,608	11,472	20,794	13,100
Osprey 10 #752H	30-025-****	1,000	1,000	11,580	11,472	20,768	13,100
Osprey 10 #753H	30-025-****	1,000	1,000	12,120	11,472	21,207	13,100



EOG Batch Casing

Variances

EOG requests the additional variance(s) in the attached document(s):

- EOG BLM Variance 3a_b BOP Break-test and Offline Intermediate Cement
- EOG BLM Variance 4a Salt Section Annular Clearance
- EOG BLM Variance 5a Alternate Shallow Casing Designs

seog resources

EOG Batch Casing

GEOLOGIC NAME OF SURFACE FORMATION:

Permian

ESTIMATED TOPS OF IMPORTANT GEOLOGICAL MARKERS:

Rustler	890'
Tamarisk Anhydrite	975'
Top of Salt	1,295'
Base of Salt	5,100'
Lamar	5,366'
Bell Canyon	5,395'
Cherry Canyon	6,301'
Brushy Canyon	7,887'
Bone Spring Lime	9,298'
Leonard (Avalon) Shale	9,306'
1st Bone Spring Sand	10,317'
2nd Bone Spring Shale	10,533'
2nd Bone Spring Sand	10,836'
3rd Bone Spring Carb	11,372'
3rd Bone Spring Sand	11,904'
Wolfcamp	12,358'

ESTIMATED DEPTHS OF ANTICIPATED FRESH WATER, OIL OR GAS:

Upper Permian Sands	0-400'	Fresh Water
Bell Canyon	5,395'	Oil
Cherry Canyon	6,301'	Oil
Brushy Canyon	7,887'	Oil
Leonard (Avalon) Shale	9,306'	Oil
1st Bone Spring Sand	10,317'	Oil
2nd Bone Spring Shale	10,533'	Oil
2nd Bone Spring Sand	10,836'	Oil

fresh water sands will be protected by setting surface casing at 1,000' and circulating cement back to surface.



Osprey 10 Variances

EOG respectfully requests the below variances to be applied to the above well:

- Variance is requested to waive the centralizer requirements for the intermediate casing in the intermediate hole. An expansion additive will be utilized, in the cement slurry, for the entire length of the intermediate interval to maximize cement bond and zonal isolation.

- Variance is also requested to waive the centralizer requirements for the production casing in the production hole. An expansion additive will be utilized, in the cement slurry, for the entire length of the production interval to maximize cement bond and zonal isolation.

- Variance is requested to use a co-flex line between the BOP and choke manifold (instead of using a 4" OD steel line).

- Variance is requested to use a 5,000 psi annular BOP with the 10,000 psi BOP stack.

- EOG Resources requests the option to contract a Surface Rig to drill, set surface casing, and Cement on the subject well. After WOC 8 hours or 500 psi compressive strength (whichever is greater), the Surface Rig will move off so the wellhead can be installed. A welder will cut the casing to the proper height and weld on the wellhead (both "A" and "B" sections). The weld will be tested to 1,500 psi. All valves will be closed and a wellhead cap will be installed (diagram attached). If the timing between rigs is such that EOG Resources would not be able to preset the surface, the Primary Rig will MIRU and drill the well in its entirety per the APD.

EOG requests the additional variance(s) in the attached document(s):

- EOG BLM Variance 3a_b BOP Break-test and Offline Intermediate Cement
- EOG BLM Variance 4a Salt Section Annular Clearance
- EOG BLM Variance 5a Alternate Shallow Casing Designs



Intermediate Bradenhead Cement:

EOG requests variance from minimum standards to pump a two stage cement job on the intermediate casing string with the first stage being pumped conventionally with the calculated top of cement at the Brushy Canyon and the second stage performed as 1000 sack bradenhead squeeze with planned cement from the Brushy Canyon to surface. If necessary, a top out consisting of Class C cement + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (2.30 yld, 12.91 ppg) will be executed as a contingency. Top of cement will be verified by Echo-meter.

EOG will include the Echo-meter verified fluid top and the volume of displacement fluid above the cement slurry in the annulus in all post-drill sundries on wells utilizing this cement program.

EOG will report to the BLM the volume of fluid (limited to 5 bbls) used to flush intermediate casing valves following backside cementing procedures.




Break-test BOP & Offline Cementing:

EOG Resources Inc. (EOG) respectfully requests a variance from the minimum standards for well control equipment testing of ECFR Title 43 Part 3172.6(b)(9)(iv) to allow a testing schedule of the blow out preventer (BOP) and blow out prevention equipment (BOPE) along with Batch Drilling & Offline cement operations to include the following:


- Full BOPE test at first installation on the pad.
- Full BOPE test every 21 days.
- This test will be conducted for 5M rated hole intervals only.
- Each rig requesting the break-test variance is capable of picking up the BOP without damaging components using winches, following API Standard 53, Well Control Equipment Systems for Drilling Wells (Fifth edition, December 2018, Annex C. Table C.4) which recognizes break testing as an acceptable practice.
- Function tests will be performed on the following BOP elements:
 - Annular **à** during each full BOPE test
 - Upper Pipe Rams **à** On trip ins where FIT required
 - Blind Rams **à** Every trip
 - Lower Pipe Rams à during each full BOPE test
- Break testing BOP and BOPE coupled with batch drilling operations and option to offline cement and/or remediate (if needed) any surface or intermediate sections, according to attached offline cementing support documentation.
- After the well section is secured, the BOP will be disconnected from the wellhead and walked with the rig to another well on the pad.
- TA cap will also be installed per Wellhead vendor procedure and pressure inside the casing will be monitored via the valve on the TA cap as per standard batch drilling ops.

Break Test Diagram (HCR valve)



Released to Imaging: 6/18/2024 1:09:45 PM

Break Test Diagram (Test Joint)



Steps

- 1. Set plug in with test joint wellhead (lower barrier)
- 2. Close Upper Pipe Rams (upper barrier)
- 3. Close roadside kill
- 4. Close HCR
- Open wellhead valves below test plug to ensure if leak past test plug, pressure won't be applied to wellbore
- 6. Tie BOP testers high pressure line to top of test joint
- 7. Pressure up to test break
- 8. Bleed test pressure from BOP testing unit

Seog resources Offline Intermediate Cementing Procedure

Cement Program

1. No changes to the cement program will take place for offline cementing.

Summarized Operational Procedure for Intermediate Casing

- 1. Run casing as per normal operations. While running casing, conduct negative pressure test and confirm integrity of the float equipment back pressure valves.
 - a. Float equipment is equipped with two back pressure valves rated to a minimum of 5,000 psi.
- 2. Land production casing on mandrel hanger through BOP.
 - a. If casing is unable to be landed with a mandrel hanger, then the **casing will be cemented online**.
- 3. Break circulation and confirm no restrictions.
 - a. Ensure no blockage of float equipment and appropriate annular returns.
 - b. Perform flow check to confirm well is static.
- 4. Set pack-off
 - a. If utilizing a fluted/ported mandrel hanger, ensure well is static on the annulus and inside the casing by filling the pipe with kill weight fluid, remove landing joint, and set annular packoff through BOP. Pressure test to 5,000 psi for 10 min.
 - b. If utilizing a solid mandrel hanger, ensure well is static on the annulus and inside the casing by filling the pipe with kill weight fluid. Pressure test seals to 5,000 psi for 10 min. Remove landing joint through BOP.
- 5. After confirmation of both annular barriers and the two casing barriers, install TA plug and pressure test to 5,000 psi for 10 min. Notify the BLM with intent to proceed with nipple down and offline cementing.
 - a. Minimum 4 hrs notice.
- 6. With the well secured and BLM notified, nipple down BOP and secure on hydraulic carrier or cradle.
 - a. Note, if any of the barriers fail to test, the BOP stack will not be nippled down until after the cement job has concluded and both lead and tail slurry have reached 500 psi.
- 7. Skid/Walk rig off current well.
- 8. Confirm well is static before removing TA Plug.
 - a. Cementing operations will not proceed until well is under control. (If well is not static, notify BLM and proceed to kill)
 - b. Casing outlet valves will provide access to both the casing ID and annulus. Rig or third party pump truck will kill well prior to cementing.
 - c. Well control plan can be seen in Section B, Well Control Procedures.
 - d. If need be, rig can be moved back over well and BOP nippled back up for any further remediation.

Page | 1

Page 39 of 143

2/24/2022

Seog resources

Offline Intermediate Cementing Procedure

- e. Diagram for rig positioning relative to offline cementing can be seen in Figure 4.
- 9. Rig up return lines to take returns from wellhead to pits and rig choke.
 - a. Test all connections and lines from wellhead to choke manifold to 5,000 psi high for 10 min.
 - b. If either test fails, perform corrections and retest before proceeding.
 - c. Return line schematics can be seen in Figure 3.
- 10. Remove TA Plug from the casing.
- 11. Install offline cement tool.
 - a. Current offline cement tool schematics can be seen in Figure 1 (Cameron) and Figure 2 (Cactus).
- 12. Rig up cement head and cementing lines.
 - a. Pressure test cement lines against cement head to 80% of casing burst for 10 min.
- 13. Break circulation on well to confirm no restrictions.
 - a. If gas is present on circulation, well will be shut in and returns rerouted through gas buster.
 - b. Max anticipated time before circulating with cement truck is 6 hrs.
- 14. Pump cement job as per plan.
 - a. At plug bump, test casing to 0.22 psi/ft or 1500 psi, whichever is greater.
 - b. If plug does not bump on calculated, shut down and wait 8 hrs or 500 psi compressive strength, whichever is greater before testing casing.
- 15. Confirm well is static and floats are holding after cement job.
 - a. With floats holding and backside static:
 - i. Remove cement head.
 - b. If floats are leaking:
 - i. Shut-in well and WOC (Wait on Cement) until tail slurry reaches 500 psi compressive strength and the casing is static prior to removing cement head.
 - c. If there is flow on the backside:
 - i. Shut in well and WOC until tail slurry reaches 500 psi compressive strength. Ensure that the casing is static prior to removing cement head.
- 16. Remove offline cement tool.
- 17. Install night cap with pressure gauge for monitoring.
- 18. Test night cap to 5,000 psi for 10 min.

Example Well Control Plan Content

A. Well Control Component Table

The table below, which covers the cementing of the <u>5M MASP (Maximum Allowable Surface Pressure) portion of the well</u>, outlines the well control component rating in use. This table, combined with the mud program, documents that two barriers to flow can be maintained at all times, independent of the BOP nippled up to the wellhead.

Intermediate hole section, 5M requirement

Component	RWP
Pack-off	10M
Casing Wellhead Valves	10M
Annular Wellhead Valves	5M
TA Plug	10M
Float Valves	5M
2" 1502 Lo-Torque Valves	15M

B. Well Control Procedures

Well control procedures are specific to the rig equipment and the operation at the time the kick occurs. Below are the minimal high-level tasks prescribed to assure a proper shut-in while circulating and cementing through the Offline Cement Adapter.

General Procedure While Circulating

- 1. Sound alarm (alert crew).
- 2. Shut down pumps.
- 3. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 4. Confirm shut-in.
- 5. Notify tool pusher/company representative.

Page | 3

Seog resources

Offline Intermediate Cementing Procedure

- 6. Read and record the following:
 - a. SICP (Shut in Casing Pressure) and AP (Annular Pressure)
 - b. Pit gain
 - c. Time
 - d. Regroup and identify forward plan to continue circulating out kick via rig choke and mud/gas separator. Circulate and adjust mud density as needed to control well.

General Procedure While Cementing

- 1. Sound alarm (alert crew).
- 2. Shut down pumps.
- 3. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 4. Confirm shut-in.
- 5. Notify tool pusher/company representative.
- 6. Open rig choke and begin pumping again taking returns through choke manifold and mud/gas separator.
- 7. Continue to place cement until plug bumps.
- 8. At plug bump close rig choke and cement head.
- 9. Read and record the following
 - a. SICP and AP
 - b. Pit gain
 - c. Time
 - d. Shut-in annulus valves on wellhead


General Procedure After Cementing

- 1. Sound alarm (alert crew).
- 2. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 3. Confirm shut-in.
- 4. Notify tool pusher/company representative.
- 5. Read and record the following:
 - a. SICP and AP
 - b. Pit gain
 - c. Time
 - d. Shut-in annulus valves on wellhead

Page | 4


Seog resources Offline Intermediate Cementing Procedure

Figure 1: Cameron TA Plug and Offline Adapter Schematic



Offline Intermediate Cementing Procedure

Figure 2: Cactus TA Plug and Offline Adapter Schematic



2/24/2022


Page | 6

Page 44 of 143

2/24/2022








*** All Lines 10M rated working pressure

Page | 7







Salt Section Annular Clearance Variance Request

Daniel Moose

Current Design (Salt Strings)

0.422" Annular clearance requirement

- Casing collars shall have a minimum clearance of 0.422 inches on all sides in the hole/casing annulus, with recognition that variances can be granted for justified exceptions.

- 12.25" Hole x 9.625"40# J55/HCK55 LTC Casing
 - 1.3125" Clearance to casing OD
 - 0.8125" Clearance to coupling OD
- 9.875" Hole x 8.75" 38.5# P110 Sprint-SF Casing
 - 0.5625" Clearance to casing OD
 - 0.433" Clearance to coupling OD

Annular Clearance Variance Request

EOG request permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Onshore Order #2 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues


Volumetric Hole Size Calculation

Hole Size Calculations Off Cement Volumes

- Known volume of cement pumped
- Known volume of cement returned to surface
- Must not have had any losses
- Must have bumped plug

Average Hole Size

- 12.25" Hole
 - 12.88" Hole
 - 5.13% diameter increase
 - 10.52% area increase
 - 0.63" Average enlargement
 - 0.58" Median enlargement
 - 179 Well Count
- 9.875" Hole
 - 10.30" Hole
 - 4.24% diameter increase
 - 9.64% area increase
 - 0.42" Average enlargement
 - 0.46" Median enlargement
 - 11 Well Count




Modelo 10 Fed Com #501H

Caliper Hole Size (12.25")

Average Hole Size

- 12.25" Bit
 - 12.76" Hole
 - 4.14% diameter increase
 - 8.44% area increase
 - 0.51" Average enlargement
 - 0.52" Median enlargement
 - Brine




Caliper Hole Size (9.875")

Average Hole Size

- 9.875" Hole
 - 11.21" Hole
 - 13.54% diameter increase
 - 28.92% area increase
 - 1.33" Average enlargement
 - 1.30" Median enlargement
 - EnerLite







Design A

Proposed 11" Hole with 9.625" 40# J55/HCK55 LTC Casing

- 11" Bit + 0.52" Average hole enlargement = 11.52" Hole Size
 - 0.9475" Clearance to casing OD

$$=\frac{11.52 - 9.625}{2}$$

475" Clearance to


 0.4475" Clearance to coupling OD 11.52 - 10.625

$$\frac{1.52 - 10}{2}$$


= -

- Previous Shoe 13.375" 54.5# J55 STC
 - 0.995" Clearance to coupling OD (~1,200' overlap)

$$=\frac{12.615-10.625}{2}$$



Design B





Index

Released to Imaging: 6/18/2024 1:09:45 PM

.

Casing Spec Sheets

PERFORMANCE DATA

API LTC		
Technical	Data	Sheet

9.625 in 40.00 lbs/ft

K55 HC

Tubular Parameters

Size	9.625	in	Minimum Yield	55	ksi
Nominal Weight	40.00	lbs/ft	Minimum Tensile	95	ksi
Grade	K55 HC		Yield Load	629	kips
PE Weight	38.94	lbs/ft	Tensile Load	1088	kips
Wall Thickness	0.395	in	Min. Internal Yield Pressure	3,950	psi
Nominal ID	8.835	in	Collapse Pressure	3600	psi
Drift Diameter	8.750	in		•	·
Nom. Pipe Body Area	11.454	in²			

Connection Parameters

10.625	in
10.500	in
8	tpi
3.50	turns
4.750	in
3,950	psi
	10.500 8 3.50 4.750

Pipe Body and API Connections Performance Data

13.375	54.50/0.380	J55

New Search »

« Back to Previous List

USC 💽 Metric

PDF

6/8/2015 10:04:37 AM					
Mechanical Properties	Ptpe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-	-	psi
Minimum Tensile Strength	75,000	-	-	-	psi
Dimensions	Pipe	BTC	LTC	STC	
Outside Diameter	13.375	14.375	-	14.375	in.
Wall Thickness	0.380	-	-	-	in.
Inside Diameter	12.615	12.615	-	12.615	in.
Standard Drift	12.459	12.459	-	12.459	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	54.50	-	-	-	lbs/ft
Plain End Weight	52.79	-	-	-	lbs/ft
Performance	Ptpe	BTC	LTC	STC	
Minimum Collapse Pressure	1,130	1,130	-	1,130	psi
Minimum Internal Yield Pressure	2,740	2,740	-	2,740	psi
Minimum Pipe Body Yield Strength	853.00	-	-	-	1000 lbs
Joint Strength	-	909	-	514	1000 lbs
Reference Length	-	11,125	-	6,290	ft
Make-Up Data	Ptpe	BTC	LTC	STC	
Make-Up Loss	-	4.81	-	3.50	in.
Minimum Make-Up Torque	-	-	-	3,860	fl-lbs
Maximum Make-Up Torque	-	-	-	6,430	ft-lbs



Casing Spec Sheets

Pipe Body and API Connections Performance Data

10.750 40.50/0.350 J55					Pl
New Search »					« Back to Previous
					USC 🔵 Me
/8/2015 10:14:05 AM					
Mechanical Properties	Ptpe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-		psi
Minimum Tensile Strength	75,000	-	-	-	psi
Dimensions	Ріре	втс	LTC	STC	
Outside Diameter	10.750	11.750	-	11.750	in.
Wall Thickness	0.350	-	-	-	in.
Inside Diameter	10.050	10.050		10.050	in.
Standard Drift	9.894	9.894	-	9.894	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	40.50	-	-		lbs/ft
Plain End Weight	38.91	-			lbs/ft
Performance	Ptpe	втс	LTC	STC	
Minimum Collapse Pressure	1,580	1,580	-	1,580	psi
Minimum Internal Yield Pressure	3,130	3,130		3,130	psi
Minimum Pipe Body Yield Strength	629.00	-	-		1000 lbs
Joint Strength	-	700	-	420	1000 lbs
Reference Length	-	11,522	-	6,915	ft
Make-Up Data	Ptpe	втс	LTC	STC	
Make-Up Loss	-	4.81	-	3.50	in.
Vinimum Make-Up Torque	-	-	-	3,150	ft-lbs
Maximum Make-Up Torque	_	-	-	5,250	ft-lbs

					AP	I 5CT, 1	0th Ed. C	connect	ion Data	a Shee
8.625 No	WEIGHT (I ominal: ain End:	b/ft) 32.00 31.13	WALL (in 0.352	n)		ADE 55	* API DRI 7.79		RBV 87	• • •
Materi	al Propert	ies (PE)				P	ipe Body	/ Data (I	PE)	
	Pipe						Geor	netry		
Minimum Yield S	Strength:	55	ksi		Nomin	al ID:			7.92 i	nch
Maximum Yield \$	Strength:	80	ksi		Nomin	al Area	:		9.149 j	in ²
Minimum Tensile	e Strength:	75	ksi		*Speci	ial/Alt. D)rift:		7.875 i	nch
	Coupling							mance		
Minimum Yield S	Ũ		ksi		•	•	ld Streng	th:	503 I	
Maximum Yield S	Strength:	80	ksi			se Resi			2,530	psi
Vinimum Tensile	e Strength:	75	ksi			Yield Pre storical)	essure.		3,930 j	psi
	Connection					AP	l Connec	tion To:	rque	
	C Perform						STC Torg	ue (ft-lb	os)	
STC Internal Pre	essure:	3,930	psi		Min:	2,793	Opti:	3,724	Max:	4,655
STC Joint Streng	gth:	372	kips							
LTO	C Perform	ance				I	LTC Torq	ue (ft-lb	os)	
TC Internal Pre	ssure:	3,930	psi		Min:	3,130	Opti:	4,174	Max:	5,217
TC Joint Streng	·		kips							
SC-BTC Perfor	mance - C	plg OD =	9.125"			E	BTC Torg	ue (ft-lk	os)	
BTC Internal Pre	essure:	3,930	psi		follo	w API gui	delines reg	arding pos	sitional ma	ke up
BTC Joint Streng	gth:	503	kips							
	1	*Alt. Drift will	be used unle	ess /	API Drift	is specifie	d on order.			
**If above	API connect	ions do not	suit your ne 100% of p				n connectio	ns are ava	ailable up i	to
ALL INFORMATION IS PROVI AND ON AN "AS IS" BASIS MERCHANTABILITY, FITNES ONLY AND IS BASED ON ESTI INCIDENTAL, PUNITIVE, EXE ANTICIPATED PROFIT) HOWE	WITHOUT WARRAN S FOR PURPOSE, AC IMATES THAT HAVE IMPLARY OR CONSEC	ITY OR REPRESENT CURACY OR COMP NOT BEEN VERIFIE QUENTIAL LOSS OF	ATION OF ANY KIN LETENESS. THE IN D OR TESTED. IN N R DAMAGE (INCLU HER SUCH LOSSES	ND, W FORM NO EV IDING S OR D	HETHER EXP IATION CON 'ENT SHALL ' WITHOUT L	PRESS OR IMPL ITAINED IN THI VALLOUREC OF IMITATION, LO VERE FORESEEA	IED, INCLUDING V IS DOCUMENT IS F R ITS AFFILIATES B DSS OF USE, LOSS	VITHOUT LIMIT PROVIDED FOR E RESPONSIBLE OF BARGAIN, L	TATION ANY WA INFORMATION FOR ANY INDIF OSS OF REVENU	RRANTY OF AL PURPOSES RECT, SPECIA E, PROFIT OF WISED OF TH

eog

Released to Imaging: 6/18/2024 1:09:45 PM

11



EOG BLANKET CASING DESIGN VARIANCE

EOG respectfully requests the drill plans in the attached document 'EOG Alternate Casing Designs – BLM APPROVED' be added to the COA's for this well. These designs have been approved by the BLM down to the TVDs listed below and will allow EOG to run alternate casing designs for this well if necessary.

The designs and associated details listed are the "worst case scenario" boundaries for design safety factors. Location and lithology have NOT been accounted for in these designs. The specific well details will be based on the APD/Sundry package and the information listed in the COA.

The mud program will not change from the original design for this well. Summary of the mud programs for both shallow and deep targets are listed at the end of this document. If the target is changing, a sundry will be filed to update the casing design and mud/cement programs.

Cement volumes listed in this document are for reference only. The cement volumes for the specific well will be adjusted to ensure cement tops meet BLM requirements as listed in the COA and to allow bradenhead cementing when applicable.

This blanket document only applies to wells with three string designs outside of Potash and Capitan Reef boundaries.

Sł	Shallow Design Boundary Conditions								
	Deepest Deepest		Max Inc	Max DLS					
	MD (ft)	TVD (ft)	(deg)	(°/100usft)					
Surface	2030	2030	0	0					
Intermediate	7793	5650	40	8					
Production	28578	11225	90	25					



Shallow	Design A
---------	----------

<u>I.</u> (ASINGI	NUGNA	IVI					
Hole	Interval MD		Interval TVD		Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
16"	0	2,030	0	2,030	13-3/8"	54.5#	J-55	STC
11"	0	7,793	0	5,650	9-5/8"	40#	J-55	LTC
6-3/4"	0	28,578	0	11,225	5-1/2"	20#	P110-EC	DWC/C IS MS

1. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	Sidiny Description
2,030'	570	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-
13-3/8''				Flake (TOC @ Surface)
	160	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium
				Metasilicate (TOC @ 1830')
7,793'	770	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @
9-5/8''				Surface)
	250	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 6238')
28,578'	410	10.5	3.21	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC
5-1/2''				@ 7300')
	1110	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5%
				NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @
				12730')

2. CEMENTING PROGRAM:

Shallow Design A

Proposed Wellbore

KB: 3558' GL: 3533'




Image: Section 1 Image: Section 2 S Image: Section 2 M Image: Section 2 M Image: Section 2 S Image: Section 2 M Image: Sec

	Depth (MD)	Axial F	orce (lbf)	Equivalent	Bending Stress		Absolute Sa	afety Factor		Tananatura	Pressure	(psi)	Addt'l Pickup To	Buckled
	(usft)	Apparent (w/Bending)	Actual (w/o Bending)	Axial Load (lbf)	at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	Temperature (°F)	Internal	External	Prevent Buck. (lbf)	Length (usft
	0	252987	228954	253140	2098.2	1.69	1.58	N/A	2.82 F	70.00	2500.00	0.00	N/A	N/A
	100	247735	223702	248466	2098.2	1.69	1.58	N/A	2.88 F	71.10	2543.63	43.63		
	100	234996	223701	235716	986.2	1.71	1.58	N/A	3.04 F	71.10	2543.64	43.64		
	1700	341565	139667	352253	17627.2	1.53	1.57	N/A	2.09 F	88.70	3241.64	741.64		
	1700	312979	139666	323488	15131.5	1.58	1.57	N/A	2.28 F	88.70	3241.65	741.65		
	1850	336881	132027	348440	17885.2	1.51	1.57	N/A	2.12 F	90.29	3305.05	805.05		
	1850	318549	132027	329984	16284.8	1.54	1.57	N/A	2.24 F	90.29	3305.06	805.06		
	1950	320468	127243	332475	16869.9	1.52	1.57	N/A	2.23 F	91.30	3344.87	844.87		
	1950	312802	127243	324756	16200.7	1.53	1.57	N/A	2.28 F	91.30	3344.87	844.87		
	2050	307858	122773	320295	16159.3	1.52	1.57	N/A	2.32 F	92.23	3381.89	881.89		
	2050	303560	122772	315965	15784.1	1.53	1.57	N/A	2.35 F	92.23	3381.89	881.89		
	2300	151294	112633	163658	3375.4	1.71	1.57	N/A	4.72 F	94.35	3466.13	966.13		
	2300	132741	112633	144956	1755.6	1.72	1.57	N/A	5.38 F	94.35	3466.14	966.14		
	2370	129966	109858	142452	1755.6	1.72	1.57	N/A	5.49 F	94.94	3489.28	989.28		
	2370	127909	107800	140922	1755.6	1.75	1.60	N/A	5.58 F	94.94	3489.29	1036.40		
	2700	105515	94232	119785	985.1	1.75	1.60	N/A	6.77 F	97.73	3599.97	1152.35		
	2700	111680	94231	126006	1523.4	1.75	1.60	N/A	6.39 F	97.73	3599.97	1152.35		
_	3100	110766	77783	126839	2879.6	1.71	1.60	N/A	6.44 F	101.11	3734.23	1293.00		
	3100	97392	77783	113331	1712.1	1.73	1.60	N/A	7.33 F	101.11	3734.23	1293.01		
	3700	71565	53303	89806	1594.4	1.70	1.61	N/A	9.97 F	106.15	3934.24	1502.54		
	3700	60887	53302	79004	662.3	1.71	1.61	N/A	11.72 F	106.16	3934.25	1502.55		
	4650	34671	14219	56495	1785.6	1.64	1.61	N/A	20.59 F	114.20	4253.37	1836.86		
	4900	44595	4828	67626	3472.0	1.59	1.61	N/A	16.01 F	116.32	4337.37	1924.87		
	4900	28975	4828	51775	2108.2	1.62	1.61	N/A	24.64 F	116.32	4337.38	1924.87		
	5029	22103	34	45340	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.40	1969.94		
	5029	22102	33	45339	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.41	1969.95		
	5600	-45329	-21341	-20805	2094.3	1.57	1.62	N/A	(13.67)	122.23	4572.11	2170.78		
	5650	-40465	-23210	-15657	1506.5	1.58	1.62	N/A	(15.31)	122.66	4588.87	2188.34		
		onn Fracture												
	· · · · · · · · · · · · · · · · · · ·	ompression												
	(V) V	ector Collapse Safet	y Factor											
			y ractor											


•

✓ ► Working Config Min SF Load/SF DF Summary VME Wallplot For Help, press F1


🤶 🛨 Default Datum @ 0.00 usft 📑 API - US Survey Feet 😫 jgriffin2

9-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi



*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.



*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 6/18/2024 1:09:45 PM

Page 6 of 32



<u>I.</u> (ASINGI	NUUNA	171					
Hole	Interv	al MD	Interva	l TVD	Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
13-1/2"	0	2,030	0	2,030	10-3/4"	40.5#	J-55	STC
9-7/8"	0	7,793	0	5,650	8-5/8"	32#	J-55	BTC-SC
6-3/4"	0	28,578	0	11,225	5-1/2"	20#	P110-EC	DWC/C IS MS

1. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 8-5/8" casing in the 9-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 9-7/8" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.


		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	Sidiny Description
2,030'	530	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-
10-3/4''				Flake (TOC @ Surface)
	140	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium
				Metasilicate (TOC @ 1830')
7,793'	460	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @
8-5/8''				Surface)
	210	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 6238')
28,578'	400	10.5	3.21	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC
5-1/2''				@ 7300')
	1110	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5%
				NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @
				12730')

2. CEMENTING PROGRAM:

Shallow Design B

Proposed Wellbore

KB: 3558' GL: 3533'



StressCheck - [Triaxial Results - Shallow 3.0 Mile *]
File Edit Wellbore Tubular View Composer Tools Window Help

Page 65 of 143

_ 8 >

Image: Second secon

Apparent (w/Bending) 200426 196229 187111 256401 235940 232541 2329292 240267 2330871 2330871 217194 117966 100817 83660 88072 88047 76477 55953	Actual (w/o Bending) 179028 179027 111891 105788 105787 101966 101965 98395 98394 90294 90294 90293 88077 86424 75583 75583	Equivalent Axial Load (lbf) 200546 196812 187686 264835 244247 261533 248323 248748 244247 261533 248323 249748 244247 240594 237594 12431 11432 112431 111200 95052 99504	Bending Stress at OD (psi) 1880.2 1880.2 883.7 15795.8 13559.4 16027.0 14592.9 15117.2 14517.5 14480.4 14144.2 3024.7 1573.2 1573.2 1573.2	Triaxial 1.68 1.69 1.70 1.56 1.60 1.54 1.56 1.54 1.56 1.55 1.55 1.70 1.71 1.71 1.75	Burst 1.57 1.57 1.56	Collapse (V) N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	Axial 2 89 F 2 95 F 3 10 F 2 26 F 2 45 F 2 42 F 2 42 F 2 41 F 2 47 F 2 51 F 2 51 F 2 54 F 4 91 F	Temperature (°F) 70.00 71.10 71.10 88.70 88.70 90.29 90.29 90.29 91.30 91.30 91.30 91.30 91.30 91.30 92.23 92.23 94.35	Internal 2500.00 2543.63 2543.64 3241.64 3305.05 3305.05 3305.06 3344.87 3344.87 3344.87 3381.89 3381.89	External 0.00 43.63 43.64 741.64 741.65 805.05 805.06 844.87 844.87 844.87 881.89 881.89	Addtl Pickup To Prevent Buck. (Ibf) N/A	Buckled Length (usft
196229 187111 256401 235940 252413 239292 240267 234781 227794 117966 104686 102469 100817 83660 88072 86049 76477 55953	179028 179027 111891 111891 105788 105787 101966 101965 98394 90294 90293 88077 86424 75583 75583 62442	196812 187686 264835 244247 261533 249748 244223 244694 237594 127818 114432 112431 111200 95052	1880.2 883.7 15795.8 13559.4 16027.0 14592.9 15117.2 14517.5 14480.4 14114.2 3024.7 1573.2 1573.2 1573.2	1.69 1.70 1.56 1.54 1.54 1.54 1.54 1.55 1.55 1.55 1.70 1.71	1.57 1.57 1.56 1.56 1.56 1.56 1.56 1.56 1.56 1.56	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	2.95 F 3.10 F 2.26 F 2.45 F 2.29 F 2.42 F 2.41 F 2.41 F 2.51 F 2.51 F 4.91 F	71.10 71.10 88.70 90.29 90.29 91.30 91.30 92.23 92.23	2543.63 2543.64 3241.64 3241.65 3305.05 3305.06 3344.87 3344.87 3344.89 3381.89	43.63 43.64 741.64 741.65 805.05 805.06 844.87 844.87 844.87 881.89	N/A	N/A
187111 256401 235940 252413 239292 240267 234781 230871 227794 117966 104686 102469 100817 83660 88072 86049 76477 55953	179027 111891 111891 105788 105787 101966 98395 98394 90294 90293 88077 86424 75683 75583 62442	187686 264335 244247 261533 248323 249748 249248 249248 237594 127818 114432 112431 111200 95052	883.7 15795.8 13559.4 16027.0 14592.9 15117.2 14517.5 14480.4 14144.2 3024.7 1573.2 1573.2 1573.2	1.70 1.56 1.60 1.54 1.56 1.55 1.55 1.55 1.70 1.71	1.57 1.56 1.56 1.56 1.56 1.56 1.56 1.56 1.56	N/A N/A N/A N/A N/A N/A N/A N/A N/A	3.10 F 2.26 F 2.45 F 2.42 F 2.41 F 2.41 F 2.47 F 2.51 F 2.54 F 4.91 F	71.10 88.70 88.70 90.29 90.29 91.30 91.30 92.23 92.23	2543.64 3241.64 3241.65 3305.05 3305.06 3344.87 3344.87 3381.89 3381.89	43.64 741.64 741.65 805.05 805.06 844.87 844.87 881.89 881.89		
256401 235540 252413 239292 240267 234781 227794 117966 104686 102469 100817 83660 88072 86049 76477 55953	111891 111891 105788 105787 101966 101965 98395 98394 90294 90293 88077 86424 75583 75583 62442	264836 244247 261533 248323 249748 244223 240694 237594 127818 114432 112431 111200 95052	15795.8 13559.4 16027.0 14592.9 15117.2 14517.5 14480.4 14144.2 3024.7 1573.2 1573.2 1573.2	1.56 1.60 1.54 1.56 1.54 1.56 1.55 1.55 1.70 1.71 1.71	1.56 1.56 1.56 1.56 1.56 1.56 1.56 1.56	N/A N/A N/A N/A N/A N/A N/A N/A	2.26 F 2.45 F 2.29 F 2.42 F 2.41 F 2.47 F 2.51 F 2.54 F 4.91 F	88.70 88.70 90.29 91.30 91.30 92.23 92.23	3241.64 3241.65 3305.05 3305.06 3344.87 3344.87 3381.89 3381.89	741.64 741.65 805.05 805.06 844.87 844.87 881.89 881.89		
235940 252413 239292 240267 234781 230871 227794 117966 104686 102469 100817 83660 88072 86049 76477 55953	111891 105788 105787 101966 98395 98394 90293 88077 86424 75583 75583 62442	244247 261533 248323 249748 244223 240694 237594 127618 114432 112431 111200 95052	13559.4 16027.0 14592.9 15117.2 14517.5 14480.4 14144.2 3024.7 1573.2 1573.2 1573.2	1.60 1.54 1.56 1.55 1.55 1.55 1.70 1.71	1.56 1.56 1.56 1.56 1.56 1.56 1.56 1.56	N/A N/A N/A N/A N/A N/A N/A	2.45 F 2.29 F 2.42 F 2.41 F 2.47 F 2.51 F 2.54 F 4.91 F	88.70 90.29 90.29 91.30 91.30 92.23 92.23	3241.65 3305.05 3305.06 3344.87 3344.87 3381.89 3381.89	741.65 805.05 805.06 844.87 844.87 881.89 881.89		
252413 239292 240267 234781 230871 227794 117966 104686 102469 100817 83660 88072 86049 76477 55953	105788 105787 101966 101965 98395 98394 90294 90293 88077 86424 75583 75583 62442	261533 248323 249748 244223 240694 237594 127818 114432 112431 111200 95052	16027.0 14592.9 15117.2 14517.5 14480.4 14144.2 3024.7 1573.2 1573.2 1573.2	1.54 1.56 1.54 1.55 1.55 1.55 1.70 1.71 1.71	1.56 1.56 1.56 1.56 1.56 1.56 1.56 1.56	N/A N/A N/A N/A N/A N/A	2.29 F 2.42 F 2.41 F 2.47 F 2.51 F 2.54 F 4.91 F	90.29 90.29 91.30 91.30 92.23 92.23	3305.05 3305.06 3344.87 3344.87 3381.89 3381.89	805.05 805.06 844.87 844.87 881.89 881.89		
239292 240267 234781 220871 227794 117966 104686 102469 100817 83660 88072 86049 76477 55953	105787 101966 101965 98395 98394 90294 90293 88077 86424 75583 75583 62442	248323 249748 244223 240694 237594 127818 114432 112431 111200 95052	14592.9 15117.2 14517.5 14480.4 14480.4 14144.2 3024.7 1573.2 1573.2 1573.2	1.56 1.54 1.56 1.55 1.55 1.70 1.71 1.71	1.56 1.56 1.56 1.56 1.56 1.56 1.56 1.56	N/A N/A N/A N/A N/A N/A	2.42 F 2.41 F 2.47 F 2.51 F 2.54 F 4.91 F	90.29 91.30 91.30 92.23 92.23	3305.06 3344.87 3344.87 3381.89 3381.89	805.06 844.87 844.87 881.89 881.89		
240267 234781 230871 227794 117966 104686 102469 100817 83660 88072 86049 76477 55953	101966 101965 98395 90294 90293 88077 86424 75583 75583 62442	249748 244223 240694 237594 127818 114432 112431 111200 95052	15117.2 14517.5 14480.4 14144.2 3024.7 1573.2 1573.2 1573.2	1.54 1.56 1.55 1.55 1.70 1.71 1.71	1.56 1.56 1.56 1.56 1.56 1.56	N/A N/A N/A N/A N/A	2.41 F 2.47 F 2.51 F 2.54 F 4.91 F	91.30 91.30 92.23 92.23	3344.87 3344.87 3381.89 3381.89	844.87 844.87 881.89 881.89		
234781 230871 227794 117966 104686 102469 100817 83660 88072 86049 76477 55953	101965 98395 98394 90294 90293 88077 86424 75583 75583 62442	244223 240694 237594 127818 114432 112431 112431 111200 95052	14517.5 14480.4 14144.2 3024.7 1573.2 1573.2 1573.2	1.56 1.55 1.55 1.70 1.71 1.71	1.56 1.56 1.56 1.56 1.56 1.56	N/A N/A N/A N/A	2.47 F 2.51 F 2.54 F 4.91 F	91.30 92.23 92.23	3344.87 3381.89 3381.89	844.87 881.89 881.89		
230871 227794 117966 104686 102469 100817 83660 88072 86049 76477 55953	98395 98394 90294 90293 88077 86424 75583 75583 62442	240694 237594 127818 114432 112431 111200 95052	14480.4 14144.2 3024.7 1573.2 1573.2 1573.2 1573.2	1.55 1.55 1.70 1.71 1.71	1.56 1.56 1.56 1.56	N/A N/A N/A	2.51 F 2.54 F 4.91 F	92.23 92.23	3381.89 3381.89	881.89 881.89		
227794 117966 104686 102469 100817 83660 88072 86049 76477 55953	98394 90294 90293 88077 86424 75583 75583 62442	237594 127818 114432 112431 111200 95052	14144.2 3024.7 1573.2 1573.2 1573.2 1573.2	1.55 1.70 1.71 1.71	1.56 1.56 1.56	N/A N/A	2.54 F 4.91 F	92.23	3381.89	881.89		
117966 104686 102469 100817 83660 88072 86049 76477 55953	90294 90293 88077 86424 75583 75583 62442	127818 114432 112431 111200 95052	3024.7 1573.2 1573.2 1573.2 1573.2	1.70 1.71 1.71	1.56 1.56	N/A	4.91 F					
104686 102469 100817 83660 88072 86049 76477 55953	90293 88077 86424 75583 75583 62442	114432 112431 111200 95052	1573.2 1573.2 1573.2	1.71 1.71	1.56			94 35				
102469 100817 83660 88072 86049 76477 55953	88077 86424 75583 75583 62442	112431 111200 95052	1573.2 1573.2	1.71		N/A			3466.13	966.13		
100817 83660 88072 86049 76477 55953	86424 75583 75583 62442	111200 95052	1573.2		1.56		5.53 F	94.35	3466.14	966.14		
83660 88072 86049 76477 55953	75583 75583 62442	95052		1 75		N/A	5.65 F	94.94	3489.28	989.28		
88072 86049 76477 55953	75583 62442				1.59	N/A	5.75 F	94.94	3489.29	1036.40		
86049 76477 55953	62442	99504	882.8	1.74	1.59	N/A	6.92 F	97.73	3599.97	1152.35		
76477 55953			1365.1	1.74	1.59	N/A	6.58 F	97.73	3599.97	1152.35		
55953		98863	2580.4	1.71	1.59	N/A	6.73 F	101.11	3734.23	1293.00		
	62441	89195	1534.2	1.72	1.59	N/A	7.57 F	101.11	3734.23	1293.01		
	42882	70509	1428.8	1.69	1.60	N/A	10.35 F	106.15	3934.24	1502.54		
48311	42881	62778	593.5	1.71	1.60	N/A	11.99 F	106.16	3934.25	1502.55		
41458	33043	56865	919.9	1.69	1.60	N/A	13.97 F	108.69	4034.82	1607.91		
26293	11655	43706	1600.1	1.63	1.60	N/A	22.03 F	114.20	4253.37	1836.86		
32619	4156	50970	3111.2	1.59	1.60	N/A	17.76 F	116.32	4337.37	1924.87		
21439	4155	39625	1889.2	1.61	1.60	N/A	27.02 F	116.32	4337.38	1924.87		
-30585	-18235	-10742	1350.0	1.58	1.61	N/A	(16.18)	122.66	4588.87	2188.34		
tor Collapse Safety F	-actor											
												<u> </u>
npr	15822 15822 -33912 -30585 Fracture ession	15822 26 15822 26 -33912 -16743 -30585 -18235 -Tracture	15822 26 34389 15822 26 34388 -33912 -16743 -14286 -30585 -18235 -10742	15822 26 34389 1726.6 15822 26 34388 1726.6 -33912 -16743 -14286 1876.7 -30585 -18235 -10742 1350.0 Fracture	15822 26 34389 1726.6 1.61 15822 26 34388 1726.6 1.61 -33912 -16743 -14286 1876.7 1.57 -30585 -18235 -10742 1350.0 1.58 Fracture	15822 26 34389 1726.6 1.61 1.61 15822 26 34388 1726.6 1.61 1.61 -33912 -16743 -14286 1876.7 1.57 1.61 -30585 -18235 -10742 1350.0 1.58 1.61 -racture	15822 26 34389 1726.6 1.61 1.61 N/A 15822 26 34388 1726.6 1.61 1.61 N/A -33912 -16743 -14286 1876.7 1.57 1.61 N/A -30585 -18235 -10742 1350.0 1.58 1.61 N/A	15822 26 34389 1726.6 1.61 1.61 N/A 36.61 F 15822 26 34388 1726.6 1.61 1.61 N/A 36.61 F -33912 -16743 -14286 1876.7 1.57 1.61 N/A (14.60) -3585 -18235 -10742 1350.0 1.58 1.61 N/A (16.18)	15822 26 34389 1726.6 1.61 1.61 N/A 36.61 F 117.49 15822 26 34388 1726.6 1.61 1.61 N/A 36.61 F 117.49 -33912 -16743 -14286 1876.7 1.57 1.61 N/A (14.60) 122.23 -3585 -18235 -10742 1350.0 1.58 1.61 N/A (16.18) 122.66	15822 26 34389 1726.6 1.61 1.61 N/A 36.61 F 117.49 4383.77 15822 26 34388 1726.6 1.61 1.61 N/A 36.61 F 117.49 4383.78 -33912 -16743 -14286 1876.7 1.57 1.61 N/A (14.60) 122.23 4572.11 -30585 -18235 -10742 1350.0 1.58 1.61 N/A (16.18) 122.66 4588.87	15822 26 34389 1726.6 1.61 1.61 N/A 36.61 F 117.49 4383.77 1973.48 15822 26 34388 1726.6 1.61 1.61 N/A 36.61 F 117.49 4383.77 1973.48 -33912 -16743 -14286 1876.7 1.57 1.61 N/A (14.60) 122.23 4572.11 2170.78 -30585 -18235 -10742 1350.0 1.58 1.61 N/A (16.18) 122.66 4588.87 2188.34	15822 26 34389 1726.6 1.61 1.61 N/A 36.61 F 117.49 4383.77 1973.48 15822 26 34388 1726.6 1.61 1.61 N/A 36.61 F 117.49 4383.78 1973.48 -33912 -16743 -14286 1876.7 1.57 1.61 N/A (14.60) 122.23 4572.11 2170.78 -30585 -18235 -10742 1350.0 1.58 1.61 N/A (16.18) 122.66 4588.87 2188.34 Fracture


•

For Help, press F1

🕱 I Default Datum @ 0.00 usft 🖪 API - US Survey Feet 😫 jgriffin2


8-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi



*Modelling done with 8-5/8" 32# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 6/18/2024 1:09:45 PM



*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 6/18/2024 1:09:45 PM

Page 11 of 32



<u>I.</u> (ASINGI	NUGNA	IVI					
Hole	Interv	al MD	Interva	al TVD	Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
16"	0	2,030	0	2,030	13-3/8"	54.5#	J-55	STC
11"	0	7,793	0	5,650	9-5/8"	40#	J-55	LTC
7-7/8"	0	28,578	0	11,225	6"	24.5#	P110-EC	VAM Sprint-SF

1. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" casing in the 7-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 7-7/8" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	Sidiny Description
2,030'	570	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-
13-3/8''				Flake (TOC @ Surface)
	160	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium
				Metasilicate (TOC @ 1830')
7,793'	770	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @
9-5/8''				Surface)
	250	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 6238')
28,578'	650	10.5	3.21	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC
6''				@ 7300')
	1870	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5%
				NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @
				12730')

2. CEMENTING PROGRAM:

Shallow Design C

Proposed Wellbore

KB: 3558' GL: 3533'




Image: Second secon **F B B N F**


Depth (MD) Axial Force (lbf)				Bending Stress	Absolute Safety Factor				Temperature	Pressure (psi)		Addt'l Pickup To	Buckled
(usft)	Apparent (w/Bending)	Actual (w/o Bending)	Equivalent Axial Load (lbf)	at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	(°F)	Internal	External	Addt1 Pickup To Prevent Buck. (lbf) N/A	Length (usft)
0	252987	228954	253140	2098.2	1.69	1.58	N/A	2.82 F	70.00	2500.00	0.00	N/A	N/A
100	247735	223702	248466	2098.2	1.69	1.58	N/A	2.88 F	71.10	2543.63	43.63		
100	234996	223701	235716	986.2	1.71	1.58	N/A	3.04 F	71.10	2543.64	43.64		
1700	341565	139667	352253	17627.2	1.53	1.57	N/A	2.09 F	88.70	3241.64	741.64		
1700	312979	139666	323488	15131.5	1.58	1.57	N/A	2.28 F	88.70	3241.65	741.65		
1850	336881	132027	348440	17885.2	1.51	1.57	N/A	2.12 F	90.29	3305.05	805.05		
1850	318549	132027	329984	16284.8	1.54	1.57	N/A	2.24 F	90.29	3305.06	805.06		
1950	320468	127243	332475	16869.9	1.52	1.57	N/A	2.23 F	91.30	3344.87	844.87		
1950	312802	127243	324756	16200.7	1.53	1.57	N/A	2.28 F	91.30	3344.87	844.87		
2050	307858	122773	320295	16159.3	1.52	1.57	N/A	2.32 F	92.23	3381.89	881.89		
2050	303560	122772	315965	15784.1	1.53	1.57	N/A	2.35 F	92.23	3381.89	881.89		
2300	151294	112633	163658	3375.4	1.71	1.57	N/A	4.72 F	94.35	3466.13	966.13		
2300	132741	112633	144956	1755.6	1.72	1.57	N/A	5.38 F	94.35	3466.14	966.14		
2370	129966	109858	142452	1755.6	1.72	1.57	N/A	5.49 F	94.94	3489.28	989.28		
2370	127909	107800	140922	1755.6	1.75	1.60	N/A	5.58 F	94.94	3489.29	1036.40		
2700	105515	94232	119785	985.1	1.75	1.60	N/A	6.77 F	97.73	3599.97	1152.35		
2700	111680	94231	126006	1523.4	1.75	1.60	N/A	6.39 F	97.73	3599.97	1152.35		
3100	110766	77783	126839	2879.6	1.71	1.60	N/A	6.44 F	101.11	3734.23	1293.00		
3100	97392	77783	113331	1712.1	1.73	1.60	N/A	7.33 F	101.11	3734.23	1293.01		
3700	71565	53303	89806	1594.4	1.70	1.61	N/A	9.97 F	106.15	3934.24	1502.54		
3700	60887	53302	79004	662.3	1.71	1.61	N/A	11.72 F	106.16	3934.25	1502.55		
4650	34671	14219	56495	1785.6	1.64	1.61	N/A	20.59 F	114.20	4253.37	1836.86		
4900	44595	4828	67626	3472.0	1.59	1.61	N/A	16.01 F	116.32	4337.37	1924.87		
4900	28975	4828	51775	2108.2	1.62	1.61	N/A	24.64 F	116.32	4337.38	1924.87		
5029	22103	34	45340	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.40	1969.94		
5029	22102	33	45339	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.41	1969.95		
5600	-45329	-21341	-20805	2094.3	1.57	1.62	N/A	(13.67)	122.23	4572.11	2170.78		
5650	-40465	-23210	-15657	1506.5	1.58	1.62	N/A	(15.31)	122.66	4588.87	2188.34		
	Conn Fracture												
	Compression												
(V)	Vector Collapse Safety	Factor											

✓ ► Working Config Min SF Load/SF DF Summary WE Wallplot For Help, press F1


🤶 🛨 Default Datum @ 0.00 usft 📑 API - US Survey Feet 😫 jgriffin2

9-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi



*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.



*Modelling done with 6" Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 6/18/2024 1:09:45 PM

CASING PROGRAM

4

Seog resources

4 . C	ASINGI										
Hole	Interv	al MD	Interva	Interval TVD							
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn			
16"	0	2,030	0	2,030	13-3/8"	54.5#	J-55	STC			
11"	0	7,793	0	5,650	9-5/8"	40#	J-55	LTC			
7-7/8"	0	12,626	0	10,896	6"	22.3#	P110-EC	DWC/C IS			
6-3/4"	12,626	28,578	10,896	11,225	5-1/2"	20#	P110-EC	DWC/C IS MS			

Shallow Design D

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" and 5-1/2" casings in the 7-7/8" and 6-3/4" hole sizes. An expansion additive will be utilized in the cement slurry for the entire length of the 7-7/8" and 6-3/4" hole intervals to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.


		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	Sidiny Description
2,030'	570	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-
13-3/8''				Flake (TOC @ Surface)
	160	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium
				Metasilicate (TOC @ 1830')
7,793'	770	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @
9-5/8''				Surface)
	250	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 6238')
28,578'	650	10.5	3.21	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC
6''				@ 7300')
	1870	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5%
				NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @
				12730')

5. CEMENTING PROGRAM:

Shallow Design D

Proposed Wellbore

KB: 3558' GL: 3533'



File Edit Wellbore Tubular View Composer Tools Window Help

🖻 🖬 🚳 🖪 💀 🗴 🛍 💼 🕺 🕞

▼ ← → 95/8" Intermediate Casing ▼

Depth (MD)		orce (lbf)	Equivalent	Bending Stress		Absolute S	afety Factor		Temperature	Pressur	e (psi)	Addt'l Pickup To	Buckled
(usft)	Apparent (w/Bending)	Actual (w/o Bending)	Axial Load (lbf)	at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	(°F)	Internal	External	Prevent Buck. (lbf)	Length (us
0	252987	228954	253140	2098.2	1.69	1.58	N/A	2.82 F	70.00	2500.00	0.00	N/A	N/A
100	247735	223702	248466	2098.2	1.69	1.58	N/A	2.88 F	71.10	2543.63	43.63		
100	234996	223701	235716	986.2	1.71	1.58	N/A	3.04 F	71.10	2543.64	43.64		
1700	341565	139667	352253	17627.2	1.53	1.57	N/A	2.09 F	88.70	3241.64	741.64		
1700	312979	139666	323488	15131.5	1.58	1.57	N/A	2.28 F	88.70	3241.65	741.65		
1850	336881	132027	348440	17885.2	1.51	1.57	N/A	2.12 F	90.29	3305.05	805.05		
1850	318549	132027	329984	16284.8	1.54	1.57	N/A	2.24 F	90.29	3305.06	805.06		
1950	320468	127243	332475	16869.9	1.52	1.57	N/A	2.23 F	91.30	3344.87	844.87		
1950	312802	127243	324756	16200.7	1.53	1.57	N/A	2.28 F	91.30	3344.87	844.87		
2050	307858	122773	320295	16159.3	1.52	1.57	N/A	2.32 F	92.23	3381.89	881.89		
2050	303560	122772	315965	15784.1	1.53	1.57	N/A	2.35 F	92.23	3381.89	881.89		
2300	151294	112633	163658	3375.4	1.71	1.57	N/A	4.72 F	94.35	3466.13	966.13		
2300	132741	112633	144956	1755.6	1.72	1.57	N/A	5.38 F	94.35	3466.14	966.14		
2370	129966	109858	142452	1755.6	1.72	1.57	N/A	5.49 F	94.94	3489.28	989.28		
2370	127909	107800	140922	1755.6	1.75	1.60	N/A	5.58 F	94.94	3489.29	1036.40		
2700	105515	94232	119785	985.1 1523.4	1.75 1.75	1.60	N/A	6.77 F	97.73	3599.97	1152.35 1152.35		
2700	111680	94231	126006		1.75	1.60	N/A	6.39 F 6.44 F	97.73	3599.97			
3100 3100	110766 97392	77783	126839	2879.6	1.71	1.60 1.60	N/A N/A	6.44 F 7.33 F	101.11 101.11	3734.23 3734.23	1293.00 1293.01		
3100	71565	53303	113331 89806	1712.1	1.73	1.60	N/A N/A	7.33 F 9.97 F	101.11	3934.23	1293.01		
3700	60887	53302	79004	662.3	1.70	1.61	N/A	9.97 F 11.72 F	106.15	3934.24	1502.54		
4650	34671	14219	56495	1785.6	1.64	1.61	N/A N/A	20.59 F	114.20	4253.37	1836.86		
4050	44595	4828	67626	3472.0	1.59	1.61	N/A	16.01 F	114.20	4337.37	1924.87		
4900	28975	4828	51775	2108.2	1.62	1.61	N/A	24.64 F	116.32	4337.38	1924.87		
5029	22103	34	45340	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.40	1969.94		
5029	22103	33	45339	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.40	1969.95		
5600	-45329	-21341	-20805	2094.3	1.57	1.62	N/A	(13.67)	122.23	4572.11	2170.78		
5650	-40465	-23210	-15657	1506.5	1.58	1.62	N/A	(15.31)	122.66	4588.87	2188.34		
		23210	10001	1000.0	1.00	1.02		(10.01)	122.00	4000.01	2100.34		
F	Conn Fracture												
	Compression												
	Vector Collapse Safety	Factor											
× /													

For Help, press F1


🙎 👤 Default Datum @ 0.00 usft 📑 API - US Survey Feet 🙎 jgriffin2

9-5/8" Intermediate Casing Pressure Test:


Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi

Released to Imaging: 6/18/2024 1:09:45 PM

Page 75 of 143




*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.



*Modelling done with 6" Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 6/18/2024 1:09:45 PM



*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 6/18/2024 1:09:45 PM

Page 22 of 32



MUD PROGRAM:

During this procedure we plan to use a Closed-Loop System and haul contents to the required disposal. The applicable depths and properties of the drilling fluid systems are as follows:

Measured Depth	Туре	Weight (ppg)	Viscosity	Water Loss
0 – 2,030'	Fresh - Gel	8.6-8.8	28-34	N/c
2,030' – 7,793'	Brine	9-10.5	28-34	N/c
5,450' – 28,578' Lateral	Oil Base	8.8-9.5	58-68	N/c - 6

An electronic pit volume totalizer (PVT) will be utilized on the circulating system, to monitor pit volume, flow rate, pump pressure and stroke rate.

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept at the wellsite at all times.

CEMENTING ADDITIVES:

Additive	Purpose
Bentonite Gel	Lightweight/Lost circulation prevention
Calcium Chloride	Accelerator
Cello-flake	Lost circulation prevention
Sodium Metasilicate	Accelerator
MagOx	Expansive agent
Pre-Mag-M	Expansive agent
Sodium Chloride	Accelerator
FL-62	Fluid loss control
Halad-344	Fluid loss control
Halad-9	Fluid loss control
HR-601	Retarder
Microbond	Expansive Agent

Cement integrity tests will be performed immediately following plug bump.

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

Pipe Bodu and API Connections Performance Data Received by OCD: 5/21/2024 2:18:08 PM 13.375 54.50/0.380 J55

Page 80 of 143 PDF

New Search »

« Back to Previous List

USC O Metric

6/8/2015 10:04:37 AM		2 2		8 20	
Mechanical Properties	Pipe	втс	LTC	STC	
Minimum Yield Strength	55,000		<u></u>		psi
Maximum Yield Strength	80,000	-	. 	-	psi
Minimum Tensile Strength	75,000		-	-	psi
Dimensions	Pipe	втс	LTC	STC	
Outside Diameter	13.375	14.375	-	14.375	in.
Wall Thickness	0.380	77 -	. 		in.
Inside Diameter	12.615	12.615		12.615	in.
Standard Drift	12.459	12.459	. 	12.459	in.
Alternate Drift	-		-	-	in.
Nominal Linear Weight, T&C	54.50	-		-	lbs/ft
Plain End Weight	52.79			-	lbs/ft
Performance	Pipe	втс	LTC	STC	
Minimum Collapse Pressure	1,130	1, <mark>1</mark> 30		1,130	psi
Minimum Internal Yield Pressure	2,740	2,740	 0	2,740	psi
Minimum Pipe Body Yield Strength	853.00			-	1000 lbs
Joint Strength	=	909	 0	514	1000 lbs
Reference Length	-	11,125	-	6,290	n
Make-Up Data	Pipe	втс	LTC	STC	
Make-Up Loss	-	4.81		3.50	in.
Minimum Make-Up Torque	=	-		3,860	ft-Ibs
Released to Imaging: 6/18/2024 1:09:45 PM Maximum Make-Up Torque P	age 24 of₋32	-	<u></u>	6,430	ft-lbs

Pipe Body and API Connections Performance Data Received by OCD: 3/21/2024 2:18:08 PM 9.625 40.00/0.395 J55


Page 81 of 143 PDF

New Search »

« Back to Previous List

USC O Metric

6/8/2015 10:23:27 AM					
Mechanical Properties	Pipe	втс	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	_			psi
Minimum Tensile Strength	75,000	-	<u> </u>	-	psi
Dimensions	Pipe	втс	LTC	STC	
Outside Diameter	9.625	10.625	10.625	10.625	in.
Wall Thickness	0.395		27 .0	-	in.
Inside Diameter	8.835	8.835	8.835	8.835	in.
Standard Drift	8.679	8.679	8.679	8.679	in.
Alternate Drift	8.750	8.750	8.750	8.750	in.
Nominal Linear Weight, T&C	40.00	-	2		lbs/ft
Plain End Weight	38.97	-	4	-	lbs/ft
Performance	Ріре	втс	LTC	STC	
Minimum Collapse Pressure	2,570	2,570	2,570	2,570	psi
Minimum Internal Yield Pressure	3,950	3,950	3,950	3,950	psi
Minimum Pipe Body Yield Strength	630.00	-	+		1000 lbs
Joint Strength		714	520	452	1000 lbs
Reference Length	- 	11,898	8,665	7,529	n
Make-Up Data	Pipe	втс	LTC	STC	
Make-Up Loss	-	4.81	4.75	3.38	in.
Minimum Make-Up Torque	Demo 05 of 20	<u></u>	3,900	3,390	ft-lbs
Released to Imaging: 6/18/2024 1:09:45 PM Maximum Make-Up Torque	Page 25 of 32	-	6,500	5,650	ft-lbs



Need Help? Contact: <u>tech.support@vam-usa.com</u> Reference Drawing: 8136PP Rev.01 & 8136BP Rev.01 Date: 12/03/2019 Time: 06:19:27 PM

For detailed information on performance properties, refer to DWC Connection Data Notes on following page(s).

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages.



VAM USA 2107 CityWest Boulevard Suite 1300 Houston, TX 77042 Phone: 713-479-3200 Fax: 713-479-3234 VAM[®] USA Sales E-mail: <u>VAMUSAsales@vam-usa.com</u> Tech Support Email: <u>tech.support@vam-usa.com</u>

DWC Connection Data Sheet Notes:

1. DWC connections are available with a seal ring (SR) option.

2. All standard DWC/C connections are interchangeable for a given pipe OD. DWC connections are interchangeable with DWC/C-SR connections of the same OD and wall.

Connection performance properties are based on nominal pipe body and connection dimensions.
 DWC connection internal and external pressure resistance is calculated using the API rating for buttress connections. API Internal pressure resistance is calculated from formulas 31, 32, and 35 in the API Bulletin 5C3.
 DWC joint strength is the minimum pipe body yield strength multiplied by the connection critical area.

6. API joint strength is for reference only. It is calculated from formulas 42 and 43 in the API Bulletin 5C3.

7. Bending efficiency is equal to the compression efficiency.

8. The torque values listed are recommended. The actual torque required may be affected by field conditions such as temperature, thread compound, speed of make-up, weather conditions, etc.

9. Connection yield torque is not to be exceeded.

10. Reference string length is calculated by dividing the joint strength by both the nominal weight in air and a design factor (DF) of 1.4. These values are offered for reference only and do not include load factors such as bending, buoyancy, temperature, load dynamics, etc.

11. DWC connections will accommodate API standard drift diameters.

12. DWC/C family of connections are compatible with API Buttress BTC connections. Please contact tech.support@vam-usa.com for details on connection ratings and make-up.

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages.

Pipe: Body and API 2 Gannactions Performance Data

10.750 40.50/0.350 J55

New Search » « Back to Previous List

USC 🔵 Metric

10:14:05 AM		

6/8/2015 10:14:05 AM					
Mechanical Properties	Ptpe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000		-	-	psi
Minimum Tensile Strength	75,000	-	-	-	psi
Dimensions	Ptpe	BTC	LTC	STC	
Outside Diameter	10.750	11.750	-	11.750	in.
Wall Thickness	0.350		-	-	in.
Inside Diameter	10.050	10.050	-	10.050	in.
Standard Drift	9.894	9.894	-	9.894	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	40.50	-	-	-	lbs/ft
Plain End Weight	38.91	-	-	-	lbs/ft
Performance	Ptpe	BTC	LTC	STC	
Minimum Collapse Pressure	1,580	1,580	-	1,580	psi
Minimum Internal Yield Pressure	3,130	3,130	-	3,130	psi
Minimum Pipe Body Yield Strength	629.00	-	-	-	1000 lbs
Joint Strength		700	-	420	1000 lbs
Reference Length	-	11,522	-	6,915	ft
Make-Up Data	Ptpe	BTC	LTC	STC	
Make-Up Loss	-	4.81	-	3.50	in.
Minimum Make-Up Torque	-	-	-	3,150	ft-lbs
Released to Imaging: 6/18/2024 1:09:45 PM Maximum Make-Up Torque	Page <u>2</u> 8 of 32	-	-	5,250	• ft-lbs

Б

MADE IN USA FT

PO#

S S2L2 DA 7.875 W/O# SLN #

VALLOUREC STAR 8.625 32# J55



API 5CT, 10th Ed. Connection Data Sheet

O.D. (in)	· ·	,	WALL	(in)	GR/	ADE	*API DR	IFT (in)	RBV	V %
8.625	Nominal: Plain End:	32.00 31.13	0.352	2	Jť	55	7.79	96	87	.5
	Material Propert	ties (PE)				F	Pipe Bod	y Data (PE)	
	Pipe						Geo	metry		
Minimum `	Yield Strength:	55	ksi		Nomin	al ID:			7.92	inch
Maximum	Yield Strength:	80	ksi		Nomin	al Area	:		9.149	in ²
Minimum [•]	Tensile Strength:	75	ksi		*Speci	ial/Alt. [Drift:		7.875	inch
	Coupling	g					Perfo	rmance		
Minimum `	Yield Strength:	55	ksi		Pipe B	Body Yie	eld Streng	gth:	503	kips
Maximum	Yield Strength:	80	ksi		Collap	se Res	istance:		2,530	psi
					Intornal	Yield Pr	essure.			
	Tensile Strength:	75	ksi			storical)			3,930	psi
	Tensile Strength: API Connectio		ksi			storical)		ction To		psi
	API Connectio	n Data 9.625"	ksi			storical) AF	PI Conne		orque	psi
Minimum ⁻	API Connectio Coupling OD: 9 STC Perform	n Data 9.625" ance			(API Hi	storical) AF	PI Conne STC Tore	que (ft-ll	orque bs)	
Minimum [•] STC Intern	API Connectio Coupling OD: S STC Perform nal Pressure:	n Data 9.625" ance 3,930	psi			storical) AF	PI Conne		orque	psi 4,65
Minimum [•] STC Intern	API Connectio Coupling OD: 9 STC Perform nal Pressure: Strength:	n Data 9.625" ance 3,930 372	psi		(API Hi	storical) AF	PI Conne STC Tore	que (ft-ll	orque bs)	
Minimum [•] STC Intern	API Connectio Coupling OD: S STC Perform nal Pressure:	n Data 9.625" ance 3,930 372	psi		(API Hi	storical) AF 2,793	PI Conne STC Tore	que (ft-II 3,724	orque bs) Max:	
Minimum [•] STC Intern STC Joint	API Connectio Coupling OD: 9 STC Perform nal Pressure: Strength:	n Data 9.625" ance 3,930 372	psi kips		(API Hi	storical) AF 2,793	PI Conne STC Tore Opti:	que (ft-II 3,724	orque bs) Max:	
Minimum STC Intern STC Joint LTC Intern LTC Joint	API Connection Coupling OD: 9 STC Perform nal Pressure: Strength: LTC Perform nal Pressure: Strength:	n Data 0.625" ance 3,930 372 ance 3,930 417	psi kips psi kips		(API Hi	storical) AF 2,793	PI Conne STC Tore Opti: LTC Tore	que (ft-II 3,724 que (ft-II	orque bs) Max: DS)	4,6
Minimum STC Intern STC Joint LTC Intern LTC Joint	API Connection Coupling OD: 9 STC Perform nal Pressure: Strength: LTC Perform nal Pressure:	n Data 0.625" ance 3,930 372 ance 3,930 417	psi kips psi kips		(API Hi	storical) AF 2,793 3,130	PI Conne STC Tore Opti: LTC Tore	que (ft-II 3,724 que (ft-II 4,174	orque bs) Max: Ds) Max:	4,65
Minimum STC Intern STC Joint LTC Intern LTC Joint SC-BTC F	API Connection Coupling OD: 9 STC Perform nal Pressure: Strength: LTC Perform nal Pressure: Strength:	n Data 0.625" ance 3,930 372 ance 3,930 417	psi kips psi kips 9.125"		(API Hit	storical) AF 2,793 3,130	PI Conne STC Tore Opti: LTC Tore Opti:	que (ft-II 3,724 que (ft-II 4,174 que (ft-II	orque bs) Max: Ds) Max:	4,65 5,2

*Alt. Drift will be used unless API Drift is specified on order.

**If above API connections do not suit your needs, VAM® premium connections are available up to 100% of pipe body ratings.

ALL INFORMATION IS PROVIDED BY VALLOUREC OR ITS AFFILIATES AT USER'S SOLE RISK, WITHOUT LIABILITY FOR LOSS, DAMAGE OR INJURY RESULTING FROM THE USE THEREOF; AND ON AN "AS IS" BASIS WITHOUT WARRANTY OR REPRESENTATION OF ANY KIND, WHETHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR PURPOSE, ACCURACY OR COMPLETENESS. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY AND IS BASED ON ESTIMATES THAT HAVE NOT BEEN VERIFIED OR TESTED. IN NO EVENT SHALL VALLOUREC OR ITS AFFILIATES BE RESPONSIBLE FOR ANY INDIRCT, SPECIAL, INCIDENTAL, PUNITIVE, EXEMPLARY OR CONSEQUENTIAL LOSS OR DAMAGE (INCLUDING WITHOUT LIMITATION, LOSS OF USE, LOSS OF BARGAIN, LOSS OF REVENUE, PROFIT ANTICIPATED PROFIT) HOWEVER CAUSED OR ARISING, AND WHETHER SUCH LOSSES OR DAMAGES. WERE FORESEEABLE OR VALLOUREC OR ITS AFFILIATES WERE ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Rev 3, 7/30/2021

10/21/2022 15:24



Issued on: 10 Feb. 2021 by Wesley Ott



OD	Weight (lb/ft)	Wall Th.	Grade	API Drift:	Connection
6 in.	Nominal: 24.50	0.400 in.	P110EC	5.075 in.	VAM [®] SPRINT-SF
	Plain End: 23.95			•	

PI PE PROPERTI ES		
Nominal OD	6.000	in.
Nominal ID	5.200	in.
Nominal Cross Section Area	7.037	sqin.
Grade Type	Hig	jh Yield
Min. Yield Strength	125	ksi
Max. Yield Strength	140	ksi
Min. Ultimate Tensile Strength	135	ksi


CONNECTION PROPERTIES		
Connection Type	Integral Semi-Flush	
Connection OD (nom):	6.277	in.
Connection ID (nom):	5.146	in.
Make-Up Loss	5.386	in.
Critical Cross Section	6.417	sqin.
Tension Efficiency	91.0	% of pipe
Compression Efficiency	91.0	% of pipe
Internal Pressure Efficiency	100	% of pipe
External Pressure Efficiency	100	% of pipe

CONNECTION PERFORMANCES			
Tensile Yield Strength	801	klb	
Compression Resistance	801	klb	
Internal Yield Pressure	14,580	psi	
Collapse Resistance	12,500	psi	
Max. Structural Bending	83	°/100ft	
Max. Bending with ISO/API Sealability	30	°/100ft	

TORQUE VALUES		
Min. Make-up torque	21,750	ft.lb
Opt. Make-up torque	24,250	ft.lb
Max. Make-up torque	26,750	ft.lb
Max. Torque with Sealability (MTS)	53,000	ft.lb

* 87.5% RBW

VAM® SPRINT-SF is a semi-flush connection innovatively designed for extreme shale applications. Its high tension rating and ultra high torque capacity make it ideal to run a fill string length as production casing in shale wells with extended horizontal sections and tight clearance requirements.



Do you need help on this product? - Remember no one knows VAM® like VAM®

canada@vamfieldservice.com usa@vamfieldservice.com mexico@vamfieldservice.com brazil@vamfieldservice.com uk@vamfieldservice.com dubai@vamfieldservice.com nigeria@vamfieldservice.com angola@vamfieldservice.com

Over 140 VAM® Specialists available worldwide 24/7 for Rig Site Assistance

china@vamfieldservice.com baku@vamfieldservice.com singapore@vamfieldservice.com australia@vamfieldservice.com



Connection Data Sheet

OD (in.)	WEIGHT (lbs./ft.)	WALL (in.)	GRADE	API DRIFT (in.)	RBW%	CONNECTION
6.000	Nominal: 22.30	0.360	VST P110EC	5.155	92.5	DWC/C-IS
	Plain End: 21 70		•		•	

PIPE PROPERTIES			
Nominal OD	6.000	in.	
Nominal ID	5.280	in.	
Nominal Area	6.379	sq.in.	
Grade Type	API 5CT		
Min. Yield Strength	125	ksi	
Max. Yield Strength	140	ksi	
Min. Tensile Strength	135	ksi	
Yield Strength	797	klb	
Ultimate Strength	861	klb	
Min. Internal Yield Pressure	13,880	psi	
Collapse Pressure	9,800	psi	

	NCES	
Yield Strength	797	klb
Parting Load	861	klb
Compression Rating	797	klb
Min. Internal Yield	13,880	psi
External Pressure	9,800	psi
Maximum Uniaxial Bend Rating	47.7	°/100 ft
Reference String Length w 1.4 Design Factor	25,530	ft.

CONNECTION PRO	PERTIES	
Connection Type	Semi-Prem	nium T&C
Connection OD (nom)	6.650	in.
Connection ID (nom)	5.280	in.
Make-Up Loss	4.313	in.
Coupling Length	9.625	in.
Critical Cross Section	6.379	sq.in.
Tension Efficiency	100.0%	of pipe
Compression Efficiency	100.0%	of pipe
Internal Pressure Efficiency	100.0%	of pipe
External Pressure Efficiency	100.0%	of pipe

FIELD END TORQUE VALUES			
Min. Make-up torque	17,000	ft.lb	
Opti. Make-up torque	18,250	ft.lb	
Max. Make-up torque	19,500	ft.lb	
Min. Shoulder Torque	1,700	ft.lb	
Max. Shoulder Torque	13,600	ft.lb	
Min. Delta Turn	-	Turns	
Max. Delta Turn	0.200	Turns	
Maximum Operational Torque	24,200	ft.lb	
Maximum Torsional Value (MTV)	26,620	ft.lb	

Need Help? Contact: <u>tech.support@vam-usa.com</u> Reference Drawing: 8135PP Rev.02 & 8135BP Rev.02 Date: 07/30/2020

Time: 07:50:47 PM

For detailed information on performance properties, refer to DWC Connection Data Notes on following page(s).

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.



VAM USA 2107 CityWest Boulevard Suite 1300 Houston, TX 77042 Phone: 713-479-3200 Fax: 713-479-3234 VAM[®] USA Sales E-mail: <u>VAMUSAsales@vam-usa.com</u> Tech Support Email: <u>tech.support@vam-usa.com</u>

DWC Connection Data Sheet Notes:

1. DWC connections are available with a seal ring (SR) option.

2. All standard DWC/C connections are interchangeable for a given pipe OD. DWC connections are interchangeable with DWC/C-SR connections of the same OD and wall.

3. Connection performance properties are based on nominal pipe body and connection dimensions.

4. DWC connection internal and external pressure resistance is calculated using the API rating for buttress connections. API Internal pressure resistance is calculated from formulas 31, 32, and 35 in the API Bulletin 5C3.

5. DWC joint strength is the minimum pipe body yield strength multiplied by the connection critical area.

6. API joint strength is for reference only. It is calculated from formulas 42 and 43 in the API Bulletin 5C3.

7. Bending efficiency is equal to the compression efficiency.

8. The torque values listed are recommended. The actual torque required may be affected by field conditions such as temperature, thread compound, speed of make-up, weather conditions, etc.

9. Connection yield torque is not to be exceeded.

10. Reference string length is calculated by dividing the joint strength by both the nominal weight in air and a design factor (DF) of 1.4. These values

are offered for reference only and do not include load factors such as bending, buoyancy, temperature, load dynamics, etc. 11. DWC connections will accommodate API standard drift diameters.

12. DWC/C family of connections are compatible with API Buttress BTC connections. Please contact tech.support@vam-usa.com for details on connection ratings and make-up.

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates use advised of the possibility of such damages.





Intermediate Bradenhead Cement:

EOG requests variance from minimum standards to pump a two stage cement job on the intermediate casing string with the first stage being pumped conventionally with the calculated top of cement at the Brushy Canyon and the second stage performed as 1000 sack bradenhead squeeze with planned cement from the Brushy Canyon to surface. If necessary, a top out consisting of Class C cement + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (2.30 yld, 12.91 ppg) will be executed as a contingency. Top of cement will be verified by Echo-meter.

EOG will include the Echo-meter verified fluid top and the volume of displacement fluid above the cement slurry in the annulus in all post-drill sundries on wells utilizing this cement program.

EOG will report to the BLM the volume of fluid (limited to 5 bbls) used to flush intermediate casing valves following backside cementing procedures.




Break-test BOP & Offline Cementing:


EOG Resources Inc. (EOG) respectfully requests a variance from the minimum standards for well control equipment testing of ECFR Title 43 Part 3172.6(b)(9)(iv) to allow a testing schedule of the blow out preventer (BOP) and blow out prevention equipment (BOPE) along with Batch Drilling & Offline cement operations to include the following:

- Full BOPE test at first installation on the pad.
- Full BOPE test every 21 days.
- This test will be conducted for 5M rated hole intervals only.
- Each rig requesting the break-test variance is capable of picking up the BOP without damaging components using winches, following API Standard 53, Well Control Equipment Systems for Drilling Wells (Fifth edition, December 2018, Annex C. Table C.4) which recognizes break testing as an acceptable practice.
- Function tests will be performed on the following BOP elements:
 - Annular **à** during each full BOPE test
 - Upper Pipe Rams **à** On trip ins where FIT required
 - Blind Rams **à** Every trip
 - Lower Pipe Rams à during each full BOPE test
- Break testing BOP and BOPE coupled with batch drilling operations and option to offline cement and/or remediate (if needed) any surface or intermediate sections, according to attached offline cementing support documentation.
- After the well section is secured, the BOP will be disconnected from the wellhead and walked with the rig to another well on the pad.
- TA cap will also be installed per Wellhead vendor procedure and pressure inside the casing will be monitored via the valve on the TA cap as per standard batch drilling ops.

Break Test Diagram (HCR valve)



Break Test Diagram (Test Joint)



Steps

- 1. Set plug in with test joint wellhead (lower barrier)
- 2. Close Upper Pipe Rams (upper barrier)
- 3. Close roadside kill
- 4. Close HCR
- Open wellhead valves below test plug to ensure if leak past test plug, pressure won't be applied to wellbore
- 6. Tie BOP testers high pressure line to top of test joint
- 7. Pressure up to test break
- 8. Bleed test pressure from BOP testing unit

Seog resources Offline Intermediate Cementing Procedure

Cement Program

1. No changes to the cement program will take place for offline cementing.

Summarized Operational Procedure for Intermediate Casing

- 1. Run casing as per normal operations. While running casing, conduct negative pressure test and confirm integrity of the float equipment back pressure valves.
 - a. Float equipment is equipped with two back pressure valves rated to a minimum of 5,000 psi.
- 2. Land production casing on mandrel hanger through BOP.
 - a. If casing is unable to be landed with a mandrel hanger, then the **casing will be cemented online**.
- 3. Break circulation and confirm no restrictions.
 - a. Ensure no blockage of float equipment and appropriate annular returns.
 - b. Perform flow check to confirm well is static.
- 4. Set pack-off
 - a. If utilizing a fluted/ported mandrel hanger, ensure well is static on the annulus and inside the casing by filling the pipe with kill weight fluid, remove landing joint, and set annular packoff through BOP. Pressure test to 5,000 psi for 10 min.
 - b. If utilizing a solid mandrel hanger, ensure well is static on the annulus and inside the casing by filling the pipe with kill weight fluid. Pressure test seals to 5,000 psi for 10 min. Remove landing joint through BOP.
- 5. After confirmation of both annular barriers and the two casing barriers, install TA plug and pressure test to 5,000 psi for 10 min. Notify the BLM with intent to proceed with nipple down and offline cementing.
 - a. Minimum 4 hrs notice.
- 6. With the well secured and BLM notified, nipple down BOP and secure on hydraulic carrier or cradle.
 - a. Note, if any of the barriers fail to test, the BOP stack will not be nippled down until after the cement job has concluded and both lead and tail slurry have reached 500 psi.
- 7. Skid/Walk rig off current well.
- 8. Confirm well is static before removing TA Plug.
 - a. Cementing operations will not proceed until well is under control. (If well is not static, notify BLM and proceed to kill)
 - b. Casing outlet valves will provide access to both the casing ID and annulus. Rig or third party pump truck will kill well prior to cementing.
 - c. Well control plan can be seen in Section B, Well Control Procedures.
 - d. If need be, rig can be moved back over well and BOP nippled back up for any further remediation.

Page | 1

Page 94 of 143

2/24/2022

Seog resources

Offline Intermediate Cementing Procedure

- e. Diagram for rig positioning relative to offline cementing can be seen in Figure 4.
- 9. Rig up return lines to take returns from wellhead to pits and rig choke.
 - a. Test all connections and lines from wellhead to choke manifold to 5,000 psi high for 10 min.
 - b. If either test fails, perform corrections and retest before proceeding.
 - c. Return line schematics can be seen in Figure 3.
- 10. Remove TA Plug from the casing.
- 11. Install offline cement tool.
 - a. Current offline cement tool schematics can be seen in Figure 1 (Cameron) and Figure 2 (Cactus).
- 12. Rig up cement head and cementing lines.
 - a. Pressure test cement lines against cement head to 80% of casing burst for 10 min.
- 13. Break circulation on well to confirm no restrictions.
 - a. If gas is present on circulation, well will be shut in and returns rerouted through gas buster.
 - b. Max anticipated time before circulating with cement truck is 6 hrs.
- 14. Pump cement job as per plan.
 - a. At plug bump, test casing to 0.22 psi/ft or 1500 psi, whichever is greater.
 - b. If plug does not bump on calculated, shut down and wait 8 hrs or 500 psi compressive strength, whichever is greater before testing casing.
- 15. Confirm well is static and floats are holding after cement job.
 - a. With floats holding and backside static:
 - i. Remove cement head.
 - b. If floats are leaking:
 - i. Shut-in well and WOC (Wait on Cement) until tail slurry reaches 500 psi compressive strength and the casing is static prior to removing cement head.
 - c. If there is flow on the backside:
 - i. Shut in well and WOC until tail slurry reaches 500 psi compressive strength. Ensure that the casing is static prior to removing cement head.
- 16. Remove offline cement tool.
- 17. Install night cap with pressure gauge for monitoring.
- 18. Test night cap to 5,000 psi for 10 min.

Example Well Control Plan Content

A. Well Control Component Table

The table below, which covers the cementing of the <u>5M MASP (Maximum Allowable Surface Pressure) portion of the well</u>, outlines the well control component rating in use. This table, combined with the mud program, documents that two barriers to flow can be maintained at all times, independent of the BOP nippled up to the wellhead.

Intermediate hole section, 5M requirement

Component	RWP
Pack-off	10M
Casing Wellhead Valves	10M
Annular Wellhead Valves	5M
TA Plug	10M
Float Valves	5M
2" 1502 Lo-Torque Valves	15M

B. Well Control Procedures

Well control procedures are specific to the rig equipment and the operation at the time the kick occurs. Below are the minimal high-level tasks prescribed to assure a proper shut-in while circulating and cementing through the Offline Cement Adapter.

General Procedure While Circulating

- 1. Sound alarm (alert crew).
- 2. Shut down pumps.
- 3. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 4. Confirm shut-in.
- 5. Notify tool pusher/company representative.

Page | 3

Seog resources

Offline Intermediate Cementing Procedure

- 6. Read and record the following:
 - a. SICP (Shut in Casing Pressure) and AP (Annular Pressure)
 - b. Pit gain
 - c. Time
 - d. Regroup and identify forward plan to continue circulating out kick via rig choke and mud/gas separator. Circulate and adjust mud density as needed to control well.

General Procedure While Cementing

- 1. Sound alarm (alert crew).
- 2. Shut down pumps.
- 3. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 4. Confirm shut-in.
- 5. Notify tool pusher/company representative.
- 6. Open rig choke and begin pumping again taking returns through choke manifold and mud/gas separator.
- 7. Continue to place cement until plug bumps.
- 8. At plug bump close rig choke and cement head.
- 9. Read and record the following
 - a. SICP and AP
 - b. Pit gain
 - c. Time
 - d. Shut-in annulus valves on wellhead

General Procedure After Cementing

- 1. Sound alarm (alert crew).
- 2. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 3. Confirm shut-in.
- 4. Notify tool pusher/company representative.
- 5. Read and record the following:
 - a. SICP and AP
 - b. Pit gain
 - c. Time
 - d. Shut-in annulus valves on wellhead

Page | 4


Seog resources Offline Intermediate Cementing Procedure

Figure 1: Cameron TA Plug and Offline Adapter Schematic



Offline Intermediate Cementing Procedure






Page 99 of 143

2/24/2022








*** All Lines 10M rated working pressure

Page | 7







Salt Section Annular Clearance Variance Request

Daniel Moose

Current Design (Salt Strings)

0.422" Annular clearance requirement

- Casing collars shall have a minimum clearance of 0.422 inches on all sides in the hole/casing annulus, with recognition that variances can be granted for justified exceptions.

- 12.25" Hole x 9.625"40# J55/HCK55 LTC Casing
 - 1.3125" Clearance to casing OD
 - 0.8125" Clearance to coupling OD
- 9.875" Hole x 8.75" 38.5# P110 Sprint-SF Casing
 - 0.5625" Clearance to casing OD
 - 0.433" Clearance to coupling OD

Annular Clearance Variance Request

EOG request permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Onshore Order #2 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues


Volumetric Hole Size Calculation

Hole Size Calculations Off Cement Volumes

- Known volume of cement pumped
- Known volume of cement returned to surface
- Must not have had any losses
- Must have bumped plug

Average Hole Size

- 12.25" Hole
 - 12.88" Hole
 - 5.13% diameter increase
 - 10.52% area increase
 - 0.63" Average enlargement
 - 0.58" Median enlargement
 - 179 Well Count
- 9.875" Hole
 - 10.30" Hole
 - 4.24% diameter increase
 - 9.64% area increase
 - 0.42" Average enlargement
 - 0.46" Median enlargement
 - 11 Well Count




Modelo 10 Fed Com #501H

Caliper Hole Size (12.25")

Average Hole Size

- 12.25" Bit
 - 12.76" Hole
 - 4.14% diameter increase
 - 8.44% area increase
 - 0.51" Average enlargement
 - 0.52" Median enlargement
 - Brine






Caliper Hole Size (9.875")

Average Hole Size

- 9.875" Hole
 - 11.21" Hole
 - 13.54% diameter increase
 - 28.92% area increase
 - 1.33" Average enlargement
 - 1.30" Median enlargement
 - EnerLite







Design A

Proposed 11" Hole with 9.625" 40# J55/HCK55 LTC Casing


- 11" Bit + 0.52" Average hole enlargement = 11.52" Hole Size
 - 0.9475" Clearance to casing OD

$$= \frac{11.52 - 9.625}{2}$$
• 0.4475" Clearance to coupling OD

$$11.52 - 10.625$$


- Previous Shoe 13.375" 54.5# J55 STC
 - 0.995" Clearance to coupling OD (~1,200' overlap)

$$=\frac{12.615-10.625}{2}$$



 $\boldsymbol{\diamond}$

Design B





Index

.

Casing Spec Sheets

PERFORMANCE DATA

API LTC		
Technical	Data	Sheet

9.625 in 40.00 lbs/ft

K55 HC

Tubular Parameters

Size	9.625	in	Minimum Yield	55	ksi
Nominal Weight	40.00	lbs/ft	Minimum Tensile	95	ksi
Grade	K55 HC		Yield Load	629	kips
PE Weight	38.94	lbs/ft	Tensile Load	1088	kips
Wall Thickness	0.395	in	Min. Internal Yield Pressure	3,950	psi
Nominal ID	8.835	in	Collapse Pressure	3600	psi
Drift Diameter	8.750	in			
Nom. Pipe Body Area	11.454	in²			

Connection Parameters

Connection OD	10.625	in
Coupling Length	10.500	in
Threads Per Inch	8	tpi
Standoff Thread Turns	3.50	turns
Make-Up Loss	4.750	in
Min. Internal Yield Pressure	3,950	psi

Pipe Body and API Connections Performance Data

New Search »

« Back to Previous List

USC 💽 Metric

PDF

6/8/2015 10:04:37 AM					
Mechanical Properties	Ptpe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-	-	psi
Minimum Tensile Strength	75,000	-	-	-	psi
Dimensions	Pipe	BTC	LTC	STC	
Outside Diameter	13.375	14.375	-	14.375	in.
Wall Thickness	0.380	-	-	-	in.
Inside Diameter	12.615	12.615	-	12.615	in.
Standard Drift	12.459	12.459	-	12.459	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	54.50	-	-	-	lbs/ft
Plain End Weight	52.79	-	-	-	lbs/ft
Performance	Ptpe	BTC	LTC	STC	
Minimum Collapse Pressure	1,130	1,130	-	1,130	psi
Minimum Internal Yield Pressure	2,740	2,740	-	2,740	psi
Minimum Pipe Body Yield Strength	853.00	-	-	-	1000 lbs
Joint Strength	-	909	-	514	1000 lbs
Reference Length	-	11,125	-	6,290	ft
Make-Up Data	Ptpe	BTC	LTC	STC	
Make-Up Loss	-	4.81	-	3.50	in.
Minimum Make-Up Torque	-	-	-	3,860	fl-lbs
Maximum Make-Up Torque	-	-	-	6,430	ft-lbs



Casing Spec Sheets

Pipe Body and API Connections Performance Data

10.750 40.50/0.350 J55					PD
New Search »					« Back to Previous L
					USC 💽 Metr
i/8/2015 10:14:05 AM					
Mechanical Properties	Pipe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-		psi
Minimum Tensile Strength	75,000	-	-	-	psi
Dimensions	Pipe	втс	LTC	STC	
Outside Diameter	10.750	11.750	-	11.750	in.
Wall Thickness	0.350	-	-		in.
Inside Diameter	10.050	10.050		10.050	in.
Standard Drift	9.894	9.894	-	9.894	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	40.50	-	-	-	lbs/ft
Plain End Weight	38.91	-	-		lbs/ft
Performance	Pipe	втс	LTC	STC	
Minimum Collapse Pressure	1,580	1,580	-	1,580	psi
Minimum Internal Yield Pressure	3,130	3,130	-	3,130	psi
Minimum Pipe Body Yield Strength	629.00	-	-	-	1000 lbs
Joint Strength		700	-	420	1000 lbs
Reference Length	-	11,522	-	6,915	ft
Make-Up Data	Pipe	втс	LTC	STC	
Make-Up Loss	-	4.81		3.50	in.
Minimum Make-Up Torque		-		3,150	ft-lbs
Maximum Make-Up Torque	-	-	-	5,250	ft-lbs

			API	5 CT , 1	0th Ed. Co	onnect	ion Data	a Shee	
O.D. (in) WEIGHT (lk 8.625 Nominal: Plain End:	o/ft) 32.00 31.13	WALL (in) 0.352	GRA J5		* API DRIF 7.796	· 1	RBV 87	• • •	
Material Properti			F	Pipe Body I	Data (I	PE)			
Pipe					Geom	etry			
Minimum Yield Strength:	55	ksi	Nomin	al ID:			7.92 i		
Maximum Yield Strength:	80	ksi	Nomina				9.149 i	in ²	
Minimum Tensile Strength:	75	ksi	*Specia	al/Alt. [7.875 i	nch	
Coupling			Performanc				-		
Minimum Yield Strength:	55			•	eld Strength	1:	503	•	
Maximum Yield Strength:	80	ksi	Collapse Resistance: Internal Yield Pressure:				2,530 psi		
Minimum Tensile Strength:	imum Tensile Strength: 75 ksi				(API Historical) 3,0			psi	
API Connection Coupling OD: 9.			API Connection Torque						
STC Performa	ince			:	STC Torqu	e (ft-lk	os)		
STC Internal Pressure:	3,930	psi	Min:	2,793	Opti:	3,724	Max:	4,65	
STC Joint Strength:	372	kips							
LTC Performa			LTC Torque (ft-lbs)						
	3,930		Min:	3,130	Opti:	4,174	Max:	5,21	
LTC Internal Pressure:	117	kips							
LTC Joint Strength:		9 125"				o /ff 1k	os)		
LTC Joint Strength: SC-BTC Performance - Cp	olg OD =				BTC Torqu	•		les un	
LTC Joint Strength: SC-BTC Performance - Cp BTC Internal Pressure:			follov		BTC Torqu	•	sitional ma	ke up	
LTC Joint Strength: SC-BTC Performance - Cp BTC Internal Pressure: BTC Joint Strength:	olg OD = 3,930 503	psi		v API gu	idelines regar	•	sitional ma	ke up	

11

eog



EOG BLANKET CASING DESIGN VARIANCE

EOG respectfully requests the drill plans in the attached document 'EOG Alternate Casing Designs – BLM APPROVED' be added to the COA's for this well. These designs have been approved by the BLM down to the TVDs listed below and will allow EOG to run alternate casing designs for this well if necessary.

The designs and associated details listed are the "worst case scenario" boundaries for design safety factors. Location and lithology have NOT been accounted for in these designs. The specific well details will be based on the APD/Sundry package and the information listed in the COA.

The mud program will not change from the original design for this well. Summary of the mud programs for both shallow and deep targets are listed at the end of this document. If the target is changing, a sundry will be filed to update the casing design and mud/cement programs.

Cement volumes listed in this document are for reference only. The cement volumes for the specific well will be adjusted to ensure cement tops meet BLM requirements as listed in the COA and to allow bradenhead cementing when applicable.

This blanket document only applies to wells with three string designs outside of Potash and Capitan Reef boundaries.

Shallow Design Boundary Conditions								
	Deepest	Deepest	Max Inc	Max DLS				
	MD (ft)	TVD (ft)	(deg)	(°/100usft)				
Surface	2030	2030	0	0				
Intermediate	7793	5650	40	8				
Production	28578	11225	90	25				



Shallow 1	Design A
-----------	----------

<u>I.</u> (
Hole	Interval MD		Interval TVD		Csg						
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn			
16"	0	2,030	0	2,030	13-3/8"	54.5#	J-55	STC			
11"	0	7,793	0	5,650	9-5/8"	40#	J-55	LTC			
6-3/4"	0	28,578	0	11,225	5-1/2"	20#	P110-EC	DWC/C IS MS			

1. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.


		Wt.	Yld	Slurry Description						
Depth	No. Sacks	ppg	Ft3/sk	Slurry Description						
2,030'	570	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-						
13-3/8''				Flake (TOC @ Surface)						
	160	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium						
				Metasilicate (TOC @ 1830')						
7,793'	770	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @						
9-5/8''				Surface)						
	250	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 6238')						
28,578'	410	10.5	3.21	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC						
5-1/2''				@ 7300')						
	1110	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5%						
				NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @						
				12730')						

2. CEMENTING PROGRAM:

Shallow Design A

Proposed Wellbore

KB: 3558' GL: 3533'



Buckled Length (usft)

N/A

→ ← → 95/8" Intermediate Casing

					asing 🔄							
\$				ñ	🐺 🖳 Pressure Test	2	J					
Triaxia	al Results											
		Axial Force (lbf)	Envirolant		Absolute Safety Factor				T	Pressure		
	Depth (MD) (usft)	Apparent (w/Bending)	Actual (w/o Bending)	Equivalent Axial Load (Ibf)	Bending Stress at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	Temperature (°F)	Internal	
1	0	252987	228954	253140	2098.2	1.69	1.58	N/A	2.82 F	70.00	2500.00	
2	100	247735	223702	248466	2098.2	1.69	1.58	N/A	2.88 F	71.10	2543.63	

_

100	247735	223702	248466	2098.2	1.69	1.58	N/A	2.88 F	71.10	2543.63	43.63	
100	234996	223701	235716	986.2	1.71	1.58	N/A	3.04 F	71.10	2543.64	43.64	
 1700	341565	139667	352253	17627.2	1.53	1.57	N/A	2.09 F	88.70	3241.64	741.64	
1700	312979	139666	323488	15131.5	1.58	1.57	N/A	2.28 F	88.70	3241.65	741.65	
1850	336881	132027	348440	17885.2	1.51	1.57	N/A	2.12 F	90.29	3305.05	805.05	
1850	318549	132027	329984	16284.8	1.54	1.57	N/A	2.24 F	90.29	3305.06	805.06	
1950	320468	127243	332475	16869.9	1.52	1.57	N/A	2.23 F	91.30	3344.87	844.87	
1950		127243	324756	16200.7	1.53	1.57	N/A	2.28 F	91.30	3344.87	844.87	
2050		122773	320295	16159.3	1.52	1.57	N/A	2.32 F	92.23	3381.89	881.89	
2050	303560	122772	315965	15784.1	1.53	1.57	N/A	2.35 F	92.23	3381.89	881.89	
2300		112633	163658	3375.4	1.71	1.57	N/A	4.72 F	94.35	3466.13	966.13	
2300		112633	144956	1755.6	1.72	1.57	N/A	5.38 F	94.35	3466.14	966.14	
2370		109858	142452	1755.6	1.72	1.57	N/A	5.49 F	94.94	3489.28	989.28	
2370	127909	107800	140922	1755.6	1.75	1.60	N/A	5.58 F	94.94	3489.29	1036.40	
2700	105515	94232	119785	985.1	1.75	1.60	N/A	6.77 F	97.73	3599.97	1152.35	
2700		94231	126006	1523.4	1.75	1.60	N/A	6.39 F	97.73	3599.97	1152.35	
3100		77783	126839	2879.6	1.71	1.60	N/A	6.44 F	101.11	3734.23	1293.00	
3100		77783	113331	1712.1	1.73	1.60	N/A	7.33 F	101.11	3734.23	1293.01	
3700		53303	89806	1594.4	1.70	1.61	N/A	9.97 F	106.15	3934.24	1502.54	
3700		53302	79004	662.3	1.71	1.61	N/A	11.72 F	106.16	3934.25	1502.55	
4650		14219	56495	1785.6	1.64	1.61	N/A	20.59 F	114.20	4253.37	1836.86	
4900		4828	67626	3472.0	1.59	1.61	N/A	16.01 F	116.32	4337.37	1924.87	
4900	28975	4828	51775	2108.2	1.62	1.61	N/A	24.64 F	116.32	4337.38	1924.87	
5029	22103	34	45340	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.40	1969.94	
5029		33	45339	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.41	1969.95	
5600		-21341	-20805	2094.3	1.57	1.62	N/A	(13.67)	122.23	4572.11	2170.78	
5650	-40465	-23210	-15657	1506.5	1.58	1.62	N/A	(15.31)	122.66	4588.87	2188.34	
F	Conn Fracture											
	Compression											
(V)	Vector Collapse Safety Fact	or										

6

Pressure (psi)

External

0.00

43 63

Addt'l Pickup To Prevent Buck. (Ibf)


N/A

₩ Working { Config { Min SF } Load/SF { DF Summary { VME { Wallplot } For Help, press F1


🤶 🛨 Default Datum @ 0.00 usft 📑 API - US Survey Feet 😫 jgriffin2

9-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi



*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.



*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 6/18/2024 1:09:45 PM

Page 6 of 32



Shallow	Design B
---------	----------

<u>I.</u> (CASING I ROGRAM									
Hole	Interv	al MD	Interva	Interval TVD						
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn		
13-1/2"	0	2,030	0	2,030	10-3/4"	40.5#	J-55	STC		
9-7/8"	0	7,793	0	5,650	8-5/8"	32#	J-55	BTC-SC		
6-3/4"	0	28,578	0	11,225	5-1/2"	20#	P110-EC	DWC/C IS MS		

1. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 8-5/8" casing in the 9-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 9-7/8" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.


		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	Sidiny Description
2,030'	530	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-
10-3/4''				Flake (TOC @ Surface)
	140	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium
				Metasilicate (TOC @ 1830')
7,793'	460	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @
8-5/8''				Surface)
	210	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 6238')
28,578'	400	10.5	3.21	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC
5-1/2''				@ 7300')
	1110	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5%
				NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @
				12730')

2. CEMENTING PROGRAM:

Shallow Design B

Proposed Wellbore

KB: 3558' GL: 3533'



_ = ;

Results Depth (MD)	Axial F	Force (lbf)	Equivalent	Bending Stress		Absolute S	afety Factor		Temperature	Pressure	e (psi)	Addt'l Pickup To	Buckled
(usft)	Apparent (w/Bending)	Actual (w/o Bending)	Axial Load (lbf)	at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	(°F)	Internal	External	Prevent Buck. (lbf)	Length (usft
0	200426	183224	200546	1880.2	1.68	1.57	N/A	2.89 F	70.00	2500.00	0.00	N/A	N/A
100	196229	179028	196812	1880.2	1.69	1.57	N/A	2.95 F	71.10	2543.63	43.63		
100	187111	179027	187686	883.7	1.70	1.57	N/A	3.10 F	71.10	2543.64	43.64		
 1700	256401	111891	264835	15795.8	1.56	1.56	N/A	2.26 F	88.70	3241.64	741.64		
 1700	235940	111891	244247	13559.4	1.60	1.56	N/A	2.45 F	88.70	3241.65	741.65		
 1850	252413	105788	261533	16027.0	1.54	1.56	N/A	2.29 F	90.29	3305.05	805.05		
 1850	239292	105787	248323	14592.9	1.56	1.56	N/A	2.42 F	90.29	3305.06	805.06		
 1950	240267	101966	249748	15117.2	1.54	1.56	N/A	2.41 F	91.30	3344.87	844.87		
1950	234781	101965	244223	14517.5	1.56	1.56	N/A	2.47 F	91.30	3344.87	844.87		
2050	230871	98395	240694	14480.4	1.55	1.56	N/A	2.51 F	92.23	3381.89	881.89		
2050	227794	98394	237594	14144.2	1.55	1.56	N/A	2.54 F	92.23	3381.89	881.89		
2300	117966	90294	127818	3024.7	1.70	1.56	N/A	4.91 F	94.35	3466.13	966.13		
2300	104686	90293	114432	1573.2	1.71	1.56	N/A	5.53 F	94.35	3466.14	966.14		
2370	102469	88077	112431	1573.2	1.71	1.56	N/A	5.65 F	94.94	3489.28	989.28		
 2370	100817	86424	111200	1573.2	1.75	1.59	N/A	5.75 F	94.94	3489.29	1036.40		
2700	83660	75583	95052	882.8	1.74	1.59	N/A	6.92 F	97.73	3599.97	1152.35		
2700	88072	75583	99504	1365.1	1.74	1.59	N/A	6.58 F	97.73	3599.97	1152.35		
3100	86049	62442	98863	2580.4	1.71	1.59	N/A	6.73 F	101.11	3734.23	1293.00		
3100	76477	62441	89195	1534.2	1.72	1.59	N/A	7.57 F	101.11	3734.23	1293.01		
3700	55953	42882	70509	1428.8	1.69	1.60	N/A	10.35 F	106.15	3934.24	1502.54		
3700	48311	42881	62778	593.5	1.71	1.60	N/A	11.99 F	106.16	3934.25	1502.55		
4000	41458	33043	56865	919.9	1.69	1.60	N/A	13.97 F	108.69	4034.82	1607.91		
4650	26293	11655	43706	1600.1	1.63	1.60	N/A	22.03 F	114.20	4253.37	1836.86		
4900	32619	4156	50970	3111.2	1.59	1.60	N/A	17.76 F	116.32	4337.37	1924.87		
 4900	21439	4155	39625	1889.2	1.61	1.60	N/A	27.02 F	116.32	4337.38	1924.87		
5039	15822	26	34389	1726.6	1.61	1.61	N/A	36.61 F	117.49	4383.77	1973.48		
 5039	15822	26	34388	1726.6	1.61	1.61	N/A	36.61 F	117.49	4383.78	1973.49		
5600	-33912	-16743	-14286	1876.7	1.57	1.61	N/A	(14.60)	122.23	4572.11	2170.78		
5650	-30585	-18235	-10742	1350.0	1.58	1.61	N/A	(16.18)	122.66	4588.87	2188.34		
FO	D Ft												
	Conn Fracture Compression												
 () (0													
	Vector Collapse Safet	v Factor											


-

For Help, press F1

🕱 I Default Datum @ 0.00 usft 🖪 API - US Survey Feet 😫 jgriffin2


8-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi



*Modelling done with 8-5/8" 32# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 6/18/2024 1:09:45 PM



*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 6/18/2024 1:09:45 PM

Page 11 of 32



<u>I.</u> (CASING I KOGRAM								
Hole	Interv	al MD	Interva	Interval TVD					
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn	
16"	0	2,030	0	2,030	13-3/8"	54.5#	J-55	STC	
11"	0	7,793	0	5,650	9-5/8"	40#	J-55	LTC	
7-7/8"	0	28,578	0	11,225	6"	24.5#	P110-EC	VAM Sprint-SF	

1. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" casing in the 7-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 7-7/8" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.


		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	Sidiny Description
2,030'	570	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-
13-3/8''				Flake (TOC @ Surface)
	160	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium
				Metasilicate (TOC @ 1830')
7,793'	770	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @
9-5/8''				Surface)
	250	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 6238')
28,578'	650	10.5	3.21	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC
6''				@ 7300')
	1870	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5%
				NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @
				12730')

2. CEMENTING PROGRAM:

Shallow Design C

Proposed Wellbore

KB: 3558' GL: 3533'



	8	🖵 🛨 🕈 9 5/8'' Interm	ediate Casing 🔍
\$			Pressure Test


	Results Depth (MD)		Force (lbf)	Equivalent	Bending Stress		Absolute S	afety Factor		Temperature	Pressu	re (psi)	Addt'l Pickup To	Buckled
	(usft)	Apparent (w/Bending)	Actual (w/o Bending)	Axial Load (lbf)	at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	(°F)	Internal	External	Prevent Buck. (lbf)	Length (usft)
	0	252987	228954	253140	2098.2	1.69	1.58	N/A	2.82 F	70.00	2500.00	0.00	N/A	N/A
	100	247735	223702	248466	2098.2	1.69	1.58	N/A	2.88 F	71.10	2543.63	43.63		
	100	234996	223701	235716	986.2	1.71	1.58	N/A	3.04 F	71.10	2543.64	43.64		
	1700	341565	139667	352253	17627.2	1.53	1.57	N/A	2.09 F	88.70	3241.64	741.64		
	1700	312979	139666	323488	15131.5	1.58	1.57	N/A	2.28 F	88.70	3241.65	741.65		
	1850	336881	132027	348440	17885.2	1.51	1.57	N/A	2.12 F	90.29	3305.05	805.05		
	1850	318549	132027	329984	16284.8	1.54	1.57	N/A	2.24 F	90.29	3305.06	805.06		
	1950	320468	127243	332475	16869.9	1.52	1.57	N/A	2.23 F	91.30	3344.87	844.87		
	1950	312802	127243	324756	16200.7	1.53	1.57	N/A	2.28 F	91.30	3344.87	844.87 881.89		
_	2050 2050	307858 303560	122773	320295 315965	16159.3 15784.1	1.52 1.53	1.57 1.57	N/A N/A	2.32 F 2.35 F	92.23 92.23	3381.89 3381.89	881.89		
	2050	303560	122772 112633	163658	15784.1 3375.4	1.53	1.57	N/A N/A	2.35 F 4.72 F	92.23	3381.89	966.13		
	2300	151294	112633	163658	1755.6	1.71	1.57	N/A	4.72 F 5.38 F	94.35	3466.13	966.13		
	2300	129966	109858	144956	1755.6	1.72	1.57	N/A N/A	5.49 F	94.95	3489.28	966.14		
	2370	129900	109858	142452	1755.6	1.72	1.57	N/A	5.58 F	94.94	3489.29	1036.40		
	2370	105515	94232	140322	985.1	1.75	1.60	N/A	6.77 F	97.73	3599.97	1152.35		
	2700	111680	94231	126006	1523.4	1.75	1.60	N/A	6.39 F	97.73	3599.97	1152.35		
	3100	110766	77783	126839	2879.6	1.75	1.60	N/A	6.44 F	101.11	3734.23	1293.00		
	3100	97392	77783	113331	1712.1	1.73	1.60	N/A	7.33 F	101.11	3734.23	1293.01		
	3700	71565	53303	89806	1594.4	1.70	1.60	N/A	9.97 F	106.15	3934.24	1502.54		
	3700	60887	53302	79004	662.3	1.71	1.61	N/A	11.72 F	106.16	3934.25	1502.55		
	4650	34671	14219	56495	1785.6	1.64	1.61	N/A	20.59 F	114.20	4253.37	1836.86		
	4000	44595	4828	67626	3472.0	1.59	1.61	N/A	16.01 F	116.32	4337.37	1924.87		
	4900	28975	4828	51775	2108.2	1.62	1.61	N/A	24.64 F	116.32	4337.38	1924.87		
	5029	22103	34	45340	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.40	1969.94		
	5029	22102	33	45339	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.41	1969.95		
	5600	-45329	-21341	-20805	2094.3	1.57	1.62	N/A	(13.67)	122.23	4572.11	2170.78		
	5650	-40465	-23210	-15657	1506.5	1.58	1.62	N/A	(15.31)	122.66	4588.87	2188.34		
	F	Conn Fracture												
	()	Compression												
	(V)	Vector Collapse Safet	y Factor											

T ▶ Working & Config & Min SF Load/SF & DF Summary & VME & Wallplot / For Help, press F1


🙎 🛨 Default Datum @ 0.00 usft 📮 API - US Survey Feet 😫 jgriffin2

9-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi



*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.



*Modelling done with 6" Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 6/18/2024 1:09:45 PM

6-3/4"



CASING P	ROGRA	M					
Interv	al MD	Interva	al TVD	Csg			
From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
0	2,030	0	2,030	13-3/8"	54.5#	J-55	STC
0	7,793	0	5,650	9-5/8"	40#	J-55	LTC
0	12,626	0	10,896	6"	22.3#	P110-EC	DWC/C IS
	Interv	Interval MD From (ft) To (ft) 0 2,030 0 7,793	From (ft) To (ft) From (ft) 0 2,030 0 0 7,793 0	Interval MD Interval TVD From (ft) To (ft) From (ft) To (ft) 0 2,030 0 2,030 0 7,793 0 5,650	Interval MD Interval TVD Csg From (ft) To (ft) From (ft) To (ft) OD 0 2,030 0 2,030 13-3/8" 0 7,793 0 5,650 9-5/8"	Interval MD Interval TVD Csg From (ft) To (ft) From (ft) To (ft) OD Weight 0 2,030 0 2,030 13-3/8" 54.5# 0 7,793 0 5,650 9-5/8" 40#	Interval MD Interval TVD Csg From (ft) To (ft) From (ft) To (ft) OD Weight Grade 0 2,030 0 2,030 13-3/8" 54.5# J-55 0 7,793 0 5,650 9-5/8" 40# J-55

5-1/2"

20#

P110-EC

DWC/C IS MS

Shallow Design D

11,225

10,896

4. CASING PROGRAM

12,626

28,578

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" and 5-1/2" casings in the 7-7/8" and 6-3/4" hole sizes. An expansion additive will be utilized in the cement slurry for the entire length of the 7-7/8" and 6-3/4" hole intervals to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.


		Wt.	Yld	Slurry Description					
Depth	No. Sacks	ppg	Ft3/sk						
2,030' 13-3/8''	570	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello- Flake (TOC @ Surface)					
	160	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1830')					
7,793' 9-5/8''	770	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)					
	250	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 6238')					
28,578' _{6''}	650	10.5	3.21	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC @ 7300')					
	1870	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ 12730')					

5. CEMENTING PROGRAM:

Shallow Design D

Proposed Wellbore

KB: 3558' GL: 3533'



File Edit Wellbore Tubular View Composer Tools Window Help

Image: Second secon

Depth (MD)	Axial Fo		Equivalent	Bending Stress		Absolute S	afety Factor		Temperature	Pressure	e (psi)	Addt'l Pickup To	Buckled
(usft)	· / /	Apparent //Bending)	Actual (w/o Bending)	Axial Load (lbf)	at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	(°F)	Internal	External	Prevent Buck. (lbf)	Length (usf
	0	252987	228954	253140	2098.2	1.69	1.58	N/A	2.82 F	70.00	2500.00	0.00	N/A	N/A
	100	247735	223702	248466	2098.2	1.69	1.58	N/A	2.88 F	71.10	2543.63	43.63		
	100	234996	223701	235716	986.2	1.71	1.58	N/A	3.04 F	71.10	2543.64	43.64		
	1700	341565	139667	352253	17627.2	1.53	1.57	N/A	2.09 F	88.70	3241.64	741.64		
	1700	312979	139666	323488	15131.5	1.58	1.57	N/A	2.28 F	88.70	3241.65	741.65		
	1850	336881	132027	348440	17885.2	1.51	1.57	N/A	2.12 F	90.29	3305.05	805.05		
	1850	318549	132027	329984	16284.8	1.54	1.57	N/A	2.24 F	90.29	3305.06	805.06		
	1950	320468	127243	332475	16869.9	1.52	1.57	N/A	2.23 F	91.30	3344.87	844.87		
	1950	312802	127243	324756	16200.7	1.53	1.57	N/A	2.28 F	91.30	3344.87	844.87		
	2050	307858	122773	320295	16159.3	1.52	1.57	N/A	2.32 F	92.23	3381.89	881.89		
	2050	303560	122772	315965	15784.1	1.53	1.57	N/A	2.35 F	92.23	3381.89	881.89		
	2300	151294	112633	163658	3375.4	1.71	1.57	N/A	4.72 F	94.35	3466.13	966.13		
	2300	132741	112633	144956	1755.6	1.72	1.57	N/A	5.38 F	94.35	3466.14	966.14		
	2370	129966	109858	142452	1755.6	1.72	1.57	N/A	5.49 F	94.94	3489.28	989.28		
	2370	127909	107800	140922	1755.6	1.75	1.60	N/A	5.58 F	94.94	3489.29	1036.40		
	2700	105515	94232	119785	985.1	1.75	1.60	N/A	6.77 F	97.73	3599.97	1152.35		
	2700	111680	94231	126006	1523.4	1.75	1.60	N/A	6.39 F	97.73	3599.97	1152.35		
	3100	110766	77783	126839	2879.6	1.71	1.60	N/A	6.44 F	101.11	3734.23	1293.00		
	3100	97392	77783	113331	1712.1	1.73	1.60	N/A	7.33 F	101.11	3734.23	1293.01		
	3700	71565	53303	89806	1594.4	1.70	1.61	N/A	9.97 F	106.15	3934.24	1502.54		
	3700 4650	60887 34671	53302 14219	79004 56495	662.3 1785.6	1.71 1.64	1.61 1.61	N/A	11.72 F	106.16	3934.25 4253.37	1502.55 1836.86		
						1.64		N/A	20.59 F	114.20				
	4900	44595	4828	67626	3472.0		1.61	N/A N/A	16.01 F	116.32	4337.37	1924.87 1924.87		
	4900	28975 22103	4828	51775 45340	2108.2 1926.8	1.62 1.61	1.61 1.61	N/A N/A	24.64 F 32.30 F	116.32 117.40	4337.38 4380.40	1924.87		
	5029 5029	22103	34 33	45339	1926.8	1.61	1.61	N/A N/A	32.30 F 32.30 F	117.40	4380.40	1969.94		
	5600	-45329	-21341	-20805	2094.3	1.61	1.61	N/A N/A	(13.67)	122.23	4500.41	2170.78		
	5650	-45329	-21341 -23210	-20005	2094.5	1.57	1.62	N/A N/A	(15.87)	122.23	4572.11	2170.78		
	9090	-40465	-23210	- 15057	1500.5	1.50	1.02	N/A	(15.31)	122.00	4500.07	2100.34		
	E Conn I													
	F Conn I													
	() Comp		Factor											


For Help, press F1

🙎 👤 Default Datum @ 0.00 usft 📑 API - US Survey Feet 🙎 jgriffin2

9-5/8" Intermediate Casing Pressure Test:


Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi

Page 130 of 143




*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 6/18/2024 1:09:45 PM



*Modelling done with 6" Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 6/18/2024 1:09:45 PM



*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 6/18/2024 1:09:45 PM

Page 22 of 32



MUD PROGRAM:

During this procedure we plan to use a Closed-Loop System and haul contents to the required disposal. The applicable depths and properties of the drilling fluid systems are as follows:

Measured Depth	Туре	Weight (ppg)	Viscosity	Water Loss
0 – 2,030'	Fresh - Gel	8.6-8.8	28-34	N/c
2,030' – 7,793'	Brine	9-10.5	28-34	N/c
5,450' – 28,578' Lateral	Oil Base	8.8-9.5	58-68	N/c - 6

An electronic pit volume totalizer (PVT) will be utilized on the circulating system, to monitor pit volume, flow rate, pump pressure and stroke rate.

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept at the wellsite at all times.

CEMENTING ADDITIVES:

Additive	Purpose
Bentonite Gel	Lightweight/Lost circulation prevention
Calcium Chloride	Accelerator
Cello-flake	Lost circulation prevention
Sodium Metasilicate	Accelerator
MagOx	Expansive agent
Pre-Mag-M	Expansive agent
Sodium Chloride	Accelerator
FL-62	Fluid loss control
Halad-344	Fluid loss control
Halad-9	Fluid loss control
HR-601	Retarder
Microbond	Expansive Agent

Cement integrity tests will be performed immediately following plug bump.

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

Pipe Bodu and API Connections Performance Data Received by OCD: 5/21/2024 2:18:08 PM 13.375 54.50/0.380 J55

Page 135 of 143 PDF

New Search »

« Back to Previous List

USC O Metric

6/8/2015 10:04:37 AM					
Mechanical Properties	Ptpe	BTC	LTC	STC	
Minimum Yield Strength	55,000	(-		psi
Maximum Yield Strength	80,000				psi
Minimum Tensile Strength	75,000	J	-		psi
Dimensions	Pipe	втс	LTC	STC	
Outside Diameter	13.375	14.375	-	14.375	in.
Wall Thickness	0.380	<i>#</i>			in.
Inside Diameter	12.615	12.615		12.615	in.
Standard Drift	12.459	12.459	. 	12.459	in.
Alternate Drift	-	-	· -	-	in.
Nominal Linear Weight, T&C	54.50	-			lbs/ft
Plain End Weight	52.79	·		-	lbs/ft
Performance	Pipe	втс	LTC	STC	
Minimum Collapse Pressure	1,130	1,130		1,130	psi
Minimum Internal Yield Pressure	2,740	2,740		2,740	psi
Minimum Pipe Body Yield Strength	853.00		-	-	1000 lbs
Joint Strength	=	909	 (3	514	1000 lbs
Reference Length	-	11,125		6,290	n
Make-Up Data	Pipe	втс	LTC	STC	
Make-Up Loss	-	4.81	-	3.50	in.
Minimum Make-Up Torque	-			3,860	ft-lbs
Released to Imaging: 6/18/2024 1:09:45 PM Maximum Make-Up Torque P	age 24 of₋32	-	-	6,430	ft-lbs

Pipe Body and API Connections Performance Data Received by OCD: 3/21/2024 2:18:08 PM 9.625 40.00/0.395 J55

Page 136 of 143 PDF

New Search »

« Back to Previous List

USC O Metric

6/8/2015 10:23:27 AM	15-	x/	6		-
Mechanical Properties	Pipe	втс	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-	-	psi
Minimum Tensile Strength	75,000			-	psi
Dimensions	Pipe	втс	LTC	STC	
Outside Diameter	9.625	10.625	10.625	10.625	in.
Wall Thickness	0.395	π.	<i>27</i> .)	-	in.
Inside Diameter	8.835	8.835	8.835	8.835	in.
Standard Drift	8.679	8.679	8.679	8.679	in.
Alternate Drift	8.750	8.750	8.750	8.750	in.
Nominal Linear Weight, T&C	40.00	-	-		lbs/ft
Plain End Weight	38.97	- 1	-	-	lbs/ft
Performance	Pipe	втс	LTC	STC	
Minimum Collapse Pressure	2,570	2,570	2,570	2,570	psi
Minimum Internal Yield Pressure	3,950	3,950	3,950	3,950	psi
Minimum Pipe Body Yield Strength	630.00	-	+	-	1000 lbs
Joint Strength		714	520	452	1000 lbs
Reference Length	·+	11,898	8,665	7,529	ft
Make-Up Data	Pipe	втс	LTC	STC	
Make-Up Loss		4.81	4.75	3.38	in.
Minimum Make-Up Torque		-	3,900	3,390	ft-lbs
Released to Imaging: 6/18/2024 1:09:45 PM Maximum Make-Up Torque	Page 25 of 32		6,500	5,650	ft-lbs



For detailed information on performance properties, refer to DWC Connection Data Notes on following page(s).

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages.



VAM USA 2107 CityWest Boulevard Suite 1300 Houston, TX 77042 Phone: 713-479-3200 Fax: 713-479-3234 VAM[®] USA Sales E-mail: <u>VAMUSAsales@vam-usa.com</u> Tech Support Email: <u>tech.support@vam-usa.com</u>

DWC Connection Data Sheet Notes:

1. DWC connections are available with a seal ring (SR) option.

2. All standard DWC/C connections are interchangeable for a given pipe OD. DWC connections are interchangeable with DWC/C-SR connections of the same OD and wall.

Connection performance properties are based on nominal pipe body and connection dimensions.
 DWC connection internal and external pressure resistance is calculated using the API rating for buttress connections. API Internal pressure resistance is calculated from formulas 31, 32, and 35 in the API Bulletin 5C3.
 DWC joint strength is the minimum pipe body yield strength multiplied by the connection critical area.

6. API joint strength is for reference only. It is calculated from formulas 42 and 43 in the API Bulletin 5C3.

7. Bending efficiency is equal to the compression efficiency.

8. The torque values listed are recommended. The actual torque required may be affected by field conditions such as temperature, thread compound, speed of make-up, weather conditions, etc.

9. Connection yield torque is not to be exceeded.

10. Reference string length is calculated by dividing the joint strength by both the nominal weight in air and a design factor (DF) of 1.4. These values are offered for reference only and do not include load factors such as bending, buoyancy, temperature, load dynamics, etc.

11. DWC connections will accommodate API standard drift diameters.

12. DWC/C family of connections are compatible with API Buttress BTC connections. Please contact tech.support@vam-usa.com for details on connection ratings and make-up.

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages.

Pipe Body and API Gannactions Performance Data

10.750 40.50/0.350 J55

New Search »

« Back to Previous List

USC 🔵 Metric

6/8/2015 10:14:05 AM					
Mechanical Properties	Ptpe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-		psi
Maximum Yield Strength	80,000	-	-		psi
Minimum Tensile Strength	75,000	-	-	-	psi
Dimensions	Ртре	BTC	LTC	STC	
Outside Diameter	10.750	11.750	-	11.750	in.
Wall Thickness	0.350	-	-		in.
Inside Diameter	10.050	10.050	-	10.050	in.
Standard Drift	9.894	9.894	-	9.894	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	40.50	-	-	-	lbs/ft
Plain End Weight	38.91	-	-	-	lbs/ft
Performance	Ptpe	втс	LTC	STC	
Minimum Collapse Pressure	1,580	1,580	-	1,580	psi
Minimum Internal Yield Pressure	3,130	3,130	-	3,130	psi
Minimum Pipe Body Yield Strength	629.00	-	-	-	1000 lbs
Joint Strength	-	700	-	420	1000 lbs
Reference Length	-	11,522	-	6,915	ft
Make-Up Data	Ріре	втс	LTC	STC	
Make-Up Loss		4.81	-	3.50	in.
Minimum Make-Up Torque	-	-	-	3,150	ft-Ibs
Released to Imaging: 6/18/2024 1:09:45 PM Maximum Make-Up Torque	Page <u>2</u> 8 of 32	-	-	5,250	ft-lbs



API 5CT, 1	0th Ed.	Connection	Data Sheet	i
------------	---------	------------	-------------------	---

				•			
•	,	WALL (i	in)	GRADE	*API DRIFT (iı	ו) F	RBW %
Nominal: Plain End:	32.00 31.13	0.352		J55	7.796		87.5
Material Propert	ies (PE)				Pipe Body Data	a (PE)	
Pipe					Geometry	1	
Yield Strength:	55	ksi		Nominal ID:		7.9	92 inch
n Yield Strength:	80	ksi		Nominal Area	a:	9.14	49 in ²
Tensile Strength:	75	ksi		*Special/Alt.	Drift:	7.8	75 inch
Coupling	ļ				Performan	ce	
Yield Strength:	55	ksi		Pipe Body Yi	eld Strength:	5	03 kips
n Yield Strength:	80	ksi				2,5	30 psi
Tensile Strength:	75	ksi			ressure:	3,9	30 psi
				, , , , , , , , , , , , , , , , , , ,			
				Α	PI Connection	Torque	
Coupling OD: 9	.625"					101940	
Coupling OD: 9. STC Performation					STC Torque (f	-	
		psi		Min: 2,793	STC Torque (f	t-lbs)	
STC Performa	ance 3,930	psi kips			STC Torque (f	t-lbs)	
STC Performation STC Performation STC Performation Structure Struc	ance 3,930 372				STC Torque (f	t-Ibs) 24 Max	
STC Performa rnal Pressure: t Strength:	ance 3,930 372	kips			STC Torque (f Opti: 3,72	t-Ibs) 24 Max t-Ibs)	x: 4,655
STC Performation rnal Pressure: at Strength: LTC Performation	ance 3,930 372 ance 3,930	kips		Min: 2,793	STC Torque (f Opti: 3,72	t-Ibs) 24 Max t-Ibs)	x: 4,655
STC Performation rnal Pressure: at Strength: LTC Performation rnal Pressure:	ance 3,930 372 ance 3,930 417	kips psi kips		Min: 2,793	STC Torque (f Opti: 3,72 LTC Torque (f Opti: 4,17	t -Ibs) 24 Max t -Ibs) 74 Max	x: 4,655
STC Performation rnal Pressure: It Strength: LTC Performation rnal Pressure: t Strength:	ance 3,930 372 ance 3,930 417	kips psi kips 9.125"		Min: 2,793 Min: 3,130	STC Torque (f Opti: 3,72	t-Ibs) 24 Max t-Ibs) 74 Max t-Ibs)	:: 4,655 :: 5,217
	Nominal: Plain End: Material Propert Pipe Yield Strength: Yield Strength: Tensile Strength: Yield Strength: Yield Strength: Yield Strength: Tensile Strength: API Connection	Nominal:32.00 Plain End:31.13Material Properties (PE)PipeYield Strength:55Yield Strength:80Tensile Strength:75CouplingYield Strength:55Yield Strength:55Output80Tensile Strength:55Yield Strength:55Yield Strength:55Yield Strength:75Apple Strength:75Apple Strength:75	Nominal:32.00 Plain End:0.352Material Properties (PE)PipeYield Strength:55 ksiYield Strength:80 ksiTensile Strength:75 ksiCouplingYield Strength:55 ksin Yield Strength:55 ksiCouplingYield Strength:75 ksin Yield Strength:75 ksiAPI Connection Data	Nominal:32.00 31.130.352Material Properties (PE)PipeYield Strength:55 ksiYield Strength:80 ksiTensile Strength:75 ksiCouplingYield Strength:55 ksin Yield Strength:55 ksin Yield Strength:75 ksiCoupling1000000000000000000000000000000000000	Nominal:32.00 31.130.352J55Material Properties (PE) PipeImage: Strength:55 ksiYield Strength:55 ksiNominal ID: Nominal AreaYield Strength:75 ksiNominal AreaTensile Strength:75 ksiPipe Body Yi Collapse ResYield Strength:80 ksiInternal Yield Pic (API Historical)API Connection DataA	Nominal:32.00 31.130.352J557.796Material Properties (PE)Pipe Body Data GeometryPipeNominal ID: Nominal Area:Yield Strength:55 ksi 80 ksiTensile Strength:75 ksi 80 ksiYield Strength:55 ksi 80 ksiPipe Body Data GeometryYield Strength:75 ksiCouplingPipe Body Yield Strength: Collapse Resistance: Internal Yield Pressure: (API Historical)API Connection DataAppl Connection Data	Nominal:32.00 31.130.352J557.796Material Properties (PE)Pipe GeometryPipeGeometryYield Strength:55 ksin Yield Strength:80 ksiTensile Strength:75 ksiYield Strength:55 ksin Yield Strength:55 ksin Yield Strength:75 ksiTensile Strength:75 ksin Yield Strength:75 ksin Yield Strength:75 ksiAPI Connection DataAPI Connection Data

Alt. Drift will be used unless API Drift is specified on order.

**If above API connections do not suit your needs, VAM® premium connections are available up to 100% of pipe body ratings.

ALL INFORMATION IS PROVIDED BY VALLOUREC OR ITS AFFILIATES AT USER'S SOLE RISK, WITHOUT LIABILITY FOR LOSS, DAMAGE OR INJURY RESULTING FROM THE USE THEREOF; AND ON AN "AS IS" BASIS WITHOUT WARRANTY OR REPRESENTATION OF ANY KIND, WHETHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR PURPOSE, ACCURACY OR COMPLETENESS. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY AND IS BASED ON ESTIMATES THAT HAVE NOT BEEN VERIFIED OR TESTED. IN NO EVENT SHALL VALLOUREC OR ITS AFFILIATES BE RESPONSIBLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, PUNITIVE, EXEMPLARY OR CONSEQUENTIAL LOSS OR DAMAGE (INCLUDING WITHOUT LIMITATION, LOSS OF USE, LOSS OF BARGAIN, LOSS OF REVENUE, PROFIT OR ANTICIPATED PROFIT) HOWEVER CAUSED OR ARISING, AND WHETHER SUCH LOSSES OR DAMAGES WERE FORESEEABLE OR VALLOUREC OR ITS AFFILIATES WERE ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Rev 3, 7/30/2021

10/21/2022 15:24



Issued on: 10 Feb. 2021 by Wesley Ott



OD	Weight (lb/ft)	Wall Th.	Grade	API Drift:	Connection
6 in.	Nominal: 24.50 Plain End: 23.95	0.400 in.	P110EC	5.075 in.	VAM [®] SPRINT-SF

PI PE PROPERTI ES		
Nominal OD	6.000	in.
Nominal ID	5.200	in.
Nominal Cross Section Area	7.037	sqin.
Grade Type	Hig	jh Yield
Min. Yield Strength	125	ksi
Max. Yield Strength	140	ksi
Min. Ultimate Tensile Strength	135	ksi


CONNECTI ON PROPERTI ES		
Connection Type	Integral	Semi-Flush
Connection OD (nom):	6.277	in.
Connection ID (nom):	5.146	in.
Make-Up Loss	5.386	in.
Critical Cross Section	6.417	sqin.
Tension Efficiency	91.0	% of pipe
Compression Efficiency	91.0	% of pipe
Internal Pressure Efficiency	100	% of pipe
External Pressure Efficiency	100	% of pipe

CONNECTI ON PERFORMANCI		
Tensile Yield Strength	801	klb
Compression Resistance	801	klb
Internal Yield Pressure	14,580	psi
Collapse Resistance	12,500	psi
Max. Structural Bending	83	°/100ft
Max. Bending with ISO/API Sealability	30	°/100ft

TORQUE VALUES				
Min. Make-up torque	21,750	ft.lb		
Opt. Make-up torque	24,250	ft.lb		
Max. Make-up torque	26,750	ft.lb		
Max. Torque with Sealability (MTS)	53,000	ft.lb		

* 87.5% RBW

VAM® SPRINT-SF is a semi-flush connection innovatively designed for extreme shale applications. Its high tension rating and ultra high torque capacity make it ideal to run a fill string length as production casing in shale wells with extended horizontal sections and tight clearance requirements.



Do you need help on this product? - Remember no one knows VAM® like VAM®

canada@vamfieldservice.com usa@vamfieldservice.com mexico@vamfieldservice.com brazil@vamfieldservice.com uk@vamfieldservice.com dubai@vamfieldservice.com nigeria@vamfieldservice.com angola@vamfieldservice.com

Over 140 VAM® Specialists available worldwide 24/7 for Rig Site Assistance

china@vamfieldservice.com baku@vamfieldservice.com singapore@vamfieldservice.com australia@vamfieldservice.com



Connection Data Sheet

OD (in.)	WEIGHT (lbs./ft.)	WALL (in.)	GRADE	API DRIFT (in.)	RBW%	CONNECTION
6.000	Nominal: 22.30	0.360	VST P110EC	5.155	92.5	DWC/C-IS
	Plain End: 21 70				•	

PIPE PROPERTIES				
Nominal OD	6.000	in.		
Nominal ID	5.280	in.		
Nominal Area	6.379	sq.in.		
Grade Type	API 5CT			
Min. Yield Strength	125	ksi		
Max. Yield Strength	140	ksi		
Min. Tensile Strength	135	ksi		
Yield Strength	797	klb		
Ultimate Strength	861	klb		
Min. Internal Yield Pressure	13,880	psi		
Collapse Pressure	9,800	psi		

	NCES	
Yield Strength	797	klb
Parting Load	861	klb
Compression Rating	797	klb
Min. Internal Yield	13,880	psi
External Pressure	9,800	psi
Maximum Uniaxial Bend Rating	47.7	°/100 ft
Reference String Length w 1.4 Design Factor	25,530	ft.

CONNECTION PROPERTIES			
Connection Type	Semi-Prem	Semi-Premium T&C	
Connection OD (nom)	6.650	in.	
Connection ID (nom)	5.280	in.	
Make-Up Loss	4.313	in.	
Coupling Length	9.625	in.	
Critical Cross Section	6.379	sq.in.	
Tension Efficiency	100.0%	of pipe	
Compression Efficiency	100.0%	of pipe	
Internal Pressure Efficiency	100.0%	of pipe	
External Pressure Efficiency	100.0%	of pipe	

FIELD END TORQUE VALUES			
Min. Make-up torque	17,000	ft.lb	
Opti. Make-up torque	18,250	ft.lb	
Max. Make-up torque	19,500	ft.lb	
Min. Shoulder Torque	1,700	ft.lb	
Max. Shoulder Torque	13,600	ft.lb	
Min. Delta Turn	-	Turns	
Max. Delta Turn	0.200	Turns	
Maximum Operational Torque	24,200	ft.lb	
Maximum Torsional Value (MTV)	26,620	ft.lb	

Need Help? Contact: <u>tech.support@vam-usa.com</u> Reference Drawing: 8135PP Rev.02 & 8135BP Rev.02 Date: 07/30/2020

Time: 07:50:47 PM

For detailed information on performance properties, refer to DWC Connection Data Notes on following page(s).

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.



VAM USA 2107 CityWest Boulevard Suite 1300 Houston, TX 77042 Phone: 713-479-3200 Fax: 713-479-3234 VAM[®] USA Sales E-mail: <u>VAMUSAsales@vam-usa.com</u> Tech Support Email: <u>tech.support@vam-usa.com</u>

DWC Connection Data Sheet Notes:

1. DWC connections are available with a seal ring (SR) option.

2. All standard DWC/C connections are interchangeable for a given pipe OD. DWC connections are interchangeable with DWC/C-SR connections of the same OD and wall.

3. Connection performance properties are based on nominal pipe body and connection dimensions.

4. DWC connection internal and external pressure resistance is calculated using the API rating for buttress connections. API Internal pressure resistance is calculated from formulas 31, 32, and 35 in the API Bulletin 5C3.

5. DWC joint strength is the minimum pipe body yield strength multiplied by the connection critical area.

6. API joint strength is for reference only. It is calculated from formulas 42 and 43 in the API Bulletin 5C3.

7. Bending efficiency is equal to the compression efficiency.

8. The torque values listed are recommended. The actual torque required may be affected by field conditions such as temperature, thread compound, speed of make-up, weather conditions, etc.

9. Connection yield torque is not to be exceeded.

10. Reference string length is calculated by dividing the joint strength by both the nominal weight in air and a design factor (DF) of 1.4. These values are offered for reference only and do not include load factors such as bending, buoyancy, temperature, load dynamics, etc.

11. DWC connections will accommodate API standard drift diameters.

12. DWC/C family of connections are compatible with API Buttress BTC connections. Please contact tech.support@vam-usa.com for details on connection ratings and make-up.

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.

