11 OCD . R

Received by OCL	D: 4/16/2024 3:	34:23 PM						Page 1 of
Form 3160-5 (June 2019)							OMB No	APPROVED b. 1004-0137 ctober 31, 2021 9452
	NOTICES AND REPORT form for proposals to di Use Form 3160-3 (APD)	6. If Indian, Allottee						
	SUBMIT IN	TRIPLICATE - Other instructior	ns on page 2			7. If Unit of CA/Ag	reement,	Name and/or No.
1. Type of Well						NMNM143303 8 Well Name and N	0	
✓ Oil V						9. API Well No.		IEWALL 28 FED COM/403H
		CES INCORPORATED						5-52702
			Phone No. <i>(inclu</i> 3) 651-7000	ide area cod	le)	10. Field and Pool of RED HILLS/BON	IE SPRI	-
4. Location of Well SEC 28/T24S/R		R.,M., or Survey Description)				11. Country or Paris LEA/NM	h, State	
	12. CHE	ECK THE APPROPRIATE BOX(E	ES) TO INDICA	TE NATUR	E OF NOTI	CE, REPORT OR O	THER DA	ATA
TYPE OF SU	JBMISSION			ТҮ	TPE OF ACT	TION		
✓ Notice of Int	Notice of Intent Acidize Deep Alter Casing Hydr					uction (Start/Resume	;)	Water Shut-Off Well Integrity
Subsequent l	Report	Casing Repair	New Cons			mplete		Other
Final Abando	onment Notice	Change Plans	Plug and A		_	oorarily Abandon r Disposal		
the proposal is t the Bond under completion of t	to deepen directiona which the work wil he involved operation al Abandonment No	Deperation: Clearly state all pertiner ally or recomplete horizontally, giv Il be perfonned or provide the Bon ons. If the operation results in a mu brices must be filed only after all re	ve subsurface loo nd No. on file wi ultiple completio	cations and 1 th BLM/BIA on or recomp	measured an A. Required pletion in a 1	d true vertical depth subsequent reports n new interval, a Form	s of all pe nust be fil 3160-4 r	ertinent markers and zones. Attach ed within 30 days following nust be filed once testing has been
EOG respec	tfully requests an	amendment to our approved A	PD for this we	Il to reflect	the followin	ig changes:		
Stonewall 28	3 Fed Com 511H ((FKA 403H) API #: 30-025-5270	02					
Change nam	ne from Stonewall	28 Fed Com 403H to Stonewa	all 28 Fed Com	511H.				
0	,	34-E, Sec 28, 322' FNL, 2431' F i1' FNL, 2520' FWL, Lea Co., N		NM,				
-		34-E, Sec 33, 100' FSL, 1651' F 0' FSL, 1200' FWL, Lea Co., N		NM,				
Continued or	n page 3 additiona	al information						
14. I hereby certify t		Regulatory Specialist Title						
(Ele Signature	Date	2		03/28	/2024			
		THE SPACE FO	DR FEDERA		TATE OF	ICE USE		
Approved by								
	WALLS / Ph: (57	5) 234-2234 / Approved		Petr Title	oleum Eng	ineer	Date	04/16/2024
Conditions of approval, if any, are attached. Approval of this notice does not warra certify that the applicant holds legal or equitable title to those rights in the subject l					ARLSBAD		1	

which would entitle the applicant to conduct operations thereon. Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Additional Remarks

Change target formation to Second Bone Spring Sand.

EOG requests approval to use alternate casing designs listed in the Blanket Casing Design (EOG BLM Variance 5a - Alternate Shallow Casing Designs.pdf) document. See Sundry ID#2782217.

Location of Well

0. SHL: TR C / 322 FNL / 2431 FWL / TWSP: 24S / RANGE: 34E / SECTION: 28 / LAT: 32.1949116 / LONG: -103.4755608 (TVD: 0 feet, MD: 0 feet) PPP: TR C / 100 FNL / 1651 FWL / TWSP: 24S / RANGE: 34E / SECTION: 28 / LAT: 32.1955247 / LONG: -103.4780907 (TVD: 10206 feet, MD: 10270 feet) PPP: TR K / 2640 FNL / 1651 FWL / TWSP: 24S / RANGE: 34E / SECTION: 28 / LAT: 32.1885446 / LONG: -103.478082 (TVD: 10471 feet, MD: 12911 feet) BHL: TR N / 100 FSL / 1651 FWL / TWSP: 24S / RANGE: 34E / SECTION: 33 / LAT: 32.167053 / LONG: -103.4780552 (TVD: 10471 feet, MD: 20729 feet)

DISTRICT I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 DISTRICT II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Page 4 of 74 Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

□ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-52702				Pool Code 96434		Pool Name Red Hills; Bone Spring, North			
5	0-025-52	102		30434		Rout	inie, Berle epini	g, Horan	
Property Co	ode				Property Nar	ne		Well Nun	nber
32147	7			STO	DNEWALL 28	B FED COM		51	1H
OGRID N	0.				Operator Nar	ne		Elevatio	on
7377				EO	G RESOUR	CES, INC.		34	96'
	Surface Location								
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
С	28	24-S	34-E	-	261'	NORTH	2520'	WEST	LEA
			Bott	om Hole I	Location If Di	fferent From Surfac	ce		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
М	33	24-S	34-E	-	100' SOUTH 1200' WEST LEA				
Dedicated Acres	Joint or	Infill	Consolidated Co	de Orde	Order No.				
320.00				PENDING COM AGREEMENT					

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

SURFACE LOCATION (SHL) NEW MEXICO EAST NAD 1983 X=806766 Y=435763 LAT.: N 32.1950784 LONG.: W 103.4752714 NAD 1927 X=765581 Y=435704 LAT.: N 32.1949539	$\begin{array}{c} X = 804243.39 \\ Y = 436006.75 \\ 20 \\ 21 \\ 100^{\circ} \hline 29 \\ 1200^{\circ} \hline 12$	FED PERF. POINT (FPP1) NEW MEXICO EAST NAD 1983 X=805467 Y=433376 LAT.: N 32.1885456 LONG.: W 103.4795332 NAD 1927 X=764281 Y=433317 LAT.: N 32.1884210
LONG.: W 103.4747980 261' FNL 2520' FWL KICK OFF POINT (KOP) NEW MEXICO EAST NAD 1983 X=805444 Y=435965 LAT.: N 32.1956630 LONG.: W 103.4795404 NAD 1927	X=804266.51- Y=433367.09	LONG.: W 103.4790600 2639' FNL 1200' FWL FED PERF. POINT (FPP2) NEW MEXICO EAST NAD 1983 X=805490 Y=430736 LAT.: N 32.1812901 LONG.: W 103.4795258 NAD 1927
X=764259 Y=435907 LAT.: N 32.1955385 LONG.: W 103.4790667 50' FNL 1200' FWL UPPER MOST PERF. (UMP) NEW MEXICO EAST NAD 1983 X=805444 Y=435915 LAT.: N 32.1955256	<u>USA</u> <u>USA</u> <u>NMNM</u> 015684 <u>1199</u> <u>741199</u> <u>7430727.37</u> <u>82</u> <u>7430727.37</u> <u>82</u> <u>73334</u> <u>73334</u>	X=764305 Y=430678 LAT.: N 32.1811655 LONG.: W 103.4790531 0' FNL 1199' FWL LOWER MOST PERF. (LMP) BOTTOM HOLE LOCATION (BHL) NEW MEXICO EAST NAD 1983 X=805535 Y=425558
LONG.: W 103.4795402 NAD 1927 X=764259 Y=435857 LAT.: N 32.1954011 LONG.: W 103.4790666 100' FNL 1200' FWL	X=804314.15 Y=428087.64	LAT.: N 32.1670545 LONG.: W 103.4795113 NAD 1927 X=764350 Y=425499 LAT.: N 32.1669298 LONG.: W 103.4790395 100' FSL 1200' FWL
OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location	32 - LMP/ BHL T-24-S, R-34-E 33 34 5 4 cm - x-805656.89 T-25-S, R-34-E 4 3	SURVEYORS CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 01/17/2024 Date of Survey Signature and Seal of Professional Surveyor:
pursuant to a contract with an owner of such a mineral or working interest, or to voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <u>Star L Harrell</u> 3/28/24 Signature Date Star L Harrell	X=804336.26 J \ 100' € Y=425458.32 \ Y=425448.44	Signature and Seal of Professional Surveyor:
Print Name star_harrell@eogresources.com E-mail Address		1/30/2024 11:16:48 AM////////////////////////////////////

oeog resources

Stonewall 28 Fed Com 511H

Revised Permit Information 01/11/2024:

Well Name: Stonewall 28 Fed Com 511H; FKA Stonewall 28 Fed Com 511H
Location: SHL: 261' FNL & 2520' FWL, Section 28, T-24-S, R-34-E, Lea Co., N.M.
BHL: 100' FSL & 1200' FWL, Section 33, T-24-S, R-34-E, Lea Co., N.M.

1. CASING PROGRAM:

Hole	Interv	al MD	Interval TVD		Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
13-1/2"	0	1,210	0	1,210	10-3/4"	40.5#	J-55	STC
9-7/8"	0	5,319	0	5,160	8-5/8"	32#	J-55	BTC-SC
6-3/4"	0	21,333	0	10,982	5-1/2"	20#	P110-EC	DWC/C IS MS

Variance is requested to waive the centralizer requirements for the 8-5/8" casing in the 9-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 9-7/8" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

Depth	No. Sacks	Wt. ppg	Yld Ft3/sk	Slurry Description
1,210' 10-3/4''	320	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-Flake (TOC @ Surface)
	140	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1,010')
5,160' 8-5/8''	320	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)
	150	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 4,260')
21,333' 5-1/2''	360	10.5	3.21	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC @ 4,660')
	750	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL- 549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ 10660')

2. CEMENTING PROGRAM:

seog resources

Page 6 of 74

Stonewall	28 I	Fed (Com	511H

Additive	Purpose				
Bentonite Gel	Lightweight/Lost circulation prevention				
Calcium Chloride	Accelerator				
Cello-flake	Lost circulation prevention				
Sodium Metasilicate	Accelerator				
MagOx	Expansive agent				
Pre-Mag-M	Expansive agent				
Sodium Chloride	Accelerator				
FL-62	Fluid loss control				
Halad-344	Fluid loss control				
Halad-9	Fluid loss control				
HR-601	Retarder				
Microbond	Expansive Agent				

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

3. MUD PROGRAM:

Depth (TVD)	Туре	Weight (ppg)	Viscosity	Water Loss
0 – 1,210'	Fresh - Gel	8.6-8.8	28-34	N/c
1,210' - 5,160'	Brine	9.0-10.5	28-34	N/c
5,160' - 21,333'	Oil Base	8.8-9.5	58-68	N/c - 6

4. VARIANCE REQUESTS:

EOG requests the additional variance(s) in the attached document(s):

Variances requested include (supporting documents attached):

- BOP Break Testing for 5M Intermediate Intervals (EOG BLM Variance 3a_b)
- Offline Cementing for Surface and Intermediate Intervals (EOG BLM Variance 3a_b)
- Salt Interval Washout Annular Clearnace (EOG BLM Variance 4a)
- EOG requests approval to use alternate casing designs listed in the Blanket Casing Design (EOG BLM Variance 5a Alternate Shallow Casing Designs.pdf) document.



Stonewall 28 Fed Com 511H

5. TUBING REQUIREMENTS


EOG respectively requests an exception to the following NMOCD rule:

 19.15.16.10 Casing AND TUBING RQUIREMENTS: J (3): "The operator shall set tubing as near the bottom as practical and tubing perforations shall not be more than 250 feet above top of pay zone."

With horizontal flowing and gas lifted wells an end of tubing depth placed at or slightly above KOP is a conservative way to ensure the tubing stays clean from debris, plugging, and allows for fewer well interventions post offset completion. The deeper the tubulars are run into the curve, the higher the probability is that the tubing will become stuck in sand and or well debris as the well produces over time. An additional consideration for EOT placement during artificial lift installations is avoiding the high dog leg severity and inclinations found in the curve section of the wellbore to help improve reliability and performance. Dog leg severity and inclinations tend not to hamper gas lifted or flowing wells, but they do effect other forms of artificial lift like rod pump or ESP (electric submersible pump). Keeping the EOT above KOP is an industry best practice for those respective forms of artificial lift.

Seog resources

Stonewall 28 Fed Com 511H



Seog resources

GEOLOGIC NAME OF SURFACE FORMATION:

Permian

ESTIMATED TOPS OF IMPORTANT GEOLOGICAL MARKERS:

Rustler	1,092'
Tamarisk Anhydrite	1,186'
Top of Salt	1,347'
Base of Salt	5,063'
Lamar	5,349'
Bell Canyon	5,375'
Cherry Canyon	6,319'
Brushy Canyon	7,658'
Bone Spring Lime	9,198'
Leonard (Avalon) Shale	9,265'
1st Bone Spring Sand	10,163'
2nd Bone Spring Shale	10,373'
2nd Bone Spring Sand	10,631'
3rd Bone Spring Carb	11,171'
3rd Bone Spring Sand	11,741'
Wolfcamp	12,133'
TD	10,982'
	10,702

ESTIMATED DEPTHS OF ANTICIPATED FRESH WATER, OIL OR GAS:

Upper Permian Sands	0-400'	Fresh Water
Bell Canyon	5,375'	Oil
Cherry Canyon	6,319'	Oil
Brushy Canyon	7,658'	Oil
Leonard (Avalon) Shale	9,265'	Oil
1st Bone Spring Sand	10,163'	Oil
2nd Bone Spring Shale	10,373'	Oil
2nd Bone Spring Sand	10,631'	Oil

Midland

Lea County, NM (NAD 83 NME) Stonewall 28 Fed Com #511H

OH

Plan: Plan #0.2

Standard Planning Report

08 February, 2024

Planning Report

Database:	PEDM			Local Co-	ordinate Reference	e Well #511	Н	
Company:	Midland			TVD Refe	rence:	KB @ 352	2.0usft	
Project:	Lea County, I	NM (NAD 83 N	ME)	MD Refere	ence:	KB @ 352	2.0usft	
Site:	Stonewall 28	Fed Com		North Ref	erence:	Grid		
Well:	#511H				Iculation Method:	Minimum	Curvature	
Wellbore:	ОН							
Design:	Plan #0.2							
Design.	T Idit #0.2							
Project	Lea County, N	IM (NAD 83 NM	1E)					
Map System:	US State Plane	1983		System Dat	tum:	Mean Sea L	evel	
Geo Datum:	North American	Datum 1983						
Map Zone:	New Mexico Ea	stern Zone						
Site	Stonewall 28 F	Fed Com						
Site Position:			Northing:	435.	811.00 usft Lati	tude:		32° 11' 42.90
From:	Мар		Easting:			gitude:		103° 28' 53.01
Position Uncertainty:	•	0.0 usft	Slot Radius:		3-3/16 "	gitude.		
Well	#511H							
Well Position	+N/-S	0.0 usft	Northing:		435,763.00 usft	Latitude:		32° 11' 42.28
	+E/-W	0.0 usft	Easting:		806,766.00 usft	Longitude:		103° 28' 30.97
Position Uncertainty		0.0 usft	Wellhead Ele	vation:	usft	Ground Leve	l:	3,496.0
Grid Convergence:		0.46 °						
	ОН							
Wellbore	OII							
Magnetics	Model Na	me	Sample Date	Declina	tion	Dip Angle		Field Strength
				(°)		(°)		(nT)
	IGF	RF2020	11/17/2022		6.33	59	.84	47,337.45195541
Design	Plan #0.2							
Audit Notes:								
Version:			Phase:	PLAN	Tio On I	Donth	0.0	
version:			Phase:	I LAN	Tie On I	Depth:	0.0	
Vertical Section:		Depth F	rom (TVD)	+N/-S	+E/-W		Direction	
			isft)	(usft)	(usft)		(°)	
		(0.0	0.0	0.0		186.88	
Plan Survey Tool Pro	ogram	Date 2/8/20)24					
	Depth To							
					_			
Depth From (usft)	•	Survey (Wellb	ore)	Tool Name	R	emarks		
Depth From	(usft)			EOG MWD+IF		emarks		
Depth From (usft)	(usft)	Survey (Wellb Plan #0.2 (OH)				emarks		

.

Planning Report

Database:	PEDM	Local Co-ordinate Reference	Well #511H
Company:	Midland	TVD Reference:	KB @ 3522.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB @ 3522.0usft
Site:	Stonewall 28 Fed Com	North Reference:	Grid
Well:	#511H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.2		

Plan Sections

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,300.0	0.00	0.00	1,300.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,960.8	13.22	278.69	1,955.0	11.5	-75.0	2.00	2.00	0.00	278.69	
7,146.2	13.22	278.69	7,003.0	190.5	-1,247.0	0.00	0.00	0.00	0.00	
7,807.0	0.00	0.00	7,658.0	202.0	-1,322.0	2.00	-2.00	0.00	180.00	
10,653.5	0.00	0.00	10,504.5	202.0	-1,322.0	0.00	0.00	0.00	0.00	KOP(Stonewall 28 Fe
10,874.0	26.46	180.00	10,717.2	152.0	-1,322.0	12.00	12.00	81.65	180.00	FTP(Stonewall 28 Fee
11,403.5	90.00	179.45	10,981.9	-275.4	-1,319.2	12.00	12.00	-0.10	-0.61	
13,515.2	90.00	179.45	10,982.0	-2,387.0	-1,299.0	0.00	0.00	0.00	0.00	Fed Perf 1(Stonewall
16,155.3	90.00	179.55	10,982.0	-5,027.0	-1,276.0	0.00	0.00	0.00	88.34	Fed Perf 2(Stonewall
21,333.5	90.00	179.46	10,982.0	-10,205.0	-1,231.0	0.00	0.00	0.00	-91.70	PBHL(Stonewall 28 F

Planning Report

Database:	PEDM	Local Co-ordinate Reference	Well #511H
Company:	Midland	TVD Reference:	KB @ 3522.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB @ 3522.0usft
Site:	Stonewall 28 Fed Com	North Reference:	Grid
Well:	#511H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.2		

Planned Survey

Measured Depth Ind (usft)	clination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
. ,			. ,		. ,	. ,	. ,	. ,	. ,
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	0.00
700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	0.00
800.0	0.00	0.00	800.0	0.0	0.0	0.0	0.00	0.00	0.00
900.0	0.00	0.00	900.0	0.0	0.0	0.0	0.00	0.00	0.00
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.0	0.00	0.00	0.00
1,100.0	0.00	0.00	1,100.0	0.0	0.0	0.0	0.00	0.00	0.00
1,200.0	0.00	0.00	1,200.0	0.0	0.0	0.0	0.00	0.00	0.00
1,300.0	0.00	0.00	1,300.0	0.0	0.0	0.0	0.00	0.00	0.00
1,400.0	2.00	278.69	1,400.0	0.3	-1.7	-0.1	2.00	2.00	0.00
1,500.0	4.00	278.69	1,499.8	1.1	-6.9	-0.2	2.00	2.00	0.00
1,600.0	4.00 6.00	278.69	1,499.8	2.4	-6.9 -15.5	-0.2 -0.5	2.00	2.00	0.00
1,700.0	8.00	278.69	1,599.5	4.2	-15.5 -27.6	-0.5 -0.9	2.00	2.00	0.00
1,800.0	10.00	278.69	1,797.5	6.6	-27.0	-0.9	2.00	2.00	0.00
1,900.0	12.00	278.69	1,895.6	9.5	-43.0	-1.4	2.00	2.00	0.00
1,960.8	13.22	278.69	1,955.0	11.5	-75.0	-2.4	2.00	2.00	0.00
2,000.0	13.22	278.69	1,993.1	12.8	-83.9	-2.7	0.00	0.00	0.00
2,100.0	13.22	278.69	2,090.5	16.3	-106.5	-3.4	0.00	0.00	0.00
2,200.0	13.22	278.69	2,187.8	19.7	-129.1	-4.1	0.00	0.00	0.00
2,300.0	13.22	278.69	2,285.2	23.2	-151.7	-4.8	0.00	0.00	0.00
2,400.0	13.22	278.69	2,382.5	26.6	-174.3	-5.6	0.00	0.00	0.00
2,500.0	13.22	278.69	2,479.9	30.1	-196.9	-6.3	0.00	0.00	0.00
2,600.0	13.22	278.69	2,577.2	33.5	-219.5	-7.0	0.00	0.00	0.00
2,700.0	13.22	278.69	2,674.6	37.0	-242.1	-7.7	0.00	0.00	0.00
2,800.0	13.22	278.69	2,771.9	40.4	-264.7	-8.5	0.00	0.00	0.00
2,900.0	13.22	278.69	2,869.3	43.9	-287.3	-9.2	0.00	0.00	0.00
3,000.0	13.22	278.69	2,966.6	47.3	-309.9	-9.9	0.00	0.00	0.00
3,100.0	13.22	278.69	3,064.0	50.8	-332.5	-10.6	0.00	0.00	0.00
3,200.0	13.22	278.69	3,161.3	54.3	-355.1	-11.3	0.00	0.00	0.00
3,300.0	13.22	278.69	3,258.7	57.7	-377.7	-12.1	0.00	0.00	0.00
3,400.0	13.22	278.69	3,356.0	61.2	-400.3	-12.8	0.00	0.00	0.00
3,500.0	13.22	278.69	3,453.4	64.6	-422.9	-13.5	0.00	0.00	0.00
3,600.0	13.22	278.69	3,550.7	68.1 71.5	-445.5	-14.2	0.00	0.00	0.00
3,700.0 3,800.0	13.22 13.22	278.69 278.69	3,648.1 3,745.4	71.5 75.0	-468.1 -490.7	-15.0 -15.7	0.00 0.00	0.00 0.00	0.00 0.00
3,900.0	13.22	278.69	3,842.8	78.4	-513.3	-16.4	0.00	0.00	0.00
4,000.0	13.22	278.69	3,940.1	81.9	-535.9	-17.1	0.00	0.00	0.00
4,100.0	13.22	278.69	4,037.5	85.3	-558.5	-17.8	0.00	0.00	0.00
4,200.0	13.22	278.69	4,134.8	88.8	-581.1	-18.6	0.00	0.00	0.00
4,300.0	13.22	278.69	4,232.2	92.2	-603.7	-19.3	0.00	0.00	0.00
4,400.0	13.22	278.69	4,329.5	95.7	-626.3	-20.0	0.00	0.00	0.00
4,500.0	13.22	278.69	4,426.9	99.2	-648.9	-20.7	0.00	0.00	0.00
4,600.0	13.22	278.69	4,524.2	102.6	-671.5	-21.4	0.00	0.00	0.00
4,700.0	13.22	278.69	4,621.6	106.1	-694.1	-22.2	0.00	0.00	0.00
4,800.0	13.22	278.69	4,718.9	109.5	-716.7	-22.9	0.00	0.00	0.00
4,900.0	13.22	278.69	4,816.3	113.0	-739.3	-23.6	0.00	0.00	0.00
5,000.0	13.22	278.69	4,913.7	116.4	-759.5	-23.0	0.00	0.00	0.00
5,100.0	13.22	278.69	5,011.0	119.9	-784.5	-24.3	0.00	0.00	0.00
0,100.0	10.22	210.00	0,011.0	110.0	, 04.0	-20.1	0.00	0.00	0.00

2/8/2024 2:10:14PM

Planning Report

Database:	PEDM	Local Co-ordinate Reference	Well #511H
Company:	Midland	TVD Reference:	KB @ 3522.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB @ 3522.0usft
Site:	Stonewall 28 Fed Com	North Reference:	Grid
Well:	#511H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.2		

Planned Survey

Measured Depth	Inclination	Azimuth	Vertical Depth	+N/-S	+E/-W	Vertical Section	Dogleg Rate	Build Rate	Turn Rate
(usft)	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(°/100usft)	(°/100usft)	(°/100usft)
5,200.0	13.22	278.69	5,108.4	123.3	-807.1	-25.8	0.00	0.00	0.00
5,300.0	13.22	278.69	5,205.7	126.8	-829.7	-26.5	0.00	0.00	0.00
5,400.0	13.22	278.69	5,303.1	130.2	-852.3	-27.2	0.00	0.00	0.00
5,500.0	13.22	278.69	5,400.4	133.7	-874.9	-27.9	0.00	0.00	0.00
5,600.0	13.22	278.69	5,497.8	137.1	-897.5	-28.7	0.00	0.00	0.00
5,700.0	13.22	278.69	5,595.1	140.6	-920.1	-29.4	0.00	0.00	0.00
5,800.0	13.22	278.69	5,692.5	144.0	-942.7	-30.1	0.00	0.00	0.00
5,900.0	13.22	278.69	5,789.8	147.5	-965.3	-30.8	0.00	0.00	0.00
6,000.0	13.22	278.69	5,887.2	151.0	-987.9	-31.6	0.00	0.00	0.00
6,100.0	13.22	278.69	5,984.5	154.4	-1,010.5	-32.3	0.00	0.00	0.00
6,200.0	13.22	278.69	6,081.9	157.9	-1,033.1	-33.0	0.00	0.00	0.00
6,300.0	13.22	278.69	6,179.2	161.3	-1,055.7	-33.7	0.00	0.00	0.00
6,400.0	13.22	278.69	6,276.6	164.8	-1,078.3	-34.4	0.00	0.00	0.00
6,500.0	13.22	278.69	6,373.9	168.2	-1,100.9	-35.2	0.00	0.00	0.00
6,600.0	13.22	278.69	6,471.3	171.7	-1,123.5	-35.9	0.00	0.00	0.00
6,700.0	13.22	278.69	6,568.6	175.1	-1,146.1	-36.6	0.00	0.00	0.00
6,800.0	13.22	278.69	6,666.0	178.6	-1,168.7	-37.3	0.00	0.00	0.00
6,900.0	13.22	278.69	6,763.3	182.0	-1,191.3	-38.1	0.00	0.00	0.00
7,000.0	13.22	278.69	6,860.7	185.5	-1,213.9	-38.8	0.00	0.00	0.00
7,100.0	13.22	278.69	6,958.0	188.9	-1,236.5	-39.5	0.00	0.00	0.00
7,146.2	13.22	278.69	7,003.0	190.5	-1,247.0	-39.8	0.00	0.00	0.00
7,200.0	12.14	278.69	7,055.5	192.3	-1,258.7	-40.2	2.00	-2.00	0.00
7,300.0	10.14	278.69	7,153.6	195.2	-1,277.8	-40.8	2.00	-2.00	0.00
7,400.0	8.14	278.69	7,252.3	197.6	-1,293.5	-41.3	2.00	-2.00	0.00
7,500.0	6.14	278.69	7,351.5	199.5	-1,305.8	-41.7	2.00	-2.00	0.00
7,600.0	4.14	278.69	7,451.1	200.9	-1,314.6	-42.0	2.00	-2.00	0.00
7,700.0	2.14	278.69	7,551.0	201.7	-1,320.0	-42.2	2.00	-2.00	0.00
7,807.0	0.00	0.00	7,658.0	202.0	-1,322.0	-42.2	2.00	-2.00	0.00
7,900.0	0.00	0.00	7,751.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
8,000.0	0.00	0.00	7,851.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
8,100.0	0.00	0.00	7,951.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
8,200.0	0.00	0.00	8,051.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
8,300.0	0.00	0.00	8,151.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
8,400.0	0.00	0.00	8,251.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
8,500.0	0.00	0.00	8,351.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
8,600.0	0.00	0.00	8,451.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
8,700.0	0.00	0.00	8,551.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
8,800.0	0.00	0.00	8,651.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
8,900.0	0.00	0.00	8,751.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
9,000.0	0.00	0.00	8,851.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
9,100.0	0.00	0.00	8,951.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
9,200.0	0.00	0.00	9,051.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
9,300.0	0.00	0.00	9,151.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
9,400.0	0.00	0.00	9,251.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
9,500.0	0.00	0.00	9,351.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
9,600.0	0.00	0.00	9,451.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
9,700.0	0.00	0.00	9,551.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
9,800.0	0.00	0.00	9,651.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
9,900.0	0.00	0.00	9,751.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
10,000.0	0.00	0.00	9,851.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
10,100.0	0.00	0.00	9,951.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
10,200.0	0.00	0.00	10,051.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
10,300.0	0.00	0.00	10,151.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00

2/8/2024 2:10:14PM

Page 5

COMPASS 5000.16 Build 100

Planning Report

Database:	PEDM	Local Co-ordinate Reference	Well #511H
Company:	Midland	TVD Reference:	KB @ 3522.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB @ 3522.0usft
Site:	Stonewall 28 Fed Com	North Reference:	Grid
Well:	#511H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.2		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
. ,					. ,	. ,	. ,	, ,	. ,
10,400.0	0.00	0.00	10,251.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
10,500.0	0.00	0.00	10,351.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
10,600.0	0.00	0.00	10,451.0	202.0	-1,322.0	-42.2	0.00	0.00	0.00
10,653.5	0.00	0.00	10,504.5	202.0	-1,322.0	-42.2	0.00	0.00	0.00
10,675.0	2.57	180.00	10,525.9	201.5	-1,322.0	-41.7	12.00	12.00	0.00
10,700.0	5.58	180.00	10,550.9	199.7	-1,322.0	-40.0	12.00	12.00	0.00
10,725.0	8.58	180.00	10,575.7	199.7	-1,322.0	-40.0	12.00	12.00	0.00
	11.58	180.00	10,600.3		-1,322.0				
10,750.0				192.3		-32.6	12.00	12.00	0.00
10,775.0	14.58	180.00	10,624.6	186.6	-1,322.0	-27.0	12.00	12.00	0.00
10,800.0	17.58	180.00	10,648.7	179.7	-1,322.0	-20.1	12.00	12.00	0.00
10,825.0	20.58	180.00	10,672.3	171.5	-1,322.0	-12.0	12.00	12.00	0.00
10,850.0	23.58	180.00	10,695.5	162.1	-1,322.0	-2.7	12.00	12.00	0.00
10,874.0	26.46	180.00	10,717.2	152.0	-1,322.0	7.4	12.00	12.00	0.00
10,875.0	26.58	180.00	10,718.1	151.6	-1,322.0	7.9	12.00	12.00	-0.29
10,900.0	29.58	179.93	10,740.2	139.8	-1,322.0	19.5	12.00	12.00	-0.26
10,925.0	32.58	179.88	10,761.6	126.9	-1,322.0	32.3	12.00	12.00	-0.21
10,950.0	35.58	179.83	10,782.3	112.9	-1,321.9	46.2	12.00	12.00	-0.18
10,975.0	38.58	179.79	10,802.2	97.8	-1,321.9	61.2	12.00	12.00	-0.16
11,000.0	41.58	179.76	10,821.3	81.7	-1,321.8	77.2	12.00	12.00	-0.14
11,025.0	44.58	179.73	10,839.6	64.6	-1,321.7	94.1	12.00	12.00	-0.12
11,050.0	47.58	179.70	10,856.9	46.6	-1,321.7	112.0	12.00	12.00	-0.11
11,075.0	50.58	179.68	10,873.3	27.7	-1,321.6	130.7	12.00	12.00	-0.10
11,100.0	53.58	179.65	10,888.7	8.0	-1,321.4	150.3	12.00	12.00	-0.09
11,125.0	56.58	179.63	10,903.0	-12.5	-1,321.3	170.6	12.00	12.00	-0.08
11,150.0	59.58	179.61	10,916.2	-33.7	-1,321.2	191.7	12.00	12.00	-0.08
11,175.0	62.58	179.59	10,928.3	-55.6	-1,321.0	213.4	12.00	12.00	-0.07
11,200.0	65.58	179.58	10,939.2	-78.0	-1,320.9	235.7	12.00	12.00	-0.07
11,225.0	68.58	179.56	10,949.0	-101.1	-1,320.7	258.5	12.00	12.00	-0.07
11,250.0	71.58	179.54	10,957.5	-124.6	-1,320.5	281.8	12.00	12.00	-0.06
11,275.0	74.58	179.53	10,964.8	-148.5	-1,320.3	305.5	12.00	12.00	-0.06
11,300.0	77.58	179.51	10,970.8	-172.7	-1,320.1	329.6	12.00	12.00	-0.06
11,325.0	80.58	179.50	10,975.5	-197.3	-1,319.9	353.9	12.00	12.00	-0.06
11,350.0	83.58	179.48	10,979.0	-222.0	-1,319.7	378.5	12.00	12.00	-0.06
11,375.0	86.58	179.47	10,981.1	-246.9	-1,319.4	403.2	12.00	12.00	-0.06
11,400.0	89.58	179.45	10,981.9	-271.9	-1,319.2	428.0	12.00	12.00	-0.06
11,403.5	90.00	179.45	10,981.9	-275.4	-1,319.2	431.4	12.00	12.00	-0.06
11,500.0	90.00	179.45	10,982.0	-371.9	-1,318.3	527.1	0.00	0.00	0.00
11,600.0	90.00	179.45	10,982.0	-471.9	-1,317.3	626.3	0.00	0.00	0.00
11,700.0	90.00	179.45	10,982.0	-571.9	-1,316.3	725.4	0.00	0.00	0.00
11,800.0	90.00	179.45	10,982.0	-671.9	-1,315.4	824.6	0.00	0.00	0.00
11,900.0	90.00	179.45	10,982.0	-771.9	-1,314.4	923.8	0.00	0.00	0.00
12,000.0	90.00	179.45	10,982.0	-871.9	-1,313.5	1,022.9	0.00	0.00	0.00
12,000.0	90.00	179.45	10,982.0	-971.9	-1,313.5	1,022.9	0.00	0.00	0.00
12,100.0	90.00	179.45	10,982.0	-1,071.9	-1,312.5	1,122.1	0.00	0.00	0.00
12,300.0	90.00	179.45	10,982.0	-1,171.9	-1,310.6	1,320.4	0.00	0.00	0.00
12,400.0	90.00	179.45	10,982.0	-1,271.9	-1,309.7	1,419.6	0.00	0.00	0.00
12,500.0	90.00	179.45	10,982.0	-1,371.9	-1,308.7	1,518.7	0.00	0.00	0.00
12,600.0	90.00	179.45	10,982.0	-1,471.9	-1,307.7	1,617.9	0.00	0.00	0.00
12,700.0	90.00	179.45	10,982.0	-1,571.9	-1,306.8	1,717.1	0.00	0.00	0.00
12,800.0	90.00	179.45	10,982.0	-1,671.9	-1,305.8	1,816.2	0.00	0.00	0.00
12,800.0	90.00	179.45	10,982.0	-1,771.9	-1,305.8	1,010.2	0.00	0.00	0.00
12,900.0		179.45	10,982.0	-1,771.9	-1,304.9 -1,303.9	2,014.5			
13,000.0	90.00 90.00						0.00	0.00	0.00
13,100.0	90.00	179.45	10,982.0	-1,971.8	-1,303.0	2,113.7	0.00	0.00	0.00

2/8/2024 2:10:14PM

Planning Report

Database:	PEDM	Local Co-ordinate Reference	Well #511H
Company:	Midland	TVD Reference:	KB @ 3522.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB @ 3522.0usft
Site:	Stonewall 28 Fed Com	North Reference:	Grid
Well:	#511H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.2		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
13,200.0	90.00	179.45	10,982.0	-2,071.8	-1,302.0	2,212.9	0.00	0.00	0.00
13,300.0	90.00	179.45	10,982.0	-2,171.8	-1,301.1	2,312.0	0.00	0.00	0.00
13,400.0	90.00	179.45	10,982.0	-2,171.8	-1,300.1	2,312.0	0.00	0.00	0.00
13,500.0	90.00	179.45	10,982.0	-2,371.8	-1,299.1	2,510.3	0.00	0.00	0.00
13,515.2	90.00	179.45	10,982.0	-2,387.0	-1,299.0	2,525.4	0.00	0.00	0.00
13,600.0	90.00	179.46	10,982.0	-2,471.8	-1,298.2	2,609.5	0.00	0.00	0.00
13,700.0	90.00	179.46	10,982.0	-2,571.8	-1,297.2	2,708.7	0.00	0.00	0.00
13,800.0	90.00 90.00	179.46 179.47	10,982.0	-2,671.8 -2,771.8	-1,296.3 -1,295.4	2,807.8 2,907.0	0.00 0.00	0.00 0.00	0.00 0.00
13,900.0 14,000.0	90.00	179.47	10,982.0 10,982.0	-2,771.8	-1,295.4 -1,294.4	2,907.0	0.00	0.00	0.00
14,000.0	90.00	179.47	10,982.0	-2,971.8	-1,293.5	3,105.3	0.00	0.00	0.00
14,200.0	90.00	179.48	10,982.0	-3,071.8	-1,292.6	3,204.5	0.00	0.00	0.00
14,300.0	90.00	179.48	10,982.0	-3,171.8	-1,291.7	3,303.7	0.00	0.00	0.00
14,400.0	90.00	179.48	10,982.0	-3,271.8	-1,290.8	3,402.8	0.00	0.00	0.00
14,500.0 14,600.0	90.00 90.00	179.49 179.49	10,982.0 10,982.0	-3,371.8 -3,471.8	-1,289.9 -1,289.0	3,502.0 3,601.2	0.00 0.00	0.00 0.00	0.00 0.00
14,700.0	90.00	179.50	10,982.0	-3,571.8	-1,288.1	3,700.3	0.00	0.00	0.00
14,800.0	90.00	179.50	10,982.0	-3,671.8	-1,287.3	3,799.5	0.00	0.00	0.00
14,900.0	90.00	179.50	10,982.0	-3,771.8	-1,286.4	3,898.7	0.00	0.00	0.00
15,000.0	90.00	179.51	10,982.0	-3,871.8	-1,285.5	3,997.9	0.00	0.00	0.00
15,100.0	90.00	179.51	10,982.0	-3,971.8	-1,284.7	4,097.0	0.00	0.00	0.00
15,200.0	90.00	179.51	10,982.0	-4,071.8	-1,283.8	4,196.2	0.00	0.00	0.00
15,300.0	90.00	179.52	10,982.0	-4,171.8	-1,283.0	4,295.4	0.00	0.00	0.00
15,400.0	90.00	179.52	10,982.0	-4,271.8	-1,282.1	4,394.6	0.00	0.00	0.00
15,500.0	90.00	179.53	10,982.0	-4,371.7	-1,281.3	4,493.7	0.00	0.00	0.00
15,600.0	90.00	179.53	10,982.0	-4,471.7	-1,280.5	4,592.9	0.00	0.00	0.00
15,700.0	90.00	179.53	10,982.0	-4,571.7	-1,279.6	4,692.1	0.00	0.00	0.00
15,800.0	90.00	179.54	10,982.0	-4,671.7	-1,278.8	4,791.3	0.00	0.00	0.00
15,900.0	90.00	179.54	10,982.0	-4,771.7	-1,278.0	4,890.4	0.00	0.00	0.00
16,000.0	90.00	179.54	10,982.0	-4,871.7	-1,277.2	4,989.6	0.00	0.00	0.00
16,100.0	90.00	179.55	10,982.0	-4,971.7	-1,276.4	5,088.8	0.00	0.00	0.00
16,155.3	90.00	179.55	10,982.0	-5,027.0	-1,276.0	5,143.6	0.00	0.00	0.00
16,200.0	90.00	179.55	10,982.0	-5,071.7	-1,275.6	5,188.0	0.00	0.00	0.00
16,300.0	90.00	179.55	10,982.0	-5,171.7	-1,274.9	5,287.2	0.00	0.00	0.00
16,400.0	90.00	179.54	10,982.0	-5,271.7	-1,274.1	5,386.4	0.00	0.00	0.00
16,500.0	90.00	179.54	10,982.0	-5,371.7	-1,273.3	5,485.5	0.00	0.00	0.00
16,600.0	90.00	179.54	10,982.0	-5,471.7	-1,272.5	5,584.7	0.00	0.00	0.00
16,700.0	90.00	179.54	10,982.0	-5,571.7	-1,271.7	5,683.9	0.00	0.00	0.00
16,800.0	90.00	179.54	10,982.0	-5,671.7	-1,270.9	5,783.1	0.00	0.00	0.00
16,900.0	90.00	179.54	10,982.0	-5,771.7	-1,270.1	5,882.3	0.00	0.00	0.00
17,000.0	90.00	179.53	10,982.0	-5,871.7	-1,269.2	5,981.4	0.00	0.00	0.00
17,100.0	90.00	179.53	10,982.0	-5,971.7	-1,268.4	6,080.6	0.00	0.00	0.00
17,200.0	90.00	179.53	10,982.0	-6,071.7	-1,267.6	6,179.8	0.00	0.00	0.00
17,300.0	90.00	179.53	10,982.0	-6,171.7	-1,266.8	6,279.0	0.00	0.00	0.00
17,400.0	90.00	179.53	10,982.0	-6,271.7	-1,266.0	6,378.2	0.00	0.00	0.00
17,500.0	90.00	179.52	10,982.0	-6,371.7	-1,265.1	6,477.3	0.00	0.00	0.00
17,600.0	90.00	179.52	10,982.0	-6,471.7	-1,264.3	6,576.5	0.00	0.00	0.00
17,700.0	90.00	179.52	10,982.0	-6,571.7	-1,263.5	6,675.7	0.00	0.00	0.00
17,800.0	90.00	179.52	10,982.0	-6,671.7	-1,262.6	6,774.9	0.00	0.00	0.00
17,900.0	90.00	179.52	10,982.0	-6,771.7	-1,261.8	6,874.0	0.00	0.00	0.00
18,000.0	90.00	179.52	10,982.0	-6,871.7	-1,260.9	6,973.2	0.00	0.00	0.00
18,100.0 18,200.0	90.00 90.00	179.51 179.51	10,982.0 10,982.0	-6,971.7 -7,071.7	-1,260.1 -1,259.2	7,072.4 7,171.6	0.00 0.00	0.00 0.00	0.00 0.00
 10,200.0	90.00	179.01	10,302.0	-1,011.1	-1,200.2	7,171.0	0.00	0.00	0.00

2/8/2024 2:10:14PM

Page 7

COMPASS 5000.16 Build 100

Planning Report

Database:	PEDM	Local Co-ordinate Reference	Well #511H
Company:	Midland	TVD Reference:	KB @ 3522.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB @ 3522.0usft
Site:	Stonewall 28 Fed Com	North Reference:	Grid
Well:	#511H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.2		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
18,300.0	90.00	179.51	10,982.0	-7,171.7	-1,258.4	7,270.7	0.00	0.00	0.00
18,400.0	90.00	179.51	10,982.0	-7,271.7	-1,257.5	7,369.9	0.00	0.00	0.00
18,500.0	90.00	179.51	10,982.0	-7,371.6	-1,256.7	7,469.1	0.00	0.00	0.00
18,600.0	90.00	179.50	10,982.0	-7,471.6	-1,255.8	7,568.3	0.00	0.00	0.00
18,700.0	90.00	179.50	10,982.0	-7,571.6	-1,254.9	7,667.4	0.00	0.00	0.00
18,800.0	90.00	179.50	10,982.0	-7,671.6	-1,254.1	7,766.6	0.00	0.00	0.00
18,900.0	90.00	179.50	10,982.0	-7,771.6	-1,253.2	7,865.8	0.00	0.00	0.00
19,000.0	90.00	179.50	10,982.0	-7,871.6	-1,252.3	7,965.0	0.00	0.00	0.00
19,100.0	90.00	179.50	10,982.0	-7,971.6	-1,251.5	8,064.1	0.00	0.00	0.00
19,200.0	90.00	179.49	10,982.0	-8,071.6	-1,250.6	8,163.3	0.00	0.00	0.00
19,300.0	90.00	179.49	10,982.0	-8,171.6	-1,249.7	8,262.5	0.00	0.00	0.00
19,400.0	90.00	179.49	10,982.0	-8,271.6	-1,248.8	8,361.6	0.00	0.00	0.00
19,500.0	90.00	179.49	10,982.0	-8,371.6	-1,247.9	8,460.8	0.00	0.00	0.00
19,600.0	90.00	179.49	10,982.0	-8,471.6	-1,247.0	8,560.0	0.00	0.00	0.00
19,700.0	90.00	179.48	10,982.0	-8,571.6	-1,246.1	8,659.1	0.00	0.00	0.00
19,800.0	90.00	179.48	10,982.0	-8,671.6	-1,245.2	8,758.3	0.00	0.00	0.00
19,900.0	90.00	179.48	10,982.0	-8,771.6	-1,244.3	8,857.5	0.00	0.00	0.00
20,000.0	90.00	179.48	10,982.0	-8,871.6	-1,243.4	8,956.6	0.00	0.00	0.00
20,100.0	90.00	179.48	10,982.0	-8,971.6	-1,242.5	9,055.8	0.00	0.00	0.00
20,200.0	90.00	179.48	10,982.0	-9,071.6	-1,241.6	9,155.0	0.00	0.00	0.00
20,300.0	90.00	179.47	10,982.0	-9,171.6	-1,240.7	9,254.1	0.00	0.00	0.00
20,400.0	90.00	179.47	10,982.0	-9,271.6	-1,239.7	9,353.3	0.00	0.00	0.00
20,500.0	90.00	179.47	10,982.0	-9,371.6	-1,238.8	9,452.5	0.00	0.00	0.00
20,600.0	90.00	179.47	10,982.0	-9,471.6	-1,237.9	9,551.6	0.00	0.00	0.00
20,700.0	90.00	179.47	10,982.0	-9,571.6	-1,237.0	9,650.8	0.00	0.00	0.00
20,800.0	90.00	179.46	10,982.0	-9,671.6	-1,236.0	9,750.0	0.00	0.00	0.00
20,900.0	90.00	179.46	10,982.0	-9,771.6	-1,235.1	9,849.1	0.00	0.00	0.00
21,000.0	90.00	179.46	10,982.0	-9,871.5	-1,234.2	9,948.3	0.00	0.00	0.00
21,100.0	90.00	179.46	10,982.0	-9,971.5	-1,233.2	10,047.5	0.00	0.00	0.00
21,200.0	90.00	179.46	10,982.0	-10,071.5	-1,232.3	10,146.6	0.00	0.00	0.00
21,300.0	90.00	179.46	10,982.0	-10,171.5	-1,231.3	10,245.8	0.00	0.00	0.00
21,333.5	90.00	179.46	10,982.0	-10,205.0	-1,231.0	10,279.0	0.00	0.00	0.00

.

Planning Report

Database:	PEDM	Local Co-ordinate Reference	Well #511H
Company:	Midland	TVD Reference:	KB @ 3522.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB @ 3522.0usft
Site:	Stonewall 28 Fed Com	North Reference:	Grid
Well:	#511H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.2		

Design Targets

Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
KOP(Stonewall 28 Fed (- plan hits target cente - Point	0.00 er	0.00	10,504.5	202.0	-1,322.0	435,965.00	805,444.00	32° 11' 44.386 N	103° 28' 46.343 W
FTP(Stonewall 28 Fed C - plan hits target cente - Point	0.00 er	0.00	10,717.2	152.0	-1,322.0	435,915.00	805,444.00	32° 11' 43.891 N	103° 28' 46.348 W
PBHL(Stonewall 28 Fed - plan hits target cente - Point	0.00 er	0.00	10,982.0	-10,205.0	-1,231.0	425,558.00	805,535.00	32° 10' 1.401 N	103° 28' 46.245 W
Fed Perf 2(Stonewall 28 - plan hits target cente - Point	0.00 er	0.00	10,982.0	-5,027.0	-1,276.0	430,736.00	805,490.00	32° 10' 52.641 N	103° 28' 46.291 W
Fed Perf 1(Stonewall 28 - plan hits target cente - Point	0.00 er	0.00	10,982.0	-2,387.0	-1,299.0	433,376.00	805,467.00	32° 11' 18.766 N	103° 28' 46.315 W

leogresources


Lea County, NM (NAD 83 NME)

Stonewall 28 Fed Com #511H

Plan #0.2

PROJECT DETAILS: Lea County, NM (NAD 83 NME)

Geodetic System: US State Plane 1983 Datum: North American Datum 1983 Ellipsoid: GRS 1980 Zone: New Mexico Eastern Zone System Datum: Mean Sea Level



G **Azimuths to Grid North** True North: -0.46° Magnetic North: 5.87° Strength: 47337.5nT Dip Angle: 59.84° Date: 11/17/2022 To convert a Magnetic Direction to a Grid Direction, Add 5.87° To convert a Magnetic Direction to a True Direction, Add 6.33° East To convert a True Direction to a Grid Direction, Subtract 0.46°


Magnetic Field


Model: IGRF2020

		3496.0				
KB @ 3522.0usft						
Northing	Easting	Latittude	Longitude			
435763.00	806766.00	32° 11' 42.283 N	103° 28' 30.978 W			

SECTION DETAILS										
Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSect	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	1300.0	0.00	0.00	1300.0	0.0	0.0	0.00	0.00	0.0	
3	1960.8	13.22	278.69	1955.0	11.5	-75.0	2.00	278.69	-2.4	
4	7146.2	13.22	278.69	7003.0	190.5	-1247.0	0.00	0.00	-39.8	
5	7807.0	0.00	0.00	7658.0	202.0	-1322.0	2.00	180.00	-42.2	
6	10653.5	0.00	0.00	10504.5	202.0	-1322.0	0.00	0.00	-42.2	KOP(Stonewall 28 Fed Com #403H)
7	10874.0	26.46	180.00	10717.2	152.0	-1322.0	12.00	180.00	7.4	FTP(Stonewall 28 Fed Com #403H)
8	11403.5	90.00	179.45	10981.9	-275.4	-1319.2	12.00	-0.61	431.4	
9	13515.2	90.00	179.45	10982.0	-2387.0	-1299.0	0.00	0.00	2525.4	Fed Perf 1(Stonewall 28 Fed Com #403H
10	16155.3	90.00	179.55	10982.0	-5027.0	-1276.0	0.00	88.34	5143.6	Fed Perf 2 Stonewall 28 Fed Com #403H
11	21333.5	90.00	179.46	10982.0	-10205.0	-1231.0	0.00	-91.70	10279.0	PBHL(Stonewall 28 Fed Com #403H)

CASING DETAILS	WELLBORE TA	RGET DETAILS	S (MAP CO-OR	DINATES)			
No casing data is available	Name KOP(Stonewall 28 Fed Com #403H) FTP(Stonewall 28 Fed Com #403H) Fed Perf 1(Stonewall 28 Fed Com #403H) Fed Perf 2(Stonewall 28 Fed Com #403H) PBHL(Stonewall 28 Fed Com #403H)	TVD 10504.5 10717.2 10982.0 10982.0 10982.0	+N/-S 202.0 152.0 -2387.0 -5027.0 -10205.0	+E/-W -1322.0 -1322.0 -1299.0 -1276.0 -1231.0	Northing 435965.00 435915.00 433376.00 430736.00 425558.00	Easting 805444.00 805444.00 805467.00 805490.00 805535.00	





- - - - - -

- - - - - - - - -

• + + + + + +

+++------

- i --++++ ---+---

- - + - -

+ + + - - -

+ + **⊥** - - - -

- - + - - -

- - - - - -

350

700

1050

1400-

1750

2100

2450

2800

3150

3500

3850

4200


4550

4900

Lepth 2250

Vertical

5950



Vertical Section at 186.88°

Lea County, NM (NAD 83 NME) Stonewall 28 Fed Com #511H ОН Plan #0.2 13:51, February 08 2024



EOG BLANKET CASING DESIGN VARIANCE

EOG respectfully requests the drill plans in the attached document 'EOG Alternate Casing Designs – BLM APPROVED' be added to the COA's for this well. These designs have been approved by the BLM down to the TVDs listed below and will allow EOG to run alternate casing designs for this well if necessary.

The designs and associated details listed are the "worst case scenario" boundaries for design safety factors. Location and lithology have NOT been accounted for in these designs. The specific well details will be based on the APD/Sundry package and the information listed in the COA.

The mud program will not change from the original design for this well. Summary of the mud programs for both shallow and deep targets are listed at the end of this document. If the target is changing, a sundry will be filed to update the casing design and mud/cement programs.

Cement volumes listed in this document are for reference only. The cement volumes for the specific well will be adjusted to ensure cement tops meet BLM requirements as listed in the COA and to allow bradenhead cementing when applicable.

This blanket document only applies to wells with three string designs outside of Potash and Capitan Reef boundaries.

Sł	Shallow Design Boundary Conditions									
	Deepest	Deepest	Max Inc	Max DLS						
	MD (ft)	TVD (ft)	(deg)	(°/100usft)						
Surface	2030	2030	0	0						
Intermediate	7793	5650	40	8						
Production	28578	11225	90	25						



<u>I.</u> (CASING I ROOKAW									
Hole	Interv	Interval MD Interval TVD		Interval TVD						
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn		
16"	0	2,030	0	2,030	13-3/8"	54.5#	J-55	STC		
11"	0	7,793	0	5,650	9-5/8"	40#	J-55	LTC		
6-3/4"	0	28,578	0	11,225	5-1/2"	20#	P110-EC	DWC/C IS MS		

1. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.


		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	Siding Description
2,030'	570	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-
13-3/8''				Flake (TOC @ Surface)
	160	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium
				Metasilicate (TOC @ 1830')
7,793'	770	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @
9-5/8''				Surface)
	250	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 6238')
28,578'	410	10.5	3.21	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC
5-1/2''				@ 7300')
	1110	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5%
				NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @
				12730')

2. CEMENTING PROGRAM:

Shallow Design A

Proposed Wellbore

KB: 3558' GL: 3533'



File Edit Wellbore Tubular View Composer Tools Window Help

Page 23


esults Depth (MD)		orce (lbf)	Equivalent	Bending Stress		Absolute S	afety Factor		Temperature	Pressure	(psi)	Addt'l Pickup To	Buckle
(usft)	Apparent (w/Bending)	Actual (w/o Bending)	Axial Load (lbf)	at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	(°F)	Internal	External	Prevent Buck. (lbf)	Length (u
0	252987	228954	253140	2098.2	1.69	1.58	N/A	2.82 F	70.00	2500.00	0.00	N/A	N/A
100	247735	223702	248466	2098.2	1.69	1.58	N/A	2.88 F	71.10	2543.63	43.63		
100	234996	223701	235716	986.2	1.71	1.58	N/A	3.04 F	71.10	2543.64	43.64		
1700	341565	139667	352253	17627.2	1.53	1.57	N/A	2.09 F	88.70	3241.64	741.64		
1700	312979	139666	323488	15131.5	1.58	1.57	N/A	2.28 F	88.70	3241.65	741.65		
1850	336881	132027	348440	17885.2	1.51	1.57	N/A	2.12 F	90.29	3305.05	805.05		
1850	318549	132027	329984	16284.8	1.54	1.57	N/A	2.24 F	90.29	3305.06	805.06		
1950	320468	127243	332475	16869.9	1.52	1.57	N/A	2.23 F	91.30	3344.87	844.87		
1950	312802	127243	324756	16200.7	1.53	1.57	N/A	2.28 F	91.30	3344.87	844.87		
2050	307858	122773	320295	16159.3	1.52	1.57	N/A	2.32 F	92.23	3381.89	881.89		
2050	303560	122772	315965	15784.1	1.53	1.57	N/A	2.35 F	92.23	3381.89	881.89		
2300	151294	112633	163658	3375.4	1.71	1.57	N/A	4.72 F	94.35	3466.13	966.13		
2300	132741	112633	144956	1755.6	1.72	1.57	N/A	5.38 F	94.35	3466.14	966.14		
2370	129966	109858	142452	1755.6	1.72	1.57	N/A	5.49 F	94.94	3489.28	989.28		
2370	127909	107800	140922	1755.6	1.75	1.60	N/A	5.58 F	94.94	3489.29	1036.40		
2700	105515	94232	119785	985.1	1.75	1.60	N/A	6.77 F	97.73	3599.97	1152.35		
2700	111680	94231	126006	1523.4	1.75	1.60	N/A	6.39 F	97.73	3599.97	1152.35		
3100	110766	77783	126839	2879.6	1.71	1.60	N/A	6.44 F	101.11	3734.23	1293.00		
3100	97392	77783	113331	1712.1	1.73	1.60	N/A	7.33 F	101.11	3734.23	1293.01		
3700	71565	53303	89806	1594.4	1.70	1.61	N/A	9.97 F	106.15	3934.24	1502.54		
3700	60887	53302	79004	662.3	1.71	1.61	N/A	11.72 F	106.16	3934.25	1502.55		
4650	34671	14219	56495	1785.6	1.64	1.61	N/A	20.59 F	114.20	4253.37	1836.86		
4900	44595	4828	67626	3472.0	1.59	1.61	N/A	16.01 F	116.32	4337.37	1924.87		
4900	28975	4828	51775	2108.2	1.62	1.61	N/A	24.64 F	116.32	4337.38	1924.87		
5029	22103	34	45340	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.40	1969.94		
5029	22102	33	45339	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.41	1969.95		
5600	-45329	-21341	-20805	2094.3	1.57	1.62	N/A	(13.67)	122.23	4572.11	2170.78		
5650	-40465	-23210	-15657	1506.5	1.58	1.62	N/A	(15.31)	122.66	4588.87	2188.34		
F	Conn Fracture												
	Compression												
	Vector Collapse Safety	Faster											
(v)	vector conapse Salety	Factor											

. Working (Config (Min SF) Load/SF (DF Summary (VME (Wallplot) For Help, press F1

🕵 耳 Default Datum @ 0.00 usft 📑 API - US Survey Feet 🙎 jgriffin2


9-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi



*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 7/12/2024 1:48:37 PM



*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 7/12/2024 1:48:37 PM

Page 6 of 32



<u>I.</u> (CASING I ROOKAM										
Hole	Interv	al MD	Interval TVD		Csg						
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn			
13-1/2"	0	2,030	0	2,030	10-3/4"	40.5#	J-55	STC			
9-7/8"	0	7,793	0	5,650	8-5/8"	32#	J-55	BTC-SC			
6-3/4"	0	28,578	0	11,225	5-1/2"	20#	P110-EC	DWC/C IS MS			

1. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 8-5/8" casing in the 9-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 9-7/8" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	Sidiny Description
2,030'	530	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-
10-3/4''				Flake (TOC @ Surface)
	140	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium
				Metasilicate (TOC @ 1830')
7,793'	460	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @
8-5/8''				Surface)
	210	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 6238')
28,578'	400	10.5	3.21	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC
5-1/2''				@ 7300')
	1110	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5%
				NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @
				12730')


2. CEMENTING PROGRAM:



Shallow Design B

Proposed Wellbore

KB: 3558' GL: 3533'



StressCheck - [Triaxial Results - Shallow 3.0 Mile *]
File Edit Wellbore Tubular View Composer Tools Window Help

_ = = >

 Image: Image

Depth (MD) (usft)	Axial F	orce (lbf)	Equivalent	Bending Stress	Absolute Safety Factor				Temperature	Pressure	e (psi)	Addt'l Pickup To	Buckled	
		Apparent (w/Bending)	Actual (w/o Bending)	Axial Load (lbf)	at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	(°F)	Internal	External	Prevent Buck. (lbf)	Length (usft
	0	200426	183224	200546	1880.2	1.68	1.57	N/A	2.89 F	70.00	2500.00	0.00	N/A	N/A
	100	196229	179028	196812	1880.2	1.69	1.57	N/A	2.95 F	71.10	2543.63	43.63		
	100	187111	179027	187686	883.7	1.70	1.57	N/A	3.10 F	71.10	2543.64	43.64		
	1700	256401	111891	264835	15795.8	1.56	1.56	N/A	2.26 F	88.70	3241.64	741.64		
	1700	235940	111891	244247	13559.4	1.60	1.56	N/A	2.45 F	88.70	3241.65	741.65		
	1850	252413	105788	261533	16027.0	1.54	1.56	N/A	2.29 F	90.29	3305.05	805.05		
	1850	239292	105787	248323	14592.9	1.56	1.56	N/A	2.42 F	90.29	3305.06	805.06		
	1950	240267	101966	249748	15117.2	1.54	1.56	N/A	2.41 F	91.30	3344.87	844.87		
	1950	234781	101965	244223	14517.5	1.56	1.56	N/A	2.47 F	91.30	3344.87	844.87		
	2050	230871	98395	240694	14480.4	1.55	1.56	N/A	2.51 F	92.23	3381.89	881.89		
	2050	227794	98394	237594	14144.2	1.55	1.56	N/A	2.54 F	92.23	3381.89	881.89		
	2300	117966	90294	127818	3024.7	1.70	1.56	N/A	4.91 F	94.35	3466.13	966.13		
	2300	104686	90293	114432	1573.2	1.71	1.56	N/A	5.53 F	94.35	3466.14	966.14		
	2370	102469	88077	112431	1573.2	1.71	1.56	N/A	5.65 F	94.94	3489.28	989.28		
	2370	100817	86424	111200	1573.2	1.75	1.59	N/A	5.75 F	94.94	3489.29	1036.40		
	2700	83660	75583	95052	882.8	1.74	1.59	N/A	6.92 F	97.73	3599.97	1152.35		
	2700	88072	75583	99504	1365.1	1.74	1.59	N/A	6.58 F	97.73	3599.97	1152.35		
	3100	86049	62442	98863	2580.4	1.71	1.59	N/A	6.73 F	101.11	3734.23	1293.00		
	3100	76477	62441	89195	1534.2	1.72	1.59	N/A	7.57 F	101.11	3734.23	1293.01		
	3700	55953	42882	70509	1428.8	1.69	1.60	N/A	10.35 F	106.15	3934.24	1502.54		
	3700	48311	42881	62778	593.5	1.71	1.60	N/A	11.99 F	106.16	3934.25	1502.55		
	4000	41458	33043	56865	919.9	1.69	1.60	N/A	13.97 F	108.69	4034.82	1607.91		
	4650	26293	11655	43706	1600.1	1.63	1.60	N/A	22.03 F	114.20	4253.37	1836.86		
	4900	32619	4156	50970	3111.2	1.59	1.60	N/A	17.76 F	116.32	4337.37	1924.87		
	4900	21439	4155	39625	1889.2	1.61	1.60	N/A	27.02 F	116.32	4337.38	1924.87		
	5039	15822	26	34389	1726.6	1.61	1.61	N/A	36.61 F	117.49	4383.77	1973.48		
	5039	15822	26	34388	1726.6	1.61	1.61	N/A	36.61 F	117.49	4383.78	1973.49		
	5600 5650	-33912 -30585	-16743 -18235	-14286	1876.7 1350.0	1.57 1.58	1.61 1.61	N/A	(14.60)	122.23	4572.11 4588.87	2170.78 2188.34		
	5650	-30585	-18235	-10742	1350.0	1.58	1.61	N/A	(16.18)	122.66	4566.87	2188.34		
	FO	onn Fracture												
	() C	ompression ector Collapse Safety	Factor											


-

For Help, press F1

🕵 🚺 Default Datum @ 0.00 usft 📔 API - US Survey Feet 😫 jgriffin2


8-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi



*Modelling done with 8-5/8" 32# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 7/12/2024 1:48:37 PM



*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 7/12/2024 1:48:37 PM

Page 11 of 32



<u>I.</u> (
Hole	Interv	al MD	Interval TVD		Csg					
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn		
16"	0	2,030	0	2,030	13-3/8"	54.5#	J-55	STC		
11"	0	7,793	0	5,650	9-5/8"	40#	J-55	LTC		
7-7/8"	0	28,578	0	11,225	6"	24.5#	P110-EC	VAM Sprint-SF		

1. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" casing in the 7-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 7-7/8" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

		Wt.	Yld	Slurry Description					
Depth	No. Sacks	ppg	Ft3/sk						
2,030'	570	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-					
13-3/8''				Flake (TOC @ Surface)					
	160	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium					
				Metasilicate (TOC @ 1830')					
7,793'	770	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @					
9-5/8''				Surface)					
	250	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 6238')					
28,578'	650	10.5	3.21	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC					
6''				@ 7300')					
	1870	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5%					
				NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @					
				12730')					


2. CEMENTING PROGRAM:

Seog resources

Shallow Design C

Proposed Wellbore

KB: 3558' GL: 3533'



File Edit Wellbore Tubular View Composer Tools Window Help

\$	95/8" Intern	nediate Casing
\$		Pressure Test

	Depth (MD)	Axial Force (lbf)		Equivalent	Bending Stress		Absolute S	afety Factor		Temperature	Pressu	e (psi)	Addt'l Pickup To	Buckled
(usft)		Apparent Actual A (w/Bending) (w/o Bending)	Axial Load (lbf)	at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	(°F)	Internal	External	Prevent Buck. (lbf)	Length (usft)	
	0	252987	228954	253140	2098.2	1.69	1.58	N/A	2.82 F	70.00	2500.00	0.00	N/A	N/A
	100	247735	223702	248466	2098.2	1.69	1.58	N/A	2.88 F	71.10	2543.63	43.63		
	100	234996	223701	235716	986.2	1.71	1.58	N/A	3.04 F	71.10	2543.64	43.64		
	1700	341565	139667	352253	17627.2	1.53	1.57	N/A	2.09 F	88.70	3241.64	741.64		
	1700	312979	139666	323488	15131.5	1.58	1.57	N/A	2.28 F	88.70	3241.65	741.65 805.05		
	1850 1850	336881 318549	132027 132027	348440 329984	17885.2 16284.8	1.51 1.54	1.57 1.57	N/A N/A	2.12 F 2.24 F	90.29 90.29	3305.05 3305.06	805.05		
	1950	320468	127243	332475	16869.9	1.54	1.57	N/A	2.24 F 2.23 F	90.29	3344.87	844.87		
	1950	312802	127243	324756	16200.7	1.52	1.57	N/A	2.28 F	91.30	3344.87	844.87		
	2050	307858	122773	320295	16159.3	1.52	1.57	N/A	2.32 F	92.23	3381.89	881.89		
	2050	303560	122772	315965	15784.1	1.53	1.57	N/A	2.35 F	92.23	3381.89	881.89		
	2300	151294	112633	163658	3375.4	1.71	1.57	N/A	4.72 F	94.35	3466.13	966.13		
	2300	132741	112633	144956	1755.6	1.72	1.57	N/A	5.38 F	94.35	3466.14	966.14		
	2370	129966	109858	142452	1755.6	1.72	1.57	N/A	5.49 F	94.94	3489.28	989.28		
	2370	127909	107800	140922	1755.6	1.75	1.60	N/A	5.58 F	94.94	3489.29	1036.40		
	2700	105515	94232	119785	985.1	1.75	1.60	N/A	6.77 F	97.73	3599.97	1152.35		
	2700	111680	94231	126006	1523.4	1.75	1.60	N/A	6.39 F	97.73	3599.97	1152.35		
	3100	110766	77783	126839	2879.6	1.71	1.60	N/A	6.44 F	101.11	3734.23	1293.00		
	3100	97392	77783	113331	1712.1	1.73	1.60	N/A	7.33 F	101.11	3734.23	1293.01		
	3700	71565	53303	89806	1594.4	1.70	1.61	N/A	9.97 F	106.15	3934.24	1502.54		
	3700	60887	53302	79004	662.3	1.71	1.61	N/A	11.72 F	106.16	3934.25	1502.55		
	4650	34671	14219	56495	1785.6	1.64	1.61	N/A	20.59 F	114.20	4253.37	1836.86		
	4900	44595	4828	67626	3472.0	1.59	1.61	N/A	16.01 F	116.32	4337.37	1924.87		
	4900	28975	4828	51775 45340	2108.2 1926.8	1.62 1.61	1.61 1.61	N/A	24.64 F 32.30 F	116.32 117.40	4337.38 4380.40	1924.87 1969.94		
	5029 5029	22103 22102	34 33	45340	1926.8	1.61	1.61	N/A N/A	32.30 F 32.30 F	117.40	4380.40	1969.94		
	5600	-45329	-21341	-20805	2094.3	1.57	1.61	N/A	(13.67)	122.23	4572.11	2170.78		
	5650	-40465	-21341	-15657	1506.5	1.57	1.62	N/A N/A	(15.87)	122.25	4572.11	2170.78		
	-	Conn Fracture												
		Compression												
		Vector Collapse Safet	v Factor											
		Vector Conupse Cure	y r dotor											


Working (Config (Min SF) Load/SF (DF Summary (VME (Wallplot) For Help, press F1

🙎 🛨 Default Datum @ 0.00 usft 📮 API - US Survey Feet 😫 jgriffin2

9-5/8" Intermediate Casing Pressure Test:


Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi

1



*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 7/12/2024 1:48:37 PM



*Modelling done with 6" Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 7/12/2024 1:48:37 PM



<u>-1.</u> C										
Hole	Interv	al MD	Interval TVD		Csg					
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn		
16"	0	2,030	0	2,030	13-3/8"	54.5#	J-55	STC		
11"	0	7,793	0	5,650	9-5/8"	40#	J-55	LTC		
7-7/8"	0	12,626	0	10,896	6"	22.3#	P110-EC	DWC/C IS		
6-3/4"	12,626	28,578	10,896	11,225	5-1/2"	20#	P110-EC	DWC/C IS MS		

4. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" and 5-1/2" casings in the 7-7/8" and 6-3/4" hole sizes. An expansion additive will be utilized in the cement slurry for the entire length of the 7-7/8" and 6-3/4" hole intervals to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

		Wt.	Yld	Slurry Description					
Depth	No. Sacks	ppg	Ft3/sk	Slurry Description					
2,030'	570	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello- Flake (TOC @ Surface)					
13-3/8''	160	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1830')					
7,793' 9-5/8''	770	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)					
	250	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 6238')					
28,578' _{6''}	650	10.5	3.21	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC @ 7300')					
	1870	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ 12730')					


5. CEMENTING PROGRAM:



Shallow Design D

Proposed Wellbore

KB: 3558' GL: 3533'



🚟 File Edit Wellbore Tubular View Composer Tools Window Help


Page 38 of 74 - 8 :

	▼ ← → 95/8" Intermediate Casing ▼
IIII 🗄 M 🔤 X 🕷 🖪 🖂 📰 📰 🗮 🔻 📲	🕂 📴 🛍 🔍 🔍 🖏 🖏 Pressure Test

L	Results Depth (MD)	Axial F	orce (lbf)	Equivalent	Bending Stress		Absolute S	afety Factor		Terreture	Pressur	e (psi)	Add#I Dialwa Ta	Buckled
	(usft)	Apparent (w/Bending)	Actual (w/o Bending)	Axial Load (lbf)	at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	Temperature (°F)	Internal	External	Addt'l Pickup To Prevent Buck. (lbf)	Length (usft)
	0	252987	228954	253140	2098.2	1.69	1.58	N/A	2.82 F	70.00	2500.00	0.00	N/A	N/A
	100	247735	223702	248466	2098.2	1.69	1.58	N/A	2.88 F	71.10	2543.63	43.63		
	100	234996	223701	235716	986.2	1.71	1.58	N/A	3.04 F	71.10	2543.64	43.64		
	1700	341565	139667	352253	17627.2	1.53	1.57	N/A	2.09 F	88.70	3241.64	741.64		
	1700	312979	139666	323488	15131.5	1.58	1.57	N/A	2.28 F	88.70	3241.65	741.65		
	1850	336881	132027	348440	17885.2	1.51	1.57	N/A	2.12 F	90.29	3305.05	805.05		
	1850	318549	132027	329984	16284.8	1.54	1.57	N/A	2.24 F	90.29	3305.06	805.06		
	1950	320468	127243	332475	16869.9	1.52	1.57	N/A	2.23 F	91.30	3344.87	844.87		
	1950	312802	127243	324756	16200.7	1.53	1.57	N/A	2.28 F	91.30	3344.87	844.87		
	2050	307858	122773	320295	16159.3	1.52	1.57	N/A	2.32 F	92.23	3381.89	881.89		
	2050	303560	122772	315965	15784.1	1.53	1.57	N/A	2.35 F	92.23	3381.89	881.89		
	2300	151294	112633	163658	3375.4	1.71	1.57	N/A	4.72 F	94.35	3466.13	966.13		
	2300	132741	112633	144956	1755.6	1.72	1.57	N/A	5.38 F	94.35	3466.14	966.14		
	2370	129966	109858	142452	1755.6	1.72	1.57	N/A	5.49 F	94.94	3489.28	989.28		
	2370	127909	107800	140922	1755.6	1.75	1.60	N/A	5.58 F	94.94	3489.29	1036.40		
	2700	105515	94232	119785	985.1	1.75	1.60	N/A	6.77 F	97.73	3599.97	1152.35		
	2700	111680	94231	126006	1523.4	1.75	1.60	N/A	6.39 F	97.73	3599.97	1152.35		
	3100	110766	77783	126839	2879.6	1.71	1.60	N/A	6.44 F	101.11	3734.23	1293.00		
	3100	97392	77783	113331	1712.1	1.73	1.60	N/A	7.33 F	101.11	3734.23	1293.01		
	3700	71565	53303	89806	1594.4	1.70	1.60	N/A	9.97 F	106.15	3934.24	1502.54		
	3700	60887	53302	79004	662.3	1.70	1.61	N/A	11.72 F	106.16	3934.24	1502.55		
	4650	34671	14219	56495	1785.6	1.64	1.61	N/A	20.59 F	114.20	4253.37	1836.86		
	4050	44595	4828	67626	3472.0	1.59	1.61	N/A	16.01 F	114.20	4337.37	1924.87		
	4900	28975	4828			1.62								
				51775	2108.2		1.61	N/A	24.64 F	116.32	4337.38	1924.87		
	5029	22103	34	45340	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.40	1969.94		
	5029	22102	33	45339	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.41	1969.95		
	5600	-45329	-21341	-20805	2094.3	1.57	1.62	N/A	(13.67)	122.23	4572.11	2170.78		
	5650	-40465	-23210	-15657	1506.5	1.58	1.62	N/A	(15.31)	122.66	4588.87	2188.34		
	F	Conn Fracture												
		Compression												
		Vector Collapse Safet												
	(V)	vector Collapse Salet	y Factor											


9-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi




*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 7/12/2024 1:48:37 PM



*Modelling done with 6" Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 7/12/2024 1:48:37 PM



*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 7/12/2024 1:48:37 PM

Page 22 of 32



MUD PROGRAM:

During this procedure we plan to use a Closed-Loop System and haul contents to the required disposal. The applicable depths and properties of the drilling fluid systems are as follows:

Measured Depth	Туре	Weight (ppg)	Viscosity	Water Loss
0 – 2,030'	Fresh - Gel	8.6-8.8	28-34	N/c
2,030' – 7,793'	Brine	9-10.5	28-34	N/c
5,450' – 28,578' Lateral	Oil Base	8.8-9.5	58-68	N/c - 6

An electronic pit volume totalizer (PVT) will be utilized on the circulating system, to monitor pit volume, flow rate, pump pressure and stroke rate.

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept at the wellsite at all times.

CEMENTING ADDITIVES:

Additive	Purpose
Bentonite Gel	Lightweight/Lost circulation prevention
Calcium Chloride	Accelerator
Cello-flake	Lost circulation prevention
Sodium Metasilicate	Accelerator
MagOx	Expansive agent
Pre-Mag-M	Expansive agent
Sodium Chloride	Accelerator
FL-62	Fluid loss control
Halad-344	Fluid loss control
Halad-9	Fluid loss control
HR-601	Retarder
Microbond	Expansive Agent

Cement integrity tests will be performed immediately following plug bump.

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

Pipe Bodu and API Connections Performance Data Received by OCD: 4/16/2024 3:34:23 PM 13.375 54.50/0.380 J55

Page 43 of 74 PDF

New Search »

a Back to Previous List

USC O Metric

6/8/2015 10:04:37 AM					
Mechanical Properties	Ptpe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-		2-12	psi
Minimum Tensile Strength	75,000				psi
Dimensions	Pipe	втс	LTC	STC	
Outside Diameter	13.375	14.375	1	14.375	in.
Wall Thickness	0.380	77		-	in.
Inside Diameter	12.615	12.615		12.615	in.
Standard Drift	12.459	12.459		12.459	in.
Alternate Drift	-		-		in.
Nominal Linear Weight, T&C	54.50	-	-		lbs/ft
Plain End Weight	52.79			-	lbs/ft
Performance	Pipe	втс	LTC	STC	
Minimum Collapse Pressure	1,130	1, <mark>1</mark> 30		1,130	psi
Minimum Internal Yield Pressure	2,740	2,740		2,740	psi
Minimum Pipe Body Yield Strength	853.00		-	-	1000 lbs
Joint Strength	-	909	. 	514	1000 lbs
Reference Length	-	11,125	-	6,290	n
Make-Up Data	Pipe	втс	LTC	STC	
Make-Up Loss	-	4.81	-	3.50	in.
Minimum Make-Up Torque	-			3,860	fl-lbs
Released to Imaging: 7/12/2024 1:48:37 PM Maximum Make-Up Torque P	age 24 of₋32	-	÷	6,430	ft-lbs

Pipe Body and API Connections Performance Data Received by OCD: 4/16/2024 3:34:23 PM 9.625 40.00/0.395 J55


Page 44 of 74 PDF

New Search »

« Back to Previous List

USC O Metric

6/8/2015 10:23:27 AM	A2				
Mechanical Properties	Pipe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-		psi
Minimum Tensile Strength	75,000				psi
Dimensions	Pipe	втс	LTC	STC	
Outside Diameter	9.625	10.625	10.625	10.625	in.
Wall Thickness	0.395	π.	<i>27.</i> (in.
Inside Diameter	8.835	8.835	8.835	8.835	in.
Standard Drift	8.679	8.679	8.679	8.679	in.
Alternate Drift	8.750	8.750	8.750	8.750	in.
Nominal Linear Weight, T&C	40.00	-	=		lbs/ft
Plain End Weight	38.97	-	-	-	lbs/ft
Performance	Pipe	втс	LTC	STC	
Minimum Collapse Pressure	2,570	2,570	2,570	2,570	psi
Minimum Internal Yield Pressure	3,950	3,950	3,950	3,950	psi
Minimum Pipe Body Yield Strength	630.00	-	-		1000 lbs
Joint Strength		714	520	452	1000 lbs
Reference Length		11,898	8,665	7,529	π
Make-Up Data	Pipe	втс	LTC	STC	
Make-Up Loss		4.81	4.75	3.38	in.
Minimum Make-Up Torque		-	3,900	3,390	ft-lbs
Released to Imaging: 7/12/2024 1:48:37 PM Maximum Make-Up Torque	Page 25 of 32		6,500	5,650	ft-lbs



For detailed information on performance properties, refer to DWC Connection Data Notes on following page(s).

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages.

Date: 12/03/2019 Time: 06:19:27 PM



VAM USA 2107 CityWest Boulevard Suite 1300 Houston, TX 77042 Phone: 713-479-3200 Fax: 713-479-3234 VAM[®] USA Sales E-mail: <u>VAMUSAsales@vam-usa.com</u> Tech Support Email: <u>tech.support@vam-usa.com</u>

DWC Connection Data Sheet Notes:

1. DWC connections are available with a seal ring (SR) option.

2. All standard DWC/C connections are interchangeable for a given pipe OD. DWC connections are interchangeable with DWC/C-SR connections of the same OD and wall.

Connection performance properties are based on nominal pipe body and connection dimensions.
 DWC connection internal and external pressure resistance is calculated using the API rating for buttress connections. API Internal pressure resistance is calculated from formulas 31, 32, and 35 in the API Bulletin 5C3.
 DWC joint strength is the minimum pipe body yield strength multiplied by the connection critical area.

6. API joint strength is for reference only. It is calculated from formulas 42 and 43 in the API Bulletin 5C3.

7. Bending efficiency is equal to the compression efficiency.

8. The torque values listed are recommended. The actual torque required may be affected by field conditions such as temperature, thread compound, speed of make-up, weather conditions, etc.

9. Connection yield torque is not to be exceeded.

10. Reference string length is calculated by dividing the joint strength by both the nominal weight in air and a design factor (DF) of 1.4. These values are offered for reference only and do not include load factors such as bending, buoyancy, temperature, load dynamics, etc.

11. DWC connections will accommodate API standard drift diameters.

12. DWC/C family of connections are compatible with API Buttress BTC connections. Please contact tech.support@vam-usa.com for details on connection ratings and make-up.

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages.

Pipe Body and API Gannactions Performance Data

10.750 40.50/0.350 J55

New Search »

« Back to Previous List

USC 🔵 Metric

6/8/2015 10:14:05 AM					
Mechanical Properties	Ptpe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-	-	psi
Minimum Tensile Strength	75,000	-	-	-	psi
Dimensions	Pipe	BTC	LTC	STC	
Outside Diameter	10.750	11.750	-	11.750	in.
Wall Thickness	0.350	-	-	-	in.
Inside Diameter	10.050	10.050	-	10.050	in.
Standard Drift	9.894	9.894	-	9.894	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	40.50	-	-		lbs/ft
Plain End Weight	38.91	-	-		lbs/ft
Performance	Ptpe	BTC	LTC	STC	
Minimum Collapse Pressure	1,580	1,580	-	1,580	psi
Minimum Internal Yield Pressure	3,130	3,130	-	3,130	psi
Minimum Pipe Body Yield Strength	629.00	-	-	-	1000 lbs
Joint Strength	-	700	-	420	1000 lbs
Reference Length	-	11,522	-	6,915	ft
Make-Up Data	Pipe	BTC	LTC	STC	
Make-Up Loss	-	4.81	-	3.50	in.
Minimum Make-Up Torque	-	-	-	3,150	ft-Ibs
Released to Imaging: 7/12/2024 1:48:37 PM Maximum Make-Up Torque	Page <u>2</u> 8 of 32	-	-	5,250	ft-lbs



API 5CT, 10th Ed. Connection Data Sheet

					AF	501,		onnec		a Sheet
O.D. (in)	· ·	,	WALL (ir	n)	GR/	ADE	*API DRI	FT (in)	RBV	V %
8.625	Nominal: Plain End:	32.00 31.13	0.352		Jŧ	55	7.79	6	87	.5
	Material Propert	ties (PE)				F	Pipe Body	v Data (PE)	
	Pipe						Geor	netry		
Minimum	Yield Strength:	55	ksi		Nomin	al ID:			7.92	inch
Maximum	Yield Strength:	80	ksi		Nomin	al Area	:		9.149	in ²
Minimum	Tensile Strength:	75	ksi		*Speci	al/Alt. [Drift:		7.875	inch
Coupling						Perfor	mance			
Minimum	Yield Strength:	55	ksi		Pipe B	ody Yie	eld Streng	th:	503	kips
Maximum	Yield Strength:	80	ksi		Collapse Resistance: Internal Yield Pressure: (API Historical)			2,530 psi		
Minimum	Tensile Strength:	5	ksi					3,930 psi		
						AF	PI Connec	tion To	orque	
	STC Perform	ance			STC Torque (ft-lbs)					
STC Inter	nal Pressure:	3,930	psi		Min:	2,793	Opti:	3,724	Max:	4,655
STC Joint	Strength:	372	kips							
	LTC Perform	ance					LTC Torq	ue (ft-ll	os)	
LTC Interr	nal Pressure:	3,930	psi		Min:	3,130	Opti:	4,174	Max:	5,217
	U									
SC-BTC I	Performance - C	plg OD =	9.125"				BTC Torq	ue (ft-ll	os)	
BTC Inter	nal Pressure:	3,930	psi		follo	v API gu	idelines rega	arding po	sitional ma	ike up
	Strength:	500	kips							
	8.625 Minimum Maximum Minimum Maximum Minimum STC Inter STC Joint LTC Inter LTC Joint SC-BTC I	8.625Nominal: Plain End:Material PropertPipeMinimum Yield Strength:Maximum Yield Strength:Minimum Tensile Strength:Minimum Yield Strength:Minimum Yield Strength:Maximum Yield Strength:Minimum Tensile Strength:Minimum Tensile Strength:Strength:Strength:STC Internal Pressure:STC Joint Strength:LTC Internal Pressure:LTC Internal Pressure:LTC Joint Strength:	8.625Nominal: Plain End:32.00 31.13Material Properties (PE)PipeMinimum Yield Strength:55Maximum Yield Strength:80Minimum Tensile Strength:75CouplingMinimum Yield Strength:55Maximum Yield Strength:55Maximum Yield Strength:80Minimum Tensile Strength:75Minimum Tensile Strength:7575API Connection Data Coupling OD:9.625"STC PerformanceSTC Internal Pressure:3,930STC Joint Strength:372LTC Performance3930LTC Joint Strength:417SC-BTC Performance - Cplg OD =	8.625Nominal: Plain End:32.00 31.130.352Material Properties (PE)PipeMinimum Yield Strength:55 ksiMaximum Yield Strength:80 ksiMinimum Tensile Strength:75 ksiCouplingMinimum Yield Strength:55 ksiMaximum Yield Strength:55 ksiMaximum Yield Strength:80 ksiMinimum Tensile Strength:75 ksiMaximum Yield Strength:75 ksiStrength:To part and the strength:Tensile Strength:75 ksiSTC PerformanceSTC Internal Pressure:3,930 psiSTC Joint Strength:372 kipsLTC PerformanceLTC Internal Pressure:3,930 psiLTC Joint Strength:417 kipsSC-BTC Performance - Cplg OD = 9.125"	8,625Nominal: Plain End:32.00 31.130.352Material Properties (PE)PipeMinimum Yield Strength:55 ksiMaximum Yield Strength:80 ksiMinimum Tensile Strength:75 ksiCouplingMinimum Yield Strength:55 ksiMaximum Yield Strength:55 ksiMaximum Yield Strength:75 ksiMaximum Yield Strength:75 ksiMinimum Tensile Strength:75 ksiMinimum Tensile Strength:75 ksiSTC PerformanceSTC PerformanceSTC Internal Pressure:3,930 psiSTC Joint Strength:372 kipsLTC Internal Pressure:3,930 psiLTC Joint Strength:417 kipsSC-BTC Performance - Cplg OD = 9.125"	O.D. (in) 8.625WEIGHT (lb/ft) Nominal:WALL (in) 0.352GRA JENominal:32.00 Plain End:0.352JEMaterial Properties (PE) PipeNominMinimum Yield Strength:55 ksiNominMaximum Yield Strength:80 ksiNominMinimum Tensile Strength:75 ksiPipe BMaximum Yield Strength:55 ksiPipe BMaximum Yield Strength:55 ksiPipe BMaximum Yield Strength:75 ksiCollapMinimum Tensile Strength:75 ksiCollapMinimum Tensile Strength:75 ksiMiniternal (API Hitz)API Connection Data Coupling OD:9.625"Min:STC Internal Pressure:3,930 psiMin:STC Joint Strength:372 kips LTC PerformanceMin:LTC Joint Strength:417 kips SC-BTC Performance - Cplg OD =9.125"	O.D. (in) 8.625WEIGHT (lb/ft) Nominal:WALL (in) 0.352GRADE J55Nominal:32.00 Plain End:0.352J55Material Properties (PE) PipeNominal ID: Nominal AreaMinimum Yield Strength:55 ksiMaximum Yield Strength:75 ksiCouplingNominal AreaMinimum Tensile Strength:75 ksiMaximum Yield Strength:80 ksiMinimum Tensile Strength:75 ksiCoupling OD:9.625"STC PerformanceMin:STC Joint Strength:372 kipsLTC Internal Pressure:3,930 psiLTC Joint Strength:417 kipsSC-BTC Performance - Cplg OD =9.125"	O.D. (in) 8.625WEIGHT (lb/ft) Nominal: 32.00 Plain End: 31.13WALL (in) 0.352GRADE J55*API DRI 7.79Material Properties (PE) PipeImage: Strength: Maximum Yield Strength: CouplingPipe Body Geor Nominal ID: Nominal Area: *Special/Alt. Drift: Perfor Pipe Body Yield Strengt Maximum Yield Strength: Strength: STC PerformancePipe Body Pipe Body Yield Strengt Collapse Resistance: Internal Yield Pressure: (API Historical)API Connection Data Coupling OD: STC Internal Pressure: STC Joint Strength: STC Joint Strength: LTC PerformanceAPI Connection STC Internal Pressure: 3,930 psi STC Joint Strength: Aright Strength Strength Strength: Aright Strength: Aright Strength Strength: Aright Strength	O.D. (in) 8.625WEIGHT (lb/ft) Nominal: 32.00 Plain End: 31.13WALL (in) 0.352GRADE J55*API DRIFT (in) 7.796Material Properties (PE) PipeJ55?.796Material Properties (PE) PipePipe Body Data (GeometryMinimum Yield Strength: Maximum Yield Strength: Coupling55 ksiNominal ID: Nominal Area: *Special/Alt. Drift: PerformanceMinimum Tensile Strength: Maximum Yield Strength: Maximum Yield Strength: STC Performance55 ksiNominal Area: *Special/Alt. Drift: PerformanceAPI Connection Data Coupling OD: STC PerformanceAPI Connection To STC Torque (ft-H Min: STC Joint Strength: LTC PerformanceAPI Connection To STC Torque (ft-H Min: 372 kips LTC PerformanceLTC Internal Pressure: SC-BTC Performance - Cplg OD = 9.125"API Conque (ft-H Min: 3.130Min: 3.130BTC Torque (ft-H Min: SC-BTC Performance - Cplg OD = 9.125"MINBTC Torque (ft-H Min: Min: 3.130	8.625Nominal: Plain End:32.00 31.130.352J557.79687Material Properties (PE) PipePipeGeometryMinimum Yield Strength:55 ksiNominal ID:7.92 iMaximum Yield Strength:75 ksiNominal Area:9.149Minimum Tensile Strength:75 ksiPipe Body Yield Strength:7.875 iCouplingPerformancePipe Body Yield Strength:503 iMaximum Yield Strength:55 ksiNominal Area:9.149Minimum Tensile Strength:75 ksiCollapse Resistance:2,530 iMinimum Tensile Strength:75 ksiCollapse Resistance:2,530 iAPI Connection Data Coupling OD: 9.625"API Connection Data Coupling OD: 9.625"API Connection TorqueSTC Internal Pressure:3,930 psiMin:2,793Opti:3,724Min:2,793Opti:3,724Max:LTC Internal Pressure:3,930 psiMin:3,130Opti:4,174LTC Joint Strength:417 kipsMin:3,130Opti:4,174SC-BTC Performance - Cplg OD =9.125"BTC Torque (ft-lbs)

*Alt. Drift will be used unless API Drift is specified on order.

**If above API connections do not suit your needs, VAM® premium connections are available up to 100% of pipe body ratings.

ALL INFORMATION IS PROVIDED BY VALLOUREC OR ITS AFFILIATES AT USER'S SOLE RISK, WITHOUT LIABILITY FOR LOSS, DAMAGE OR INJURY RESULTING FROM THE USE THEREOF; AND ON AN "AS IS" BASIS WITHOUT WARRANTY OR REPRESENTATION OF ANY KIND, WHETHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR PURPOSE, ACCURACY OR COMPLETENESS. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY AND IS BASED ON ESTIMATES THAT HAVE NOT BEEN VERIFIED OR TESTED. IN NO EVENT SHALL VALLOUREC OR ITS AFFILIATES BE RESPONSIBLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, PUNITIVE, EXEMPLARY OR CONSEQUENTIAL LOSS OR DAMAGE (INCLUDING WITHOUT LIMITATION, LOSS OF USE, LOSS OF BARGAIN, LOSS OF REVENUE, PROFIT ANTICIPATED PROFIT) HOWEVER CAUSED OR ARISING, AND WHETHER SUCH LOSSES OR DAMAGES. POSSIBILITY OF SUCH DAMAGES.

Rev 3, 7/30/2021

10/21/2022 15:24



Issued on: 10 Feb. 2021 by Wesley Ott



OD	Weight (lb/ft)	Wall Th.	Grade	API Drift:	Connection
6 in.	Nominal: 24.50	0.400 in.	P110EC	5.075 in.	VAM [®] SPRINT-SF
	Plain End: 23.95				

PI PE PROPERTI ES		
Nominal OD	6.000	in.
Nominal ID	5.200	in.
Nominal Cross Section Area	7.037	sqin.
Grade Type	Hig	jh Yield
Min. Yield Strength	125	ksi
Max. Yield Strength	140	ksi
Min. Ultimate Tensile Strength	135	ksi


CONNECTION PROPERTIES		
Connection Type	Integral	Semi-Flush
Connection OD (nom):	6.277	in.
Connection ID (nom):	5.146	in.
Make-Up Loss	5.386	in.
Critical Cross Section	6.417	sqin.
Tension Efficiency	91.0	% of pipe
Compression Efficiency	91.0	% of pipe
Internal Pressure Efficiency	100	% of pipe
External Pressure Efficiency	100	% of pipe

CONNECTION PERFORMANCES						
Tensile Yield Strength	801	klb				
Compression Resistance	801	klb				
Internal Yield Pressure	14,580	psi				
Collapse Resistance	12,500	psi				
Max. Structural Bending	83	°/100ft				
Max. Bending with ISO/API Sealability	30	°/100ft				

TORQUE VALUES		
Min. Make-up torque	21,750	ft.lb
Opt. Make-up torque	24,250	ft.lb
Max. Make-up torque	26,750	ft.lb
Max. Torque with Sealability (MTS)	53,000	ft.lb

* 87.5% RBW

VAM® SPRINT-SF is a semi-flush connection innovatively designed for extreme shale applications. Its high tension rating and ultra high torque capacity make it ideal to run a fill string length as production casing in shale wells with extended horizontal sections and tight clearance requirements.



Do you need help on this product? - Remember no one knows VAM® like VAM®

canada@vamfieldservice.com usa@vamfieldservice.com mexico@vamfieldservice.com brazil@vamfieldservice.com uk@vamfieldservice.com dubai@vamfieldservice.com nigeria@vamfieldservice.com angola@vamfieldservice.com

Over 140 VAM® Specialists available worldwide 24/7 for Rig Site Assistance

china@vamfieldservice.com baku@vamfieldservice.com singapore@vamfieldservice.com australia@vamfieldservice.com



Connection Data Sheet

OD (in.)	WEIGHT (lbs./ft.)	WALL (in.)	GRADE	API DRIFT (in.)	RBW%	CONNECTION
6.000	Nominal: 22.30	0.360	VST P110EC	5.155	92.5	DWC/C-IS
	Plain End: 21 70				•	

PIPE PROPER	PIPE PROPERTIES				
Nominal OD	6.000	in.			
Nominal ID	5.280	in.			
Nominal Area	6.379	sq.in.			
Grade Type	API 5CT				
Min. Yield Strength	125	ksi			
Max. Yield Strength	140	ksi			
Min. Tensile Strength	135	ksi			
Yield Strength	797	klb			
Ultimate Strength	861	klb			
Min. Internal Yield Pressure	13,880	psi			
Collapse Pressure	9,800	psi			

CONNECTION PERFORMA	NCES	
Yield Strength	797	klb
Parting Load	861	klb
Compression Rating	797	klb
Min. Internal Yield	13,880	psi
External Pressure	9,800	psi
Maximum Uniaxial Bend Rating	47.7	°/100 ft
Reference String Length w 1.4 Design Factor	25,530	ft.

CONNECTION PRO	PERTIES	
Connection Type	Semi-Prem	nium T&C
Connection OD (nom)	6.650	in.
Connection ID (nom)	5.280	in.
Make-Up Loss	4.313	in.
Coupling Length	9.625	in.
Critical Cross Section	6.379	sq.in.
Tension Efficiency	100.0%	of pipe
Compression Efficiency	100.0%	of pipe
Internal Pressure Efficiency	100.0%	of pipe
External Pressure Efficiency	100.0%	of pipe

FIELD END TORQUE V	ALUES	
Min. Make-up torque	17,000	ft.lb
Opti. Make-up torque	18,250	ft.lb
Max. Make-up torque	19,500	ft.lb
Min. Shoulder Torque	1,700	ft.lb
Max. Shoulder Torque	13,600	ft.lb
Min. Delta Turn	-	Turns
Max. Delta Turn	0.200	Turns
Maximum Operational Torque	24,200	ft.lb
Maximum Torsional Value (MTV)	26,620	ft.lb

Need Help? Contact: <u>tech.support@vam-usa.com</u> Reference Drawing: 8135PP Rev.02 & 8135BP Rev.02 Date: 07/30/2020

Time: 07:50:47 PM

For detailed information on performance properties, refer to DWC Connection Data Notes on following page(s).

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.



VAM USA 2107 CityWest Boulevard Suite 1300 Houston, TX 77042 Phone: 713-479-3200 Fax: 713-479-3234 VAM[®] USA Sales E-mail: <u>VAMUSAsales@vam-usa.com</u> Tech Support Email: <u>tech.support@vam-usa.com</u>

DWC Connection Data Sheet Notes:

1. DWC connections are available with a seal ring (SR) option.

2. All standard DWC/C connections are interchangeable for a given pipe OD. DWC connections are interchangeable with DWC/C-SR connections of the same OD and wall.

3. Connection performance properties are based on nominal pipe body and connection dimensions.

4. DWC connection internal and external pressure resistance is calculated using the API rating for buttress connections. API Internal pressure resistance is calculated from formulas 31, 32, and 35 in the API Bulletin 5C3.

5. DWC joint strength is the minimum pipe body yield strength multiplied by the connection critical area.

6. API joint strength is for reference only. It is calculated from formulas 42 and 43 in the API Bulletin 5C3.

7. Bending efficiency is equal to the compression efficiency.

8. The torque values listed are recommended. The actual torque required may be affected by field conditions such as temperature, thread compound, speed of make-up, weather conditions, etc.

9. Connection yield torque is not to be exceeded.

10. Reference string length is calculated by dividing the joint strength by both the nominal weight in air and a design factor (DF) of 1.4. These values are offered for reference only and do not include load factors such as bending, buoyancy, temperature, load dynamics, etc.

11. DWC connections will accommodate API standard drift diameters.

12. DWC/C family of connections are compatible with API Buttress BTC connections. Please contact tech.support@vam-usa.com for details on connection ratings and make-up.

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.





Salt Section Annular Clearance Variance Request

Daniel Moose

Current Design (Salt Strings)

0.422" Annular clearance requirement

- Casing collars shall have a minimum clearance of 0.422 inches on all sides in the hole/casing annulus, with recognition that variances can be granted for justified exceptions.

- 12.25" Hole x 9.625"40# J55/HCK55 LTC Casing
 - 1.3125" Clearance to casing OD
 - 0.8125" Clearance to coupling OD
- 9.875" Hole x 8.75" 38.5# P110 Sprint-SF Casing
 - 0.5625" Clearance to casing OD
 - 0.433" Clearance to coupling OD

Page 54 of 74

Annular Clearance Variance Request

EOG request permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Onshore Order #2 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues


Volumetric Hole Size Calculation

Hole Size Calculations Off Cement Volumes

- Known volume of cement pumped
- Known volume of cement returned to surface
- Must not have had any losses
- Must have bumped plug

Average Hole Size


- 12.25" Hole
 - 12.88" Hole
 - 5.13% diameter increase
 - 10.52% area increase
 - 0.63" Average enlargement
 - 0.58" Median enlargement
 - 179 Well Count
- 9.875" Hole
 - 10.30" Hole
 - 4.24% diameter increase
 - 9.64% area increase
 - 0.42" Average enlargement
 - 0.46" Median enlargement
 - 11 Well Count



Caliper Hole Size (12.25")

Average Hole Size

- 12.25" Bit
 - 12.76" Hole
 - 4.14% diameter increase
 - 8.44% area increase
 - 0.51" Average enlargement
 - 0.52" Median enlargement
 - Brine




Modelo 10 Fed Com #501H

Caliper Hole Size (9.875")

Average Hole Size

- 9.875" Hole
 - 11.21" Hole
 - 13.54% diameter increase
 - 28.92% area increase
 - 1.33" Average enlargement
 - 1.30" Median enlargement
 - EnerLite







Design A

Proposed 11" Hole with 9.625" 40# J55/HCK55 LTC Casing


- 11" Bit + 0.52" Average hole enlargement = 11.52" Hole Size
 - 0.9475" Clearance to casing OD

$$=\frac{11.52 - 9.625}{2}$$
• 0.4475" Clearance to


4475" Clearance to coupling OD $= \frac{11.52 - 10.625}{11.52}$

- Previous Shoe 13.375" 54.5# J55 STC
 - 0.995" Clearance to coupling OD (~1,200' overlap)

$$=\frac{12.615-10.625}{2}$$



Design B







.

Casing Spec Sheets

PERFORMANCE DATA

API LTC		
Technical	Data	Sheet

9.625 in 40.00 lbs/ft

K55 HC

Tubular Parameters

Size	9.625	in	Minimum Yield	55	ksi
Nominal Weight	40.00	lbs/ft	Minimum Tensile	95	ksi
Grade	K55 HC		Yield Load	629	kips
PE Weight	38.94	lbs/ft	Tensile Load	1088	kips
Wall Thickness	0.395	in	Min. Internal Yield Pressure	3,950	psi
Nominal ID	8.835	in	Collapse Pressure	3600	psi
Drift Diameter	8.750	in		•	
Nom. Pipe Body Area	11.454	in²			

Connection Parameters

10.625	in
10.500	in
8	tpi
3.50	turns
4.750	in
3,950	psi
	10.500 8 3.50 4.750

Pipe Body and API Connections Performance Data

13.375	54.50/0.380	J55

New Search »

« Back to Previous List

USC 💽 Metric

PDF

6/8/2015 10:04:37 AM					
Mechantcal Properties	Ptpe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-	-	psi
Minimum Tensile Strength	75,000	-	-	-	psi
Dimensions	Ptpe	втс	LTC	STC	
Outside Diameter	13.375	14.375	-	14.375	in.
Wall Thickness	0.380	-	-	-	in.
Inside Diameter	12.615	12.615	-	12.615	in.
Standard Drift	12.459	12.459	-	12.459	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	54.50	-	-	-	lbs/ft
Plain End Weight	52.79	-	-	-	lbs/ft
Performance	Ptpe	BTC	LTC	STC	
Minimum Collapse Pressure	1,130	1,130	-	1,130	psi
Minimum Internal Yield Pressure	2,740	2,740	-	2,740	psi
Minimum Pipe Body Yield Strength	853.00	-	-	-	1000 lbs
Joint Strength	-	909	-	514	1000 lbs
Reference Length	-	11,125	-	6,290	ft
Make-Up Data	Ptpe	BTC	LTC	STC	
Make-Up Loss	-	4.81	-	3.50	in.
Minimum Make-Up Torque	-	-	-	3,860	ft-lbs
Maximum Make-Up Torque	-	-	-	6,430	ft-lbs

Annular Clearance Variance

Casing Spec Sheets

Pipe Body and API Connections Performance Data

10.750 40.50/0.350 J55					PC
New Search »					« Back to Previous I
					USC 💽 Met
/8/2015 10:14:05 AM					
Mechanical Properties	Pipe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-		psi
Minimum Tensile Strength	75,000	-	-	-	psi
Dimensions	Pipe	BTC	LTC	STC	
Outside Diameter	10.750	11.750	-	11.750	in.
Wall Thickness	0.350				in.
Inside Diameter	10.050	10.050		10.050	in.
Slandard Drift	9.894	9.894	-	9.894	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	40.50	-	-	-	lbs/ft
Plain End Weight	38.91	-	-		lbs/ft
Performance	Pipe	BTC	LTC	STC	
Minimum Collapse Pressure	1,580	1,580	-	1,580	psi
Minimum Internal Yield Pressure	3,130	3,130	-	3,130	psi
Minimum Pipe Body Yield Strength	629.00	-	-	-	1000 lbs
Joint Strength	-	700	-	420	1000 lbs
Reference Length	-	11,522	-	6,915	ft
Make-Up Data	Pipe	втс	LTC	STC	
Make-Up Loss	-	4.81	-	3.50	in.
Minimum Make-Up Torque	-	-	-	3,150	ft-Ibs
Maximum Make-Up Torque	-	-	-	5,250	ft-lbs

		API 5CT, 10th Ed. Connection Data Shee										
	O.D. (in) 8.625	WEIGHT (It Nominal: Plain End:			WALL (in) 0.352		ADE 55	* API DRIF 7.796	·	RBV 87		
l	Material Properties (PE)				Pipe Body Data (PE)							
l	Pipe					Geometry						
l	Minimum `	Yield Strength:	55	ksi		Nomin	al ID:			7.92 i		
	Maximum	Yield Strength:	80	ksi		Nominal Area:				9.149 in ²		
	Minimum ⁻	Tensile Strength:	75	ksi		*Special/Alt. Drift:				7.875 i	inch	
l	Coupling					Performance			nance			
	Minimum `	Yield Strength:	55	ksi		Pipe B	ody Yie	eld Strength	n:	503	kips	
	Maximum	Yield Strength:	80	ksi				stance:		2,530	psi	
	Minimum ⁻	Tensile Strength:	75	ksi		Internal Yield Pressure: (API Historical)				3,930	3,930 psi	
		API Connection Data Coupling OD: 9.625"					AF	PI Connect	ion To	rque		
	STC Performance				STC Torque (ft-lbs)							
	STC Interr	nal Pressure:	3,930	psi		Min:	2,793	Opti:	3,724	Max:	4,65	
	STC Joint	Strength:	372	kips								
	LTC Performance				LTC Torque (ft-lbs)							
	LTC Interr	al Pressure:	3,930	psi		Min:	3,130	Opti:	4,174	Max:	5,21	
	LTC Joint	•	417									
	SC-BTC Performance - Cplg OD = 9.125"							BTC Torqu	ie (ft-lk	os)		
	BTC Interr	nal Pressure:	3,930	psi		follow API guidelines regarding positional make up						
	BTC Joint	Strength:	503	kips								
ł		*	Alt. Drift will	be used unle	ess	API Drift i	is specifie	d on order.				
		f above API connecti	ons do not	suit vour ne	eed	s, VAM®	premiur	n connections	s are ava	ailable up	to	

eog

Released to Imaging: 7/12/2024 1:48:37 PM

11




Break-test BOP & Offline Cementing:


EOG Resources Inc. (EOG) respectfully requests a variance from the minimum standards for well control equipment testing of ECFR Title 43 Part 3172.6(b)(9)(iv) to allow a testing schedule of the blow out preventer (BOP) and blow out prevention equipment (BOPE) along with Batch Drilling & Offline cement operations to include the following:

- Full BOPE test at first installation on the pad.
- Full BOPE test every 21 days.
- This test will be conducted for 5M rated hole intervals only.
- Each rig requesting the break-test variance is capable of picking up the BOP without damaging components using winches, following API Standard 53, Well Control Equipment Systems for Drilling Wells (Fifth edition, December 2018, Annex C. Table C.4) which recognizes break testing as an acceptable practice.
- Function tests will be performed on the following BOP elements:
 - Annular **à** during each full BOPE test
 - Upper Pipe Rams **à** On trip ins where FIT required
 - Blind Rams **à** Every trip
 - Lower Pipe Rams à during each full BOPE test
- Break testing BOP and BOPE coupled with batch drilling operations and option to offline cement and/or remediate (if needed) any surface or intermediate sections, according to attached offline cementing support documentation.
- After the well section is secured, the BOP will be disconnected from the wellhead and walked with the rig to another well on the pad.
- TA cap will also be installed per Wellhead vendor procedure and pressure inside the casing will be monitored via the valve on the TA cap as per standard batch drilling ops.

Break Test Diagram (HCR valve)



Break Test Diagram (Test Joint)



Steps

- 1. Set plug in with test joint wellhead (lower barrier)
- 2. Close Upper Pipe Rams (upper barrier)
- 3. Close roadside kill
- 4. Close HCR
- Open wellhead valves below test plug to ensure if leak past test plug, pressure won't be applied to wellbore
- 6. Tie BOP testers high pressure line to top of test joint
- 7. Pressure up to test break
- 8. Bleed test pressure from BOP testing unit

Seog resources Offline Intermediate Cementing Procedure

Cement Program

1. No changes to the cement program will take place for offline cementing.

Summarized Operational Procedure for Intermediate Casing

- 1. Run casing as per normal operations. While running casing, conduct negative pressure test and confirm integrity of the float equipment back pressure valves.
 - a. Float equipment is equipped with two back pressure valves rated to a minimum of 5,000 psi.
- 2. Land production casing on mandrel hanger through BOP.
 - a. If casing is unable to be landed with a mandrel hanger, then the **casing will be cemented online**.
- 3. Break circulation and confirm no restrictions.
 - a. Ensure no blockage of float equipment and appropriate annular returns.
 - b. Perform flow check to confirm well is static.
- 4. Set pack-off
 - a. If utilizing a fluted/ported mandrel hanger, ensure well is static on the annulus and inside the casing by filling the pipe with kill weight fluid, remove landing joint, and set annular packoff through BOP. Pressure test to 5,000 psi for 10 min.
 - b. If utilizing a solid mandrel hanger, ensure well is static on the annulus and inside the casing by filling the pipe with kill weight fluid. Pressure test seals to 5,000 psi for 10 min. Remove landing joint through BOP.
- 5. After confirmation of both annular barriers and the two casing barriers, install TA plug and pressure test to 5,000 psi for 10 min. Notify the BLM with intent to proceed with nipple down and offline cementing.
 - a. Minimum 4 hrs notice.
- 6. With the well secured and BLM notified, nipple down BOP and secure on hydraulic carrier or cradle.
 - a. Note, if any of the barriers fail to test, the BOP stack will not be nippled down until after the cement job has concluded and both lead and tail slurry have reached 500 psi.
- 7. Skid/Walk rig off current well.
- 8. Confirm well is static before removing TA Plug.
 - a. Cementing operations will not proceed until well is under control. (If well is not static, notify BLM and proceed to kill)
 - b. Casing outlet valves will provide access to both the casing ID and annulus. Rig or third party pump truck will kill well prior to cementing.
 - c. Well control plan can be seen in Section B, Well Control Procedures.
 - d. If need be, rig can be moved back over well and BOP nippled back up for any further remediation.

Page | 1

eog resources

Offline Intermediate Cementing Procedure

- e. Diagram for rig positioning relative to offline cementing can be seen in Figure 4.
- 9. Rig up return lines to take returns from wellhead to pits and rig choke.
 - a. Test all connections and lines from wellhead to choke manifold to 5,000 psi high for 10 min.
 - b. If either test fails, perform corrections and retest before proceeding.
 - c. Return line schematics can be seen in Figure 3.
- 10. Remove TA Plug from the casing.
- 11. Install offline cement tool.
 - a. Current offline cement tool schematics can be seen in Figure 1 (Cameron) and Figure 2 (Cactus).
- 12. Rig up cement head and cementing lines.
 - a. Pressure test cement lines against cement head to 80% of casing burst for 10 min.
- 13. Break circulation on well to confirm no restrictions.
 - a. If gas is present on circulation, well will be shut in and returns rerouted through gas buster.
 - b. Max anticipated time before circulating with cement truck is 6 hrs.
- 14. Pump cement job as per plan.
 - a. At plug bump, test casing to 0.22 psi/ft or 1500 psi, whichever is greater.
 - b. If plug does not bump on calculated, shut down and wait 8 hrs or 500 psi compressive strength, whichever is greater before testing casing.
- 15. Confirm well is static and floats are holding after cement job.
 - a. With floats holding and backside static:
 - i. Remove cement head.
 - b. If floats are leaking:
 - i. Shut-in well and WOC (Wait on Cement) until tail slurry reaches 500 psi compressive strength and the casing is static prior to removing cement head.
 - c. If there is flow on the backside:
 - i. Shut in well and WOC until tail slurry reaches 500 psi compressive strength. Ensure that the casing is static prior to removing cement head.
- 16. Remove offline cement tool.
- 17. Install night cap with pressure gauge for monitoring.
- 18. Test night cap to 5,000 psi for 10 min.

Example Well Control Plan Content

A. Well Control Component Table

The table below, which covers the cementing of the <u>5M MASP (Maximum Allowable Surface Pressure) portion of the well</u>, outlines the well control component rating in use. This table, combined with the mud program, documents that two barriers to flow can be maintained at all times, independent of the BOP nippled up to the wellhead.

Intermediate hole section, 5M requirement

Component	RWP
Pack-off	10M
Casing Wellhead Valves	10M
Annular Wellhead Valves	5M
TA Plug	10M
Float Valves	5M
2" 1502 Lo-Torque Valves	15M

B. Well Control Procedures

Well control procedures are specific to the rig equipment and the operation at the time the kick occurs. Below are the minimal high-level tasks prescribed to assure a proper shut-in while circulating and cementing through the Offline Cement Adapter.

General Procedure While Circulating

- 1. Sound alarm (alert crew).
- 2. Shut down pumps.
- 3. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 4. Confirm shut-in.
- 5. Notify tool pusher/company representative.

Page | 3

2/24/2022

Seog resources

Offline Intermediate Cementing Procedure

- 6. Read and record the following:
 - a. SICP (Shut in Casing Pressure) and AP (Annular Pressure)
 - b. Pit gain
 - c. Time
 - d. Regroup and identify forward plan to continue circulating out kick via rig choke and mud/gas separator. Circulate and adjust mud density as needed to control well.

General Procedure While Cementing

- 1. Sound alarm (alert crew).
- 2. Shut down pumps.
- 3. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 4. Confirm shut-in.
- 5. Notify tool pusher/company representative.
- 6. Open rig choke and begin pumping again taking returns through choke manifold and mud/gas separator.
- 7. Continue to place cement until plug bumps.
- 8. At plug bump close rig choke and cement head.
- 9. Read and record the following
 - a. SICP and AP
 - b. Pit gain
 - c. Time
 - d. Shut-in annulus valves on wellhead


General Procedure After Cementing

- 1. Sound alarm (alert crew).
- 2. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 3. Confirm shut-in.
- 4. Notify tool pusher/company representative.
- 5. Read and record the following:
 - a. SICP and AP
 - b. Pit gain
 - c. Time
 - d. Shut-in annulus valves on wellhead

Page | 4

Seog resources Offline Intermediate Cementing Procedure

Figure 1: Cameron TA Plug and Offline Adapter Schematic




2/24/2022

Page 70 of 74

Offline Intermediate Cementing Procedure






2/24/2022

2/24/2022

Seog resources Offline Intermediate Cementing Procedure






*** All Lines 10M rated working pressure

Page | 7





2/24/2022

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
5509 Champions Drive	Action Number:
Midland, TX 79706	334147
	Action Type:
	[C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By		Condition Date
pkautz	ALL PREVIOUS COA'S APPLY	7/12/2024

Page 74 of 74

Action 334147