#### Received by OCD: 11/8/2024 7:51:59 AM

Form 3160-5 (June 2019)	UNITED STATES			FORM APPROVED OMB No. 1004-0137
(Julie 2017)	DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT		5. Lease Serial No.	pires: October 31, 2021
Do not use	DRY NOTICES AND REPORTS ON this form for proposals to drill or t well. Use Form 3160-3 (APD) for su	to re-enter an	6. If Indian, Allottee or Tribe	
SUB	MIT IN TRIPLICATE - Other instructions on pa	ge 2	7. If Unit of CA/Agreement,	Name and/or No.
1. Type of Well     Image: Oil Well	Gas Well Other		8. Well Name and No.	M/743H
2. Name of Operator EOG RE	SOURCES INCORPORATED		0 A DI Wall No	5-53604
	· · · · · · · · · · · · · · · · · · ·	o. (include area code) 000	10. Field and Pool or Explora Hardin Tank; Bone Spring	•
4. Location of Well <i>(Footage,</i> SEC 28/T25S/R34E/NMP	Sec., T.,R.,M., or Survey Description)		11. Country or Parish, State LEA/NM	-
	12. CHECK THE APPROPRIATE BOX(ES) TO IN	NDICATE NATURE (	) DF NOTICE, REPORT OR OT	HER DATA
TYPE OF SUBMISSIO	N	TYPE	E OF ACTION	
✓ Notice of Intent		pen [ draulic Fracturing ]	Production (Start/Resume) Reclamation	Water Shut-Off
Subsequent Report		w Construction	Recomplete	Other
Final Abandonment No		g and Abandon [ g Back [	Temporarily Abandon Water Disposal	
is ready for final inspection EOG respectfully requination Lakewood XL 28 Fed Change name from La Change SHL from T-2 to T-25-S, R-34-E, Sec Change BHL from T-2 to T-25-S, R-34-E, Sec Continued on page 3 a	ests an amendment to our approved APD for th Com 305H (FKA Lakewood 28 Fed Com 743H kewood 28 Fed Com 743H to Lakewood XL 28 5-S, R-34-E, Sec 28, 260' FSL, 1995' FEL, LE/ 28, 260' FSL, 1200' FEL, LEA Co., N.M. 5-S, R-34-E, Sec 21, 100' FNL, 1980' FEL, LE/ 216, 100' FNL, 2310' FEL, LEA Co., N.M.	his well to reflect the API #: 30-025-536 Fed Com 305H. A Co., NM,	e following changes:	
14. I hereby certify that the fore STAR HARRELL / Ph: (432	<ul><li>going is true and correct. Name (<i>Printed/Typed</i>)</li><li>2) 848-9161</li></ul>	Regulatory Title	Specialist	
(Electronic Su Signature	ibmission)	Date	09/30/2	2024
	THE SPACE FOR FEE	DERAL OR STA	TE OFICE USE	
Approved by				
CHRISTOPHER WALLS /	Ph: (575) 234-2234 / Approved	Title Petrole	eum Engineer	10/22/2024 Date
certify that the applicant holds	are attached. Approval of this notice does not warra legal or equitable title to those rights in the subject int to conduct operations thereon.		LSBAD	
	d Title 43 U.S.C Section 1212, make it a crime for a tt statements or representations as to any matter wit		and willfully to make to any d	lepartment or agency of the United States

(Instructions on page 2)

.

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

*Item 13:* Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

#### **Additional Information**

#### **Additional Remarks**

Change target formation to First Bone Spring Sands.

Update casing and cement program to current design.

Update HSU to 1920 acres.

Update the Pool as reflected in the C-102.

#### Location of Well

0. SHL: TR O / 260 FSL / 1995 FEL / TWSP: 25S / RANGE: 34E / SECTION: 28 / LAT: 32.0949549 / LONG: -103.4727909 (TVD: 0 feet, MD: 0 feet ) PPP: TR O / 100 FSL / 1980 FEL / TWSP: 25S / RANGE: 34E / SECTION: 28 / LAT: 32.0945154 / LONG: -103.47274 (TVD: 12936 feet, MD: 12947 feet ) BHL: TR B / 100 FNL / 1980 FEL / TWSP: 25S / RANGE: 34E / SECTION: 21 / LAT: 32.1229876 / LONG: -103.4727584 (TVD: 13201 feet, MD: 23408 feet )

### PECOS DISTRICT DRILLING CONDITIONS OF APPROVAL

## **Pad Name:** Lakewood XL 28 Fed Com SHALLOW SHL: Section 28, Township 25-S, Range 34-E, LEA County, NM

Well Name	API #	Sur	face	Intern	nediate	Production	
wen name	AFI#	MD	TVD	MD	TVD	MD	TVD
Lakewood XL 28 Fed Com #226H (Lakewood 28 Fed Com 102	30-025-53598	918	918	5,131	5,122	25,848	10,355
Lakewood XL 28 Fed Com #305H (Lakewood 28 Fed Com 743	30-025-53604	918	918	5,233	5,122	26,031	10,445
Lakewood XL 28 Fed Com #306H (Lakewood 28 Fed Com 502	30-025-53600	918	918	5,264	5,122	26,060	10,445
Lakewood XL 28 Fed Com #307H (Lakewood 28 Fed Com 101	30-025-53597	918	918	5,191	5,122	25,994	10,445
Lakewood XL 28 Fed Com #308H (Lakewood 28 Fed Com 751	30-025-53605	918	918	5,126	5,122	25,932	10,445
Lakewood XL 28 Fed Com #525H (Lakewood 28 Fed Com 754	30-025-53608	918	918	5,230	5,122	26,808	11,225
Lakewood XL 28 Fed Com #526H (Lakewood 28 Fed Com 503	30-025-53601	918	918	5,261	5,122	26,838	11,225
Lakewood XL 28 Fed Com #527H (Lakewood 28 Fed Com 501	30-025-53599	918	918	5,190	5,122	26,774	11,225
Lakewood XL 28 Fed Com #528H (Lakewood 28 Fed Com 741	30-025-53602	918	918	5,126	5,122	26,712	11,225
Lakewood XL 28 Fed Com #555H (Lakewood 28 Fed Com 753	30-025-53607	918	918	5,179	5,122	26,761	11,225
Lakewood XL 28 Fed Com #584H (Lakewood 28 Fed Com 752	30-025-53606	918	918	5,128	5,122	27,153	11,664
Lakewood XL 28 Fed Com #593H (Lakewood 28 Fed Com 742	30-025-53603	918	918	5,131	5,122	27,154	11,664

ALL PREVIOUS COAs STILL APPLY

Above listed wells are approved for 4 Designs listed in the "EOG BLM Variance 5a -Alternate Shallow Casing Designs" document. The casing set points and directional plans for the wells in the batch are within the boundary conditions reviewed in the blanket design. The COA is written for the deepest well on the pad. Operator is responsible to review the cement volumes based on the set points, design executed and to achieve the TOC requirements listed in the COA.

#### COA

H2S	• Yes	O No	
Potash	• None	© Secretary	© R-111-P
Cave/Karst Potential	• Low	O Medium	O High
Cave/Karst Potential	Critical		
Variance	O None	• Flex Hose	O Other
Wellhead	Conventional	Multibowl	O Both
Wellhead Variance	O Diverter		
Other	□4 String	Capitan Reef	WIPP
Other	Fluid Filled	🗆 Pilot Hole	□ Open Annulus
Cementing	□ Contingency	□ EchoMeter	Primary Cement
	Cement Squeeze		Squeeze
Special Requirements	🗆 Water Disposal	COM	🗆 Unit
Special Requirements	□ Batch Sundry		
Special Requirements	Break Testing	☑ Offline	Casing
Variance		Cementing	Clearance

#### A. CASING

#### **Shallow Design A:**

- 1. The **13-3/8** inch surface casing shall be set at approximately **918** feet **TVD** (a minimum of 25 feet (Lea County) into the Rustler Anhydrite, above the salt, and below usable fresh water) and cemented to the surface.
  - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
  - b. Wait on cement (WOC) time for a primary cement job will be a minimum of <u>8</u> <u>hours</u> or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
  - c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
  - d. If cement falls back, remedial cementing will be done prior to drilling out that string.
- 2. The 9-5/8 inch intermediate casing shall be set at approximately 5,122 feet TVD.
  - Mud weight could brine up to 10.2ppg. Reviewed and OK
  - Keep casing half full during run for collapse SF

The minimum required fill of cement behind the 9-5/8 inch intermediate casing is:

- Cement to surface. If cement does not circulate see B.1.a, c-d above.
- 3. The **5-1/2** inch production casing shall be set at approximately **27,154** feet. The minimum required fill of cement behind the **5-1/2** inch production casing is:
  - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

#### Shallow Design B:

- 1. The **10-3/4** inch surface casing shall be set at approximately **918** feet **TVD** (a minimum of 25 feet (Lea County) into the Rustler Anhydrite, above the salt, and below usable fresh water) and cemented to the surface.
  - a. If cement does not circulate to the surface, the appropriate BLM office shall

be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.

- b. Wait on cement (WOC) time for a primary cement job will be a minimum of <u>8</u> <u>hours</u> or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
- c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
- d. If cement falls back, remedial cementing will be done prior to drilling out that string.
- 2. The **8-5/8** inch intermediate casing shall be set at approximately **5,122** feet **TVD**.
  - Mud weight could brine up to 10.2ppg. Reviewed and OK
  - Keep casing half full during run for collapse SF

The minimum required fill of cement behind the 8-5/8 inch intermediate casing is:

- Cement to surface. If cement does not circulate see B.1.a, c-d above.
- 3. The **5-1/2** inch production casing shall be set at approximately **27,154** feet. The minimum required fill of cement behind the **5-1/2** inch production casing is:
  - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

#### Shallow Design C:

- 1. The **13-3/8** inch surface casing shall be set at approximately **918** feet **TVD** (a minimum of 25 feet (Lea County) into the Rustler Anhydrite, above the salt, and below usable fresh water) and cemented to the surface.
  - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
  - b. Wait on cement (WOC) time for a primary cement job will be a minimum of  $\underline{8}$ <u>hours</u> or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
  - c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.

- d. If cement falls back, remedial cementing will be done prior to drilling out that string.
- 2. The **9-5/8** inch intermediate casing shall be set at approximately **5,122** feet **TVD**.
  - Mud weight could brine up to 10.2ppg. Reviewed and OK
  - Keep casing half full during run for collapse SF

The minimum required fill of cement behind the **9-5/8** inch intermediate casing is:

- Cement to surface. If cement does not circulate see B.1.a, c-d above.
- 3. The **6** inch production casing shall be set at approximately **27,154** feet. The minimum required fill of cement behind the **6** inch production casing is:
  - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

#### Shallow Design D:

- 1. The **13-3/8** inch surface casing shall be set at approximately **918** feet **TVD** (a minimum of 25 feet (Lea County) into the Rustler Anhydrite, above the salt, and below usable fresh water) and cemented to the surface.
  - e. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
  - f. Wait on cement (WOC) time for a primary cement job will be a minimum of <u>8</u>
     <u>hours</u> or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
  - g. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
  - h. If cement falls back, remedial cementing will be done prior to drilling out that string.
- 2. The 9-5/8 inch intermediate casing shall be set at approximately 5,122 feet TVD.
  - Mud weight could brine up to 10.2ppg. Reviewed and OK
  - Keep casing half full during run for collapse SF

The minimum required fill of cement behind the 9-5/8 inch intermediate casing is:

- Cement to surface. If cement does not circulate see B.1.a, c-d above.
- 3. The **6** inch x **5.5** inch tapered production casing shall be set at approximately **27,154** feet. The minimum required fill of cement behind the **6** inch x **5.5** inch tapered production casing is:
  - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

#### Production Bradenhead Plan Reviewed and is OK for all four designs.

#### (Note: For a minimum 5M BOPE or less (Utilizing a 10M BOPE system) BOPE Break Testing Variance

- BOPE Break Testing is ONLY permitted for 5M BOPE or less. (Annular preventer must be tested to a minimum of 70% of BOPE working pressure and shall be higher than the MASP)
- BOPE Break Testing is NOT permitted to drilling the production hole section.
- Variance only pertains to the intermediate hole-sections and no deeper than the Bone Springs formation.
- While in transfer between wells, the BOPE shall be secured by the hydraulic carrier or cradle.
- Any well control event while drilling require notification to the BLM Petroleum Engineer (**575-706-2779**) prior to the commencement of any BOPE Break Testing operations.
- A full BOPE test is required prior to drilling the first deep intermediate hole section. If any subsequent hole interval is deeper than the first, a full BOPE test will be required. (200' TVD tolerance between intermediate shoes is allowable).
- The BLM is to be contacted (575-689-5981 Lea County) 4 hours prior to BOPE tests.
- As a minimum, a full BOPE test shall be performed at 21-day intervals.
- In the event any repairs or replacement of the BOPE is required, the BOPE shall test as per 43 CFR part 3170 Subpart 3172.
- If in the event break testing is not utilized, then a full BOPE test would be conducted.

#### **Offline Cementing**

Offline cementing OK for surface and intermediate intervals. Notify the BLM prior to the commencement of any offline cementing procedure.

#### Casing Clearance:

- Overlap clearance OK.
- Salt annular variance in place.
- 1" surface clearance not met. Operator aware and will perf and squeeze if necessary

Operator shall clean up cycles until wellbore is clear of cuttings and any large debris, ensure cutting sizes are adequate "coffee ground or less" before cementing.

## GENERAL REQUIREMENTS

The BLM is to be notified in advance for a representative to witness:

- a. Spudding well (minimum of 24 hours)
- b. Setting and/or Cementing of all casing strings (minimum of 4 hours)
- c. BOPE tests (minimum of 4 hours)

#### **Contact Eddy County Petroleum Engineering Inspection Staff:**

Email or call the Carlsbad Field Office, 620 East Greene St., Carlsbad, NM 88220; BLM\_NM\_CFO\_DrillingNotifications@BLM.GOV; (575) 361-2822

#### **Contact Lea County Petroleum Engineering Inspection Staff:**

Call the Hobbs Field Station, 414 West Taylor, Hobbs NM 88240, (575) 689-5981

1. Unless the production casing has been run and cemented or the well has been properly plugged, the drilling rig shall not be removed from over the hole without prior approval.

a. In the event the operator has proposed to drill multiple wells utilizing a skid/walking rig. Operator shall secure the wellbore on the current well, after installing and testing the wellhead, by installing a blind flange of like pressure rating to the wellhead and a pressure gauge that can be monitored while drilling is performed on the other well(s).

- b. When the operator proposes to set surface casing with Spudder Rig
  - i.Notify the BLM when moving in and removing the Spudder Rig.
  - ii.Notify the BLM when moving in the 2<sup>nd</sup> Rig. Rig to be moved in within 90 days of notification that Spudder Rig has left the location.
  - iii.BOP/BOPE test to be conducted per **43 CFR 3172** as soon as 2<sup>nd</sup> Rig is rigged up on well.

2. Floor controls are required for 3M or Greater systems. These controls will be on the rig floor, unobstructed, readily accessible to the driller and will be operational at all times during drilling and/or completion activities. Rig floor is defined as the area immediately around the rotary table; the area immediately above the substructure on which the draw works are located, this does not include the dog house or stairway area.

3. For intervals in which cement to surface is required, cement to surface should be verified with a visual check and density or pH check to differentiate cement from spacer and drilling mud. The results should be documented in the driller's log and daily reports.

#### A. CASING

1. Changes to the approved APD casing program need prior approval if the items substituted are of lesser grade or different casing size or are Non-API. The Operator can exchange the components of the proposal with that of superior strength (i.e. changing from J-55 to N-80, or from 36# to 40#). Changes to the approved cement program need prior approval if the altered cement plan has less volume or strength or

if the changes are substantial (i.e. Multistage tool, ECP, etc.). The initial wellhead installed on the well will remain on the well with spools used as needed.

2. <u>Wait on cement (WOC) for Potash Areas:</u> After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi for all cement blends of both lead and tail cement, 2) until cement has been in place at least <u>8 hours</u>. WOC time will be recorded in the driller's log. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.

3. <u>Wait on cement (WOC) for Water Basin:</u> After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi at the shoe, 2) until cement has been in place at least <u>8 hours</u>. WOC time will be recorded in the driller's log. See individual casing strings for details regarding lead cement slurry requirements. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.

4. Provide compressive strengths including hours to reach required 500 pounds compressive strength prior to cementing each casing string. Have well specific cement details onsite prior to pumping the cement for each casing string.

5. No pea gravel permitted for remedial or fall back remedial without prior authorization from the BLM engineer.

6. On that portion of any well approved for a 5M BOPE system or greater, a pressure integrity test of each casing shoe shall be performed. Formation at the shoe shall be tested to a minimum of the mud weight equivalent anticipated to control the formation pressure to the next casing depth or at total depth of the well. This test shall be performed before drilling more than 20 feet of new hole.

7. If hardband drill pipe is rotated inside casing, returns will be monitored for metal. If metal is found in samples, drill pipe will be pulled and rubber protectors which have a larger diameter than the tool joints of the drill pipe will be installed prior to continuing drilling operations.

8. Whenever a casing string is cemented in the R-111-Q potash area, the NMOCD requirements shall be followed.

#### **B. PRESSURE CONTROL**

1. All blowout preventer (BOP) and related equipment (BOPE) shall comply with well control requirements as described in **43 CFR 3172**.

2. If a variance is approved for a flexible hose to be installed from the BOP to the choke manifold, the following requirements apply: The flex line must meet the requirements of API 16C. Check condition of flexible line from BOP to choke manifold, replace if exterior is damaged or if line fails test. Line to be as straight as possible with no hard bends and is to be anchored according to Manufacturer's requirements. The flexible hose can be exchanged with a hose of equal size and equal or greater pressure rating. Anchor requirements, specification sheet and hydrostatic pressure test certification matching the hose in service, to be onsite for review. These documents shall be posted in the company man's trailer and on the rig floor.

3. 5M or higher system requires an HCR valve, remote kill line and annular to match. The remote kill line is to be installed prior to testing the system and tested to stack pressure.

4. If the operator has proposed a multi-bowl wellhead assembly in the APD. The following requirements must be met:

i.Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.

- ii.If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
- iii.Manufacturer representative shall install the test plug for the initial BOP test.
- iv.Whenever any seal subject to test pressure is broken, all the tests in 43 CFR 3172.6(b)(9) must be followed.
- v.If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.

5. The appropriate BLM office shall be notified a minimum of 4 hours in advance for a representative to witness the tests.

i.In a water basin, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. The casing cut-off and BOP installation can be initiated four hours after installing the slips, which will be approximately six hours after bumping the plug. For those casing strings not using slips, the minimum wait time before cut-off is eight hours after bumping the plug. BOP/BOPE testing can begin after cut-off or once cement reaches 500 psi compressive strength (including lead cement), whichever is greater. However, if the float does not hold, cut-off cannot be initiated until cement reaches 500 psi compressive strength (including lead when specified).

- ii. In potash areas, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. For all casing strings, casing cut-off and BOP installation can be initiated at twelve hours after bumping the cement plug. The BOPE test can be initiated after bumping the cement plug with the casing valve open. (only applies to single stage cement jobs, prior to the cement setting up.)
- iii. The tests shall be done by an independent service company utilizing a test plug not a cup or J-packer and can be initiated immediately with the casing valve open. The operator also has the option of utilizing an independent tester to test without a plug (i.e. against the casing) pursuant to 43 CFR 3172 with the pressure not to exceed 70% of the burst rating for the casing. Any test against the casing must meet the WOC time for 8 hours or 500 pounds compressive strength, whichever is greater, prior to initiating the test (see casing segment as lead cement may be critical item).
- iv. The test shall be run on a 5000 psi chart for a 2-3M BOP/BOP, on a 10000 psi chart for a 5M BOP/BOPE and on a 15000 psi chart for a 10M BOP/BOPE. If a linear chart is used, it shall be a one hour chart. A circular chart shall have a maximum 2 hour clock. If a twelve hour or twenty-four hour chart is used, tester shall make a notation that it is run with a two hour clock.
- v.The results of the test shall be reported to the appropriate BLM office.
- vi.All tests are required to be recorded on a calibrated test chart. A copy of the BOP/BOPE test chart and a copy of independent service company test will be submitted to the appropriate BLM office.
- vii. The BOP/BOPE test shall include a low pressure test from 250 to 300 psi. The test will be held for a minimum of 10 minutes if test is done with a test plug and 30 minutes without a test plug. This test shall be performed prior to the test at full stack pressure.
- viii.BOP/BOPE must be tested by an independent service company within 500 feet of the top of the Wolfcamp formation if the time between the

setting of the intermediate casing and reaching this depth exceeds 20 days. This test does not exclude the test prior to drilling out the casing shoe as per **43 CFR 3172**.

#### C. DRILLING MUD

Mud system monitoring equipment, with derrick floor indicators and visual and audio alarms, shall be operating before drilling into the Wolfcamp formation, and shall be used until production casing is run and cemented.

#### D. WASTE MATERIAL AND FLUIDS

All waste (i.e. drilling fluids, trash, salts, chemicals, sewage, gray water, etc.) created as a result of drilling operations and completion operations shall be safely contained and disposed of properly at a waste disposal facility. No waste material or fluid shall be disposed of on the well location or surrounding area. Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.

KPI 10/15/2024



## Midland

Lea County, NM (NAD 83 NME) Lakewood XL 28 Fed Com #305H

OH

Plan: Plan #0.1 RT

## **Standard Planning Report**

26 September, 2024



eugre							
Database: Company: Project: Site: Well: Wellbore: Design:	PEDMB Midland Lea County, NI Lakewood XL 2 #305H OH Plan #0.1 RT	•	ME)	Local Co-ordin TVD Reference MD Reference: North Referenc Survey Calcula	: e:	Well #305H kb = 26' @ 3347.0u kb = 26' @ 3347.0u Grid Minimum Curvature	
Project	Lea County, NM	1 (NAD 83 NN	1E)				
Map System: Geo Datum: Map Zone:	US State Plane 1 North American D New Mexico East	0atum 1983		System Datum:		Mean Sea Level	
Site	Lakewood XL 28	8 Fed Com					
Site Position: From: Position Uncertainty:	Мар	0.0 usft	Northing: Easting: Slot Radius:	399,358.0 809,420.0 13-3/1	0 usft Longitude	9:	32° 5' 41.843 N 103° 28' 3.500 W
Well	#305H						
Well Position	+N/-S +E/-W	0.0 usft 0.0 usft 0.0 usft	Northing: Easting: Wellhead Elev	80	9,351.00 usft 8,619.00 usft usft	Latitude: Longitude: Ground Level:	32° 5' 41.837 N 103° 28' 12.811 W 3,321.0 usft
Grid Convergence:	ОН	0.46 °					
Magnetics	Model Nam	e	Sample Date	Declination (°)	C	ip Angle (°)	Field Strength (nT)
	IGRF	2020	9/26/2024		6.10	59.68	47,085.98649574
Design	Plan #0.1 RT						
Audit Notes:							
Version:			Phase:	PLAN	Tie On Depth	: 0.0	
Vertical Section:		(1	rom (TVD) Isft) D.0	+N/-S (usft) 0.0	+E/-W (usft) 0.0	Directi (°) 355.4	
Plan Survey Tool Pro Depth From (usft)	Depth To	Date 9/26/2		Tool Name	Remark	(S	
1 0.0		lan #0.1 RT (		EOG MWD+IFR1			



Database:	PEDMB	Local Co-ordinate Reference:	Well #305H
Company:	Midland	TVD Reference:	kb = 26' @ 3347.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3347.0usft
Site:	Lakewood XL 28 Fed Com	North Reference:	Grid
Well:	#305H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.1 RT		

Plan Sections

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,500.0	0.00	0.00	1,500.0	0.0	0.0	0.00	0.00	0.00	0.00	
2,051.6	11.03	258.82	2,048.2	-10.3	-51.9	2.00	2.00	0.00	258.82	
7,400.0	11.03	258.82	7,297.8	-208.7	-1,056.1	0.00	0.00	0.00	0.00	
7,951.7	0.00	0.00	7,846.0	-219.0	-1,108.0	2.00	-2.00	0.00	180.00	
10,073.2	0.00	0.00	9,967.5	-219.0	-1,108.0	0.00	0.00	0.00	0.00	KOP(Lakewood XL 2
10,293.6	26.46	0.00	10,180.2	-169.0	-1,108.0	12.00	12.00	0.00	0.00	FTP(Lakewood XL 2
10,823.1	90.00	359.55	10,444.9	258.5	-1,110.3	12.00	12.00	-0.09	-0.51	
15,573.8	90.00	359.55	10,445.0	5,009.0	-1,148.0	0.00	0.00	0.00	0.00	Fed Perf 1(Lakewoo
26,031.2	90.00	359.56	10,445.0	15,466.0	-1,230.0	0.00	0.00	0.00	82.43	PBHL(Lakewood XL

Released to Imaging: 11/8/2024 10:22:31 AM



Database:	PEDMB	Local Co-ordinate Reference:	Well #305H
Company:	Midland	TVD Reference:	kb = 26' @ 3347.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3347.0usft
Site:	Lakewood XL 28 Fed Com	North Reference:	Grid
Well:	#305H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.1 RT		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00		0.00
	0.00	0.00	500.0 600.0	0.0	0.0	0.0	0.00	0.00	0.00
600.0 700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00 0.00	0.00
800.0	0.00	0.00	800.0 900.0	0.0	0.0	0.0	0.00	0.00	0.00 0.00
900.0	0.00	0.00		0.0	0.0	0.0	0.00	0.00	
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.0	0.00	0.00	0.00
1,100.0	0.00	0.00	1,100.0	0.0	0.0	0.0	0.00	0.00	0.00
1,200.0	0.00	0.00	1,200.0	0.0	0.0	0.0	0.00	0.00	0.00
1,300.0	0.00	0.00	1,300.0	0.0	0.0	0.0	0.00	0.00	0.00
1,400.0	0.00	0.00	1,400.0	0.0	0.0	0.0	0.00	0.00	0.00
1,500.0	0.00	0.00	1,500.0	0.0	0.0	0.0	0.00	0.00	0.00
1,600.0	2.00	258.82	1,600.0	-0.3	-1.7	-0.2	2.00	2.00	0.00
1,700.0	4.00	258.82	1,699.8	-1.4	-6.8	-0.8	2.00	2.00	0.00
1,800.0	6.00	258.82	1,799.5	-3.0	-15.4	-1.8	2.00	2.00	0.00
1,900.0	8.00	258.82	1,898.7	-5.4	-27.4	-3.2	2.00	2.00	0.00
2,000.0	10.00	258.82	1,997.5	-8.4	-42.7	-5.0	2.00	2.00	0.00
2,051.6	11.03	258.82	2,048.2	-10.3	-51.9	-6.1	2.00	2.00	0.00
2,100.0	11.03	258.82	2,095.7	-12.1	-61.0	-7.2	0.00	0.00	0.00
2,200.0	11.03	258.82	2,193.9	-15.8	-79.8	-9.4	0.00	0.00	0.00
2,300.0	11.03	258.82	2,292.0	-19.5	-98.6	-11.6	0.00	0.00	0.00
2,400.0	11.03	258.82	2,390.2	-23.2	-117.3	-13.8	0.00	0.00	0.00
2,500.0	11.03	258.82	2,488.3	-26.9	-136.1	-16.0	0.00	0.00	0.00
2,600.0	11.03	258.82	2,586.5	-30.6	-154.9	-18.2	0.00	0.00	0.00
2,700.0	11.03	258.82	2,684.6	-34.3	-173.7	-20.4	0.00	0.00	0.00
2,800.0	11.03	258.82	2,782.8	-38.0	-192.4	-22.7	0.00	0.00	0.00
2,900.0	11.03	258.82	2,880.9	-41.7	-211.2	-24.9	0.00	0.00	0.00
3,000.0	11.03	258.82	2,979.1	-45.5	-230.0	-27.1	0.00	0.00	0.00
3,100.0	11.03	258.82	3,077.2	-49.2	-248.8	-29.3	0.00	0.00	0.00
3,200.0	11.03	258.82	3,175.4	-52.9	-267.5	-31.5	0.00	0.00	0.00
3,300.0	11.03	258.82	3,273.5	-56.6	-286.3	-33.7	0.00	0.00	0.00
3,400.0	11.03	258.82	3,371.7	-60.3	-305.1	-35.9	0.00	0.00	0.00
3,500.0	11.03	258.82	3,469.8	-64.0	-323.9	-38.1	0.00	0.00	0.00
3,600.0	11.03	258.82	3,568.0	-67.7	-342.6	-40.3	0.00	0.00	0.00
3,700.0	11.03	258.82	3,666.1	-71.4	-361.4	-42.6	0.00	0.00	0.00
3,800.0	11.03	258.82	3,764.3	-75.1	-380.2	-44.8	0.00	0.00	0.00
3,900.0	11.03	258.82	3,862.4	-78.9	-399.0	-47.0	0.00	0.00	0.00
4,000.0	11.03	258.82	3,960.6	-82.6	-417.7	-49.2	0.00	0.00	0.00
4,100.0	11.03	258.82	4,058.7	-86.3	-436.5	-51.4	0.00	0.00	0.00
4,200.0	11.03	258.82	4,156.9	-90.0	-455.3	-53.6	0.00	0.00	0.00
4,300.0	11.03	258.82	4,255.0	-93.7	-474.1	-55.8	0.00	0.00	0.00
4,400.0	11.03	258.82	4,353.2	-97.4	-492.8	-58.0	0.00	0.00	0.00
4,500.0	11.03	258.82	4,451.3	-101.1	-511.6	-60.2	0.00	0.00	0.00
4,600.0	11.03	258.82	4,549.5	-104.8	-530.4	-62.5	0.00	0.00	0.00
4,700.0	11.03	258.82	4,647.6	-108.5	-549.2	-64.7	0.00	0.00	0.00
4,800.0	11.03	258.82	4,745.8	-112.3	-567.9	-66.9	0.00	0.00	0.00
4,900.0	11.03	258.82	4,844.0	-116.0	-586.7	-69.1	0.00	0.00	0.00
5,000.0	11.03	258.82	4,942.1	-110.0	-605.5	-09.1	0.00	0.00	0.00
5,100.0	11.03	258.82	5,040.3	-123.4	-624.2	-73.5	0.00	0.00	0.00
5,200.0	11.03	258.82	5,138.4	-127.1	-643.0	-75.7	0.00	0.00	0.00
0,200.0	11.00	200.02	0,100.1		510.0		0.00	0.00	0.00

9/26/2024 3:14:52PM

Released to Imaging: 11/8/2024 10:22:31 AM



Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5,300.0	11.03	258.82	5,236.6	-130.8	-661.8	-77.9	0.00	0.00	0.00
5,400.0	11.03	258.82	5,334.7	-134.5	-680.6	-80.1	0.00	0.00	0.00
5,500.0	11.03	258.82	5,432.9	-134.5	-699.3	-80.1	0.00	0.00	0.00
5,600.0	11.03	258.82	5,531.0	-141.9	-718.1	-84.6	0.00	0.00	0.00
5,700.0	11.03	258.82	5,629.2	-145.6	-736.9	-86.8	0.00	0.00	0.00
5,800.0	11.03	258.82	5,727.3	-149.4	-755.7	-89.0	0.00	0.00	0.00
5,900.0	11.03	258.82	5,825.5	-153.1	-774.4	-91.2	0.00	0.00	0.00
6,000.0	11.03	258.82	5,923.6	-156.8	-793.2	-93.4	0.00	0.00	0.00
6,100.0	11.03	258.82	6,021.8	-160.5	-812.0	-95.6	0.00	0.00	0.00
6,200.0	11.03	258.82	6,119.9	-164.2	-830.8	-97.8	0.00	0.00	0.00
6,300.0	11.03	258.82	6,218.1	-167.9	-849.5	-100.0	0.00	0.00	0.00
6 400 0	11.02	250.02	6 216 0	-171.6	000.0	102.2	0.00	0.00	0.00
6,400.0 6,500.0	11.03 11.03	258.82 258.82	6,316.2 6,414.4	-171.6 -175.3	-868.3 -887.1	-102.2 -104.5	0.00 0.00	0.00 0.00	0.00 0.00
6,600.0	11.03	258.82	6,512.5	-179.0	-905.9	-106.7	0.00	0.00	0.00
6,700.0	11.03	258.82	6,610.7	-182.8	-924.6	-108.9	0.00	0.00	0.00
6,800.0	11.03	258.82	6,708.8	-186.5	-943.4	-111.1	0.00	0.00	0.00
6,900.0	11.03	258.82	6,807.0	-190.2	-962.2	-113.3	0.00	0.00	0.00
7,000.0	11.03	258.82	6,905.1	-193.9	-981.0	-115.5	0.00	0.00	0.00
7,100.0	11.03	258.82	7,003.3	-197.6	-999.7	-117.7	0.00	0.00	0.00
7,200.0	11.03	258.82	7,101.4	-201.3	-1,018.5	-119.9	0.00	0.00	0.00
7,300.0	11.03	258.82	7,199.6	-205.0	-1,037.3	-122.1	0.00	0.00	0.00
7,400.0	11.03	258.82	7,297.8	-208.7	-1,056.1	-124.4	0.00	0.00	0.00
7,500.0	9.03	258.82	7,396.2	-212.1	-1,073.1	-126.4	2.00	-2.00	0.00
7,600.0	7.03	258.82	7.495.2	-214.8	-1,086.9	-128.0	2.00	-2.00	0.00
7,700.0	5.03	258.82	7,594.7	-216.9	-1,097.2	-129.2	2.00	-2.00	0.00
7,800.0	3.03	258.82	7,694.4	-218.2	-1,104.1	-130.0	2.00	-2.00	0.00
7,900.0	1.03	258.82	7,794.3	-218.9	-1,107.5	-130.4	2.00	-2.00	0.00
7,951.7	0.00	0.00	7,846.0	-219.0	-1,108.0	-130.5	2.00	-2.00	0.00
8,000.0	0.00	0.00	7,894.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
8,100.0 8,200.0	0.00 0.00	0.00 0.00	7,994.3 8,094.3	-219.0 -219.0	-1,108.0 -1,108.0	-130.5 -130.5	0.00 0.00	0.00 0.00	0.00 0.00
0,200.0		0.00		-219.0	-1,100.0	-130.5		0.00	
8,300.0	0.00	0.00	8,194.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
8,400.0	0.00	0.00	8,294.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
8,500.0	0.00	0.00	8,394.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
8,600.0	0.00	0.00	8,494.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
8,700.0	0.00	0.00	8,594.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
8,800.0	0.00	0.00	8,694.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
8,900.0	0.00	0.00	8,794.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
9,000.0	0.00	0.00	8,894.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
9,100.0	0.00	0.00	8,994.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
9,200.0	0.00	0.00	9,094.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
9,300.0	0.00	0.00	9,194.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
9,400.0	0.00	0.00	9,294.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
9,500.0	0.00	0.00	9,394.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
9,600.0	0.00	0.00	9,494.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
9,700.0	0.00	0.00	9,594.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
9,800.0	0.00	0.00	9,694.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
9,900.0	0.00	0.00	9,794.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
10,000.0	0.00	0.00	9,894.3	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
10,073.2	0.00	0.00	9,967.5	-219.0	-1,108.0	-130.5	0.00	0.00	0.00
10,075.0	0.22	0.00	9,969.3	-219.0	-1,108.0	-130.5	12.00	12.00	0.00
10,100.0	3.22	0.00	9.994.3	-218.2	-1,108.0	-129.7	12.00	12.00	0.00
10,125.0	6.22	0.00	10,019.2	-216.2	-1,108.0	-127.7	12.00	12.00	0.00
10,120.0	9.22	0.00	10,044.0	-212.8	-1,108.0	-124.3	12.00	12.00	0.00

9/26/2024 3:14:52PM

Page 5

COMPASS 5000.16 Build 100



Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
10,175.0	12.22	0.00	10,068.6	-208.2	-1,108.0	-119.7	12.00	12.00	0.00
10,200.0	15.22	0.00	10,092.9	-202.2	-1,108.0	-113.8	12.00	12.00	0.00
	40.00	0.00							
10,225.0	18.22	0.00	10,116.8	-195.1	-1,108.0	-106.6	12.00	12.00	0.00
10,250.0	21.22	0.00	10,140.3	-186.6	-1,108.0	-98.2	12.00	12.00	0.00
10,275.0	24.22	0.00	10,163.4	-177.0	-1,108.0	-88.6	12.00	12.00	0.00
10,293.6	26.46	0.00	10,180.2	-169.0	-1,108.0	-80.6	12.00	12.00	0.00
10,300.0	27.22	359.99	10,185.9	-166.1	-1,108.0	-77.8	12.00	12.00	-0.23
10,325.0	30.22	359.93	10,207.8	-154.1	-1,108.0	-65.8	12.00	12.00	-0.2
10,350.0	33.22	359.89	10,229.1	-141.0	-1,108.0	-52.7	12.00	12.00	-0.1
10,375.0	36.22	359.85	10,249.6	-126.7	-1,108.1	-38.5	12.00	12.00	-0.1
10,400.0	39.22	359.82	10,269.4	-111.4	-1,108.1	-23.2	12.00	12.00	-0.13
10,425.0	42.22	359.79	10,288.3	-95.1	-1,108.2	-7.0	12.00	12.00	-0.1
10,450.0	45.22	359.77	10,306.4	-77.8	-1,108.2	10.3	12.00	12.00	-0.10
10,475.0	48.22	359.75	10,323.5	-59.6	-1,108.3	28.4	12.00	12.00	-0.09
10,500.0	51.22	359.73	10,339.7	-40.6	-1,108.4	47.4	12.00	12.00	-0.08
10,525.0	54.22	359.71	10,354.8	-20.7	-1,108.5	67.3	12.00	12.00	-0.0
10,550.0	57.22	359.69	10,368.9	0.0	-1,108.6	87.9	12.00	12.00	-0.07
10,575.0	60.22	359.68	10,381.9	21.3	-1,108.7	109.2	12.00	12.00	-0.06
10,600.0	63.22	359.66	10,393.7	43.4	-1,108.8	131.1	12.00	12.00	-0.06
10,625.0	66.22	359.65	10,404.4	66.0	-1,109.0	153.7	12.00	12.00	-0.06
10,650.0	69.22	359.63	10,413.9	89.1	-1,109.1	176.7	12.00	12.00	-0.06
10,675.0	72.22	359.62	10,422.1	112.7	-1,109.3	200.3	12.00	12.00	-0.0
10,700.0	75.22	359.61	10,429.2	136.7	-1,109.4	224.2	12.00	12.00	-0.0
10,725.0	78.22	359.59	10,434.9	161.0	-1,109.6	248.5	12.00	12.00	-0.0
10,750.0	81.22	359.58	10,439.4	185.6	-1,109.8	273.0	12.00	12.00	-0.05
10,775.0	84.22	359.57	10,442.5	210.4	-1,110.0	297.7	12.00	12.00	-0.0
10,800.0	87.22	359.56	10,444.4	235.3	-1,110.2	322.6	12.00	12.00	-0.0
10,823.1	90.00	359.55	10,444.9	258.5	-1,110.3	345.7	12.00	12.00	-0.0
10,900.0	90.00	359.55	10,444.9	335.3	-1,111.0	422.3	0.00	0.00	0.0
11,000.0	90.00	359.55	10,444.9	435.3	-1,111.7	522.1	0.00	0.00	0.00
11,100.0	90.00	359.55	10,444.9	535.3	-1,112.5	621.8	0.00	0.00	0.00
11,200.0	90.00	359.55	10,445.0	635.3	-1,113.3	721.6	0.00	0.00	0.00
11,300.0	90.00	359.55	10,445.0	735.3	-1,114.1	821.3	0.00	0.00	0.00
11,400.0	90.00	359.55	10,445.0	835.3	-1,114.9	921.1	0.00	0.00	0.00
11,500.0	90.00	359.55	10,445.0	935.3	-1,115.7	1,020.8	0.00	0.00	0.00
11,600.0	90.00	359.55	10,445.0	1,035.3	-1,116.5	1,120.5	0.00	0.00	0.00
11,700.0	90.00	359.55	10,445.0	1,135.3	-1,117.3	1,220.3	0.00	0.00	0.0
11,800.0	90.00	359.55	10.445.0	1,235.3	-1,118.1	1,320.0	0.00	0.00	0.0
11,900.0	90.00	359.55	10,445.0	1,335.3	-1,118.9	1,419.8	0.00	0.00	0.0
12,000.0	90.00	359.55	10,445.0	1,335.3	-1,119.7	1,419.8	0.00	0.00	0.0
12,000.0	90.00						0.00	0.00	0.00
12,100.0	90.00	359.55 359.55	10,445.0 10,445.0	1,535.3 1,635.3	-1,120.5 -1,121.3	1,619.3 1,719.0	0.00	0.00	0.00
12,300.0	90.00	359.55	10,445.0	1,735.3	-1,122.1	1,818.8	0.00	0.00	0.00
12,400.0	90.00	359.55	10,445.0	1,835.3	-1,122.8	1,918.5	0.00	0.00	0.00
12,500.0	90.00	359.55	10,445.0	1,935.3	-1,123.6	2,018.3	0.00	0.00	0.00
12,600.0	90.00	359.55	10,445.0	2,035.3	-1,124.4	2,118.0	0.00	0.00	0.00
12,700.0	90.00	359.55	10,445.0	2,135.3	-1,125.2	2,217.7	0.00	0.00	0.00
12,800.0	90.00	359.55	10,445.0	2,235.3	-1,126.0	2,317.5	0.00	0.00	0.00
12,900.0	90.00	359.55	10,445.0	2,335.3	-1,126.8	2,417.2	0.00	0.00	0.00
13,000.0	90.00	359.55	10,445.0	2,435.2	-1,127.6	2,517.0	0.00	0.00	0.00
13,100.0	90.00	359.55	10,445.0	2,535.2	-1,128.4	2,616.7	0.00	0.00	0.00
13,200.0	90.00	359.55	10,445.0	2,635.2	-1,129.2	2,716.5	0.00	0.00	0.0
13,300.0	90.00	359.55	10,445.0	2,735.2	-1,130.0	2,816.2	0.00	0.00	0.00
13,300.0	90.00	359.55 359.55	10,445.0	2,735.2 2,835.2	-1,130.0 -1,130.8	2,816.2	0.00	0.00	0.00

9/26/2024 3:14:52PM

Page 6

COMPASS 5000.16 Build 100



Database:	PEDMB	Local Co-ordinate Reference:	Well #305H
Company:	Midland	TVD Reference:	kb = 26' @ 3347.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3347.0usft
Site:	Lakewood XL 28 Fed Com	North Reference:	Grid
Well:	#305H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.1 RT		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
13,500.0	90.00	359.55	10,445.0	2,935.2	-1,131.6	3,015.7	0.00	0.00	0.00
13,600.0	90.00	359.55	10,445.0	3,035.2	-1,132.4	3,115.4	0.00	0.00	0.00
13,700.0	90.00	359.55	10,445.0	3,135.2	-1,133.1	3,215.2	0.00	0.00	0.00
13,800.0	90.00	359.55	10,445.0	3,235.2	-1,133.9	3,314.9	0.00	0.00	0.00
13,900.0	90.00	359.55	10,445.0	3,335.2	-1,134.7	3,414.7	0.00	0.00	0.00
14,000.0	90.00	359.55	10,445.0	3,435.2	-1,135.5	3,514.4	0.00	0.00	0.00
14,100.0	90.00	359.55	10,445.0	3,535.2	-1,136.3	3,614.2	0.00	0.00	0.00
14,200.0	90.00	359.55	10,445.0	3,635.2	-1,137.1	3,713.9	0.00	0.00	0.00
14,300.0	90.00	359.55	10,445.0	3,735.2	-1,137.9	3,813.7	0.00	0.00	0.00
14,400.0	90.00	359.55	10,445.0	3,835.2	-1,138.7	3,913.4	0.00	0.00	0.00
14,500.0	90.00	359.55	10,445.0	3,935.2	-1,139.5	4,013.2	0.00	0.00	0.00
14,600.0	90.00	359.55	10,445.0	4,035.2	-1,140.3	4,112.9	0.00	0.00	0.00
14,700.0	90.00	359.55	10,445.0	4,135.2	-1,141.1	4,212.6	0.00	0.00	0.00
14,800.0	90.00	359.55	10,445.0	4,235.2	-1,141.9	4,312.4	0.00	0.00	0.00
14,900.0	90.00	359.55	10,445.0	4,335.2	-1,142.7	4,412.1	0.00	0.00	0.00
15,000.0	90.00	359.55	10,445.0	4,435.2	-1,143.5	4,511.9	0.00	0.00	0.00
15,100.0	90.00	359.55	10,445.0	4,535.2	-1,144.2	4,611.6	0.00	0.00	0.00
15,200.0	90.00	359.55	10,445.0	4,635.2	-1,145.0	4,711.4	0.00	0.00	0.00
15,300.0	90.00	359.55	10,445.0	4,735.2	-1,145.8	4,811.1	0.00	0.00	0.00
15,400.0	90.00	359.55	10,445.0	4,835.2	-1,146.6	4,910.9	0.00	0.00	0.00
15,500.0	90.00	359.55	10,445.0	4,935.2	-1,147.4	5,010.6	0.00	0.00	0.00
15,573.8	90.00	359.55	10,445.0	5,009.0	-1,148.0	5,084.2	0.00	0.00	0.00
15,600.0	90.00	359.55	10,445.0	5,035.2	-1,148.2	5,110.3	0.00	0.00	0.00
15,700.0	90.00	359.55	10,445.0	5,135.2	-1,149.0	5,210.1	0.00	0.00	0.00
15,800.0	90.00	359.55	10,445.0	5,235.2	-1,149.8	5,309.8	0.00	0.00	0.00
15,900.0	90.00	359.55	10,445.0	5,335.2	-1,150.6	5,409.6	0.00	0.00	0.00
16,000.0	90.00	359.55	10,445.0	5,435.2	-1,151.4	5,509.3	0.00	0.00	0.00
16,100.0	90.00	359.55	10,445.0	5,535.1	-1,152.2	5,609.1	0.00	0.00	0.00
16,200.0	90.00	359.55	10,445.0	5,635.1	-1,153.0	5,708.8	0.00	0.00	0.00
16,300.0	90.00	359.55	10,445.0	5,735.1	-1,153.8	5,808.6	0.00	0.00	0.00
16,400.0	90.00	359.55	10,445.0	5,835.1	-1,154.5	5,908.3	0.00	0.00	0.00
16,500.0	90.00	359.55	10,445.0	5,935.1	-1,155.3	6,008.0	0.00	0.00	0.00
16,600.0	90.00	359.55	10,445.0	6,035.1	-1,156.1	6,107.8	0.00	0.00	0.00
16,700.0	90.00	359.55	10,445.0	6,135.1	-1,156.9	6,207.5	0.00	0.00	0.00
16,800.0	90.00	359.55	10,445.0	6,235.1	-1,157.7	6,307.3	0.00	0.00	0.00
16,900.0	90.00	359.55	10,445.0	6,335.1	-1,158.5	6,407.0	0.00	0.00	0.00
17,000.0	90.00	359.55	10,445.0	6,435.1	-1,159.3	6,506.8	0.00	0.00	0.00
17,100.0	90.00	359.55	10,445.0	6,535.1	-1,160.1	6,606.5	0.00	0.00	0.00
17,200.0	90.00	359.55	10,445.0	6,635.1	-1,160.9	6,706.3	0.00	0.00	0.00
17,300.0	90.00	359.55	10,445.0	6,735.1	-1,161.7	6,806.0	0.00	0.00	0.00
17,400.0	90.00	359.55	10,445.0	6,835.1	-1,162.4	6,905.8	0.00	0.00	0.00
17,500.0	90.00	359.55	10,445.0	6,935.1	-1,163.2	7,005.5	0.00	0.00	0.00
17,600.0	90.00	359.55	10,445.0	7,035.1	-1,164.0	7,105.2	0.00	0.00	0.00
17,700.0	90.00	359.55	10,445.0	7,135.1	-1,164.8	7,205.0	0.00	0.00	0.00
17,800.0	90.00	359.55	10,445.0	7,235.1	-1,165.6	7,304.7	0.00	0.00	0.00
17,900.0	90.00	359.55	10,445.0	7,335.1	-1,166.4	7,404.5	0.00	0.00	0.00
18,000.0	90.00	359.55	10,445.0	7,435.1	-1,167.2	7,504.2	0.00	0.00	0.00
18,100.0	90.00	359.55	10,445.0	7,535.1	-1,168.0	7,604.0	0.00	0.00	0.00
18,200.0	90.00	359.55	10,445.0	7,635.1	-1,168.8	7,703.7	0.00	0.00	0.00
18,300.0	90.00	359.55	10,445.0	7,735.1	-1,169.5	7,803.5	0.00	0.00	0.00
18,400.0	90.00	359.55	10,445.0	7,835.1	-1,170.3	7,903.2	0.00	0.00	0.00
18,500.0	90.00	359.55	10,445.0	7,935.1	-1,171.1	8,002.9	0.00	0.00	0.00
18,600.0	90.00	359.55	10,445.0	8,035.1	-1,171.9	8,102.7	0.00	0.00	0.00
18,700.0	90.00	359.55	10,445.0	8,135.1	-1,172.7	8,202.4	0.00	0.00	0.00

9/26/2024 3:14:52PM

Page 7

COMPASS 5000.16 Build 100

.



Database:	PEDMB	Local Co-ordinate Reference:	Well #305H
Company:	Midland	TVD Reference:	kb = 26' @ 3347.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3347.0usft
Site:	Lakewood XL 28 Fed Com	North Reference:	Grid
Well:	#305H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.1 RT		

Planned Survey

I	Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
	18,800.0	90.00	359.55	10,445.0	8,235.1	-1,173.5	8,302.2	0.00	0.00	0.00
	18,900.0	90.00	359.55	10,445.0	8,335.1	-1,174.3	8,401.9	0.00	0.00	0.00
	19,000.0	90.00	359.55	10,445.0	8,435.1	-1,175.1	8,501.7	0.00	0.00	0.00
	19,100.0	90.00	359.55	10,445.0	8,535.1	-1,175.8	8,601.4	0.00	0.00	0.00
	19,200.0	90.00	359.55	10,445.0	8,635.1	-1,176.6	8,701.2	0.00	0.00	0.00
	19,300.0	90.00	359.55	10,445.0	8,735.1	-1,177.4	8,800.9	0.00	0.00	0.00
	19,400.0	90.00	359.55	10,445.0	8,835.0	-1,178.2	8,900.6	0.00	0.00	0.00
	19,500.0	90.00	359.55	10,445.0	8,935.0	-1,179.0	9,000.4	0.00	0.00	0.00
	19,600.0	90.00	359.55	10,445.0	9,035.0	-1,179.8	9,100.1	0.00	0.00	0.00
	19,700.0	90.00	359.55	10,445.0	9,135.0	-1,180.6	9,199.9	0.00	0.00	0.00
	19,700.0	90.00	359.55	10,445.0	9,135.0	-1,180.0	9,199.9	0.00	0.00	0.00
		90.00	359.55	10,445.0			9,299.0 9,399.4	0.00		0.00
	19,900.0		359.55		9,335.0	-1,182.1		0.00	0.00 0.00	0.00
	20,000.0	90.00	359.55 359.55	10,445.0	9,435.0	-1,182.9	9,499.1			0.00
	20,100.0	90.00		10,445.0	9,535.0	-1,183.7	9,598.9	0.00	0.00	
	20,200.0	90.00	359.55	10,445.0	9,635.0	-1,184.5	9,698.6	0.00	0.00	0.00
	20,300.0	90.00	359.55	10,445.0	9,735.0	-1,185.3	9,798.3	0.00	0.00	0.00
	20,400.0	90.00	359.55	10,445.0	9,835.0	-1,186.1	9,898.1	0.00	0.00	0.00
	20,500.0	90.00	359.55	10,445.0	9,935.0	-1,186.8	9,997.8	0.00	0.00	0.00
	20,600.0	90.00	359.55	10,445.0	10,035.0	-1,187.6	10,097.6	0.00	0.00	0.00
	20,700.0	90.00	359.55	10,445.0	10,135.0	-1,188.4	10,197.3	0.00	0.00	0.00
	20,800.0	90.00	359.55	10,445.0	10,235.0	-1,189.2	10,297.1	0.00	0.00	0.00
	20,900.0	90.00	359.55	10,445.0	10,335.0	-1,190.0	10,396.8	0.00	0.00	0.00
	21,000.0	90.00	359.55	10,445.0	10,435.0	-1,190.8	10,496.6	0.00	0.00	0.00
	21,100.0	90.00	359.55	10,445.0	10,535.0	-1,191.6	10,596.3	0.00	0.00	0.00
	21,200.0	90.00	359.55	10,445.0	10,635.0	-1,192.3	10,696.0	0.00	0.00	0.00
	21,300.0	90.00	359.55	10,445.0	10,735.0	-1,193.1	10,795.8	0.00	0.00	0.00
	21,400.0	90.00	359.55	10,445.0	10,835.0	-1,193.9	10,895.5	0.00	0.00	0.00
	21,500.0	90.00	359.55	10,445.0	10,935.0	-1,194.7	10,995.3	0.00	0.00	0.00
	21,600.0	90.00	359.55	10,445.0	11,035.0	-1,195.5	11,095.0	0.00	0.00	0.00
	21,700.0	90.00	359.55	10,445.0	11,135.0	-1,196.3	11,194.8	0.00	0.00	0.00
	21,800.0	90.00	359.55	10,445.0	11,235.0	-1,197.0	11,294.5	0.00	0.00	0.00
	21,900.0	90.00	359.55	10,445.0	11,335.0	-1,197.8	11,394.3	0.00	0.00	0.00
	22,000.0	90.00	359.55	10,445.0	11,435.0	-1,198.6	11,494.0	0.00	0.00	0.00
	22,100.0	90.00	359.55	10,445.0	11,535.0	-1,199.4	11,593.7	0.00	0.00	0.00
	22,200.0	90.00	359.55	10,445.0	11,635.0	-1,200.2	11,693.5	0.00	0.00	0.00
	22,300.0	90.00	359.55	10,445.0	11,735.0	-1,200.9	11,793.2	0.00	0.00	0.00
	22,400.0	90.00	359.55	10,445.0	11,835.0	-1,201.7	11,893.0	0.00	0.00	0.00
	22,500.0	90.00	359.55	10,445.0	11,935.0	-1,202.5	11,992.7	0.00	0.00	0.00
	22,600.0	90.00	359.55	10,445.0	12,034.9	-1,203.3	12,092.5	0.00	0.00	0.00
	22,700.0	90.00	359.55	10,445.0	12,134.9	-1,204.1	12,192.2	0.00	0.00	0.00
	22,800.0	90.00	359.55	10,445.0	12,234.9	-1,204.9	12,292.0	0.00	0.00	0.00
	22,900.0	90.00	359.55	10,445.0	12,334.9	-1,205.6	12,391.7	0.00	0.00	0.00
	23,000.0	90.00	359.55	10,445.0	12,434.9	-1,206.4	12,491.4	0.00	0.00	0.00
	23,100.0	90.00	359.55	10,445.0	12,534.9	-1,207.2	12,591.2	0.00	0.00	0.00
	23,200.0	90.00	359.55	10,445.0	12,634.9	-1,208.0	12,690.9	0.00	0.00	0.00
	23,300.0	90.00	359.55	10,445.0	12,734.9	-1,208.8	12,790.7	0.00	0.00	0.00
	23,400.0	90.00	359.55	10,445.0	12,834.9	-1,209.5	12,890.4	0.00	0.00	0.00
	23,500.0	90.00	359.55	10,445.0	12,934.9	-1,210.3	12,990.2	0.00	0.00	0.00
	23,600.0	90.00	359.55	10,445.0	13,034.9	-1,211.1	13,089.9	0.00	0.00	0.00
	23,700.0	90.00	359.55	10,445.0	13,134.9	-1,211.9	13,189.6	0.00	0.00	0.00
	23,800.0	90.00	359.55	10,445.0	13,234.9	-1,212.7	13,289.4	0.00	0.00	0.00
	23,900.0	90.00	359.55	10,445.0	13,334.9	-1,213.4	13,389.1	0.00	0.00	0.00
	24,000.0	90.00	359.55	10,445.0	13,434.9	-1,214.2	13,488.9	0.00	0.00	0.00
	24,100.0	90.00	359.55	10,445.0	13,534.9	-1,215.0	13,588.6	0.00	0.00	0.00

9/26/2024 3:14:52PM

Page 8

COMPASS 5000.16 Build 100



Database:	PEDMB	Local Co-ordinate Reference:	Well #305H
Company:	Midland	TVD Reference:	kb = 26' @ 3347.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3347.0usft
Site:	Lakewood XL 28 Fed Com	North Reference:	Grid
Well:	#305H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.1 RT		

Planned Survey

D	asured epth usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
	24,200.0	90.00	359.55	10,445.0	13,634.9	-1,215.8	13,688.4	0.00	0.00	0.00
	24,300.0	90.00	359.55	10,445.0	13,734.9	-1,216.5	13,788.1	0.00	0.00	0.00
	24,400.0	90.00	359.55	10,445.0	13,834.9	-1,217.3	13.887.9	0.00	0.00	0.00
	24,500.0	90.00	359.55	10,445.0	13,934.9	-1,218.1	13,987.6	0.00	0.00	0.00
	24,600.0	90.00	359.55	10,445.0	14,034.9	-1,218.9	14,087.3	0.00	0.00	0.00
	24,700.0	90.00	359.55	10,445.0	14,134.9	-1,219.7	14,187.1	0.00	0.00	0.00
	24,800.0	90.00	359.55	10,445.0	14,234.9	-1,220.4	14,286.8	0.00	0.00	0.00
	24,900.0	90.00	359.55	10,445.0	14,334.9	-1,221.2	14,386.6	0.00	0.00	0.00
	25,000.0	90.00	359.55	10,445.0	14,434.9	-1,222.0	14,486.3	0.00	0.00	0.00
2	25,100.0	90.00	359.55	10,445.0	14,534.9	-1,222.8	14,586.1	0.00	0.00	0.00
	25,200.0	90.00	359.55	10,445.0	14,634.9	-1,223.5	14,685.8	0.00	0.00	0.00
	25,300.0	90.00	359.55	10,445.0	14,734.9	-1,224.3	14,785.6	0.00	0.00	0.00
	25,400.0	90.00	359.56	10,445.0	14,834.9	-1,225.1	14,885.3	0.00	0.00	0.00
	25,500.0	90.00	359.56	10,445.0	14,934.9	-1,225.9	14,985.0	0.00	0.00	0.00
	25,600.0	90.00	359.56	10,445.0	15,034.9	-1,226.7	15,084.8	0.00	0.00	0.00
	25,700.0	90.00	359.56	10,445.0	15,134.9	-1,227.4	15,184.5	0.00	0.00	0.00
	25,800.0	90.00	359.56	10,445.0	15,234.9	-1,228.2	15,284.3	0.00	0.00	0.00
	25,900.0	90.00	359.56	10,445.0	15,334.8	-1,229.0	15,384.0	0.00	0.00	0.00
	26,000.0	90.00	359.56	10,445.0	15,434.8	-1,229.8	15,483.8	0.00	0.00	0.00
	26,031.2	90.00	359.56	10,445.0	15,466.0	-1,230.0	15,514.8	0.00	0.00	0.00

Design Targets

Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
KOP(Lakewood XL 28 F - plan hits target cento - Point	0.00 er	0.00	9,967.5	-219.0	-1,108.0	399,132.00	807,511.00	32° 5' 39.758 N	103° 28' 25.711 W
FTP(Lakewood XL 28 F¢ - plan hits target cente - Point	0.00 er	0.00	10,180.2	-169.0	-1,108.0	399,182.00	807,511.00	32° 5' 40.252 N	103° 28' 25.706 W
Fed Perf 1(Lakewood XI - plan hits target cente - Point	0.00 er	0.00	10,445.0	5,009.0	-1,148.0	404,360.00	807,471.00	32° 6' 31.493 N	103° 28' 25.692 W
PBHL(Lakewood XL 28   - plan hits target cente - Point	0.00 er	0.00	10,445.0	15,466.0	-1,230.0	414,817.00	807,389.00	32° 8' 14.972 N	103° 28' 25.675 W

# leog resources

G **Azimuths to Grid North** Magnetic North: 5.64° 


To convert a Magnetic Direction to a Grid Direction, Add 5.64° To convert a Magnetic Direction to a True Direction, Add 6.10° East To convert a True Direction to a Grid Direction, Subtract 0.46°

Lea County, NM (NAD 83 NME) Lakewood XL 28 Fed Com #305H

**Plan #0.1 RT** 

PROJECT DETAILS: Lea County, NM (NAD 83 NME)

Geodetic System: US State Plane 1983 Datum: North American Datum 1983 Ellipsoid: GRS 1980 Zone: New Mexico Eastern Zone System Datum: Mean Sea Level



- - -!- - - -

\_\_\_\_

- | - <u>i - | -</u> |-

\_ \_ \_ I\_ \_ \_ \_ \_

- - - - - - -

- - - - - - - -

\_\_\_\_\_

- | - | - | - | - | -

1

\_ \_ \_!\_ \_ \_ \_ \_

. . . . . . . . . .

• + + + + + + + + -

----

----

· - - - + + - - -

-----

· - - - - <del>'</del> - - - -

++++

· - - - - - + + - - - - -

• + + + + + + + + •

1

-----

- - - - -

- - - - - -

\_ \_ \_ \_ \_ \_ \_ \_

------

- - - - -

True North: -0.46°

Strength: 47086.0nT


Dip Angle: 59.68°

Model: IGRF2020

Date: 9/26/2024

**Magnetic Field** 

WELL DETAILS: #305H	11000
3321.0 kb = 26' @ 3347.0usft Northing Easting Latittude Longitude 399351.00 808619.00 32° 5' 41.837 N 103° 28' 12.811 W	
SECTION DETAILS	9500 
Sec         MD         Inc         Azi         TVD         +N/-S         +E/-W         Dleg         TFace         VSect         Target           1         0.0         0.00         0.0         0.00         0.00         0.00         0.00	9000
2       1500.0       0.00       1500.0       0.0       0.00       0.00         3       2051.6       11.03       258.82       2048.2       -10.3       -51.9       2.00       258.82       -6.1         4       7400.0       11.03       258.82       7297.8       -208.7       -1056.1       0.00       -124.4	
5 7951.7 0.00 0.00 7846.0 -219.0 -1108.0 2.00 180.00 -130.5 6 10073.2 0.00 0.00 9967.5 -219.0 -1108.0 0.00 0.00 -130.5 KOP(Lakewood XL 28 Fed Com #305H) 7 10293.6 26.46 0.00 10180.2 -169.0 -1108.0 12.00 0.00 -80.6 FTP(Lakewood XL 28 Fed Com #305H)	8000 • • • • • • • • • • • • • • • • • • •
8 10823.1 90.00 359.55 10444.9 258.5 -1110.3 12.00 -0.51 345.7 9 15573.8 90.00 359.55 10445.0 5009.0 -1148.0 0.00 0.00 5084.2 Fed Perf 1(Lakewood XL 28 Fed Com #305H) 10 26031.2 90.00 359.56 10445.0 15466.0 -1230.0 0.00 82.43 15514.8 PBHL(Lakewood XL 28 Fed Com #305H)	7500       1
	<b>7000 7</b>
	6500 
CASING DETAILS WELLBORE TARGET DETAILS (MAP CO-ORDINATES)	
No casing data is available         Name         TVD         +N/-S         +E/-W         Northing         Easting           KOP(Lakewood XL 28 Fed Com #305H)         9967.5         -219.0         -1108.0         399132.00         807511.00           FTP(Lakewood XL 28 Fed Com #305H)         10180.2         -169.0         -1108.0         399182.00         807511.00           Fed Perf 1(Lakewood XL 28 Fed Com #305H)         10445.0         5009.0         -1148.0         404360.00         807471.00           PBHL(Lakewood XL 28 Fed Com #305H)         10445.0         15466.0         -1230.0         414817.00         807389.00	5500 5500 5000



350-

700-

1050-

1400-


1750-

+ + + + - +


- - - - - - -

----





West(-)/East(+)



Vertical Section at 355.45°

Lea County, NM (NAD 83 NME) Lakewood XL 28 Fed Com #305H OH Plan #0.1 RT 15:15, September 26 2024

## **S**eog resources

#### **Revised Permit Information 09/04/2024:**

Well Name: Lakewood XL 28 Fed Com 305H; FKA Lakewood 28 Fed Com 743H
 Location: SHL: 260' FSL & 1200' FEL, Section 28, T-25-S, R-34-E, LEA Co., N.M.
 BHL: 100' FNL & 2310' FEL, Section 16, T-25-S, R-34-E, LEA Co., N.M.

Hole	<b>Interval MD</b>		Interval TVD		Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
13"	0	918	0	918	10-3/4"	40.5#	J-55	STC
9-7/8"	0	5,233	0	5,122	8-5/8"	32#	J-55	BTC-SC
7-7/8"	0	9,973	0	9,868	6"	24.5#	P110-EC	VAM Sprint-TC
6-3/4"	9,973	26,031	9,868	10,445	5-1/2"	20#	P110-EC	VAM Sprint SF

#### 1. CASING PROGRAM

\*\*For highlighted rows above, variance is requested to run entire string of either 6" or 5-1/2" casing string above due to availablility.

Variance is requested to waive the centralizer requirements for the 8-5/8" casing in the 9-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 9-7/8" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" and 5-1/2" casings in the 7-7/8" and 6-3/4" hole sizes. An expansion additive will be utilized, in the cement slurry, for the entire length of the 7-7/8" and 6-3/4" hole intervals to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Onshore Order #2 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	
920' 10-3/4''	220	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-Flake (TOC @ Surface)
	120	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 720')
5,120' <sup>8-5/8''</sup>	320	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)
	150	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 4186')
26,031' <sub>6''</sub>	1000	14.8	1.32	Bradenhead squeeze: Class C + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (TOC @ surface)
	2140	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL- 549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ 7,846')

#### 2. CEMENTING PROGRAM:



#### Lakewood XL 28 Fed Com 305H

Additive	Purpose
Bentonite Gel	Lightweight/Lost circulation prevention
Calcium Chloride	Accelerator
Cello-flake	Lost circulation prevention
Sodium Metasilicate	Accelerator
MagOx	Expansive agent
Pre-Mag-M	Expansive agent
Sodium Chloride	Accelerator
FL-62	Fluid loss control
Halad-344	Fluid loss control
Halad-9	Fluid loss control
HR-601	Retarder
Microbond	Expansive Agent

Cement integrity tests will be performed immediately following plug bump.

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

EOG requests variance from minimum standards to pump a two stage cement job on the 6" and 5-1/2" production casing strings with the first stage being pumped conventionally with the calculated top of cement at the Brushy Canyon (7,846') and the second stage performed as a 1000 sack bradenhead squeeze with planned cement from the Brushy Canyon to surface. If necessary, a top out consisting of 400 sacks of Class C cement + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (1.32 yld, 14.8 ppg) will be executed as a contingency. Top will be verified by Echo-meter.

Bradenhead will be the primary option for production cementing. EOG also requests to have the conventional option in place to accommodate for logistical or wellbore conditions. The tie back requirements will be met if the cement is pumped conventionally, and cement volumes will be adjusted accordingly. TOC will be verified by CBL.

#### 3. MUD PROGRAM:

Depth (TVD)	Туре	Weight (ppg)	Viscosity	Water Loss
0 – 920'	Fresh - Gel	8.6-8.8	28-34	N/c
920' - 5,120'	Brine	9.0-10.5	28-34	N/c
5,120' - 26,031'	Oil Base	8.8-9.5	58-68	N/c - 6

# **S**eog resources

#### Lakewood XL 28 Fed Com 305H

#### 4. VARIANCE REQUESTS:

EOG requests the additional variance(s) in the attached document(s):

Variances requested include (supporting documents attached):

- BOP Break Testing for 5M Intermediate Intervals (EOG BLM Variance 3a\_b)
- Offline Cementing for Surface and Intermediate Intervals (EOG BLM Variance 3a\_b)
- Shallow Target Offline Bradenhead Production Cement (EOG BLM Variance 3c)
- Salt Interval Washout Annular Clearnace (EOG BLM Variance 4a)
- Alternate Shallow Casing Designs (EOG BLM Variance 5a)

Page 25 of 95

#### 8. TUBING REQUIREMENTS:


EOG respectively requests an exception to the following NMOCD rule:

 19.15.16.10 Casing AND TUBING RQUIREMENTS: J (3): "The operator shall set tubing as near the bottom as practical and tubing perforations shall not be more than 250 feet above top of pay zone."

With horizontal flowing and gas lifted wells an end of tubing depth placed at or slightly above KOP is a conservative way to ensure the tubing stays clean from debris, plugging, and allows for fewer well interventions post offset completion. The deeper the tubulars are run into the curve, the higher the probability is that the tubing will become stuck in sand and or well debris as the well produces over time. An additional consideration for EOT placement during artificial lift installations is avoiding the high dog leg severity and inclinations found in the curve section of the wellbore to help improve reliability and performance. Dog leg severity and inclinations tend not to hamper gas lifted or flowing wells, but they do effect other forms of artificial lift like rod pump or ESP (electric submersible pump). Keeping the EOT above KOP is an industry best practice for those respective forms of artificial lift.

## \delta eog resources

#### Lakewood XL 28 Fed Com 305H



## **S**eog resources

#### Lakewood XL 28 Fed Com 305H

## 1. GEOLOGIC NAME OF SURFACE FORMATION:

Permian

#### 2. ESTIMATED TOPS OF IMPORTANT GEOLOGICAL MARKERS:

Rustler	813'
Tamarisk Anhydrite	893'
Top of Salt	1,607'
Base of Salt	5,022'
Lamar	5,271'
Bell Canyon	5,302'
Cherry Canyon	6,311'
Brushy Canyon	7,846'
Bone Spring Lime	9,417'
Leonard (Avalon) Shale	9,448'
1st Bone Spring Sand	10,408'
2nd Bone Spring Shale	10,624'
2nd Bone Spring Sand	11,023'
3rd Bone Spring Carb	11,444'
3rd Bone Spring Sand	12,018'
Wolfcamp	12,484'
TD	10,445'

#### 3. ESTIMATED DEPTHS OF ANTICIPATED FRESH WATER, OIL OR GAS:

Upper Permian Sands	0-400'	Fresh Water
Bell Canyon	5,302'	Oil
Cherry Canyon	6,311'	Oil
Brushy Canyon	7,846'	Oil
Leonard (Avalon) Shale	9,448'	Oil
1st Bone Spring Sand	10,408'	Oil
2nd Bone Spring Shale	10,624'	Oil
2nd Bone Spring Sand	11,023'	Oil



**EOG Batch Casing** 

**Pad Name:** Lakewood XL 28 Fed Com SHALLOW SHL: Section 28, Township 25-S, Range 34-E, LEA County, NM

EOG requests for the below wells to be approved for all designs listed in the Blanket Casing Design ('EOG BLM Variance 5a - Alternate Shallow Casing Designs.pdf' OR 'EOG BLM Variance 5b - Alternate Deep Casing Designs.pdf') document. The MDs and TVDs for all intervals are within the boundary conditions. The max inclination and DLS are also within the boundary conditions. The directional plans for the wells are attached separately.

Well Name	API #	Surface		Intermediate		Production	
wen wante	A <b>F1</b> #	MD	TVD	MD	TVD	MD	TVD
Lakewood XL 28 Fed Com #226H (Lakewood 28 Fed Com 102	30-025-53598	918	918	5,131	5,122	25,848	10,355
Lakewood XL 28 Fed Com #305H (Lakewood 28 Fed Com 743	30-025-53604	918	918	5,233	5,122	26,031	10,445
Lakewood XL 28 Fed Com #306H (Lakewood 28 Fed Com 502	30-025-53600	918	918	5,264	5,122	26,060	10,445
Lakewood XL 28 Fed Com #307H (Lakewood 28 Fed Com 101	30-025-53597	918	918	5,191	5,122	25,994	10,445
Lakewood XL 28 Fed Com #308H (Lakewood 28 Fed Com 751	30-025-53605	918	918	5,126	5,122	25,932	10,445
Lakewood XL 28 Fed Com #525H (Lakewood 28 Fed Com 754	30-025-53608	918	918	5,230	5,122	26,808	11,225
Lakewood XL 28 Fed Com #526H (Lakewood 28 Fed Com 503	30-025-53601	918	918	5,261	5,122	26,838	11,225
Lakewood XL 28 Fed Com #527H (Lakewood 28 Fed Com 501	30-025-53599	918	918	5,190	5,122	26,774	11,225
Lakewood XL 28 Fed Com #528H (Lakewood 28 Fed Com 741	30-025-53602	918	918	5,126	5,122	26,712	11,225
Lakewood XL 28 Fed Com #555H (Lakewood 28 Fed Com 753	30-025-53607	918	918	5,179	5,122	26,761	11,225
Lakewood XL 28 Fed Com #584H (Lakewood 28 Fed Com 752	30-025-53606	918	918	5,128	5,122	27,153	11,664
Lakewood XL 28 Fed Com #593H (Lakewood 28 Fed Com 742	30-025-53603	918	918	5,131	5,122	27,154	11,664



#### Variances

EOG requests the additional variance(s) in the attached document(s):

- EOG BLM Variance 2a Intermediate Bradenhead Cement
- EOG BLM Variance 3a\_b BOP Break-test and Offline Intermediate Cement
- EOG BLM Variance 4a Salt Section Annular Clearance
- EOG BLM Variance 5a Alternate Shallow Casing Designs

# **S**eog resources

#### **EOG Batch Casing**

#### **GEOLOGIC NAME OF SURFACE FORMATION:**

Permian

#### ESTIMATED TOPS OF IMPORTANT GEOLOGICAL MARKERS:

Rustler	813'
Tamarisk Anhydrite	893'
Top of Salt	1,607'
Base of Salt	5,022'
Lamar	5,271'
Bell Canyon	5,302'
Cherry Canyon	6,311'
Brushy Canyon	7,846'
Bone Spring Lime	9,417'
Leonard (Avalon) Shale	9,448'
1st Bone Spring Sand	10,408'
2nd Bone Spring Shale	10,624'
2nd Bone Spring Sand	11,023'
3rd Bone Spring Carb	11,444'
3rd Bone Spring Sand	12,018'
Wolfcamp	12,484'

#### ESTIMATED DEPTHS OF ANTICIPATED FRESH WATER, OIL OR GAS:

Upper Permian Sands	0-400'	Fresh Water
Bell Canyon	5,302'	Oil
Cherry Canyon	6,311'	Oil
Brushy Canyon	7,846'	Oil
Leonard (Avalon) Shale	9,448'	Oil
1st Bone Spring Sand	10,408'	Oil
2nd Bone Spring Shale	10,624'	Oil
2nd Bone Spring Sand	11,023'	Oil

No other Formations are expected to give up oil, gas or fresh water in measurable quantities. Surface fresh water sands will be protected by setting surface casing at 920' and circulating cement back to surface.



#### Lakewood XL 28 Fed Com 305H (FKA Lakewood 28 Fed Com 743H) API #: 30-025-53604 Variances

EOG respectfully requests the below variances to be applied to the above well:

- Variance is requested to waive the centralizer requirements for the intermediate casing in the intermediate hole. An expansion additive will be utilized, in the cement slurry, for the entire length of the intermediate interval to maximize cement bond and zonal isolation.

- Variance is also requested to waive the centralizer requirements for the production casing in the production hole. An expansion additive will be utilized, in the cement slurry, for the entire length of the production interval to maximize cement bond and zonal isolation.

- Bradenhead will be the primary option for production cementing. EOG also requests to have the conventional option in place to accommodate for logistical or wellbore conditions. The tie back requirements will be met if the cement is pumped conventionally, and cement volumes will be adjusted accordingly. TOC will be verified by CBL.

- Variance is requested to use a co-flex line between the BOP and choke manifold (instead of using a 4" OD steel line).

- Variance is requested to use a 5,000 psi annular BOP with the 10,000 psi BOP stack.

- EOG Resources requests the option to contract a Surface Rig to drill, set surface casing, and Cement on the subject well. After WOC 8 hours or 500 psi compressive strength (whichever is greater), the Surface Rig will move off so the wellhead can be installed. A welder will cut the casing to the proper height and weld on the wellhead (both "A" and "B" sections). The weld will be tested to 1,500 psi. All valves will be closed and a wellhead cap will be installed (diagram attached). If the timing between rigs is such that EOG Resources would not be able to preset the surface, the Primary Rig will MIRU and drill the well in its entirety per the APD.

EOG requests the additional variance(s) in the attached document(s):

- EOG BLM Variance 2a Inermediate Bradenhead Cement
- EOG BLM Variance 3a\_b BOP Break-test and Offline Intermediate Cement
- EOG BLM Variance 3c Shallow Target Production Offline Bradenhead Cement
- EOG BLM Variance 4a Salt Section Annular Clearance
- EOG BLM Variance 5a Alternate Shallow Casing Designs




#### **Break-test BOP & Offline Cementing:**


EOG Resources Inc. (EOG) respectfully requests a variance from the minimum standards for well control equipment testing of ECFR Title 43 Part 3172.6(b)(9)(iv) to allow a testing schedule of the blow out preventer (BOP) and blow out prevention equipment (BOPE) along with Batch Drilling & Offline cement operations to include the following:

- Full BOPE test at first installation on the pad.
- Full BOPE test every 21 days.
- This test will be conducted for 5M rated hole intervals only.
- Each rig requesting the break-test variance is capable of picking up the BOP without damaging components using winches, following API Standard 53, Well Control Equipment Systems for Drilling Wells (Fifth edition, December 2018, Annex C. Table C.4) which recognizes break testing as an acceptable practice.
- Function tests will be performed on the following BOP elements:
  - Annular **à** during each full BOPE test
  - Upper Pipe Rams **à** On trip ins where FIT required
  - Blind Rams **à** Every trip
  - Lower Pipe Rams à during each full BOPE test
- Break testing BOP and BOPE coupled with batch drilling operations and option to offline cement and/or remediate (if needed) any surface or intermediate sections, according to attached offline cementing support documentation.
- After the well section is secured, the BOP will be disconnected from the wellhead and walked with the rig to another well on the pad.
- TA cap will also be installed per Wellhead vendor procedure and pressure inside the casing will be monitored via the valve on the TA cap as per standard batch drilling ops.

# **Break Test Diagram (HCR valve)**



# **Break Test Diagram (Test Joint)**



#### Steps

- 1. Set plug in with test joint wellhead (lower barrier)
- 2. Close Upper Pipe Rams (upper barrier)
- 3. Close roadside kill
- 4. Close HCR
- Open wellhead valves below test plug to ensure if leak past test plug, pressure won't be applied to wellbore
- 6. Tie BOP testers high pressure line to top of test joint
- 7. Pressure up to test break
- 8. Bleed test pressure from BOP testing unit

Received by OCD: 11/8/2024 7:51:59 AM

## **Seog resources** Offline Intermediate Cementing Procedure

#### **Cement Program**

1. No changes to the cement program will take place for offline cementing.

#### Summarized Operational Procedure for Intermediate Casing

- 1. Run casing as per normal operations. While running casing, conduct negative pressure test and confirm integrity of the float equipment back pressure valves.
  - a. Float equipment is equipped with two back pressure valves rated to a minimum of 5,000 psi.
- 2. Land production casing on mandrel hanger through BOP.
  - a. If casing is unable to be landed with a mandrel hanger, then the **casing will be cemented online**.
- 3. Break circulation and confirm no restrictions.
  - a. Ensure no blockage of float equipment and appropriate annular returns.
  - b. Perform flow check to confirm well is static.
- 4. Set pack-off
  - a. If utilizing a fluted/ported mandrel hanger, ensure well is static on the annulus and inside the casing by filling the pipe with kill weight fluid, remove landing joint, and set annular packoff through BOP. Pressure test to 5,000 psi for 10 min.
  - b. If utilizing a solid mandrel hanger, ensure well is static on the annulus and inside the casing by filling the pipe with kill weight fluid. Pressure test seals to 5,000 psi for 10 min. Remove landing joint through BOP.
- 5. After confirmation of both annular barriers and the two casing barriers, install TA plug and pressure test to 5,000 psi for 10 min. Notify the BLM with intent to proceed with nipple down and offline cementing.
  - a. Minimum 4 hrs notice.
- 6. With the well secured and BLM notified, nipple down BOP and secure on hydraulic carrier or cradle.
  - a. Note, if any of the barriers fail to test, the BOP stack will not be nippled down until after the cement job has concluded and both lead and tail slurry have reached 500 psi.
- 7. Skid/Walk rig off current well.
- 8. Confirm well is static before removing TA Plug.
  - a. Cementing operations will not proceed until well is under control. (If well is not static, notify BLM and proceed to kill)
  - b. Casing outlet valves will provide access to both the casing ID and annulus. Rig or third party pump truck will kill well prior to cementing.
  - c. Well control plan can be seen in Section B, Well Control Procedures.
  - d. If need be, rig can be moved back over well and BOP nippled back up for any further remediation.

Page | 1

# Page 37 of 95

2/24/2022

# **S**eog resources

Offline Intermediate Cementing Procedure

- e. Diagram for rig positioning relative to offline cementing can be seen in Figure 4.
- 9. Rig up return lines to take returns from wellhead to pits and rig choke.
  - a. Test all connections and lines from wellhead to choke manifold to 5,000 psi high for 10 min.
  - b. If either test fails, perform corrections and retest before proceeding.
  - c. Return line schematics can be seen in Figure 3.
- 10. Remove TA Plug from the casing.
- 11. Install offline cement tool.
  - a. Current offline cement tool schematics can be seen in Figure 1 (Cameron) and Figure 2 (Cactus).
- 12. Rig up cement head and cementing lines.
  - a. Pressure test cement lines against cement head to 80% of casing burst for 10 min.
- 13. Break circulation on well to confirm no restrictions.
  - a. If gas is present on circulation, well will be shut in and returns rerouted through gas buster.
  - b. Max anticipated time before circulating with cement truck is 6 hrs.
- 14. Pump cement job as per plan.
  - a. At plug bump, test casing to 0.22 psi/ft or 1500 psi, whichever is greater.
  - b. If plug does not bump on calculated, shut down and wait 8 hrs or 500 psi compressive strength, whichever is greater before testing casing.
- 15. Confirm well is static and floats are holding after cement job.
  - a. With floats holding and backside static:
    - i. Remove cement head.
  - b. If floats are leaking:
    - i. Shut-in well and WOC (Wait on Cement) until tail slurry reaches 500 psi compressive strength and the casing is static prior to removing cement head.
  - c. If there is flow on the backside:
    - i. Shut in well and WOC until tail slurry reaches 500 psi compressive strength. Ensure that the casing is static prior to removing cement head.
- 16. Remove offline cement tool.
- 17. Install night cap with pressure gauge for monitoring.
- 18. Test night cap to 5,000 psi for 10 min.

#### **Example Well Control Plan Content**

### A. Well Control Component Table

The table below, which covers the cementing of the <u>5M MASP (Maximum Allowable Surface Pressure) portion of the well</u>, outlines the well control component rating in use. This table, combined with the mud program, documents that two barriers to flow can be maintained at all times, independent of the BOP nippled up to the wellhead.

Intermediate hole section, 5M requirement

Component	RWP
Pack-off	10M
Casing Wellhead Valves	10M
Annular Wellhead Valves	5M
TA Plug	10M
Float Valves	5M
2" 1502 Lo-Torque Valves	15M

#### **B. Well Control Procedures**

Well control procedures are specific to the rig equipment and the operation at the time the kick occurs. Below are the minimal high-level tasks prescribed to assure a proper shut-in while circulating and cementing through the Offline Cement Adapter.

#### **General Procedure While Circulating**

- 1. Sound alarm (alert crew).
- 2. Shut down pumps.
- 3. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 4. Confirm shut-in.
- 5. Notify tool pusher/company representative.

Page | 3

# **S**eog resources

Offline Intermediate Cementing Procedure

- 6. Read and record the following:
  - a. SICP (Shut in Casing Pressure) and AP (Annular Pressure)
  - b. Pit gain
  - c. Time
  - d. Regroup and identify forward plan to continue circulating out kick via rig choke and mud/gas separator. Circulate and adjust mud density as needed to control well.

# **General Procedure While Cementing**

- 1. Sound alarm (alert crew).
- 2. Shut down pumps.
- 3. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 4. Confirm shut-in.
- 5. Notify tool pusher/company representative.
- 6. Open rig choke and begin pumping again taking returns through choke manifold and mud/gas separator.
- 7. Continue to place cement until plug bumps.
- 8. At plug bump close rig choke and cement head.
- 9. Read and record the following
  - a. SICP and AP
  - b. Pit gain
  - c. Time
  - d. Shut-in annulus valves on wellhead


## General Procedure After Cementing

- 1. Sound alarm (alert crew).
- 2. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 3. Confirm shut-in.
- 4. Notify tool pusher/company representative.
- 5. Read and record the following:
  - a. SICP and AP
  - b. Pit gain
  - c. Time
  - d. Shut-in annulus valves on wellhead

Page | 4


# **Seog resources** Offline Intermediate Cementing Procedure

Figure 1: Cameron TA Plug and Offline Adapter Schematic



leog resources Offline Intermediate Cementing Procedure






Page | 6

2/24/2022

# **Seog resources** Offline Intermediate Cementing Procedure






\*\*\* All Lines 10M rated working pressure

Page | 7







EOG Resources Inc. (EOG) respectfully requests a variance from the minimum standards to allow for offline bradenhead cementing of the production string after primary cementing operations have been completed. The primary cement job will be pumped conventionally (online) to top of the Brushy Canyon and will cover the target production intervals, and after production pack-off is set and tested, bradenhead will be pumped through casing valves between the production and intermediate casings (offline). For the bradenhead stage of production cementing, the barriers remain the same for offline cementing compared to performing it online.

The bradenhead will be the primary option for production cementing. EOG also requests to have the conventional option in place to accommodate for logistical or wellbore conditions. The tie back requirements will be met if the cement is pumped conventionally, and cement volumes will be adjusted accordingly. TOC will be verified by CBL.



# Salt Section Annular Clearance Variance Request

**Daniel Moose** 

# **Current Design (Salt Strings)**

# 0.422" Annular clearance requirement

- Casing collars shall have a minimum clearance of 0.422 inches on all sides in the hole/casing annulus, with recognition that variances can be granted for justified exceptions.

- 12.25" Hole x 9.625"40# J55/HCK55 LTC Casing
  - 1.3125" Clearance to casing OD
  - 0.8125" Clearance to coupling OD
- 9.875" Hole x 8.75" 38.5# P110 Sprint-SF Casing
  - 0.5625" Clearance to casing OD
  - 0.433" Clearance to coupling OD

# Page 47 of 95

# **Annular Clearance Variance Request**

EOG request permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Onshore Order #2 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues

# **Volumetric Hole Size Calculation**

# **Hole Size Calculations Off Cement Volumes**

- Known volume of cement pumped
- Known volume of cement returned to surface
- Must not have had any losses
- Must have bumped plug

# **Average Hole Size**


- 12.25" Hole
  - 12.88" Hole
    - 5.13% diameter increase
    - 10.52% area increase
  - 0.63" Average enlargement
  - 0.58" Median enlargement
  - 179 Well Count
- 9.875" Hole
  - 10.30" Hole
    - 4.24% diameter increase
    - 9.64% area increase
  - 0.42" Average enlargement
  - 0.46" Median enlargement
  - 11 Well Count



# Caliper Hole Size (12.25")

# **Average Hole Size**

- 12.25" Bit
  - 12.76" Hole
    - 4.14% diameter increase
    - 8.44% area increase
  - 0.51" Average enlargement
  - 0.52" Median enlargement
  - Brine




Modelo 10 Fed Com #501H



# Caliper Hole Size (9.875")

# **Average Hole Size**

- 9.875" Hole
  - 11.21" Hole
    - 13.54% diameter increase
    - 28.92% area increase
  - 1.33" Average enlargement
  - 1.30" Median enlargement
  - EnerLite



Whirling Wind 11 Fed Com #744H



# **Design A**

# Proposed 11" Hole with 9.625" 40# J55/HCK55 LTC Casing


- 11" Bit + 0.52" Average hole enlargement = 11.52" Hole Size
  - 0.9475" Clearance to casing OD

$$=\frac{11.52 - 9.625}{2}$$
  
475" Clearance to

• 0.4 coupling OD = 11.52 10.625

- Previous Shoe 13.375" 54.5# J55 STC
  - 0.995" Clearance to coupling OD (~1,200' overlap)

$$=\frac{12.615-10.625}{2}$$



# **Design B**





# Index

Released to Imaging: 11/8/2024 10:22:31 AM

.

# **Casing Spec Sheets**

# **PERFORMANCE DATA**

API LTC		
Technical	Data	Sheet

9.625 in 40.00 lbs/ft

K55 HC

### Tubular Parameters

Size	9.625	in	Minimum Yield	55	ksi
Nominal Weight	40.00	lbs/ft	Minimum Tensile	95	ksi
Grade	K55 HC		Yield Load	629	kips
PE Weight	38.94	lbs/ft	Tensile Load	1088	kips
Wall Thickness	0.395	in	Min. Internal Yield Pressure	3,950	psi
Nominal ID	8.835	in	Collapse Pressure	3600	psi
Drift Diameter	8.750	in		•	
Nom. Pipe Body Area	11.454	in²			

#### **Connection Parameters**

10.625	in
10.500	in
8	tpi
3.50	turns
4.750	in
3,950	psi
	10.500 8 3.50 4.750

# Pipe Body and API Connections Performance Data

0/0.380 J55	13.375
-------------	--------

# New Search »

« Back to Previous List

USC 💽 Metric

PDF

6/8/2015 10:04:37 AM					
Mechanical Properties	Ptpe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-	-	psi
Minimum Tensile Strength	75,000	-	-	-	psi
Dimensions	Ptpe	втс	LTC	STC	
Outside Diameter	13.375	14.375	-	14.375	in.
Wall Thickness	0.380	-	-	-	in.
Inside Diameter	12.615	12.615	-	12.615	in.
Standard Drift	12.459	12.459	-	12.459	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	54.50	-	-	-	lbs/ft
Plain End Weight	52.79	-	-	-	lbs/ft
Performance	Ptpe	BTC	LTC	STC	
Minimum Collapse Pressure	1,130	1,130	-	1,130	psi
Minimum Internal Yield Pressure	2,740	2,740	-	2,740	psi
Minimum Pipe Body Yield Strength	853.00	-	-	-	1000 lbs
Joint Strength	-	909	-	514	1000 lbs
Reference Length	-	11,125	-	6,290	ft
Make-Up Data	Ptpe	BTC	LTC	STC	
Make-Up Loss	-	4.81	-	3.50	in.
Minimum Make-Up Torque	-	-	-	3,860	fl-lbs
Maximum Make-Up Torque	-	-	-	6,430	ft-lbs



# **Casing Spec Sheets**

# Pipe Body and API Connections Performance Data

10.750 40.50/0.350 J55					PD
New Search »					« Back to Previous L
					USC 🔵 Metr
3/8/2015 10:14:05 AM					
Mechanical Properties	Pipe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-		psi
Minimum Tensile Strength	75,000	-	-	-	psi
Dimensions	Pipe	втс	LTC	STC	
Outside Diameter	10.750	11.750	-	11.750	in.
Wall Thickness	0.350	-	-		in.
Inside Diameter	10.050	10.050		10.050	in.
Standard Drift	9.894	9.894	-	9.894	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	40.50	-	-	-	lbs/ft
Plain End Weight	38.91	-	-		lbs/ft
Performance	Pipe	втс	LTC	STC	
Minimum Collapse Pressure	1,580	1,580	-	1,580	psi
Minimum Internal Yield Pressure	3,130	3,130	-	3,130	psi
Minimum Pipe Body Yield Strength	629.00	-	-	-	1000 lbs
Joint Strength		700	-	420	1000 lbs
Reference Length	-	11,522	-	6,915	ft
Make-Up Data	Pipe	втс	LTC	STC	
Make-Up Loss		4.81		3.50	in.
Minimum Make-Up Torque		-		3,150	ft-lbs
Maximum Make-Up Torque	-	-	-	5,250	ft-lbs

				AP	I 5CT, 1	10th Ed. Co	onnect	ion Data	a Shee
	<b>WEIGHT</b> (I Nominal: Plain End:	lb/ft) 32.00 31.13	WALL (in) 0.352		<b>ADE</b> 55	*API DRIF 7.796	·	<b>RBV</b> 87	
Mate	erial Propert	ties (PE)			F	Pipe Body I	Data (F	PE)	
	Pipe					Geom	etry		
Minimum Yield	Strength:	55	ksi	Nomin	nal ID:			7.92 i	
Maximum Yield	d Strength:	80	ksi	Nomin	al Area	:		9.149 j	in <sup>2</sup>
Minimum Tens	ile Strength:	75	ksi	*Spec	ial/Alt. [	Drift:		7.875 i	nch
	Coupling	,				Perform			
Minimum Yield		55	ksi		•	eld Strength	n:	503 I	
Maximum Yield	d Strength:	80	ksi	Collapse Resistance: Internal Yield Pressure:				2,530 psi	
Minimum Tens	ile Strength:	75	ksi		storical)	essure.		3,930	psi
	I Connectio	9.625"		API Connection Torque					
-	TC Perform			STC Torque (ft-lbs)					
		3,930		Min:	2,793	Opti:	3,724	Max:	4,65
STC Internal P		372	kips				a /64 Ib	-	
STC Joint Stre	•	ance					e (IL-IN	15)	
STC Joint Stre L	TC Perform		psi	Min:		LTC Torqu Opti:	•	Max:	5.21
STC Joint Stre <b>L</b> LTC Internal P	TC Perform ressure:	3,930		Min:	3,130	Opti:	4,174	Max:	5,21
STC Joint Stre <b>L</b> LTC Internal P	TC Perform ressure: ngth:	3,930 417	kips	Min:	3,130	Opti:	4,174		5,21
STC Joint Stre L LTC Internal P LTC Joint Stre SC-BTC Perfo	TC Perform ressure: ngth: ormance - C	3,930 417 plg OD =	kips 9.125''		3,130	Opti: BTC Torqu	4,174 ie (ft-lk	os)	,
STC Joint Stre L LTC Internal P LTC Joint Stre <b>SC-BTC Perfo</b> BTC Internal P	TC Perform ressure: ngth: ormance - C Pressure:	3,930 417 plg OD = 3,930	kips 9.125" psi		3,130	Opti:	4,174 ie (ft-lk	os)	,
STC Joint Stre L LTC Internal P LTC Joint Stre <b>SC-BTC Perf</b> o	TC Perform ressure: ngth: prmance - C Pressure: ngth:	3,930 417 <b>plg OD =</b> 3,930 503	kips 9.125''	follo	3,130 w API gu	Opti: BTC Torqu	4,174 ie (ft-lk	os)	,
STC Joint Stre L LTC Internal P LTC Joint Stre <b>SC-BTC Perfo</b> BTC Internal P BTC Joint Stre	TC Perform ressure: ngth: prmance - C Pressure: ngth:	3,930 417 plg OD = 3,930 503 *Alt. Drift will	kips 9.125" psi kips be used unless	follo API Drift Is, VAM®	3,130 w API gu is specifie 9 premiur	Opti: BTC Torqu idelines regar	4,174 le (ft-lk	DS) sitional ma	ke up

11



### EOG BLANKET CASING DESIGN VARIANCE

EOG respectfully requests the drill plans in the attached document 'EOG Alternate Casing Designs – BLM APPROVED' be added to the COA's for this well. These designs have been approved by the BLM down to the TVDs listed below and will allow EOG to run alternate casing designs for this well if necessary.

The designs and associated details listed are the "worst case scenario" boundaries for design safety factors. Location and lithology have NOT been accounted for in these designs. The specific well details will be based on the APD/Sundry package and the information listed in the COA.

The mud program will not change from the original design for this well. Summary of the mud programs for both shallow and deep targets are listed at the end of this document. If the target is changing, a sundry will be filed to update the casing design and mud/cement programs.

Cement volumes listed in this document are for reference only. The cement volumes for the specific well will be adjusted to ensure cement tops meet BLM requirements as listed in the COA and to allow bradenhead cementing when applicable.

This blanket document only applies to wells with three string designs outside of Potash and Capitan Reef boundaries.

Shallow Design Boundary Conditions											
	Deepest	Deepest	Max Inc	Max DLS							
	MD (ft)	TVD (ft)	(deg)	(°/100usft)							
Surface	2030	2030	0	0							
Intermediate	7793	5650	40	8							
Production	28578	12000	90	25							



Shallow Design A

<b></b> . (		NOUNA						
Hole	Interv	Interval MD		Interval TVD				
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
16"	0	2,161	0	2,030	13-3/8"	54.5#	J-55	STC
11"	0	7,951	0	5,650	9-5/8"	40#	J-55	LTC
6-3/4"	0	29,353	0	12,000	5-1/2"	20#	P110-EC	DWC/C IS MS

### 4. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	Siurry Description
2,030' 13-3/8''	570	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-Flake (TOC @ Surface)
13 3/0	160	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1830')
<b>8,050'</b> 9-5/8''	760	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)
	250	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 6360')
29,353' <sub>5-1/2''</sub>	1000	14.8	1.32	Bradenhead squeeze: Class C + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (TOC @ surface)
	1480	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ Top of Brushy)


### 5. CEMENTING PROGRAM:



Shallow Design A

Proposed Wellbore

KB: 3558' GL: 3533'



-


Depth (MD)			orce (lbf)	Equivalent	Bending Stress		Absolute S	afety Factor		Temperature	Pressu	ire (psi)	Addt'l Pickup To	Buckled
(usft)	′	Apparent (w/Bending)	Actual (w/o Bending)	Axial Load (lbf)	Axial Load (lbf) at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	(°F)	Internal	External	Prevent Buck. (Ibf)	Length (usft
	0	252987	228954	253140	2098.2	1.69	1.58	N/A	2.82 F	70.00	2500.00	0.00	N/A	N/A
	100	247735	223702	248466	2098.2	1.69	1.58	N/A	2.88 F	71.10	2543.63	43.63		
	100	234996	223701	235716	986.2	1.71	1.58	N/A	3.04 F	71.10	2543.64	43.64		
	1700	341565	139667	352253	17627.2	1.53	1.57	N/A	2.09 F	88.70	3241.64	741.64		
	1700	312979	139666	323488	15131.5	1.58	1.57	N/A	2.28 F	88.70	3241.65	741.65		
	1850	336881	132027	348440	17885.2	1.51	1.57	N/A	2.12 F	90.29	3305.05	805.05		
	1850	318549	132027	329984	16284.8	1.54	1.57	N/A	2.24 F	90.29	3305.06	805.06		
	1950	320468	127243	332475	16869.9	1.52	1.57	N/A	2.23 F	91.30	3344.87	844.87		
	1950	312802	127243	324756	16200.7	1.53	1.57	N/A	2.28 F	91.30	3344.87	844.87		
	2050	307858	122773	320295	16159.3	1.52	1.57	N/A	2.32 F	92.23	3381.89	881.89		
	2050	303560	122772	315965	15784.1	1.53	1.57	N/A	2.35 F	92.23	3381.89	881.89		
	2300	151294	112633	163658	3375.4	1.71	1.57	N/A	4.72 F	94.35	3466.13	966.13		
	2300	132741	112633	144956	1755.6	1.72	1.57	N/A	5.38 F	94.35	3466.14	966.14		
	2370	129966	109858	142452	1755.6	1.72	1.57	N/A	5.49 F	94.94	3489.28	989.28		
	2370	127909	107800	140922	1755.6	1.75	1.60	N/A	5.58 F	94.94	3489.29	1036.40		
	2700	105515	94232	119785	985.1	1.75	1.60	N/A	6.77 F	97.73	3599.97	1152.35		
	2700	111680	94231	126006	1523.4	1.75	1.60	N/A	6.39 F	97.73	3599.97	1152.35		
	3100	110766	77783	126839	2879.6	1.71	1.60	N/A	6.44 F	101.11	3734.23	1293.00		
	3100	97392	77783	113331	1712.1	1.73	1.60	N/A	7.33 F	101.11	3734.23	1293.01		
	3700	71565	53303	89806	1594.4	1.70	1.61	N/A	9.97 F	106.15	3934.24	1502.54		
	3700	60887	53302	79004	662.3	1.71	1.61	N/A	11.72 F	106.16	3934.25	1502.55		
	4650	34671	14219	56495	1785.6	1.64	1.61	N/A	20.59 F	114.20	4253.37	1836.86		
	4900	44595	4828	67626	3472.0	1.59	1.61	N/A	16.01 F	116.32	4337.37	1924.87		
	4900 5029	28975 22103	4828 34	51775 45340	2108.2 1926.8	1.62 1.61	1.61 1.61	N/A N/A	24.64 F 32.30 F	116.32 117.40	4337.38 4380.40	1924.87 1969.94		
	5029	22103	34	45340	1926.8				32.30 F 32.30 F			1969.94		
	5600	-45329	-21341	-20805	2094.3	1.61	1.61	N/A N/A	(13.67)	117.40 122.23	4380.41 4572.11	2170.78		
	5650	-40465	-21341	-20005	1506.5	1.57	1.62	N/A	(15.87)	122.25	4572.11	2170.78		
	0000	-40405	-23210	-10007	1000.0	1.00	1.02	IN/A	(15.31)	122.00	4000.07	2100.34		
	F	Conn Fracture												
		Compression												
		Vector Collapse Safety	Factor											
		· · · · · · · · · · · · · · · · · · ·												

Working Config Min SF Load/SF DF Summary WIE Wallplot For Help, press F1

🤶 🛨 Default Datum @ 0.00 usft 📑 API - US Survey Feet 😫 jgriffin2


9-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi



\*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.

#### Released to Imaging: 11/8/2024 10:22:31 AM



\*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

#### Released to Imaging: 11/8/2024 10:22:31 AM

Page 6 of 25

# **S**eog resources

Shallow Design B

-								
Hole	Interv	al MD	Interva	l TVD	Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
13-1/2"	0	2,161	0	2,030	10-3/4"	40.5#	J-55	STC
9-7/8"	0	7,951	0	5,650	8-5/8"	32#	J-55	BTC-SC
6-3/4"	0	29,353	0	12,000	5-1/2"	20#	P110-EC	DWC/C IS MS

### 4. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 8-5/8" casing in the 9-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 9-7/8" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.


		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	
2,030' 10-3/4''	530	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-Flake (TOC @ Surface)
	140	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1830')
8,050' <sup>8-5/8''</sup>	470	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)
	210	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 6360')
29,353' <sub>5-1/2''</sub>	1000	14.8	1.32	Bradenhead squeeze: Class C + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (TOC @ surface)
	1480	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ Top of Brushy)

### 5. CEMENTING PROGRAM:

**Shallow Casing Design B** 

**Proposed Wellbore** KB: 3558'

GL: 3533'



StressCheck - [Triaxial Results - Shallow 3.0 Mile \*]

\_ 8 2

 Image: Solution of the second sec

Apparent (w/Bending)           0         200426           100         196229           100         187111           1700         256401           1850         235940           1850         239292           1950         240267           1950         234781           2050         227794	179028 179027 111891 105788 105787 101966 101965	Equivalent Axial Load (lbf) 200546 196812 187686 264835 244247 261533 248323 248323	Bending Stress at OD (psi) 1880.2 1880.2 883.7 15795.8 13559.4 13559.4 16027.0 14592.9	Triaxial 1.68 1.69 1.70 1.56 1.60 1.54 1.56	Burst 1.57 1.57 1.57 1.56 1.56 1.56	Collapse (V) N/A N/A N/A N/A N/A	Axial 2.89 F 2.95 F 3.10 F 2.26 F 2.45 F	Temperature (°F) 70.00 71.10 71.10 88.70 88.70 88.70	Internal 2500.00 2543.63 2543.64 3241.64 3241.65	External 0.00 43.63 43.64 741.64	Addt'l Pickup To Prevent Buck. (lbf) N/A	Buckled Length (usfi N/A
100         196229           100         187111           1700         256401           1850         252413           1850         239292           1950         240267           1950         234781           2050         230871	179028 179027 111891 105788 105787 101966 101965	196812 187686 264835 244247 261533 248323	1880.2 883.7 15795.8 13559.4 16027.0 14592.9	1.69 1.70 1.56 1.60 1.54	1.57 1.57 1.56 1.56 1.56	N/A N/A N/A N/A	2.95 F 3.10 F 2.26 F 2.45 F	71.10 71.10 88.70	2543.63 2543.64 3241.64	43.63 43.64 741.64	N/A	N/A
100         187111           1700         256401           1700         235940           1850         252413           1850         239292           1950         240267           1950         234781           2050         230871	179027 111891 111891 105788 105787 101966 101965	187686 264835 244247 261533 248323	883.7 15795.8 13559.4 16027.0 14592.9	1.70 1.56 1.60 1.54	1.57 1.56 1.56 1.56	N/A N/A N/A	3.10 F 2.26 F 2.45 F	71.10 88.70	2543.64 3241.64	43.64 741.64		
1700         256401           1700         235940           1850         252413           1850         239292           1950         240267           1950         234781           2050         230871	111891 111891 105788 105787 101966 101965	264835 244247 261533 248323	15795.8 13559.4 16027.0 14592.9	1.56 1.60 1.54	1.56 1.56 1.56	N/A N/A	2.26 F 2.45 F	88.70	3241.64	741.64		
1700         235940           1850         252413           1850         239292           1950         240267           1950         234781           2050         230871	111891 105788 105787 101966 101965	244247 261533 248323	13559.4 16027.0 14592.9	1.60 1.54	1.56 1.56	N/A	2.45 F					
1850         252413           1850         239292           1950         240267           1950         234781           2050         230871	105788 105787 101966 101965	261533 248323	16027.0 14592.9	1.54	1.56			88.70	32/1 65			
1850239292195024026719502347812050230871	105787 101966 101965	248323	14592.9			NI/A				741.65		
195024026719502347812050230871	101966 101965			4 5 6			2.29 F	90.29	3305.05	805.05		
19502347812050230871	101965	249748			1.56	N/A	2.42 F	90.29	3305.06	805.06		
2050 230871			15117.2	1.54	1.56	N/A	2.41 F	91.30	3344.87	844.87		
		244223	14517.5	1.56	1.56	N/A	2.47 F	91.30	3344.87	844.87		
2050 227794		240694	14480.4	1.55	1.56	N/A	2.51 F	92.23	3381.89	881.89		
		237594	14144.2	1.55	1.56	N/A	2.54 F	92.23	3381.89	881.89		
2300 117966		127818	3024.7	1.70	1.56	N/A	4.91 F	94.35	3466.13	966.13		
2300 104686		114432	1573.2	1.71	1.56	N/A	5.53 F	94.35	3466.14	966.14		
2370 102469		112431	1573.2	1.71	1.56	N/A	5.65 F	94.94	3489.28	989.28		
2370 100817		111200	1573.2	1.75	1.59	N/A	5.75 F	94.94	3489.29	1036.40		
2700 83660		95052	882.8	1.74	1.59	N/A	6.92 F	97.73	3599.97	1152.35		
2700 88072		99504	1365.1	1.74	1.59	N/A	6.58 F	97.73	3599.97	1152.35		
3100 86049		98863	2580.4	1.71	1.59	N/A	6.73 F	101.11	3734.23	1293.00		
3100 76477		89195	1534.2	1.72	1.59	N/A	7.57 F	101.11	3734.23	1293.01		
3700 55953		70509	1428.8	1.69	1.60	N/A	10.35 F	106.15	3934.24	1502.54		
3700 48311		62778	593.5	1.71	1.60	N/A	11.99 F	106.16	3934.25	1502.55		
4000 41458		56865	919.9	1.69	1.60	N/A	13.97 F	108.69	4034.82	1607.91		
4650 26293		43706	1600.1	1.63	1.60	N/A	22.03 F	114.20	4253.37	1836.86		
4900 32619		50970	3111.2	1.59	1.60	N/A	17.76 F	116.32	4337.37	1924.87		
4900 21439		39625	1889.2	1.61	1.60	N/A	27.02 F	116.32	4337.38	1924.87		
5039 15822		34389	1726.6	1.61	1.61	N/A	36.61 F	117.49	4383.77	1973.48		
5039 15822		34388	1726.6	1.61	1.61	N/A	36.61 F	117.49	4383.78	1973.49		
-30585	-18235	-10742	1350.0	1.58	1.61	N/A	(16.18)	122.66	4588.87	2188.34		
() Compression												
0.0 11 0.0	ety Factor											
5600 5650 F Conn Fract () Compressi	-30585 ure on		-30585 -18235 -10742 ure on	-30585 -18235 -10742 1350.0 ure on	-30585 -18235 -10742 1350.0 1.58 ure on	-30585 -18235 -10742 1350.0 1.58 1.61 ure on	-30585 -18235 -10742 1350.0 1.58 1.61 N/A ure on apse Safety Factor	-30585 -18235 -10742 1350.0 1.58 1.61 N/A (16.18) ure on apse Safety Factor	-30585 -18235 -10742 1350.0 1.58 1.61 N/A (16.18) 122.66	-30585 -18235 -10742 1350.0 1.58 1.61 N/A (16.18) 122.66 4588.87	-30585 -18235 -10742 1350.0 1.58 1.61 N/A (16.18) 122.66 4588.87 2188.34 ure on apse Safety Factor	-30585 -18235 -10742 1350.0 1.58 1.61 N/A (16.18) 122.66 4588.87 2188.34 ure on


-

For Help, press F1

🙎 I Default Datum @ 0.00 usft 📑 API - US Survey Feet 🙎 jgriffin2


8-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi



\*Modelling done with 8-5/8" 32# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.

#### Released to Imaging: 11/8/2024 10:22:31 AM



\*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

#### Released to Imaging: 11/8/2024 10:22:31 AM

Page 11 of 25



**Shallow Design C** 

C		ROOM						
Hole	Interv	al MD	Interval TVD		TVD Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
16"	0	2,161	0	2,030	13-3/8"	54.5#	J-55	STC
11"	0	7,951	0	5,650	9-5/8"	40#	J-55	LTC
7-7/8"	0	29,353	0	12,000	6"	24.5#	P110-EC	VAM Sprint-SF

### 4. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" casing in the 7-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 7-7/8" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

		Wt.	Yld	Shume Description					
Depth	No. Sacks	ppg	Ft3/sk	Slurry Description					
2,030'	570	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-Flake					
13-3/8''				(TOC @ Surface)					
	160	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1830')					
<b>8,050'</b> 9-5/8''	760	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)					
	250	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 6360')					
29,353' <sub>6''</sub>	1000	14.8	1.32	Bradenhead squeeze: Class C + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (TOC @ surface)					
	2500	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ Top of Brushy)					


### 5. CEMENTING PROGRAM:



Shallow Design C

Proposed Wellbore

KB: 3558' GL: 3533'



Released to Imaging: 11/8/2024 10:22:31 AM

File Edit Wellbore Tubular View Composer Tools Window Help

	Axial Force (lbf)		-			Absolute S	afety Factor			Pressure (psi)			
Depth (MD) (usft)	Apparent (w/Bending)	Actual (w/o Bending)	Equivalent Axial Load (lbf)	Bending Stress at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	Temperature (°F)	Internal	External	Addt'l Pickup To Prevent Buck. (Ibf)	Buckled Length (usft)
0	252987	228954	253140	2098.2	1.69	1.58	N/A	2.82 F	70.00	2500.00	0.00	N/A	N/A
100	247735	223702	248466	2098.2	1.69	1.58	N/A	2.88 F	71.10	2543.63	43.63		
100	234996	223701	235716	986.2	1.71	1.58	N/A	3.04 F	71.10	2543.64	43.64		
1700	341565	139667	352253	17627.2	1.53	1.57	N/A	2.09 F	88.70	3241.64	741.64		
1700	312979	139666	323488	15131.5	1.58	1.57	N/A	2.28 F	88.70	3241.65	741.65		
1850	336881	132027	348440	17885.2	1.51	1.57	N/A	2.12 F	90.29	3305.05	805.05		
1850	318549	132027	329984	16284.8	1.54	1.57	N/A	2.24 F	90.29	3305.06	805.06		
1950	320468	127243	332475	16869.9	1.52	1.57	N/A	2.23 F	91.30	3344.87	844.87		
1950	312802	127243	324756	16200.7	1.53	1.57	N/A	2.28 F	91.30	3344.87	844.87		
2050	307858	122773	320295	16159.3	1.52	1.57	N/A	2.32 F	92.23	3381.89	881.89		
2050	303560	122772	315965	15784.1	1.53	1.57	N/A	2.35 F	92.23	3381.89	881.89		
2300	151294	112633	163658	3375.4	1.71	1.57	N/A	4.72 F	94.35	3466.13	966.13		
2300	132741	112633	144956	1755.6	1.72	1.57	N/A	5.38 F	94.35	3466.14	966.14		
2370	129966	109858	142452	1755.6	1.72	1.57	N/A	5.49 F	94.94	3489.28	989.28		
2370	127909	107800	140922	1755.6	1.75	1.60	N/A	5.58 F	94.94	3489.29	1036.40		
2700	105515	94232	119785	985.1	1.75	1.60	N/A	6.77 F	97.73	3599.97	1152.35		
2700	111680	94231	126006	1523.4	1.75	1.60	N/A	6.39 F	97.73	3599.97	1152.35		
3100	110766	77783	126839	2879.6	1.71	1.60	N/A	6.44 F	101.11	3734.23	1293.00		
3100	97392	77783	113331	1712.1	1.73	1.60	N/A	7.33 F	101.11	3734.23	1293.01		
3700	71565	53303	89806	1594.4	1.70	1.61	N/A	9.97 F	106.15	3934.24	1502.54		
3700	60887	53302	79004	662.3	1.71	1.61	N/A	11.72 F	106.16	3934.25	1502.55		
4650	34671	14219	56495	1785.6	1.64	1.61	N/A	20.59 F	114.20	4253.37	1836.86		
4900	44595	4828	67626	3472.0	1.59	1.61	N/A	16.01 F	116.32	4337.37	1924.87		
4900	28975	4828	51775	2108.2	1.62	1.61	N/A	24.64 F	116.32	4337.38	1924.87		
5029	22103	34	45340	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.40	1969.94		
5029	22102	33	45339	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.41	1969.95		
5600	-45329	-21341	-20805	2094.3	1.57	1.62	N/A	(13.67)	122.23	4572.11	2170.78		
5650	-40465	-23210	-15657	1506.5	1.58	1.62	N/A	(15.31)	122.66	4588.87	2188.34		
	Conn Fracture												
	Compression												
(V)	Vector Collapse Safet	ty Factor											

✓ ► Working Config Min SF Load/SF DF Summary VME Wallplot


For Help, press F1

🙎 I Default Datum @ 0.00 usft 🖪 API - US Survey Feet 😫 jgriffin2

9-5/8" Intermediate Casing Pressure Test:


Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi

1



\*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.

#### Released to Imaging: 11/8/2024 10:22:31 AM



\*Modelling done with 6" Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

#### Released to Imaging: 11/8/2024 10:22:31 AM

# **S**eog resources

Shallow Design D

<b></b> C		ROOM						
Hole	Interv	al MD	Interval TVD		Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
16"	0	2,161	0	2,030	13-3/8"	54.5#	J-55	STC
11"	0	7,951	0	5,650	9-5/8"	40#	J-55	LTC
7-7/8"	0	13,278	0	11,671	6"	22.3#	P110-EC	DWC/C IS
6-3/4"	13,278	29,353	11,671	12,000	5-1/2"	20#	P110-EC	DWC/C IS MS

### 4. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" and 5-1/2" casings in the 7-7/8" and 6-3/4" hole sizes. An expansion additive will be utilized in the cement slurry for the entire length of the 7-7/8" and 6-3/4" hole intervals to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.


		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	Sidiny Description
2,030' 13-3/8''	570	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-Flake (TOC @ Surface)
	160	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1830')
<b>8,050'</b> 9-5/8''	760	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)
	250	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 6360')
29,353' <sub>6''</sub>	1000	14.8	1.32	Bradenhead squeeze: Class C + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (TOC @ surface)
	2500	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ Top of Brushy)

### 5. CEMENTING PROGRAM:

**Shallow Design D** 

Proposed Wellbore

KB: 3558' GL: 3533'



Buckled Length (usft) N/A

			Tools Window Help										
_	🛎 🖪 🗠 🖉 🖷 🖻			→ 9 5/8" Intermediate Ca	asing 💌								
	I 🔁 MD 🔜 🖌 🕅				Pressure Test	-	1						
	Results												
	Depth (MD)	Axial F	Force (lbf)	Equivalent	Bending Stress		Absolute S	afety Factor		Temperature	Pressur	e (psi)	Addt'l Pickup 1
	(usft)	Apparent (w/Bending)	Actual (w/o Bending)	Axial Load (lbf)	at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	(°F)	Internal	External	Prevent Buck. (
	0	252987	228954	253140	2098.2	1.69	1.58	N/A	2.82 F	70.00	2500.00	0.00	N/A
	100	247735	223702	248466	2098.2	1.69	1.58	N/A	2.88 F	71.10	2543.63	43.63	
	100	234996	223701	235716	986.2	1.71	1.58	N/A	3.04 F	71.10	2543.64	43.64	
	1700	341565	139667	352253	17627.2	1.53	1.57	N/A	2.09 F	88.70	3241.64	741.64	
	1700	312979	139666	323488	15131.5	1.58	1.57	N/A	2.28 F	88.70	3241.65	741.65	
	1850	336881	132027	348440	17885.2	1.51	1.57	N/A	2.12 F	90.29	3305.05	805.05	
	1850	318549	132027	329984	16284.8	1.54	1.57	N/A	2.24 F	90.29	3305.06	805.06	
	1950	320468	127243	332475	16869.9	1.52	1.57	N/A	2.23 F	91.30	3344.87	844.87	
	1950	312802	127243	324756	16200.7	1.53	1.57	N/A	2.28 F	91.30	3344.87	844.87	
	2050	307858	122773	320295	16159.3	1.52	1.57	N/A	2.32 F	92.23	3381.89	881.89	
	2050	303560	122772	315965	15784.1	1.53	1.57	N/A	2.35 F	92.23	3381.89	881.89	
	2300	151294	112633	163658	3375.4	1.71	1.57	N/A	4.72 F	94.35	3466.13	966.13	
	2300	132741	112633	144956	1755.6	1.72	1.57	N/A	5.38 F	94.35	3466.14	966.14	
	2370	129966	109858	142452	1755.6	1.72	1.57	N/A	5.49 F	94.94	3489.28	989.28	
	2370	127909	107800	140922	1755.6	1.75	1.60	N/A	5.58 F	94.94	3489.29	1036.40	
	2700	105515	94232	119785	985.1	1.75	1.60	N/A	6.77 F	97.73	3599.97	1152.35	
	2700	111680	94231	126006	1523.4	1.75	1.60	N/A	6.39 F	97.73	3599.97	1152.35	
	3100	110766	77783	126839	2879.6	1.71	1.60	N/A	6.44 F	101.11	3734.23	1293.00	
	3100	97392	77783	113331	1712.1	1.73	1.60	N/A	7.33 F	101.11	3734.23	1293.01	
_	3700	71565	53303	89806	1594.4	1.70	1.61	N/A	9.97 F	106.15	3934.24	1502.54	
_	3700	60887	53302	79004	662.3	1.71	1.61	N/A	11.72 F	106.16	3934.25	1502.55	
	4650	34671	14219	56495	1785.6	1.64	1.61	N/A	20.59 F	114.20	4253.37	1836.86	
	4900	44595	4828	67626	3472.0	1.59	1.61	N/A	16.01 F	116.32	4337.37	1924.87	
	4900	28975	4828	51775	2108.2	1.62	1.61	N/A	24.64 F	116.32	4337.38	1924.87	
_	5029	22103	34	45340	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.40	1969.94	
	5029	22102	33	45339	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.41	1969.95	
_	5600	-45329	-21341	-20805	2094.3	1.57	1.62	N/A	(13.67)	122.23	4572.11	2170.78	
_	5650	-40465	-23210	-15657	1506.5	1.58	1.62	N/A	(15.31)	122.66	4588.87	2188.34	
_		Conn Fracture											
		Compression /ector Collapse Safet											


 $\bigcirc$ 

TIN Working ∠Config ∠Min SF Load/SF ∠DF Summary ∠VME ∠ Wallplot / For Help, press F1

🙎 👤 Default Datum @ 0.00 usft 📑 API - US Survey Feet 🙎 jgriffin2


9-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi




\*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.

### Released to Imaging: 11/8/2024 10:22:31 AM



\*Modelling done with 6" Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

## Released to Imaging: 11/8/2024 10:22:31 AM



\*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

### Released to Imaging: 11/8/2024 10:22:31 AM

Page 22 of 25

# \delta eog resources

Additive	Purpose
Bentonite Gel	Lightweight/Lost circulation prevention
Calcium Chloride	Accelerator
Cello-flake	Lost circulation prevention
Sodium Metasilicate	Accelerator
MagOx	Expansive agent
Pre-Mag-M	Expansive agent
Sodium Chloride	Accelerator
FL-62	Fluid loss control
Halad-344	Fluid loss control
Halad-9	Fluid loss control
HR-601	Retarder
Microbond	Expansive Agent

# Shallow Casing Design 501H

Cement integrity tests will be performed immediately following plug bump.

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

EOG requests variance from minimum standards to pump a two stage cement job on the production casing string with the first stage being pumped conventionally with the calculated top of cement at the top of the Brushy Canyon and the second stage performed as a 1000 sack bradenhead squeeze with planned cement from the Brushy Canyon to surface. If necessary, a top out consisting of 400 sacks of Class C cement + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (1.32 yld, 14.8 ppg) will be executed as a contingency. Top will be verified by Echo-meter.

Bradenhead will be the primary option for production cementing. EOG also requests to have the conventional option in place to accommodate for logistical or wellbore conditions. The tie back requirements will be met if the cement is pumped conventionally, and cement volumes will be adjusted accordingly. TOC will be verified by CBL.



## MUD PROGRAM:

During this procedure we plan to use a Closed-Loop System and haul contents to the required disposal. The applicable depths and properties of the drilling fluid systems are as follows:

Measured Depth	Туре	Weight (ppg)	Viscosity	Water Loss
0-2,030'	Fresh - Gel	8.6-8.8	28-34	N/c
2,030' – 7,793'	Brine	9-10.5	28-34	N/c
5,450' – 28,578' Lateral	Oil Base	8.8-9.5	58-68	N/c - 6

An electronic pit volume totalizer (PVT) will be utilized on the circulating system, to monitor pit volume, flow rate, pump pressure and stroke rate.

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept at the wellsite at all times.



**Appendix A - Spec Sheets** 

•

# Pipe Body and API Connections Performance Data Received by OCD: 11/8/2024 7:51:59 AM 13.375 54.50/0.380 J55

Page 81 of 95 PDF

New Search »

a Back to Previous List

USC O Metric

6/8/2015 10:04:37 AM					
Mechanical Properties	Ptpe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000				psi
Minimum Tensile Strength	75,000			-	psi
Dimensions	Pipe	втс	LTC	STC	
Outside Diameter	13.375	14.375	-	14.375	in.
Wall Thickness	0.380	<del></del>			in,
Inside Diameter	12.615	12.615	-	12.615	in.
Standard Drift	12.459	12.459	. <del></del>	12.459	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	54.50	-			lbs/ft
Plain End Weight	52.79			-	Ibs/ft
Performance	Pipe	BTC	LTC	STC	
Minimum Collapse Pressure	1,130	1,130		1,130	psi
Minimum Internal Yield Pressure	2,740	2,740		2,740	psi
Minimum Pipe Body Yield Strength	853.00	-		-	1000 lbs
Joint Strength	-	909	- <b></b> 13	514	1000 lbs
Reference Length	-	11,125	-	6,290	ft
Make-Up Data	Ріре	втс	LTC	STC	
Make-Up Loss	-	4.81	-	3.50	in.
Minimum Make-Up Torque	-	-		3,860	ft-Ibs
Released to Imaging: 11/8/2024 10:22:31 AM Maximum Make-Up Torque	-	-		6,430	ft-lbs

# Pipe Body and API Connections Performance Data Received by OCD: 11/8/2024 7:51:59 AM 9.625 40.00/0.395 J55


Page 82 of 95 PDF

New Search »

« Back to Previous List

USC O Metric

6/8/2015 10:23:27 AM	15			0	w.
Mechanical Properties	Pipe	втс	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-	-	psi
Minimum Tensile Strength	75,000			-	psi
Dimensions	Pipe	втс	LTC	STC	
Outside Diameter	9.625	10.625	10.625	10.625	in.
Wall Thickness	0.395	π.		-	in.
Inside Diameter	8.835	8.835	8.835	8.835	in.
Standard Drift	8.679	8.679	8.679	8.679	in.
Alternate Drift	8.750	8.750	8.750	8.750	in.
Nominal Linear Weight, T&C	40.00	-	-	27-23	lbs/ft
Plain End Weight	38.97	-	-	-	lbs/ft
Performance	Pipe	втс	LTC	STC	
Minimum Collapse Pressure	2,570	2,570	2,570	2,570	psi
Minimum Internal Yield Pressure	3,950	3,950	3,950	3,950	psi
Minimum Pipe Body Yield Strength	630.00	-	-		1000 lbs
Joint Strength		714	520	452	1000 lbs
Reference Length		11,898	8,665	7,529	ft
Make_Up Data	Pipe	втс	LTC	STC	
Make-Up Loss		4.81	4.75	3.38	in.
Minimum Make-Up Torque	12	-	3,900	3,390	ft-Ibs
Released to Imaging: 11/8/2024 10:22:31 AM Maximum Make-Up Torque	-	-	6,500	5,650	ft-lbs



For detailed information on performance properties, refer to DWC Connection Data Notes on following page(s).

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages.

Date: 12/03/2019 Time: 06:19:27 PM



VAM USA 2107 CityWest Boulevard Suite 1300 Houston, TX 77042 Phone: 713-479-3200 Fax: 713-479-3234 VAM<sup>®</sup> USA Sales E-mail: <u>VAMUSAsales@vam-usa.com</u> Tech Support Email: <u>tech.support@vam-usa.com</u>

DWC Connection Data Sheet Notes:

1. DWC connections are available with a seal ring (SR) option.

2. All standard DWC/C connections are interchangeable for a given pipe OD. DWC connections are interchangeable with DWC/C-SR connections of the same OD and wall.

Connection performance properties are based on nominal pipe body and connection dimensions.
 DWC connection internal and external pressure resistance is calculated using the API rating for buttress connections. API Internal pressure resistance is calculated from formulas 31, 32, and 35 in the API Bulletin 5C3.
 DWC joint strength is the minimum pipe body yield strength multiplied by the connection critical area.

6. API joint strength is for reference only. It is calculated from formulas 42 and 43 in the API Bulletin 5C3.

7. Bending efficiency is equal to the compression efficiency.

8. The torque values listed are recommended. The actual torque required may be affected by field conditions such as temperature, thread compound, speed of make-up, weather conditions, etc.

9. Connection yield torque is not to be exceeded.

10. Reference string length is calculated by dividing the joint strength by both the nominal weight in air and a design factor (DF) of 1.4. These values are offered for reference only and do not include load factors such as bending, buoyancy, temperature, load dynamics, etc.

11. DWC connections will accommodate API standard drift diameters.

12. DWC/C family of connections are compatible with API Buttress BTC connections. Please contact tech.support@vam-usa.com for details on connection ratings and make-up.

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages.

# Pipe Body and API Goonactions Performance Data

10.750 40.50/0.350 J55

New Search » « Back to Previous List

USC 🔵 Metric

5	10:14:05	AM

6/8/2015 10:14:05 AM					
Mechanical Properties	Pipe	втс	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000		-	-	psi
Minimum Tensile Strength	75,000	-	-	-	psi
Dimensions	Ptpe	BTC	LTC	STC	
Outside Diameter	10.750	11.750	-	11.750	in.
Wall Thickness	0.350		-	-	in.
Inside Diameter	10.050	10.050	-	10.050	in.
Standard Drift	9.894	9.894	-	9.894	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	40.50	-	-	-	lbs/ft
Plain End Weight	38.91	-	-	-	lbs/ft
Performance	Ptpe	BTC	LTC	STC	
Minimum Collapse Pressure	1,580	1,580	-	1,580	psi
Minimum Internal Yield Pressure	3,130	3,130	-	3,130	psi
Minimum Pipe Body Yield Strength	629.00	-	-	-	1000 lbs
Joint Strength	-	700	-	420	1000 lbs
Reference Length	-	11,522	-	6,915	ft
Make-Up Data	Ptpe	BTC	LTC	STC	
Make-Up Loss	-	4.81	-	3.50	in.
Minimum Make-Up Torque	-		-	3,150	ft-lbs
Released to Imaging: 11/8/2024 10:22:31 AM Maximum Make-Up Torque	-	-	-	5,250	• ft-lbs

S S2L2 DA 7.875 W/O# SLN # PO# MADE IN USA FT LB

VALLOUREC STAR 8.625 32# J55



API 5CT, 10th Ed. Connection Data Sheet

					APT SCT, TUTI Ed. Connection Data Shee					
O.D. (in) WEIGHT (lb/ft) WALL (in			(in)	GRA	DE	*API DRI	FT (in)	RBW	/ %	
8.625	Nominal: Plain End:	32.00 31.13	0.352	<u>)</u>	J5	5	7.79	6	87.	.5
Material Properties (PE)						F	Pipe Body	Data (I	PE)	
	Pipe						Geor	netry		
Minimum Yiel	ld Strength:	55	ksi		Nomina	al ID:			7.92 i	nch
Maximum Yie	eld Strength:	80	ksi		Nomina	al Area	1:		9.149 i	n <sup>2</sup>
Minimum Ten	nsile Strength	: 75	ksi		*Specia	al/Alt. [	Drift:		7.875 i	nch
	Coupling	g					Perfor	mance		
Minimum Yiel	ld Strength:	55	ksi		Pipe B	ody Yie	eld Streng	th:	503 k	kips
Maximum Yie	eld Strength:	80	ksi				istance:		2,530 p	osi
		. 75			Internal `		essure:		3,930 p	i
Minimum Ten	nsile Strength:	. 75	ksi		(API His	storical)			3,930 p	551
	PI Connectio		KSI		(API His		Pl Connoc	tion To		551
Al	PI Connectio	<b>n Data</b> 9.625"	KSI		(API His	AF	PI Connec		orque	551
Al	PI Connectio Coupling OD: 9 STC Perform	n Data 9.625" ance			(API His	AF	PI Connec STC Torq Opti:		orque	
Al STC Internal	PI Connection Coupling OD: S STC Perform Pressure:	on Data 9.625" ance 3,930	psi			AF	STC Torq	ue (ft-lk	rque os)	
Al STC Internal STC Joint Str	PI Connection Coupling OD: S STC Perform Pressure:	n Data 9.625" ance 3,930 372				<b>AF</b> 2,793	STC Torq	<b>ue (ft-ll</b> 3,724	orque os) Max:	
Al STC Internal STC Joint Str	PI Connectio Coupling OD: 9 STC Perform Pressure: rength: LTC Perform	n Data 9.625" ance 3,930 372	psi kips			<b>AF</b> 2,793	STC Torq Opti:	<b>ue (ft-ll</b> 3,724	orque os) Max:	4,65
Al STC Internal STC Joint Str	PI Connectio Coupling OD: S STC Perform Pressure: rength: LTC Perform Pressure:	<b>on Data</b> 0.625" <b>ance</b> 3,930 372 <b>ance</b> 3,930	psi kips		Min:	AF 2,793	STC Torq Opti: LTC Torq	ue (ft-lk 3,724 ue (ft-lk	orque os) Max: os)	4,65 5,21
Al STC Internal STC Joint Str LTC Internal I LTC Joint Str	PI Connectio Coupling OD: S STC Perform Pressure: rength: LTC Perform Pressure:	n Data 0.625" aance 3,930 372 aance 3,930 417	psi kips psi kips		Min:	AF 2,793 3,130	STC Torq Opti: LTC Torq	ue (ft-lk 3,724 ue (ft-lk 4,174	orque DS) Max: DS) Max:	4,6
Al STC Internal STC Joint Str LTC Internal I LTC Joint Str	PI Connection Coupling OD: S STC Perform Pressure: rength: LTC Perform Pressure: rength: formance - C	n Data 0.625" aance 3,930 372 aance 3,930 417	psi kips psi kips <b>9.125''</b>		Min: Min:	AF 2,793 3,130	STC Torq Opti: LTC Torq Opti:	ue (ft-lk 3,724 ue (ft-lk 4,174 ue (ft-lk	orque DS) Max: DS) Max:	4,65 5,21

"Ait. Driit will be used unless API Driit is specified on order.

\*\*If above API connections do not suit your needs, VAM® premium connections are available up to 100% of pipe body ratings.

ALL INFORMATION IS PROVIDED BY VALLOUREC OR ITS AFFILIATES AT USER'S SOLE RISK, WITHOUT LIABILITY FOR LOSS, DAMAGE OR INJURY RESULTING FROM THE USE THEREOF; AND ON AN "AS IS" BASIS WITHOUT WARRANTY OR REPRESENTATION OF ANY KIND, WHETHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR PURPOSE, ACCURACY OR COMPLETENESS. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY AND IS BASED ON ESTIMATES THAT HAVE NOT BEEN VERIFIED OR TESTED. IN NO EVENT SHALL VALLOUREC OR ITS AFFILIATES BE RESPONSIBLE FOR ANY INDIRCT, SPECIAL, INCIDENTAL, PUNITIVE, EXEMPLARY OR CONSEQUENTIAL LOSS OR DAMAGE (INCLUDING WITHOUT LIMITATION, LOSS OF BARGAIN, LOSS OF REVENUE, PROFIT ANTICIPATED PROFIT) HOWEVER CAUSED OR ARISING, AND WHETHER SUCH LOSSES OR DAMAGES.

Rev 3, 7/30/2021

10/21/2022 15:24



#### Issued on: 10 Feb. 2021 by Wesley Ott



OD	Weight (lb/ft)	Wall Th.	Grade	API Drift:	Connection
6 in.	Nominal: 24.50	0.400 in.	P110EC	5.075 in.	VAM <sup>®</sup> SPRINT-SF
	Plain End: 23.95				

PI PE PROPERTI ES		
Nominal OD	6.000	in.
Nominal ID	5.200	in.
Nominal Cross Section Area	7.037	sqin.
Grade Type	Hig	jh Yield
Min. Yield Strength	125	ksi
Max. Yield Strength	140	ksi
Min. Ultimate Tensile Strength	135	ksi


CONNECTION PROPERTIES		
Connection Type	Integral	Semi-Flush
Connection OD (nom):	6.277	in.
Connection ID (nom):	5.146	in.
Make-Up Loss	5.386	in.
Critical Cross Section	6.417	sqin.
Tension Efficiency	91.0	% of pipe
Compression Efficiency	91.0	% of pipe
Internal Pressure Efficiency	100	% of pipe
External Pressure Efficiency	100	% of pipe

CONNECTION PERFORMANC		
Tensile Yield Strength	801	klb
Compression Resistance	801	klb
Internal Yield Pressure	14,580	psi
Collapse Resistance	12,500	psi
Max. Structural Bending	83	°/100ft
Max. Bending with ISO/API Sealability	30	°/100ft

TORQUE VALUES		
Min. Make-up torque	21,750	ft.lb
Opt. Make-up torque	24,250	ft.lb
Max. Make-up torque	26,750	ft.lb
Max. Torque with Sealability (MTS)	53,000	ft.lb

\* 87.5% RBW

VAM® SPRINT-SF is a semi-flush connection innovatively designed for extreme shale applications. Its high tension rating and ultra high torque capacity make it ideal to run a fill string length as production casing in shale wells with extended horizontal sections and tight clearance requirements.



#### Do you need help on this product? - Remember no one knows VAM® like VAM®

canada@vamfieldservice.com usa@vamfieldservice.com mexico@vamfieldservice.com brazil@vamfieldservice.com uk@vamfieldservice.com dubai@vamfieldservice.com nigeria@vamfieldservice.com angola@vamfieldservice.com

china@vamfieldservice.com baku@vamfieldservice.com singapore@vamfieldservice.com australia@vamfieldservice.com

### Over 140 VAM® Specialists available worldwide 24/7 for Rig Site Assistance



# **Connection Data Sheet**

OD (in.)	WEIGHT (lbs./ft.)	WALL (in.)	GRADE	API DRIFT (in.)	RBW%	CONNECTION
6.000	Nominal: 22.30	0.360	VST P110EC	5.155	92.5	DWC/C-IS
	Plain End: 21 70		•	•		i .

PIPE PROPERTIES						
Nominal OD	6.000	in.				
Nominal ID	5.280	in.				
Nominal Area	6.379	sq.in.				
Grade Type	API 5CT					
Min. Yield Strength	125	ksi				
Max. Yield Strength	140	ksi				
Min. Tensile Strength	135	ksi				
Yield Strength	797	klb				
Ultimate Strength	861	klb				
Min. Internal Yield Pressure	13,880	psi				
Collapse Pressure	9,800	psi				

CONNECTION PERFORMAN	NCES	
Yield Strength	797	klb
Parting Load	861	klb
Compression Rating	797	klb
Min. Internal Yield	13,880	psi
External Pressure	9,800	psi
Maximum Uniaxial Bend Rating	47.7	°/100 ft
Reference String Length w 1.4 Design Factor	25,530	ft.

CONNECTION PRO	PERTIES	
Connection Type	Semi-Prem	nium T&C
Connection OD (nom)	6.650	in.
Connection ID (nom)	5.280	in.
Make-Up Loss	4.313	in.
Coupling Length	9.625	in.
Critical Cross Section	6.379	sq.in.
Tension Efficiency	100.0%	of pipe
Compression Efficiency	100.0%	of pipe
Internal Pressure Efficiency	100.0%	of pipe
External Pressure Efficiency	100.0%	of pipe

FIELD END TORQUE VA	ALUES	
Min. Make-up torque	17,000	ft.lb
Opti. Make-up torque	18,250	ft.lb
Max. Make-up torque	19,500	ft.lb
Min. Shoulder Torque	1,700	ft.lb
Max. Shoulder Torque	13,600	ft.lb
Min. Delta Turn	-	Turns
Max. Delta Turn	0.200	Turns
Maximum Operational Torque	24,200	ft.lb
Maximum Torsional Value (MTV)	26,620	ft.lb

Need Help? Contact: <u>tech.support@vam-usa.com</u> Reference Drawing: 8135PP Rev.02 & 8135BP Rev.02 Date: 07/30/2020

Time: 07:50:47 PM

For detailed information on performance properties, refer to DWC Connection Data Notes on following page(s).

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates us advised of the possibility of such damages.



VAM USA 2107 CityWest Boulevard Suite 1300 Houston, TX 77042 Phone: 713-479-3200 Fax: 713-479-3234 VAM<sup>®</sup> USA Sales E-mail: <u>VAMUSAsales@vam-usa.com</u> Tech Support Email: <u>tech.support@vam-usa.com</u>

DWC Connection Data Sheet Notes:

1. DWC connections are available with a seal ring (SR) option.

2. All standard DWC/C connections are interchangeable for a given pipe OD. DWC connections are interchangeable with DWC/C-SR connections of the same OD and wall.

3. Connection performance properties are based on nominal pipe body and connection dimensions.

4. DWC connection internal and external pressure resistance is calculated using the API rating for buttress connections. API Internal pressure resistance is calculated from formulas 31, 32, and 35 in the API Bulletin 5C3.

5. DWC joint strength is the minimum pipe body yield strength multiplied by the connection critical area.

6. API joint strength is for reference only. It is calculated from formulas 42 and 43 in the API Bulletin 5C3.

7. Bending efficiency is equal to the compression efficiency.

8. The torque values listed are recommended. The actual torque required may be affected by field conditions such as temperature, thread compound, speed of make-up, weather conditions, etc.

9. Connection yield torque is not to be exceeded.

10. Reference string length is calculated by dividing the joint strength by both the nominal weight in air and a design factor (DF) of 1.4. These values are offered for reference only and do not include load factors such as bending, humanau temperature, load dimension, at

are offered for reference only and do not include load factors such as bending, buoyancy, temperature, load dynamics, etc. 11. DWC connections will accommodate API standard drift diameters.

12. DWC/C family of connections are compatible with API Buttress BTC connections. Please contact tech.support@vam-usa.com for details on connection ratings and make-up.

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, puntive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.





# Lakewood XL 28 Fed Com 226H (FKA Lakewood 28 Fed Com 102H) API #: 30-025-53598 Variances

EOG respectfully requests the below variances to be applied to the above well:

- Variance is requested to waive the centralizer requirements for the intermediate casing in the intermediate hole. An expansion additive will be utilized, in the cement slurry, for the entire length of the intermediate interval to maximize cement bond and zonal isolation.

- Variance is also requested to waive the centralizer requirements for the production casing in the production hole. An expansion additive will be utilized, in the cement slurry, for the entire length of the production interval to maximize cement bond and zonal isolation.

- Bradenhead will be the primary option for production cementing. EOG also requests to have the conventional option in place to accommodate for logistical or wellbore conditions. The tie back requirements will be met if the cement is pumped conventionally, and cement volumes will be adjusted accordingly. TOC will be verified by CBL.

- Variance is requested to use a co-flex line between the BOP and choke manifold (instead of using a 4" OD steel line).

- Variance is requested to use a 5,000 psi annular BOP with the 10,000 psi BOP stack.


- EOG Resources requests the option to contract a Surface Rig to drill, set surface casing, and Cement on the subject well. After WOC 8 hours or 500 psi compressive strength (whichever is greater), the Surface Rig will move off so the wellhead can be installed. A welder will cut the casing to the proper height and weld on the wellhead (both "A" and "B" sections). The weld will be tested to 1,500 psi. All valves will be closed and a wellhead cap will be installed (diagram attached). If the timing between rigs is such that EOG Resources would not be able to preset the surface, the Primary Rig will MIRU and drill the well in its entirety per the APD.

EOG requests the additional variance(s) in the attached document(s):

- EOG BLM Variance 2a Inermediate Bradenhead Cement
- EOG BLM Variance 3a\_b BOP Break-test and Offline Intermediate Cement
- EOG BLM Variance 3c Shallow Target Production Offline Bradenhead Cement
- EOG BLM Variance 4a Salt Section Annular Clearance
- EOG BLM Variance 5a Alternate Shallow Casing Designs


Page 91 of 95

C-102 Submit Electronic		2024 /.31			State of New ls & Natura	v Mexico l Resources	Department		Revise	ed July 9, 2024
Via OCD Permitting OIL CONSERVAT				TION DIVISION		Initial Submittal				
								Submittal Type:	Amended Report	
								51	As Drilled	
		W		CATIO			DICATION	N PLAT		
API Number 30-025-5	3604			661	Pool N		Tank; Bone S	Spring		
Property Code 326767			Property Name	LA	KEWOOD >	KL 28 FED C	ОМ			305H
OGRID No.	7377		Operator Name		EOG RESO	URCES, INC			Ground Level Elev	ation 3321'
Surface Owner:	State Fee	Tribal 🗙 Federal				Mineral Owner:	State Fee Tribal	Federal		
					Surface	Location				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the N/S	Feet from the E/W	Latitude		Longitude	County
Р	28	25-S	34-E	-	260' S	1200' E	N 32.0949	559   W 1	03.4702245	LEA
	<b>C</b>	T- /:	P	T / T 1		le Location	¥		Levelt 1	<u> </u>
UL or lot no.	Section	Township 25-S	Range 34-E	Lot Idn		Feet from the E/W 2310' E	Latitude N 32.1374		Longitude 03.4737978	County
В	16	20-0	34-E	-	100' N	2310 E	IN 32.1374		03.4131918	LEA
Dedicated Acres	Infill or Defi	ning Well Defini	ing Well API			Overlapping Spacing	Unit (Y/N)	Consolida	ted Code	
1920	DEFIN	ling				N C				
Order Numbers	NS	P and CO	M PENDI	NG		Well Setbacks are under Common Ownership: Yes No				
					Kick Off P	oint (KOP)				
UL or lot no.	Section	Township	Range	Lot Idn		Feet from the E/W	Latitude		Longitude	County
0	28	25-S	34-E	-	50' S	2310' E	N 32.0943 <sup>°</sup>	777   W 1	03.4738081	LEA
					First Take	Point (FTP)				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the N/S	Feet from the E/W	Latitude		Longitude	County
0	28	25-S	34-E	-	100' S	2310' E	N 32.0945	151   W 1	03.4738081	LEA
					Last Take ]	Point (LTP)		·		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the N/S	Feet from the E/W	Latitude		Longitude	County
В	16	25-S	34-E	-	100' N	2310' E	N 32.1374	923   W 1	03.4737978	LEA
				-						
Unitized Area or Ar	rea of Uniform In OM AGR			Spacing Unity	Type Horizont	al Vertical	Ground	Floor Elevation	3346'	
I hereby certij best of my kn that this organ in the land ir well at this lo or unleased m pooling order If this well is received The c unleased mine any part of th pooling order	owledge and i nization eithe culuding the p cation pursuu ineral interes heretofore entu- a horizontal onsent of at i ral interest i te well's comp from the divi	formation cond belief; and, if ir owns a wort proposed botton unt to a contro it, or to a volu ered by the di well, I furthe least one lessee n each tract ( obted interval sion.	the well is a king interest n hole location with an or untary pooling vision. r certify that e or owner of in the target	vertical or of or unleased r to or has a ri wner of a wo agreement o this organiz a working in pool or forma		is true and cor	S CERTIFICA that the well lood surveys made by rect to the best of 9/19/2024 10:57:53	24508	this plat was plotte supervision, and t	d from field hat the same
Star L Harrell 9/26/24 Signature Date					Signature and Seal of	9/19/2024 10:57:53 of Professional Survey	AM Dat	e		
Star L Harr	ell									
Print Name						Certificate Number Date of Survey				
star_harrell	@eogres	ources.cor	n					09/10/2024		



Page 93 of 95

EOG RESOURCES, INC.         Surface Owner:       State       Fee       Tribal X Federal         Mineral Owner:       X State       Fee       Tribal X Federal         Surface Location         UL or lot no.       Section       Township       Range       Lot Idn       Feet from the N/S       Feet from the E/W       Latitude       Longitude         P       28       25-S       34-E       -       260' S       1200' E       N 32.0949559       W 103.47022	l Report d
Type:         Xamended           WELL LOCATION AND ACREAGE DEDICATION PLAT           API Number 30-025-53604         Pool Code 51020         Pool Name         RED HILLS; LOWER BONE SPRING           Property Code 326767         Property Name         Well Number LAKEWOOD XL 28 FED COM         Well Number Ground Lee           OGRID No.         Operator Name         Ground Lee         Ground Lee           7377         EOG RESOURCES, INC.         Ground Lee           Surface Owner:         State         Federal         Mineral Owner:         State         Federal           UL or Iot no.         Section         Township         Range         Lot Idn         Feet from the N/S         Feet from the E/W         Latitude         Longitude           P         28         25-S         34-E         -         260' S         1200' E         N 32.0949559         W 103.47022	d ber 305H evel Elevation
Method Strike           Method Strike           Method Strike           Non-           Operator Name           Property Code 326767         Property Name         Method Nume           OPOR NO.         Property Name         Well Nume           OPOR NO.         Operator Name         Ground Lee           Surface Owner: State Fee Tribal Stederal         Surface Location           UL or lot no.         Section         Lot Idn         Feet from the N/S         Feet from the E/W         Latitude         Longitude           P         28         25-S         34-E         -         Colspan="2">Colspan= 2           P         28         25-S         34-E         -         260' S         1200' E         N 32.0949559         W 103.47022	ber 305H svel Elevation
API Number 30-025-53604       Pool Code 51020       Pool Name       RED HILLS; LOWER BONE SPRING         Property Code 326767       Property Name       LAKEWOOD XL 28 FED COM       Well Number Well Number         OGRID No.       Operator Name       Ground Lee         Vor face Owner:       State       Fee       Tribal X Federal         Surface Location         UL or lot no.       Section       Township       Range       Lot Idn       Feet from the N/S       Feet from the E/W       Latitude       Longitude         P       28       25-S       34-E       -       260' S       1200' E       N 32.0949559       W 103.47022	305H evel Elevation
30-025-53604       51020       RED HILLS; LOWER BONE SPRING         Property Code 326767       Property Name       Well Numb         OGRID No.       Operator Name       Ground Lee         7377       Operator Name       Ground Lee         Surface Owner:       State       Fee       Tribal X Federal         Mineral Owner:       State       Fee       Tribal X Federal         UL or lot no.         VL or lot no.       Section       Township       Range       Lot Idn       Feet from the N/S       Feet from the E/W       Latitude       Longitude         P       28       25-S       34-E       -       260' S       1200' E       N 32.0949559       W 103.47022	305H evel Elevation
Idea Interview Intervie	305H evel Elevation
EOG RESOURCES, INC.         Surface Owner:       State       Fee       Tribal X       Federal         Mineral Owner:       X       X       K       Fee       Tribal X       Federal         Surface Location         UL or lot no.       Section       Township       Range       Lot Idn       Feet from the N/S       Feet from the E/W       Latitude       Longitude         P       28       25-S       34-E       -       260' S       1200' E       N 32.0949559       W 103.47022	
Surface Location           UL or lot no.         Section         Township         Range         Lot Idn         Feet from the N/S         Feet from the E/W         Latitude         Longitude           P         28         25-S         34-E         -         260' S         1200' E         N 32.0949559         W 103.47022	
UL or lot no.         Section         Township         Range         Lot Idn         Feet from the N/S         Feet from the E/W         Latitude         Longitude           P         28         25-S         34-E         -         260' S         1200' E         N 32.0949559         W 103.47022	
P 28 25-S 34-E - 260' S 1200' E N 32.0949559 W 103.47022	
	County
	245 LEA
Bottom Hole Location	
UL or lot no. Section Township Range Lot Idn Feet from the N/S Feet from the E/W Latitude Longitude	County
B 16 25-S 34-E - 100' N 2310' E N 32.1374923 W 103.47379	978 LEA
Dedicated Acres Infill or Defining Well Defining Well API Overlapping Spacing Unit (Y/N) Consolidated Code	
	<u>_</u>
	C
Order Numbers     NSP and COM PENDING     Well Setbacks are under Common Ownership:     Yes     No	
Kick Off Point (KOP)	
UL or lot no.         Section         Township         Range         Lot Idn         Feet from the N/S         Feet from the E/W         Latitude         Longitude           O         OO	County
O 28 25-S 34-E - 50' S 2310' E N 32.0943777 W 103.47380	081 LEA
First Take Point (FTP)	
UL or lot no. Section Township Range Lot Idn Feet from the N/S Feet from the E/W Latitude Longitude	County
O 28 25-S 34-E - 100' S 2310' E N 32.0945151 W 103.47380	081 LEA
Last Take Point (LTP)	
UL or lot no. Section Township Range Lot Idn Feet from the N/S Feet from the E/W Latitude Longitude	County
B 16 25-S 34-E - 100' N 2310' E N 32.1374923 W 103.47379	978 LEA
Unitized Area or Area of Uniform Intrest Spacing Unity Type Ground Floor Elevation	
COM AGREEMENT X Horizontal Vertical 3346	D'
OPERATOR CERTIFICATION SURVEYORS CERTIFICATION	
OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either cours a working interest or unleagent more in interest of actual surveys made by the ar under has supervision,	s plotted from field , and that the same
best of my knowledge and belief; and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest	
or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.	
If this well is a horizontal well, I further certify that this organization has received The consent of at least one lessee or owner of a working interest or	
unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory	
pooling order from the division.	
unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division. Star L Hanell 9/26/24 Signature and Seal of Professional Surveyor Date	
Star L Harrell	
Print Name Certificate Number Date of Survey	
star_harrell@eogresources.com         09/10/2024           E-mail Address         09/10/2024	



District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
5509 Champions Drive	Action Number:
Midland, TX 79706	400668
	Action Type:
	[C-103] NOI Change of Plans (C-103A)

CONDITIONS

CONDITIC	NS	
Created By		Condition Date
pkautz	Cement is required to circulate on both surface and intermediate1 strings of casing.	11/8/2024
pkautz	If cement is not circulated to surface during cementing operations, a Cement Bond Log (CBL) is required.	11/8/2024
pkautz	Administrative order required for non-standard spacing unit prior to production.	11/8/2024

CONDITIONS

Action 400668