Received by OCD: 3/31/2025 3:25:40 PM

<i>cceived by</i> 0 <i>cD</i> . <i>5/51/2</i> (1 450 1 09 10	
Form 3160-5 (June 2019)	UNITED STATES DEPARTMENT OF THE INT BUREAU OF LAND MANAC	FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021 5. Lease Serial No. 6. If Indian, Allottee or Tribe Name			
Do not use	RY NOTICES AND REPOR this form for proposals to o vell. Use Form 3160-3 (APL				
SUBI	IIT IN TRIPLICATE - Other instruction	ons on page 2	7. If Unit of CA/Agreement, Na	me and/or No.	
1. Type of Well	Gas Well Other		8. Well Name and No.		
2. Name of Operator			9. API Well No.		
3a. Address	3b.	10. Field and Pool or Exploratory Area			
4. Location of Well (Footage, S	c., T.,R.,M., or Survey Description)		11. Country or Parish, State		
1	2. CHECK THE APPROPRIATE BOX	(ES) TO INDICATE NATURE (OF NOTICE, REPORT OR OTHI	ER DATA	
TYPE OF SUBMISSION		TYPI	E OF ACTION		
Notice of Intent	Acidize	Deepen [Hydraulic Fracturing	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair Change Plans	New Construction Plug and Abandon	Recomplete Temporarily Abandon	Other	
Final Abandonment Not	ce Convert to Injection	Plug Back	Water Disposal		
the proposal is to deepen di the Bond under which the v completion of the involved	ork will be perfonned or provide the Bo perations. If the operation results in a r ent Notices must be filed only after all	give subsurface locations and me ond No. on file with BLM/BIA. I multiple completion or recomple	asured and true vertical depths of Required subsequent reports must tion in a new interval, a Form 310	all pertinent markers and zones. Attach be filed within 30 days following 50-4 must be filed once testing has been	

14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>)			
	Title		
	D. /		
Signature	Date		
THE SPACE FOR FEDE	ERAL OR STATE C	OFICE USE	
Approved by			
	Title	Date	
Conditions of approval, if any, are attached. Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject lead which would entitle the applicant to conduct operations thereon.			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for an any false, fictitious or fraudulent statements or representations as to any matter within		villfully to make to any department of	or agency of the United States

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Additional Remarks

Change target formation to Brushy Canyon.

Update casing and cement program to current design.

Update the Pool from 51020 RED HILLS; LOWER BONE SPRING SHALE to PENDING WILDCAT DELAWARE POOL as reflected in the C-102.

Location of Well

0. SHL: LOT 1 / 644 FNL / 329 FEL / TWSP: 25S / RANGE: 33E / SECTION: 2 / LAT: 32.1650488 / LONG: -103.5356455 (TVD: 0 feet, MD: 0 feet) PPP: TR D / 100 FNL / 330 FWL / TWSP: 25S / RANGE: 33E / SECTION: 1 / LAT: 32.1665414 / LONG: -103.5335126 (TVD: 10065 feet, MD: 10140 feet) PPP: TR E / 1315 FNL / 330 FWL / TWSP: 25S / RANGE: 33E / SECTION: 1 / LAT: 32.1632024 / LONG: -103.53352 (TVD: 10330 feet, MD: 11456 feet) PPP: TR L / 2640 FSL / 330 FWL / TWSP: 25S / RANGE: 33E / SECTION: 1 / LAT: 32.1595731 / LONG: -103.5335279 (TVD: 10330 feet, MD: 12777 feet) BHL: TR M / 100 FSL / 330 FWL / TWSP: 25S / RANGE: 33E / SECTION: 12 / LAT: 32.1380791 / LONG: -103.5335433 (TVD: 10330 feet, MD: 20596 feet) Received by OCD: 3/31/2025 3:25:40 PM


Page 4 of 107

<u>C-102</u>	CD. 3/31/		State of New Mexico Energy, Minerals & Natural Resources Department							ed July 9, 2024
Submit Electroni Via OCD Permit			OIL CONSERVATION DIVISION						Initial Submittal	
							Submittal	Amended Report		
							Type:	As Drilled		
		W	I /FLL LC	CATIO	N AND AC	REAGE DE	EDICATION	I PLAT		
API Number 30-025-5	2424		Pool Code	98398	Pool N	ame				
30-023-3 Property Code	00401		Property Name)	VVC-02	25 G-05 S253	301L4; DE	Well Number	
	330827			L		SS 1 FED CC	DM			1H
OGRID No.	7377		Operator Name		EOG RESO	URCES, INC	.		Ground Level Elev	3487'
Surface Owner:	State Fee	Tribal 🔤 Federal				Mineral Owner:	State Fee Tribal	Federal		
					Surface	Location				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the N/S	Feet from the E/W	Latitude		Longitude	County
1	2	25-S	33-E	-	501' N	388' E	N 32.16544	421 W 1	03.5358353	LEA
	G <i>i</i> :	T L	P	X (X)		le Location	T (') 1		T 1/1	<u> </u>
UL or lot no.	Section 13	Township 25-S	Range 33-E	Lot Idn	Feet from the N/S 2541' N	Feet from the E/W 990' W	Latitude N 32.1308 ²	172 \ \\/ 1	Longitude 03.5314083	County LEA
	15	23-3	- 33-E	-	2341 N	990 W	IN 52.1500		03.3314003	LEA
Dedicated Acres	Infill or Defi	ining Well Defin	ing Well API			Overlapping Spacing	g Unit (Y/N)	Consolidat	ed Code	
799.73	DEFIN	ING PE	NDING			N C				
Order Numbers		PENDIN	G COM #			Well Setbacks are under Common Ownership: Yes No				
					Kick Off P	oint (KOP)				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the N/S	Feet from the E/W	Latitude		Longitude	County
4	1	25-S	33-E	-	50' N	990' W	N 32.16667	764 W 1	03.5313795	LEA
						Point (FTP)				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the N/S	Feet from the E/W				County
4	1	25-S	33-E	-	100' N	990' W	N 32.16653	390 1	03.5313796	LEA
	-				-	Point (LTP)				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the N/S	Feet from the E/W			Longitude	County
E	13	25-S	33-E	-	2540' N	992' W	N 32.1308 ²	196 W 1	03.5314083	LEA
Unitized Area or A	rea of Uniform I	ntrest		Spacing Unity	Type		Ground	Floor Elevation		
	UNITIZE			Spacing Onity	Horizont	al V ertical	Ground		3512'	
OPERATO	OR CERTI	FICATION				SURVEYOF	RS CERTIFICA	TION		1
best of my kr	iowledge and	belief; and, if	the well is a	vertical or a	complete to the directional well,	I hereby certify notes of actual	that the well loca surveys made by a	tion shown on ne or under m	this plat was plot y supervision, and	ed from field that the same
that this organization either ouns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.			is true and cor	rect to the best of	my belief.	IN OP EN ME				
			Interest certify that the best of studied shall on this plate plate of plate of field notes of actual surveys made by me or under my subernation, and that the same is true and correct to the best of my belief. Image: strue and correct							
If this well is a horizontal well, I further certify that this organization has received The consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which						A C	Anton			
unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.						X	TROP IN			
Kaye	a Mcl	Connel	U	03/3	1/2025			2/18/202	5 2:43:09 PM	SURINI
Signature	ICCONNE	ELL	Date			Signature and Seal	of Professional Surveyo	r Date	:	
Print Name						Certificate Number	Date o	f Survey		
		ELL@EOG	GRESOUF	RCES.CO	M			02/08/2025		
E-mail Address										

Released to Imaging: 4/11/2025 8:07:50 AM

Received by OCD: 3/31/2025 3:25:40 PM

Page 5 of 107



PECOS DISTRICT DRILLING CONDITIONS OF APPROVAL

OPERATOR'S NAME:	EOG RESOURCES INCORPORATED
WELL NAME & NO.:	LACEY SWISS 1 FED COM 1H
LOCATION:	Section 2, T.25 S., R.33 E., NMP
COUNTY:	Lea County, New Mexico

COA

H2S	• Yes	C No	
Potash	None	© Secretary	© R-111-P
Cave/Karst Potential	• Low	C Medium	C High
Cave/Karst Potential	Critical		
Variance	C None	• Flex Hose	C Other
Wellhead	Conventional	• Multibowl	C Both
Wellhead Variance	C Diverter		
Other	□4 String	Capitan Reef	□WIPP
Other	Fluid Filled	🗖 Pilot Hole	C Open Annulus
Cementing	Contingency	EchoMeter	Primary Cement
	Cement Squeeze		Squeeze
Special Requirements	Water Disposal	COM	🗖 Unit
Special Requirements	Batch Sundry		
Special Requirements	Break Testing	☑ Offline	Casing
Variance		Cementing	Clearance

A. HYDROGEN SULFIDE

A Hydrogen Sulfide (H2S) Drilling Plan shall be activated AT SPUD. As a result, the Hydrogen Sulfide area must meet 43 CFR part 3170 requirements, which includes equipment and personnel/public protection items. If Hydrogen Sulfide is encountered, please provide measured values and formations to the BLM.

B. CASING

Casing Design A:

- 1. The **13-3/8** inch surface casing shall be set at approximately **1272** feet (a minimum of 25 feet (Lea County) into the Rustler Anhydrite, above the salt, and below usable fresh water) and cemented to the surface.
 - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature

survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.

- b. Wait on cement (WOC) time for a primary cement job will be a minimum of <u>8</u>
 <u>hours</u> or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
- c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
- d. If cement falls back, remedial cementing will be done prior to drilling out that string.
- 2. CASING TO BE KEPT AT LEAST HALF FULL DURING RUN. The minimum required fill of cement behind the 9-5/8 inch intermediate casing is:
 - Cement to surface. If cement does not circulate see B.1.a, c-d above.

Operator has proposed to pump down 9-5/8" X 13-3/8" annulus. Operator must top out cement after the bradenhead squeeze and verify cement to surface. Operator can also check TOC with Echo-meter. CBL must be run from TD of the 9-5/8" casing to surface if confidence is lacking on the quality of the bradenhead squeeze cement job. Submit results to BLM.

<u>If cement does not tie-back into the previous casing shoe, a third stage remediation BH</u> may be performed. The appropriate BLM office shall be notified.

Bradenhead squeeze in the production interval is only as an edge case remediation measure and is NOT approved in this COA. If production cement job experiences losses and a bradenhead squeeze is needed for tie-back, BLM Engineering should be notified prior to job with volumes and planned wellbore schematic. CBL will be needed when this occurs.

<u>If cement does not reach surface, the next casing string must come to surface.</u> <u>Operator must use a limited flush fluid volume of 1 bbl following backside cementing procedures.</u>

- 3. The minimum required fill of cement behind the 5-1/2 inch production casing is:
 - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

Casing Design B:

1. The **10-3/4** inch surface casing shall be set at approximately **1272** feet (a minimum of 25 feet (Lea County) into the Rustler Anhydrite, above the salt, and below usable fresh water) and cemented to the surface.

- a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
- b. Wait on cement (WOC) time for a primary cement job will be a minimum of <u>8</u> <u>hours</u> or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
- c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
- d. If cement falls back, remedial cementing will be done prior to drilling out that string.
- 2. CASING TO BE KEPT AT LEAST HALF FULL DURING RUN. The minimum required fill of cement behind the 8-5/8 inch intermediate casing is:
 - Cement to surface. If cement does not circulate see B.1.a, c-d above.

Operator has proposed to pump down 8-5/8" X 10-3/4" annulus. Operator must top out cement after the bradenhead squeeze and verify cement to surface. Operator can also check TOC with Echo-meter. CBL must be run from TD of the 9-5/8" casing to surface if confidence is lacking on the quality of the bradenhead squeeze cement job. Submit results to BLM.

If cement does not tie-back into the previous casing shoe, a third stage remediation BH may be performed. The appropriate BLM office shall be notified.

Bradenhead squeeze in the production interval is only as an edge case remediation measure and is NOT approved in this COA. If production cement job experiences losses and a bradenhead squeeze is needed for tie-back, BLM Engineering should be notified prior to job with volumes and planned wellbore schematic. CBL will be needed when this occurs.

<u>If cement does not reach surface, the next casing string must come to surface.</u> <u>Operator must use a limited flush fluid volume of 1 bbl following backside cementing procedures.</u>

- 3. The minimum required fill of cement behind the 5-1/2 inch production casing is:
 - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

Casing Design C:

- 1. The **13-3/8** inch surface casing shall be set at approximately **1272** feet (a minimum of 25 feet (Lea County) into the Rustler Anhydrite, above the salt, and below usable fresh water) and cemented to the surface.
 - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
 - b. Wait on cement (WOC) time for a primary cement job will be a minimum of <u>8</u> <u>hours</u> or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
 - c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
 - d. If cement falls back, remedial cementing will be done prior to drilling out that string.
- 2. CASING TO BE KEPT AT LEAST HALF FULL DURING RUN. The minimum required fill of cement behind the 9-5/8 inch intermediate casing is:
 - Cement to surface. If cement does not circulate see B.1.a, c-d above.

Operator has proposed to pump down 9-5/8" X 13-3/8" annulus. Operator must top out cement after the bradenhead squeeze and verify cement to surface. Operator can also check TOC with Echo-meter. CBL must be run from TD of the 9-5/8" casing to surface if confidence is lacking on the quality of the bradenhead squeeze cement job. Submit results to BLM.

<u>If cement does not tie-back into the previous casing shoe, a third stage remediation BH</u> may be performed. The appropriate BLM office shall be notified.

Bradenhead squeeze in the production interval is only as an edge case remediation measure and is NOT approved in this COA. If production cement job experiences losses and a bradenhead squeeze is needed for tie-back, BLM Engineering should be notified prior to job with volumes and planned wellbore schematic. CBL will be needed when this occurs.

<u>If cement does not reach surface, the next casing string must come to surface.</u> <u>Operator must use a limited flush fluid volume of 1 bbl following backside cementing procedures.</u>

3. The minimum required fill of cement behind the 6 inch production casing is:

• Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

Casing Design D:

- 1. The **13-3/8** inch surface casing shall be set at approximately **1272** feet (a minimum of 25 feet (Lea County) into the Rustler Anhydrite, above the salt, and below usable fresh water) and cemented to the surface.
 - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
 - b. Wait on cement (WOC) time for a primary cement job will be a minimum of <u>8</u> <u>hours</u> or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
 - c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
 - d. If cement falls back, remedial cementing will be done prior to drilling out that string.
- 2. CASING TO BE KEPT AT LEAST HALF FULL DURING RUN. The minimum required fill of cement behind the 9-5/8 inch intermediate casing is:
 - Cement to surface. If cement does not circulate see B.1.a, c-d above.

Operator has proposed to pump down 9-5/8" X 13-3/8" annulus. Operator must top out cement after the bradenhead squeeze and verify cement to surface. Operator can also check TOC with Echo-meter. CBL must be run from TD of the 9-5/8" casing to surface if confidence is lacking on the quality of the bradenhead squeeze cement job. Submit results to BLM.

If cement does not tie-back into the previous casing shoe, a third stage remediation BH may be performed. The appropriate BLM office shall be notified.

Bradenhead squeeze in the production interval is only as an edge case remediation measure and is NOT approved in this COA. If production cement job experiences losses and a bradenhead squeeze is needed for tie-back, BLM Engineering should be notified prior to job with volumes and planned wellbore schematic. CBL will be needed when this occurs.

If cement does not reach surface, the next casing string must come to surface.

<u>Operator must use a limited flush fluid volume of 1 bbl following backside cementing procedures.</u>

- 3. The minimum required fill of cement behind the $6 \times 5-1/2$ inch production casing is:
 - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

NOTE ON PRODUCTION CASING FOR ALTERNATE DESIGN: OPERATOR HAS REQUESTED TO RUN 6" OR 5.5" OR A TAPERED STRING WITH BOTH. ALL THREE OPTIONS REVIEWED AND IS OK.

C. PRESSURE CONTROL

- 1. Variance approved to use flex line from BOP to choke manifold. Manufacturer's specification to be readily available. No external damage to flex line. Flex line to be installed as straight as possible (no hard bends).'
- Operator has proposed a multi-bowl wellhead assembly. This assembly will only be tested when installed on the 13-3/8 inch surface casing. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be 5000 (5M) psi. Variance is approved to use a 5000 (5M) Annular which shall be tested to 3500 (70% Working Pressure) psi.
 - a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
 - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
 - c. Manufacturer representative shall install the test plug for the initial BOP test.
 - d. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
 - e. Whenever any seal subject to test pressure is broken, all the tests in OOGO2.III.A.2.i must be followed.

D. SPECIAL REQUIREMENT (S)

Communitization Agreement

• The operator will submit a Communitization Agreement to the Santa Fe Office, 301 Dinosaur Trail Santa Fe, New Mexico 87508, at least 90 days before the anticipated date of first production from a well subject to a spacing order issued by the New Mexico Oil Conservation Division. The Communitization Agreement will include the signatures of all working interest owners in all Federal and Indian leases subject to the Communitization Agreement (i.e., operating rights owners and lessees of record), or certification that the operator has obtained the written signatures of all such owners and will make those signatures available to the BLM immediately upon request.

- The operator will submit an as-drilled survey well plat of the well completion, but are not limited to, those specified in Onshore Order 1 and 2.
- If the operator does not comply with this condition of approval, the BLM may take enforcement actions that include, but are not limited to, those specified in 43 CFR 3163.1.
- In addition, the well sign shall include the surface and bottom hole lease numbers. <u>When the Communitization Agreement number is known, it shall also be on the sign.</u>

(Note: For a minimum 5M BOPE or less (Utilizing a 10M BOPE system) BOPE Break Testing Variance

- BOPE Break Testing is ONLY permitted for 5M BOPE or less. (Annular preventer must be tested to a minimum of 70% of BOPE working pressure and shall be higher than the MASP)
- BOPE Break Testing is NOT permitted to drilling the production hole section.
- Variance only pertains to the intermediate hole-sections and no deeper than the Bone Springs formation.
- While in transfer between wells, the BOPE shall be secured by the hydraulic carrier or cradle.
- Any well control event while drilling require notification to the BLM Petroleum Engineer (**575-706-2779**) prior to the commencement of any BOPE Break Testing operations.
- A full BOPE test is required prior to drilling the first deep intermediate hole section. If any subsequent hole interval is deeper than the first, a full BOPE test will be required. (200' TVD tolerance between intermediate shoes is allowable).
- The BLM is to be contacted (575-689-5981 Lea County) 4 hours prior to BOPE tests.
- As a minimum, a full BOPE test shall be performed at 21-day intervals.
- In the event any repairs or replacement of the BOPE is required, the BOPE shall test as per Onshore Oil and Gas Order No. 2.
- If in the event break testing is not utilized, then a full BOPE test would be conducted.

Casing Clearance:

i.Overlap clearance OK.

ii.Salt annular variance in place.

iii.1" surface clearance not met. Operator aware and will perf and squeeze if necessary

Operator shall clean up cycles until wellbore is clear of cuttings and any large debris, ensure cutting sizes are adequate "coffee ground or less" before cementing.

Offline Cementing

Offline cementing approved for all three intervals if the qualifying criteria in the procedure are met. Contact the BLM PETs prior to the commencement of any offline cementing procedure.

GENERAL REQUIREMENTS

The BLM is to be notified in advance for a representative to witness:

- a. Spudding well (minimum of 24 hours)
- b. Setting and/or Cementing of all casing strings (minimum of 4 hours)
- c. BOPE tests (minimum of 4 hours)

\boxtimes Eddy County

EMAIL or call the Carlsbad Field Office, 620 East Greene St., Carlsbad, NM 88220,

BLM_NM_CFO_DrillingNotifications@BLM.GOV (575) 361-2822

Lea County Call the Hobbs Field Station, 414 West Taylor, Hobbs NM 88240, (575) 689-5981

- 1. Unless the production casing has been run and cemented or the well has been properly plugged, the drilling rig shall not be removed from over the hole without prior approval.
 - a. In the event the operator has proposed to drill multiple wells utilizing a skid/walking rig. Operator shall secure the wellbore on the current well, after installing and testing the wellhead, by installing a blind flange of like pressure rating to the wellhead and a pressure gauge that can be monitored while drilling is performed on the other well(s).
 - b. When the operator proposes to set surface casing with Spudder Rig
 - i. Notify the BLM when moving in and removing the Spudder Rig.
 - Notify the BLM when moving in the 2nd Rig. Rig to be moved in within 90 days of notification that Spudder Rig has left the location.
 - iii. BOP/BOPE test to be conducted per 43 CFR 3172 as soon as 2nd Rig is rigged up on well.
- 2. Floor controls are required for 3M or Greater systems. These controls will be on the rig floor, unobstructed, readily accessible to the driller and will be operational at all times during drilling and/or completion activities. Rig floor is defined as the area immediately around the rotary table; the area immediately above the substructure on which the draw works are located, this does not include the dog house or stairway area.
- 3. For intervals in which cement to surface is required, cement to surface should be verified with a visual check and density or pH check to differentiate cement from

spacer and drilling mud. The results should be documented in the driller's log and daily reports.

A. CASING

- Changes to the approved APD casing program need prior approval if the items substituted are of lesser grade or different casing size or are Non-API. The Operator can exchange the components of the proposal with that of superior strength (i.e. changing from J-55 to N-80, or from 36# to 40#). Changes to the approved cement program need prior approval if the altered cement plan has less volume or strength or if the changes are substantial (i.e. Multistage tool, ECP, etc.). The initial wellhead installed on the well will remain on the well with spools used as needed.
- <u>Wait on cement (WOC) for Potash Areas:</u> After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi for all cement blends of both lead and tail cement, 2) until cement has been in place at least <u>8</u> hours. WOC time will be recorded in the driller's log. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.
- 3. <u>Wait on cement (WOC) for Water Basin:</u> After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi at the shoe, 2) until cement has been in place at least <u>8 hours</u>. WOC time will be recorded in the driller's log. See individual casing strings for details regarding lead cement slurry requirements. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.
- 4. Provide compressive strengths including hours to reach required 500 pounds compressive strength prior to cementing each casing string. Have well specific cement details onsite prior to pumping the cement for each casing string.
- 5. No pea gravel permitted for remedial or fall back remedial without prior authorization from the BLM engineer.
- 6. On that portion of any well approved for a 5M BOPE system or greater, a pressure integrity test of each casing shoe shall be performed. Formation at the shoe shall be tested to a minimum of the mud weight equivalent anticipated to control the formation pressure to the next casing depth or at total depth of the well. This test shall be performed before drilling more than 20 feet of new hole.

- 7. If hardband drill pipe is rotated inside casing, returns will be monitored for metal. If metal is found in samples, drill pipe will be pulled and rubber protectors which have a larger diameter than the tool joints of the drill pipe will be installed prior to continuing drilling operations.
- 8. Whenever a casing string is cemented in the R-111-Q potash area, the NMOCD requirements shall be followed.

B. PRESSURE CONTROL

- 1. All blowout preventer (BOP) and related equipment (BOPE) shall comply with well control requirements as described in **43 CFR 3172**.
- 2. If a variance is approved for a flexible hose to be installed from the BOP to the choke manifold, the following requirements apply: The flex line must meet the requirements of API 16C. Check condition of flexible line from BOP to choke manifold, replace if exterior is damaged or if line fails test. Line to be as straight as possible with no hard bends and is to be anchored according to Manufacturer's requirements. The flexible hose can be exchanged with a hose of equal size and equal or greater pressure rating. Anchor requirements, specification sheet and hydrostatic pressure test certification matching the hose in service, to be onsite for review. These documents shall be posted in the company man's trailer and on the rig floor.
- 3. 5M or higher system requires an HCR valve, remote kill line and annular to match. The remote kill line is to be installed prior to testing the system and tested to stack pressure.
- 4. If the operator has proposed a multi-bowl wellhead assembly in the APD. The following requirements must be met:
 - i. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
 - ii. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
 - iii. Manufacturer representative shall install the test plug for the initial BOP test.
 - iv. Whenever any seal subject to test pressure is broken, all the tests in 43 CFR 3172.6(b)(9) must be followed.
 - v. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.

- 5. The appropriate BLM office shall be notified a minimum of 4 hours in advance for a representative to witness the tests.
 - i. In a water basin, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. The casing cut-off and BOP installation can be initiated four hours after installing the slips, which will be approximately six hours after bumping the plug. For those casing strings not using slips, the minimum wait time before cut-off is eight hours after bumping the plug. BOP/BOPE testing can begin after cut-off or once cement reaches 500 psi compressive strength (including lead cement), whichever is greater. However, if the float does not hold, cut-off cannot be initiated until cement reaches 500 psi compressive strength (including lead when specified).
 - ii. In potash areas, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. For all casing strings, casing cut-off and BOP installation can be initiated at twelve hours after bumping the cement plug. The BOPE test can be initiated after bumping the cement plug with the casing valve open. (only applies to single stage cement jobs, prior to the cement setting up.)
 - iii. The tests shall be done by an independent service company utilizing a test plug not a cup or J-packer and can be initiated immediately with the casing valve open. The operator also has the option of utilizing an independent tester to test without a plug (i.e. against the casing) pursuant to 43 CFR 3172 with the pressure not to exceed 70% of the burst rating for the casing. Any test against the casing must meet the WOC time for 8 hours or 500 pounds compressive strength, whichever is greater, prior to initiating the test (see casing segment as lead cement may be critical item).
 - iv. The test shall be run on a 5000 psi chart for a 2-3M BOP/BOP, on a 10000 psi chart for a 5M BOP/BOPE and on a 15000 psi chart for a 10M BOP/BOPE. If a linear chart is used, it shall be a one hour chart. A circular chart shall have a maximum 2 hour clock. If a twelve hour or twenty-four hour chart is used, tester shall make a notation that it is run with a two hour clock.
 - v. The results of the test shall be reported to the appropriate BLM office.
 - vi. All tests are required to be recorded on a calibrated test chart. A copy of the BOP/BOPE test chart and a copy of independent

service company test will be submitted to the appropriate BLM office.

- vii. The BOP/BOPE test shall include a low pressure test from 250 to 300 psi. The test will be held for a minimum of 10 minutes if test is done with a test plug and 30 minutes without a test plug. This test shall be performed prior to the test at full stack pressure.
- viii. BOP/BOPE must be tested by an independent service company within 500 feet of the top of the Wolfcamp formation if the time between the setting of the intermediate casing and reaching this depth exceeds 20 days. This test does not exclude the test prior to drilling out the casing shoe as per 43 CFR 3172.

C. DRILLING MUD

Mud system monitoring equipment, with derrick floor indicators and visual and audio alarms, shall be operating before drilling into the Wolfcamp formation, and shall be used until production casing is run and cemented.

D. WASTE MATERIAL AND FLUIDS

All waste (i.e. drilling fluids, trash, salts, chemicals, sewage, gray water, etc.) created as a result of drilling operations and completion operations shall be safely contained and disposed of properly at a waste disposal facility. No waste material or fluid shall be disposed of on the well location or surrounding area. Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.

JS 3/12/2025

Seog resources

EOG Batch Casing

Pad Name: Lacey Swiss 1 Fed Com SHALLOW Sundry SHL: Section 2, Township 25-S, Range 33-E, LEA County, NM

EOG requests for the below wells to be approved for all designs listed in the Blanket Casing Design ('EOG BLM Variance 5a - Alternate Shallow Casing Designs.pdf' OR 'EOG BLM Variance 5b - Alternate Deep Casing Designs.pdf') document. The MDs and TVDs for all intervals are within the boundary conditions. The max inclination and DLS are also within the boundary conditions. The directional plans for the wells are attached separately.

Well Name	API #	Surface		Intermediate		Production	
w en Ivalle	AT1#	MD	TVD	MD	TVD	MD	TVD
Lacey Swiss 1 Fed Com #111H (516H)	30-025-54360	1,272	1,272	5,302	5,240	22,327	9,426
Lacey Swiss 1 Fed Com #112H (404H)	30-025-53434	1,272	1,272	5,720	5,240	22,722	9,455
Lacey Swiss 1 Fed Com #113H (303H)	30-025-53429	1,272	1,272	5,409	5,240	22,454	9,454
Lacey Swiss 1 Fed Com #1H (306H)	30-025-53431	1,272	1,272	5,406	5,240	21,908	8,911
Lacey Swiss 1 Fed Com #221H (304H)	30-025-53430	1,272	1,272	5,521	5,240	20,300	9,839
Lacey Swiss 1 Fed Com #222H (101H)	30-025-52765	1,272	1,272	5,575	5,240	20,346	9,837
Lacey Swiss 1 Fed Com #2H (403H)	30-025-53508	1,272	1,272	5,553	5,240	22,267	9,140
Lacey Swiss 1 Fed Com #311H (515H)	30-025-54361	1,272	1,272	5,478	5,240	20,651	10,227
Lacey Swiss 1 Fed Com #312H (203H)	30-025-52775	1,272	1,272	5,466	5,240	20,669	10,256
Lacey Swiss 1 Fed Com #411H (204H)	30-025-52776	1,272	1,272	5,573	5,240	21,072	10,563
Lacey Swiss 1 Fed Com #412H (201H)	30-025-52773	1,272	1,272	5,543	5,240	21,043	10,560
Lacey Swiss 1 Fed Com #504H (405H)	30-025-53435	1,272	1,272	5,459	5,240	21,270	10,862
Lacey Swiss 1 Fed Com #525H (402H)	30-025-53433	1,272	1,272	5,678	5,240	21,489	10,888
Lacey Swiss 1 Fed Com #551H (104H)	30-025-52768	1,272	1,272	5,541	5,240	21,637	11,155
Lacey Swiss 1 Fed Com #552H (102H)	30-025-52766	1,272	1,272	5,521	5,240	21,661	11,196
Lacey Swiss 1 Fed Com #582H (202H)	30-025-52774	1,272	1,272	5,638	5,240	22,103	11,534
Lacey Swiss 1 Fed Com #591H (103H)	30-025-52767	1,272	1,272	5,508	5,240	22,252	11,798



EOG Batch Casing

Variances

EOG requests the additional variance(s) in the attached document(s):

- EOG BLM Variance 2a Intermediate Bradenhead Cement
- EOG BLM Variance 3d Production Offline Cement
- EOG BLM Variance 3a_b BOP Break-test and Offline Intermediate Cement
- EOG BLM Variance 4a Salt Section Annular Clearance
- EOG BLM Variance 5a Alternate Shallow Casing Designs

Seog resources

EOG Batch Casing

GEOLOGIC NAME OF SURFACE FORMATION:

Permian

ESTIMATED TOPS OF IMPORTANT GEOLOGICAL MARKERS:

Rustler	1,159'
Tamarisk Anhydrite	1,247'
Top of Salt	1,652'
Base of Salt	5,140'
Lamar	5,180'
Bell Canyon	5,197'
Cherry Canyon	6,236'
Brushy Canyon	7,752'
Bone Spring Lime	9,204'
Leonard (Avalon) Shale	9,279'
1st Bone Spring Sand	10,169'
2nd Bone Spring Shale	10,489'
2nd Bone Spring Sand	10,777'
3rd Bone Spring Carb	11,303'

ESTIMATED DEPTHS OF ANTICIPATED FRESH WATER, OIL OR GAS:

0-400'	Fresh Water
5,197'	Oil
6,236'	Oil
7,752'	Oil
9,279'	Oil
10,169'	Oil
10,489'	Oil
10,777'	Oil
	5,197' 6,236' 7,752' 9,279' 10,169' 10,489'

No other Formations are expected to give up oil, gas or fresh water in measurable quantities. Surface fresh water sands will be protected by setting surface casing at 1,280' and circulating cement back to surface.



Midland

Lea County, NM (NAD 83 NME) Lacey Swiss 1 Fed Com #1H

OH

Plan: Plan #0.2

Standard Planning Report

03 March, 2025



Database: Company: Project: Site: Well: Wellbore: Design:	PEDMB Midland Lea County, Lacey Swiss #1H OH Plan #0.2	NM (NAD 83 NI s 1 Fed Com	ME)	TVD Reference MD Reference North Referen		Well #1H KB = 26' @ 35' KB = 26' @ 35' Grid Minimum Curva	I3.0usft
Project	Lea County, I	NM (NAD 83 NM	1E)				
Map System: Geo Datum: Map Zone:	US State Plane North Americar New Mexico Ea	e 1983 n Datum 1983	,	System Datum:	:	Mean Sea Level	
Site	Lacey Swiss	1 Fed Com					
Site Position: From: Position Uncertainty:	Map	0.0 usft	Northing: Easting: Slot Radius:	425,128. 793,117. 13-3/	00 usft Longitu		32° 9' 58.098 N 103° 31' 10.745 W
Well	#1H						
Well Position Position Uncertainty	+N/-S +E/-W	0.0 usft 0.0 usft 0.0 usft	Northing: Easting: Wellhead Elev	7	24,837.00 usft ′88,111.00 usft usft	Latitude: Longitude: Ground Level:	32° 9' 55.590 N 103° 32' 9.006 W 3,487.0 usft
Grid Convergence:		0.42 °	Weinleau Liev	ation.	usit	Ground Level.	3,407.0 USIC
Wellbore	ОН						
Magnetics	Model Na	ame	Sample Date	Declination (°)	I	Dip Angle (°)	Field Strength (nT)
	IG	RF2025	3/3/2025		6.25	59.72	47,028.35372779
Design	Plan #0.2						
Audit Notes: Version:			Phase:	PLAN	Tie On Dep	th:	0.0
Vertical Section:		(u	rom (TVD) Isft)	+N/-S (usft)	+E/-W (usft)		rection (°) 73.37
		().0	0.0	0.0	1	13.31
Plan Survey Tool Pro Depth From (usft)	ogram Depth To (usft)	Date 3/3/20 Survey (Wellbo		Tool Name	Rema	rks	
1 0.0	21,908.3	Plan #0.2 (OH)		EOG MWD+IFR1 MWD + IFR1			

Databas	e: PEDMB	Local Co-ordinate Reference:	Well #1H
Compar	y: Midland	TVD Reference:	KB = 26' @ 3513.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB = 26' @ 3513.0usft
Site:	Lacey Swiss 1 Fed Com	North Reference:	Grid
Well:	#1H	Survey Calculation Method:	Minimum Curvature
Wellbor	e: OH		
Design:	Plan #0.2		

Plan Sections

Target	TFO (°)	Turn Rate (°/100usft)	Build Rate (°/100usft)	Dogleg Rate (°/100usft)	+E/-W (usft)	+N/-S (usft)	Vertical Depth (usft)	Azimuth (°)	Inclination (°)	Measured Depth (usft)
	0.00	0.00	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0
I	0.00	0.00	0.00	0.00	0.0	0.0	1,400.0	0.00	0.00	1,400.0
	71.54	0.00	2.00	2.00	67.3	22.5	2,033.6	71.54	12.78	2,038.9
I	0.00	0.00	0.00	0.00	1,307.7	436.5	7,799.9	71.54	12.78	7,951.6
KOP(Lacey Swiss 1	180.00	0.00	-2.00	2.00	1,375.0	459.0	8,433.5	0.00	0.00	8,590.5
FTP(Lacey Swiss 1	178.85	81.13	12.00	12.00	1,376.0	409.0	8,646.2	178.85	26.46	8,810.9
1	0.96	0.16	12.00	12.00	1,380.1	-18.4	8,910.9	179.72	89.99	9,340.4
Fed Perf #1(Lacey	0.00	0.00	0.00	0.00	1,384.0	-806.0	8,911.0	179.72	89.99	10,128.0
I	-86.89	-2.00	0.11	2.00	1,384.0	-811.4	8,911.0	179.61	90.00	10,133.4
Fed Perf #2(Lacey	0.00	0.00	0.00	0.00	1,393.0	-2,126.0	8,911.0	179.61	90.00	11,448.1
Fed Perf #3(Lacey	0.00	0.00	0.00	0.00	1,411.0	-4,766.0	8,911.0	179.61	90.00	14,088.1
Fed Perf #4(Lacey	90.06	0.00	0.00	0.00	1,446.0	-10,045.0	8,911.0	179.63	90.00	19,367.2
PBHL(Lacey Swiss	-89.98	0.00	0.00	0.00	1,464.0	-12,586.0	8,911.0	179.56	90.00	21,908.3



Database:	PEDMB	Local Co-ordinate Reference:	Well #1H
Company:	Midland	TVD Reference:	KB = 26' @ 3513.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB = 26' @ 3513.0usft
Site:	Lacey Swiss 1 Fed Com	North Reference:	Grid
Well:	#1H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.2		

Planned Survey

Measured Depth I (usft)	nclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	0.00
700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	0.00
	0.00		800.0	0.0			0.00	0.00	
800.0	0.00	0.00			0.0	0.0	0.00		0.00
900.0		0.00	900.0	0.0	0.0	0.0		0.00	0.00
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.0	0.00	0.00	0.00
1,100.0	0.00	0.00	1,100.0	0.0	0.0	0.0	0.00	0.00	0.00
1,200.0	0.00	0.00	1,200.0	0.0	0.0	0.0	0.00	0.00	0.00
1,300.0	0.00	0.00	1,300.0	0.0	0.0	0.0	0.00	0.00	0.00
1,400.0	0.00	0.00	1,400.0	0.0	0.0	0.0	0.00	0.00	0.00
1,500.0	2.00	71.54	1,500.0	0.6	1.7	-0.4	2.00	2.00	0.00
1,600.0	4.00	71.54	1,599.8	2.2	6.6	-1.4	2.00	2.00	0.00
1,700.0	6.00	71.54	1,699.5	5.0	14.9	-3.2	2.00	2.00	0.00
1,800.0	8.00	71.54	1,798.7	8.8	26.4	-5.7	2.00	2.00	0.00
1,900.0	10.00	71.54	1,897.5	13.8	41.3	-8.9	2.00	2.00	0.00
2,000.0	12.00	71.54	1,995.6	19.8	59.4	-12.8	2.00	2.00	0.00
2,038.9	12.78	71.54	2,033.6	22.5	67.3	-14.5	2.00	2.00	0.00
2,100.0	12.78	71.54	2,093.2	26.7	80.1	-17.3	0.00	0.00	0.00
2,200.0	12.78	71.54	2,190.7	33.7	101.1	-21.8	0.00	0.00	0.00
2,300.0	12.78	71.54	2,288.3	40.8	122.1	-26.4	0.00	0.00	0.00
2,400.0	12.78	71.54	2,385.8	47.8	143.1	-30.9	0.00	0.00	0.00
		71.54		54.8			0.00	0.00	
2,500.0	12.78	71.54	2,483.3		164.0 185.0	-35.4 -40.0	0.00		0.00
2,600.0	12.78 12.78		2,580.8	61.8			0.00	0.00	0.00
2,700.0		71.54	2,678.3	68.8	206.0	-44.5		0.00	0.00
2,800.0	12.78	71.54	2,775.9	75.8	227.0	-49.0	0.00	0.00	0.00
2,900.0	12.78	71.54	2,873.4	82.8	247.9	-53.6	0.00	0.00	0.00
3,000.0	12.78	71.54	2,970.9	89.8	268.9	-58.1	0.00	0.00	0.00
3,100.0	12.78	71.54	3,068.4	96.8	289.9	-62.6	0.00	0.00	0.00
3,200.0	12.78	71.54	3,166.0	103.8	310.9	-67.2	0.00	0.00	0.00
3,300.0	12.78	71.54	3,263.5	110.8	331.9	-71.7	0.00	0.00	0.00
3,400.0	12.78	71.54	3,361.0	117.8	352.8	-76.2	0.00	0.00	0.00
3,500.0	12.78	71.54	3,458.5	124.8	373.8	-80.8	0.00	0.00	0.00
3,600.0	12.78	71.54	3,556.1	131.8	394.8	-85.3	0.00	0.00	0.00
3,700.0	12.78	71.54	3,653.6	138.8	415.8	-89.8	0.00	0.00	0.00
3,800.0	12.78	71.54	3,751.1	145.8	436.8	-94.4	0.00	0.00	0.00
3,900.0	12.78	71.54	3,848.6	152.8	457.7	-98.9	0.00	0.00	0.00
4,000.0	12.78	71.54	3,946.2	159.8	478.7	-103.4	0.00	0.00	0.00
4,100.0	12.78	71.54	4,043.7	166.8	499.7	-108.0	0.00	0.00	0.00
4,200.0	12.78	71.54	4,141.2	173.8	520.7	-112.5	0.00	0.00	0.00
4,300.0	12.78	71.54	4,238.7	180.8	541.6	-117.0	0.00	0.00	0.00
4,400.0	12.78	71.54	4,336.2	187.8	562.6	-121.6	0.00	0.00	0.00
4,500.0	12.78	71.54	4,433.8	194.8	583.6	-121.0	0.00	0.00	0.00
4,600.0	12.78	71.54	4,531.3	201.8	604.6	-120.1	0.00	0.00	0.00
4,800.0	12.78	71.54	4,531.3	201.8	604.6 625.6	-130.6	0.00	0.00	0.00
4,700.0	12.78	71.54	4,020.0 4,726.3	206.8	625.6 646.5	-135.1 -139.7	0.00	0.00	0.00
4,900.0	12.78	71.54	4,823.9	222.8	667.5	-144.2	0.00	0.00	0.00
5,000.0	12.78	71.54	4,921.4	229.8	688.5	-148.7	0.00	0.00	0.00
5,100.0	12.78	71.54	5,018.9	236.8	709.5	-153.3	0.00	0.00	0.00
5,200.0	12.78	71.54	5,116.4	243.8	730.5	-157.8	0.00	0.00	0.00

3/3/2025 4:09:39PM

COMPASS 5000.16 Build 100



Database:	PEDMB	Local Co-ordinate Reference:	Well #1H
Company:	Midland	TVD Reference:	KB = 26' @ 3513.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB = 26' @ 3513.0usft
Site:	Lacey Swiss 1 Fed Com	North Reference:	Grid
Well:	#1H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.2		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
				. ,		. ,	. ,		
5,300.0	12.78	71.54	5,214.0	250.8	751.4	-162.3	0.00	0.00	0.00
5,400.0	12.78	71.54	5,311.5	257.8	772.4	-166.9	0.00	0.00	0.00
5,500.0	12.78	71.54	5,409.0	264.8	793.4	-171.4	0.00	0.00	0.00
5,600.0	12.78	71.54	5,506.5	271.9	814.4	-175.9	0.00	0.00	0.00
5,700.0	12.78	71.54	5,604.1	278.9	835.3	-180.5	0.00	0.00	0.00
5,800.0	12.78	71.54	5,701.6	285.9	856.3	-185.0	0.00	0.00	0.00
5,900.0	12.78	71.54	5,799.1	292.9	877.3	-189.5	0.00	0.00	0.00
6,000.0	12.78	71.54	5,896.6	299.9	898.3	-194.1	0.00	0.00	0.00
6,100.0	12.78	71.54	5,994.1	306.9	919.3	-198.6	0.00	0.00	0.00
6,200.0	12.78	71.54	6,091.7	313.9	940.2	-203.1	0.00	0.00	0.00
6,300.0	12.78	71.54	6,189.2	320.9	961.2	-207.7	0.00	0.00	0.00
6,400.0	12.78	71.54	6,286.7	327.9	982.2	-212.2	0.00	0.00	0.00
6,500.0	12.78	71.54	6,384.2	334.9	1,003.2	-216.7	0.00	0.00	0.00
6,600.0	12.78	71.54	6,481.8	341.9	1,000.2	-221.3	0.00	0.00	0.00
6,700.0	12.78	71.54	6,579.3	348.9	1,024.2	-225.8	0.00	0.00	0.00
	12.78					-225.6 -230.3	0.00		
6,800.0	12.78	71.54	6,676.8	355.9	1,066.1			0.00	0.00
6,900.0	12.78	71.54	6,774.3	362.9	1,087.1	-234.9	0.00	0.00	0.00
7,000.0	12.78	71.54	6,871.9	369.9	1,108.1	-239.4	0.00	0.00	0.00
7,100.0	12.78	71.54	6,969.4	376.9	1,129.1	-243.9	0.00	0.00	0.00
7,200.0	12.78	71.54	7,066.9	383.9	1,150.0	-248.5	0.00	0.00	0.00
7,300.0	12.78	71.54	7,164.4	390.9	1,171.0	-253.0	0.00	0.00	0.00
7,400.0	12.78	71.54	7,262.0	397.9	1,192.0	-257.5	0.00	0.00	0.00
7,500.0	12.78	71.54	7,359.5	404.9	1,192.0	-262.1	0.00	0.00	0.00
	12.78	71.54		411.9	1,233.9	-266.6	0.00	0.00	
7,600.0			7,457.0						0.00
7,700.0	12.78	71.54	7,554.5	418.9	1,254.9	-271.1	0.00	0.00	0.00
7,800.0	12.78	71.54	7,652.0	425.9	1,275.9	-275.6	0.00	0.00	0.00
7,900.0	12.78	71.54	7,749.6	432.9	1,296.9	-280.2	0.00	0.00	0.00
7,951.6	12.78	71.54	7,799.9	436.5	1,307.7	-282.5	0.00	0.00	0.00
8,000.0	11.81	71.54	7,847.2	439.8	1,317.5	-284.6	2.00	-2.00	0.00
8,100.0	9.81	71.54	7,945.4	445.7	1,335.3	-288.5	2.00	-2.00	0.00
8,200.0	7.81	71.54	8,044.2	450.6	1,349.8	-291.6	2.00	-2.00	0.00
8,300.0	5.81	71.54	8,143.5	454.3	1,361.0	-294.0	2.00	-2.00	0.00
8,400.0	3.81	71.54	8,243.2	457.0	1,369.0	-295.8	2.00	-2.00	0.00
8,500.0	1.81	71.54	8,343.0	458.5	1,373.6	-296.8	2.00	-2.00	0.00
8,590.5	0.00	0.00	8,433.5	459.0	1,375.0	-297.1	2.00	-2.00	0.00
8,600.0	1.14	178.85	8,443.0	458.9	1,375.0	-297.0	12.00	12.00	0.00
8,625.0	4.14	178.85	8,468.0	457.8	1,375.0	-295.8	12.00	12.00	0.00
8,650.0	7.14	178.85	8,492.9	455.3	1,375.1	-293.4	12.00	12.00	0.00
8,675.0	10.14	178.85	8,517.6	451.5	1,375.1	-289.6	12.00	12.00	0.00
8,700.0	13.15	178.85	8,542.1	446.5	1,375.3	-284.6	12.00	12.00	0.00
8,725.0	16.15	178.85	8,566.2	440.2	1,375.4	-278.3	12.00	12.00	0.00
8,750.0	19.15	178.85	8,590.1	432.6	1,375.5	-270.8	12.00	12.00	0.00
8,775.0	22.15	178.85	8,613.5	423.8	1,375.7	-262.0	12.00	12.00	0.00
8,800.0	25.15	178.85	8,636.3	413.8	1,375.9	-252.0	12.00	12.00	0.00
8,810.9	26.46	178.85	8,646.2	409.0	1,376.0	-247.3	12.00	12.00	0.00
8,825.0	28.15	178.91	8,658.7	402.6	1,376.1	-240.9	12.00	12.00	0.43
8,850.0	31.15	179.01	8,680.4	390.2	1,376.3	-228.6	12.00	12.00	0.37
8,875.0	34.15	179.08	8,701.5	376.7	1,376.6	-215.1	12.00	12.00	0.31
8,900.0	37.15	179.15	8,721.8	362.1	1,376.8	-200.6	12.00	12.00	0.26
8,900.0	40.15	179.13	8,741.3	346.5	1,377.0	-200.0	12.00	12.00	0.23
8,925.0 8,950.0	40.15	179.21	8,741.3 8,760.0	346.5 329.9	1,377.0	-165.1	12.00	12.00	0.23
8,975.0	46.15	179.30	8,777.8	312.4	1,377.5	-151.1	12.00	12.00	0.18
9,000.0	49.15	179.35	8,794.6	293.9	1,377.7	-132.7	12.00	12.00	0.16
9,025.0	52.15	179.38	8,810.5	274.6	1,377.9	-113.5	12.00	12.00	0.15

3/3/2025 4:09:39PM

COMPASS 5000.16 Build 100

.



Database:	PEDMB	Local Co-ordinate Reference:	Well #1H
Company:	Midland	TVD Reference:	KB = 26' @ 3513.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB = 26' @ 3513.0usft
Site:	Lacey Swiss 1 Fed Com	North Reference:	Grid
Well:	#1H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.2		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9,050.0	55.15	179.42	8,825.3	254.4	1,378.1	-93.5	12.00	12.00	0.14
9,075.0	58.15	179.45	8,839.0	233.5	1,378.3	-72.7	12.00	12.00	0.13
9,100.0	61.15	179.48	8,851.6	212.0	1,378.5	-51.3	12.00	12.00	0.12
9,125.0	64.15	179.51	8,863.1	189.8	1,378.7	-29.2	12.00	12.00	0.11
9,150.0	67.15	179.54	8,873.4	167.0	1,378.9	-6.6	12.00	12.00	0.11
9,175.0	70.15	179.56	8,882.5	143.7	1,379.1	16.6	12.00	12.00	0.10
9,200.0	73.15	179.59	8,890.4	120.0	1,379.3	40.2	12.00	12.00	0.10
9,225.0	76.15	179.61	8,897.0	95.9	1,379.4	64.1	12.00	12.00	0.10
9,250.0	79.15	179.63	8,902.4	71.5	1,379.6	88.4	12.00	12.00	0.09
9,275.0	82.15	179.66	8,906.4	46.8	1,379.7	112.9	12.00	12.00	0.09
9,300.0	85.15	179.68	8,909.2	22.0	1,379.9	137.6	12.00	12.00	0.09
9,325.0	88.15	179.70	8,910.7	-3.0	1,380.0	162.4	12.00	12.00	0.09
0 240 4	89.99	179.72	8,910.9	-18.4	1 200 1	177 7	12.00	12.00	0.00
9,340.4			,		1,380.1	177.7	12.00	12.00	0.09
9,400.0	89.99	179.72	8,910.9	-78.0	1,380.4	237.0	0.00	0.00	0.00
9,500.0	89.99	179.72	8,910.9	-178.0	1,380.9	336.3	0.00	0.00	0.00
9,600.0	89.99	179.72	8,910.9	-278.0	1,381.4	435.7	0.00	0.00	0.00
9,700.0	89.99	179.72	8,911.0	-378.0	1,381.9	535.1	0.00	0.00	0.00
9.800.0	89.99	179.72	8.911.0	-478.0	1,382.4	634.5	0.00	0.00	0.00
9,900.0	89.99	179.72	8,911.0	-578.0	1,382.9	733.9	0.00	0.00	0.00
10,000.0	89.99	179.72	8,911.0	-678.0	1,383.4	833.3	0.00	0.00	0.00
10,100.0	89.99	179.72	8,911.0	-778.0	1,383.9	932.7	0.00	0.00	0.00
10,128.0	89.99	179.72	8,911.0	-806.0	1,384.0	960.5	0.00	0.00	0.00
10,133.4	90.00	179.61	8,911.0	-811.4	1,384.0	965.8	2.00	0.11	-2.00
10,200.0	90.00	179.61	8,911.0	-878.0	1,384.5	1,032.1	0.00	0.00	0.00
10,300.0	90.00	179.61	8,911.0	-978.0	1,385.2	1,131.5	0.00	0.00	0.00
10,400.0	90.00	179.61	8,911.0	-1,078.0	1,385.9	1,230.9	0.00	0.00	0.00
10,500.0	90.00	179.61	8,911.0	-1,178.0	1,386.5	1,330.3	0.00	0.00	0.00
10,600.0	90.00	179.61	8,911.0	-1,278.0	1,387.2	1,429.7	0.00	0.00	0.00
10,700.0	90.00	179.61	8,911.0	-1,378.0	1,387.9	1,529.1	0.00	0.00	0.00
10,800.0	90.00	179.61	8,911.0	-1,478.0	1,388.6	1,628.5	0.00	0.00	0.00
10,900.0	90.00	179.61	8,911.0	-1,578.0	1,389.3	1,727.9	0.00	0.00	0.00
11,000.0	90.00	179.61	8,911.0	-1,678.0	1,389.9	1,827.3	0.00	0.00	0.00
11,100.0	90.00	179.61	8,911.0	-1,778.0	1,390.6	1,926.7	0.00	0.00	0.00
11,200.0	90.00	179.61	8,911.0	-1,878.0	1,391.3	2,026.1	0.00	0.00	0.00
		179.61					0.00	0.00	0.00
11,300.0	90.00		8,911.0	-1,977.9	1,392.0	2,125.5			
11,400.0	90.00	179.61	8,911.0	-2,077.9	1,392.7	2,224.9	0.00	0.00	0.00
11,448.1	90.00	179.61	8,911.0	-2,126.0	1,393.0	2,272.7	0.00	0.00	0.00
11,500.0	90.00	179.61	8,911.0	-2,177.9	1,393.4	2,324.3	0.00	0.00	0.00
11,600.0	90.00	179.61	8,911.0	-2,277.9	1,394.0	2,423.8	0.00	0.00	0.00
11,700.0	90.00	179.61	8,911.0	-2,377.9	1,394.7	2,523.2	0.00	0.00	0.00
11,800.0	90.00	179.61	8,911.0	-2,477.9	1,395.4	2,622.6	0.00	0.00	0.00
11,900.0	90.00	179.61	8,911.0	-2,577.9	1,396.1	2,722.0	0.00	0.00	0.00
12,000.0	90.00	179.61	8,911.0	-2,677.9	1,396.8	2,821.4	0.00	0.00	0.00
12,100.0	90.00	179.61	8,911.0	-2,777.9	1,397.4	2,920.8	0.00	0.00	0.00
12,200.0	90.00	179.61	8,911.0	-2,877.9	1,398.1	3,020.2	0.00	0.00	0.00
12,300.0	90.00	179.61	8,911.0	-2,977.9	1,398.8	3,119.6	0.00	0.00	0.00
12,400.0	90.00	179.61	8,911.0	-3,077.9	1,399.5	3,219.0	0.00	0.00	0.00
12,500.0	90.00	179.61	8,911.0	-3,177.9	1,400.2	3,318.4	0.00	0.00	0.00
12,600.0	90.00	179.61	8,911.0	-3,277.9	1,400.2	3,417.8	0.00	0.00	0.00
12,000.0									
,	90.00	179.61	8,911.0	-3,377.9	1,401.5	3,517.2	0.00	0.00	0.00
12,800.0	90.00	179.61	8,911.0	-3,477.9	1,402.2	3,616.6	0.00	0.00	0.00
12,900.0	90.00	179.61	8,911.0	-3,577.9	1,402.9	3,716.0	0.00	0.00	0.00
13,000.0	90.00	179.61	8,911.0	-3,677.9	1,403.6	3,815.4	0.00	0.00	0.00
13,100.0	90.00	179.61	8,911.0	-3,777.9	1,404.3	3,914.9	0.00	0.00	0.00

3/3/2025 4:09:39PM

COMPASS 5000.16 Build 100

.



Database:	PEDMB	Local Co-ordinate Reference:	Well #1H
Company:	Midland	TVD Reference:	KB = 26' @ 3513.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB = 26' @ 3513.0usft
Site:	Lacey Swiss 1 Fed Com	North Reference:	Grid
Well:	#1H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.2		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
13,200.0	90.00	179.61	8,911.0	-3,877.9	1,405.0	4,014.3	0.00	0.00	0.00
13,300.0	90.00	179.61	8,911.0	-3,977.9	1,405.6	4,113.7	0.00	0.00	0.00
13,400.0	90.00	179.61	8,911.0	-4,077.9	1,406.3	4,213.1	0.00	0.00	0.00
13,500.0	90.00	179.61	8,911.0	-4,177.9	1,407.0	4,312.5	0.00	0.00	0.00
13,600.0	90.00	179.61	8,911.0	-4,277.9	1,407.7	4,411.9	0.00	0.00	0.00
13,700.0	90.00	179.61	8,911.0	-4,377.9	1,408.4	4,511.3	0.00	0.00	0.00
13,800.0	90.00	179.61	8,911.0	-4,477.9	1,409.0	4,610.7	0.00	0.00	0.00
13,900.0	90.00	179.61	8,911.0	-4,577.9	1,409.7	4,710.1	0.00	0.00	0.00
14,000.0	90.00	179.61	8,911.0	-4,677.9	1,410.4	4,809.5	0.00	0.00	0.00
14,088.1	90.00	179.61	8,911.0	-4,766.0	1,411.0	4,897.1	0.00	0.00	0.00
14,100.0	90.00	179.61	8,911.0	-4,777.9	1,411.1	4,908.9	0.00	0.00	0.00
14,200.0	90.00	179.61	8,911.0	-4,877.9	1,411.8	5,008.3	0.00	0.00	0.00
14,300.0	90.00	179.61	8,911.0	-4,977.9	1,412.4	5,107.7	0.00	0.00	0.00
14,400.0	90.00	179.61	8,911.0	-5,077.9	1,413.1	5,207.1	0.00	0.00	0.00
14,500.0	90.00	179.61	8,911.0	-5,177.9	1,413.8	5,306.5	0.00	0.00	0.00
14,600.0	90.00	179.61	8,911.0	-5,277.9	1,414.5	5,406.0	0.00	0.00	0.00
14,700.0	90.00	179.61	8,911.0	-5,377.9	1,415.2	5,505.4	0.00	0.00	0.00
14,800.0	90.00	179.61	8,911.0	-5,477.9	1,415.8	5,604.8	0.00	0.00	0.00
14,900.0	90.00	179.61	8,911.0	-5,577.9	1,416.5	5,704.2	0.00	0.00	0.00
15,000.0	90.00	179.61	8,911.0	-5,677.9	1,417.2	5,803.6	0.00	0.00	0.00
15,100.0	90.00	179.61	8,911.0	-5,777.9	1,417.9	5,903.0	0.00	0.00	0.00
15,200.0	90.00	179.61	8,911.0	-5,877.9	1,418.5	6,002.4	0.00	0.00	0.00
15,300.0	90.00	179.61	8,911.0	-5,977.9	1,419.2	6,101.8	0.00	0.00	0.00
15,400.0	90.00	179.61	8,911.0	-6,077.9	1,419.9	6,201.2	0.00	0.00	0.00
15,500.0	90.00	179.62	8,911.0	-6,177.9	1,420.6	6,300.6	0.00	0.00	0.00
15,600.0	90.00	179.62	8,911.0	-6,277.8	1,421.2	6,400.0	0.00	0.00	0.00
15,700.0	90.00	179.62	8,911.0	-6,377.8	1,421.9	6,499.4	0.00	0.00	0.00
15,800.0	90.00	179.62	8,911.0	-6,477.8	1,422.6	6,598.8	0.00	0.00	0.00
15,900.0	90.00	179.62	8,911.0	-6,577.8	1,423.2	6,698.2	0.00	0.00	0.00
16,000.0	90.00	179.62	8,911.0	-6,677.8	1,423.9	6,797.6	0.00	0.00	0.00
16,100.0	90.00	179.62	8,911.0	-6,777.8	1,424.6	6,897.0	0.00	0.00	0.00
16,200.0	90.00	179.62	8,911.0	-6,877.8	1,425.2	6,996.4	0.00	0.00	0.00
16,300.0	90.00	179.62	8,911.0	-6,977.8	1,425.9	7,095.9	0.00	0.00	0.00
16,400.0	90.00	179.62	8,911.0	-7,077.8	1,426.6	7,195.3	0.00	0.00	0.00
16,500.0	90.00	179.62	8,911.0	-7,177.8	1,427.2	7,294.7	0.00	0.00	0.00
16,600.0	90.00	179.62	8,911.0	-7,277.8	1,427.9	7,394.1	0.00	0.00	0.00
16,700.0	90.00	179.62	8,911.0	-7,377.8	1,428.6	7,493.5	0.00	0.00	0.00
16,800.0	90.00	179.62	8,911.0	-7,477.8	1,429.2	7,592.9	0.00	0.00	0.00
16,900.0	90.00	179.62	8,911.0	-7,577.8	1,429.9	7,692.3	0.00	0.00	0.00
17,000.0	90.00	179.62	8,911.0	-7,677.8	1,430.6	7,791.7	0.00	0.00	0.00
17,100.0	90.00	179.62	8,911.0	-7,777.8	1,431.2	7,891.1	0.00	0.00	0.00
17,200.0	90.00	179.62	8,911.0	-7,877.8	1,431.9	7,990.5	0.00	0.00	0.00
17,300.0	90.00	179.62	8,911.0	-7,977.8	1,432.5	8,089.9	0.00	0.00	0.00
17,400.0	90.00	179.62	8,911.0	-8,077.8	1,433.2	8,189.3	0.00	0.00	0.00
17,500.0	90.00	179.62	8,911.0	-8,177.8	1,433.9	8,288.7	0.00	0.00	0.00
17,600.0	90.00	179.62	8,911.0	-8,277.8	1,434.5	8,388.1	0.00	0.00	0.00
17,700.0	90.00	179.62	8,911.0	-8,377.8	1,435.2	8,487.5	0.00	0.00	0.00
17,800.0	90.00	179.62	8,911.0	-8,477.8	1,435.8	8,586.9	0.00	0.00	0.00
17,900.0	90.00	179.63	8,911.0	-8,577.8	1,436.5	8,686.3	0.00	0.00	0.00
18,000.0	90.00	179.63	8,911.0	-8,677.8	1,437.1	8,785.7	0.00	0.00	0.00
18,100.0	90.00	179.63	8,911.0	-8,777.8	1,437.8	8,885.1	0.00	0.00	0.00
18,200.0	90.00	179.63	8,911.0	-8,877.8	1,438.4	8,984.5	0.00	0.00	0.00
18,300.0	90.00	179.63	8,911.0	-8,977.8	1,439.1	9,083.9	0.00	0.00	0.00
18,400.0	90.00	179.63	8,911.0	-9,077.8	1,439.7	9,183.3	0.00	0.00	0.00

3/3/2025 4:09:39PM

COMPASS 5000.16 Build 100

.



Database:	PEDMB	Local Co-ordinate Reference:	Well #1H
Company:	Midland	TVD Reference:	KB = 26' @ 3513.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB = 26' @ 3513.0usft
Site:	Lacey Swiss 1 Fed Com	North Reference:	Grid
Well:	#1H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.2		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
18,500.0 18,600.0 18,700.0 18,800.0	90.00 90.00 90.00 90.00	179.63 179.63 179.63 179.63	8,911.0 8,911.0 8,911.0 8,911.0	-9,177.8 -9,277.8 -9,377.8 -9,477.8	1,440.4 1,441.0 1,441.7 1,442.3	9,282.7 9,382.1 9,481.6 9,581.0	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00
18,900.0 19,000.0 19,100.0 19,200.0 19,300.0	90.00 90.00 90.00 90.00 90.00	179.63 179.63 179.63 179.63 179.63	8,911.0 8,911.0 8,911.0 8,911.0 8,911.0	-9,577.8 -9,677.8 -9,777.8 -9,877.8 -9,977.8	1,443.0 1,443.6 1,444.3 1,444.9 1,445.6	9,680.4 9,779.8 9,879.2 9,978.6 10,078.0	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
19,367.2 19,400.0 19,500.0 19,600.0 19,700.0	90.00 90.00 90.00 90.00 90.00	179.63 179.63 179.63 179.62 179.62	8,911.0 8,911.0 8,911.0 8,911.0 8,911.0 8,911.0	-10,045.0 -10,077.8 -10,177.8 -10,277.8 -10,377.8	1,446.0 1,446.2 1,446.9 1,447.5 1,448.2	10,144.8 10,177.4 10,276.8 10,376.2 10,475.6	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
19,800.0 19,900.0 20,000.0 20,100.0 20,200.0	90.00 90.00 90.00 90.00 90.00	179.62 179.62 179.61 179.61 179.61	8,911.0 8,911.0 8,911.0 8,911.0 8,911.0	-10,477.8 -10,577.8 -10,677.8 -10,777.8 -10,877.7	1,448.8 1,449.5 1,450.2 1,450.9 1,451.5	10,575.0 10,674.4 10,773.8 10,873.2 10,972.6	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
20,300.0 20,400.0 20,500.0 20,600.0 20,700.0	90.00 90.00 90.00 90.00 90.00	179.60 179.60 179.60 179.60 179.60 179.59	8,911.0 8,911.0 8,911.0 8,911.0 8,911.0	-10,977.7 -11,077.7 -11,177.7 -11,277.7 -11,377.7	1,452.2 1,452.9 1,453.6 1,454.3 1,455.0	11,072.0 11,171.4 11,270.8 11,370.2 11,469.7	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
20,800.0 20,900.0 21,000.0 21,100.0 21,200.0	90.00 90.00 90.00 90.00 90.00	179.59 179.59 179.58 179.58 179.58 179.58	8,911.0 8,911.0 8,911.0 8,911.0 8,911.0	-11,477.7 -11,577.7 -11,677.7 -11,777.7 -11,877.7	1,455.7 1,456.5 1,457.2 1,457.9 1,458.7	11,569.1 11,668.5 11,767.9 11,867.3 11,966.7	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
21,300.0 21,400.0 21,500.0 21,600.0 21,700.0	90.00 90.00 90.00 90.00 90.00	179.57 179.57 179.57 179.57 179.57 179.56	8,911.0 8,911.0 8,911.0 8,911.0 8,911.0 8,911.0	-11,977.7 -12,077.7 -12,177.7 -12,277.7 -12,377.7	1,459.4 1,460.1 1,460.9 1,461.6 1,462.4	12,066.1 12,165.5 12,265.0 12,364.4 12,463.8	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
21,800.0 21,908.3	90.00 90.00	179.56 179.56	8,911.0 8,911.0	-12,477.7 -12,586.0	1,463.2 1,464.0	12,563.2 12,670.9	0.00 0.00	0.00 0.00	0.00 0.00



Company: I Project: I Site: I Well: # Wellbore: 0	PEDMB Midland Lea County, I Lacey Swiss #1H OH Plan #0.2	•	NME)		TVD Refere MD Referen North Refer	ice:	KB = 26' @ Grid	KB = 26' @ 3513.0usft KB = 26' @ 3513.0usft					
Design Targets													
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude				
KOP(Lacey Swiss 1 Fed - plan hits target cent - Point	0.00 ter	0.00	8,433.5	459.0	1,375.0	425,296.00	789,486.00	32° 10' 0.030 N	103° 31' 52.971 V				
FTP(Lacey Swiss 1 Fed - plan hits target cent - Point	0.00 ter	0.00	8,646.2	409.0	1,376.0	425,246.00	789,487.00	32° 9' 59.536 N	103° 31' 52.963 V				
PBHL(Lacey Swiss 1 Fe - plan hits target cent - Point	0.00 ter	0.00	8,911.0	-12,586.0	1,464.0	412,251.00	789,575.00	32° 7' 50.941 N	103° 31' 53.066 V				
Fed Perf #2(Lacey Swis: - plan hits target cent - Point	0.00 ter	0.00	8,911.0	-2,126.0	1,393.0	422,711.00	789,504.00	32° 9' 34.450 N	103° 31' 52.985 \				
Fed Perf #4(Lacey Swis: - plan hits target cent - Point	0.00 ter	0.00	8,911.0	-10,045.0	1,446.0	414,792.00	789,557.00	32° 8' 16.086 N	103° 31' 53.055 \				
Fed Perf #3(Lacey Swis - plan hits target cent - Point	0.00 ter	0.00	8,911.0	-4,766.0	1,411.0	420,071.00	789,522.00	32° 9' 8.325 N	103° 31' 53.005 V				
Fed Perf #1(Lacey Swise	0.00	0.00	8,911.0	-806.0	1,384.0	424,031.00	789,495.00	32° 9' 47.512 N	103° 31' 52.976 \				

leog resources

ceived by OCD: 3/31/2025 3:25:40 PM

300-

600-

900-

1200-

1500

1800-

2100-

2400-

2700-

3000-

3300-

3600-

3900-

Aertical Depth Vertical Depth Active and a second s

4800-

5100-

5400-

5700-

6000-

6300-

6600-

6900-

7200-

7500-

7800-

8100-

True


Lea County, NM (NAD 83 NME)

Lacey Swiss 1 Fed Com #1H

Plan #0.2

PROJECT DETAILS: Lea County, NM (NAD 83 NME)

Geodetic System: US State Plane 1983 Datum: North American Datum 1983 Ellipsoid: GRS 1980 Zone: New Mexico Eastern Zone System Datum: Mean Sea Level



Page 30 of 10

2000 2400


· - - - + - - -

- - + - -

- - - - - - - -

- - - -


---+




To convert a Magnetic Direction to a Grid Direction, Add 5.83° To convert a Magnetic Direction to a True Direction, Add 6.25° East To convert a True Direction to a Grid Direction, Subtract 0.42°

					WELL	DETAILS: #	#1H				-3600				
				Northing 424837.00	Eas	KB = 26' @ 3 sting 11.00	Lati	3487.0 t ttude 55.590 N	Longitude 103° 32' 9.006 W		-3000				
											-4400				
											-4800				
							<u>ecotio</u>		•		-5200				
							SECTIO	N DETAILS	5		-5600				
Sec 1	MD 0.0	Inc 0.00	Azi 0.00	TVD 0.0	+N/-S 0.0	+E/-W 0.0	Dleg 0.00	TFace 0.00	VSect 0.0	Target	Ŷ				
2	1400.0	0.00	0.00	1400.0	0.0	0.0	0.00	0.00	0.0		0009- 0th(+				
3 4	2038.9 7951.6	12.78 12.78	71.54 71.54	2033.6 7799.9	22.5 436.5	67.3 1307.7	2.00 0.00	71.54 0.00	-14.5 -282.5		9N/(-)				
5	8590.5	0.00	0.00	8433.5	459.0	1375.0	2.00	180.00	-297.1	KOP(Lacey Swiss 1 Fed Com #1H)	0046- th South				
6 7	8810.9 9340.4	26.46 89.99	178.85 179.72	8646.2 8910.9	409.0 -18.4	1376.0 1380.1	12.00 12.00	178.85 0.96	-247.3 177.7	FTP(Lacey Swiss 1 Fed Com #1H)	-6800				
8	10128.0	89.99	179.72	8911.0	-806.0	1384.0	0.00	0.00	960.5	Fed Perf #1(Lacey Swiss 1 Fed Com #1H)					
9 10	10133.4 11448.1	90.00 90.00	179.61 179.61	8911.0 8911.0	-811.4 -2126.0	1384.0 1393.0	2.00 0.00	-86.89 0.00	965.8 2272.7	Ead Darf #2/1 acov Swige 1 Ead Com #141	-7200				
11	14088.1	90.00 90.00	179.61	8911.0		1393.0	0.00	0.00	4897.1	Fed Perf #2(Lacey Swiss 1 Fed Com #1H) Fed Perf #3(Lacey Swiss 1 Fed Com #1H)					
12	19367.2	90.00	179.63	8911.0	-10045.0	1446.0	0.00	90.06	10144.8	Fed Perf #4(Lacey Swiss 1 Fed Com #1H) PBHL(Lacey Swiss 1 Fed Com #1H)	-7600				

WELLBORE TAP	RGET DETAIL	S (MAP CO-OR	DINATES)		
Name	TVD	+N/-S	+E/-W	Northing	Easting
KOP(Lacey Swiss 1 Fed Com #1H)	8433.5	459.0	1375.0	425296.00	789486.00
FTP(Lacey Swiss 1 Fed Com #1H)	8646.2	409.0	1376.0	425246.00	789487.00
Fed Perf #1(Lacey Swiss 1 Fed Com #1H)	8911.0	-806.0	1384.0	424031.00	789495.00
Fed Perf #2(Lacey Swiss 1 Fed Com #1H)	8911.0	-2126.0	1393.0	422711.00	789504.00
Fed Perf #3(Lacey Swiss 1 Fed Com #1H)	8911.0	-4766.0	1411.0	420071.00	789522.00
Fed Perf #4(Lacey Swiss 1 Fed Com #1H)	8911.0	-10045.0	1446.0	414792.00	789557.00
PBHL(Lacey Swiss 1 Fed Com #1H)	8911.0	-12586.0	1464.0	412251.00	789575.00







Lacey Swiss 1 Fed Com #1H (FKA 306H) API #: 30-025-53431 Variances

EOG respectfully requests the below variances to be applied to the above well:

- Variance is requested to waive the centralizer requirements for the intermediate casing in the intermediate hole. An expansion additive will be utilized, in the cement slurry, for the entire length of the intermediate interval to maximize cement bond and zonal isolation.

- Variance is also requested to waive the centralizer requirements for the production casing in the production hole. An expansion additive will be utilized, in the cement slurry, for the entire length of the production interval to maximize cement bond and zonal isolation.

- Bradenhead will be the primary option for production cementing. EOG also requests to have the conventional option in place to accommodate for logistical or wellbore conditions. The tie back requirements will be met if the cement is pumped conventionally, and cement volumes will be adjusted accordingly. TOC will be verified by CBL.

Variance is requested to use a co-flex line between the BOP and choke manifold (instead of using a 4" OD steel line).- Variance is requested to use a 5,000 psi annular BOP with the 10,000 psi BOP stack.
EOG Resources requests the option to contract a Surface Rig to drill, set surface casing, and Cement on the subject well. After WOC 8 hours or 500 psi compressive strength (whichever is greater), the Surface Rig will move off so the wellhead can be installed. A welder will cut the casing to the proper height and weld on the wellhead (both "A" and "B" sections). The weld will be tested to 1,500 psi. All valves will be closed and a wellhead cap will be installed (diagram attached). If the timing between rigs is such that EOG Resources would not be able to preset the surface, the Primary Rig will MIRU and drill the well in its entirety per the APD.

EOG requests the additional variance(s) in the attached document(s):

- EOG BLM Variance 3a_b BOP Break-test and Offline Intermediate Cement
- EOG BLM Variance 3d Production Offline Cement
- EOG BLM Variance 4a Salt Section Annular Clearance
- EOG BLM Variance 5a Alternate Shallow Casing Designs




Break-test BOP & Offline Cementing:

EOG Resources Inc. (EOG) respectfully requests a variance from the minimum standards for well control equipment testing of ECFR Title 43 Part 3172.6(b)(9)(iv) to allow a testing schedule of the blow out preventer (BOP) and blow out prevention equipment (BOPE) along with Batch Drilling & Offline cement operations to include the following:


- Full BOPE test at first installation on the pad.
- Full BOPE test every 21 days.
- This test will be conducted for 5M rated hole intervals only.
- Each rig requesting the break-test variance is capable of picking up the BOP without damaging components using winches, following API Standard 53, Well Control Equipment Systems for Drilling Wells (Fifth edition, December 2018, Annex C. Table C.4) which recognizes break testing as an acceptable practice.
- Function tests will be performed on the following BOP elements:
 - Annular **à** during each full BOPE test
 - Upper Pipe Rams **à** On trip ins where FIT required
 - Blind Rams **à** Every trip
 - Lower Pipe Rams à during each full BOPE test
- Break testing BOP and BOPE coupled with batch drilling operations and option to offline cement and/or remediate (if needed) any surface or intermediate sections, according to attached offline cementing support documentation.
- After the well section is secured, the BOP will be disconnected from the wellhead and walked with the rig to another well on the pad.
- TA cap will also be installed per Wellhead vendor procedure and pressure inside the casing will be monitored via the valve on the TA cap as per standard batch drilling ops.

Break Test Diagram (HCR valve)





Break Test Diagram (Test Joint)



Steps

- 1. Set plug in with test joint wellhead (lower barrier)
- 2. Close Upper Pipe Rams (upper barrier)
- 3. Close roadside kill
- 4. Close HCR
- Open wellhead valves below test plug to ensure if leak past test plug, pressure won't be applied to wellbore
- 6. Tie BOP testers high pressure line to top of test joint
- 7. Pressure up to test break
- 8. Bleed test pressure from BOP testing unit

Received by OCD: 3/31/2025 3:25:40 PM

Seog resources Offline Intermediate Cementing Procedure

Cement Program

1. No changes to the cement program will take place for offline cementing.

Summarized Operational Procedure for Intermediate Casing

- 1. Run casing as per normal operations. While running casing, conduct negative pressure test and confirm integrity of the float equipment back pressure valves.
 - a. Float equipment is equipped with two back pressure valves rated to a minimum of 5,000 psi.
- 2. Land production casing on mandrel hanger through BOP.
 - a. If casing is unable to be landed with a mandrel hanger, then the **casing will be cemented online**.
- 3. Break circulation and confirm no restrictions.
 - a. Ensure no blockage of float equipment and appropriate annular returns.
 - b. Perform flow check to confirm well is static.
- 4. Set pack-off
 - a. If utilizing a fluted/ported mandrel hanger, ensure well is static on the annulus and inside the casing by filling the pipe with kill weight fluid, remove landing joint, and set annular packoff through BOP. Pressure test to 5,000 psi for 10 min.
 - b. If utilizing a solid mandrel hanger, ensure well is static on the annulus and inside the casing by filling the pipe with kill weight fluid. Pressure test seals to 5,000 psi for 10 min. Remove landing joint through BOP.
- 5. After confirmation of both annular barriers and the two casing barriers, install TA plug and pressure test to 5,000 psi for 10 min. Notify the BLM with intent to proceed with nipple down and offline cementing.
 - a. Minimum 4 hrs notice.
- 6. With the well secured and BLM notified, nipple down BOP and secure on hydraulic carrier or cradle.
 - a. Note, if any of the barriers fail to test, the BOP stack will not be nippled down until after the cement job has concluded and both lead and tail slurry have reached 500 psi.
- 7. Skid/Walk rig off current well.
- 8. Confirm well is static before removing TA Plug.
 - a. Cementing operations will not proceed until well is under control. (If well is not static, notify BLM and proceed to kill)
 - b. Casing outlet valves will provide access to both the casing ID and annulus. Rig or third party pump truck will kill well prior to cementing.
 - c. Well control plan can be seen in Section B, Well Control Procedures.
 - d. If need be, rig can be moved back over well and BOP nippled back up for any further remediation.

Page | 1

Page 36 of 107

2/24/2022

Seog resources

Offline Intermediate Cementing Procedure

- e. Diagram for rig positioning relative to offline cementing can be seen in Figure 4.
- 9. Rig up return lines to take returns from wellhead to pits and rig choke.
 - a. Test all connections and lines from wellhead to choke manifold to 5,000 psi high for 10 min.
 - b. If either test fails, perform corrections and retest before proceeding.
 - c. Return line schematics can be seen in Figure 3.
- 10. Remove TA Plug from the casing.
- 11. Install offline cement tool.
 - a. Current offline cement tool schematics can be seen in Figure 1 (Cameron) and Figure 2 (Cactus).
- 12. Rig up cement head and cementing lines.
 - a. Pressure test cement lines against cement head to 80% of casing burst for 10 min.
- 13. Break circulation on well to confirm no restrictions.
 - a. If gas is present on circulation, well will be shut in and returns rerouted through gas buster.
 - b. Max anticipated time before circulating with cement truck is 6 hrs.
- 14. Pump cement job as per plan.
 - a. At plug bump, test casing to 0.22 psi/ft or 1500 psi, whichever is greater.
 - b. If plug does not bump on calculated, shut down and wait 8 hrs or 500 psi compressive strength, whichever is greater before testing casing.
- 15. Confirm well is static and floats are holding after cement job.
 - a. With floats holding and backside static:
 - i. Remove cement head.
 - b. If floats are leaking:
 - i. Shut-in well and WOC (Wait on Cement) until tail slurry reaches 500 psi compressive strength and the casing is static prior to removing cement head.
 - c. If there is flow on the backside:
 - i. Shut in well and WOC until tail slurry reaches 500 psi compressive strength. Ensure that the casing is static prior to removing cement head.
- 16. Remove offline cement tool.
- 17. Install night cap with pressure gauge for monitoring.
- 18. Test night cap to 5,000 psi for 10 min.

Example Well Control Plan Content

A. Well Control Component Table

The table below, which covers the cementing of the <u>5M MASP (Maximum Allowable Surface Pressure) portion of the well</u>, outlines the well control component rating in use. This table, combined with the mud program, documents that two barriers to flow can be maintained at all times, independent of the BOP nippled up to the wellhead.

Intermediate hole section, 5M requirement

Component	RWP
Pack-off	10M
Casing Wellhead Valves	10M
Annular Wellhead Valves	5M
TA Plug	10M
Float Valves	5M
2" 1502 Lo-Torque Valves	15M

B. Well Control Procedures

Well control procedures are specific to the rig equipment and the operation at the time the kick occurs. Below are the minimal high-level tasks prescribed to assure a proper shut-in while circulating and cementing through the Offline Cement Adapter.

General Procedure While Circulating

- 1. Sound alarm (alert crew).
- 2. Shut down pumps.
- 3. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 4. Confirm shut-in.
- 5. Notify tool pusher/company representative.

Page | 3

2/24/2022

2/24/2022

Seog resources

Offline Intermediate Cementing Procedure

- 6. Read and record the following:
 - a. SICP (Shut in Casing Pressure) and AP (Annular Pressure)
 - b. Pit gain
 - c. Time
 - d. Regroup and identify forward plan to continue circulating out kick via rig choke and mud/gas separator. Circulate and adjust mud density as needed to control well.

General Procedure While Cementing

- 1. Sound alarm (alert crew).
- 2. Shut down pumps.
- 3. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 4. Confirm shut-in.
- 5. Notify tool pusher/company representative.
- 6. Open rig choke and begin pumping again taking returns through choke manifold and mud/gas separator.
- 7. Continue to place cement until plug bumps.
- 8. At plug bump close rig choke and cement head.
- 9. Read and record the following
 - a. SICP and AP
 - b. Pit gain
 - c. Time
 - d. Shut-in annulus valves on wellhead


General Procedure After Cementing

- 1. Sound alarm (alert crew).
- 2. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 3. Confirm shut-in.
- 4. Notify tool pusher/company representative.
- 5. Read and record the following:
 - a. SICP and AP
 - b. Pit gain
 - c. Time
 - d. Shut-in annulus valves on wellhead

Page | 4

Seog resources Offline Intermediate Cementing Procedure

Figure 1: Cameron TA Plug and Offline Adapter Schematic




2/24/2022

Page 39 of 107

Page | 5

Offline Intermediate Cementing Procedure






2/24/2022

Page 41 of 107

2/24/2022







*** All Lines 10M rated working pressure

Page | 7





2/24/2022



Salt Section Annular Clearance Variance Request

Daniel Moose

Current Design (Salt Strings)

0.422" Annular clearance requirement

- Casing collars shall have a minimum clearance of 0.422 inches on all sides in the hole/casing annulus, with recognition that variances can be granted for justified exceptions.

- 12.25" Hole x 9.625"40# J55/HCK55 LTC Casing
 - 1.3125" Clearance to casing OD
 - 0.8125" Clearance to coupling OD
- 9.875" Hole x 8.75" 38.5# P110 Sprint-SF Casing
 - 0.5625" Clearance to casing OD
 - 0.433" Clearance to coupling OD

Annular Clearance Variance Request

EOG request permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Onshore Order #2 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues


Volumetric Hole Size Calculation

Hole Size Calculations Off Cement Volumes

- Known volume of cement pumped
- Known volume of cement returned to surface
- Must not have had any losses
- Must have bumped plug

Average Hole Size

- 12.25" Hole
 - 12.88" Hole
 - 5.13% diameter increase
 - 10.52% area increase
 - 0.63" Average enlargement
 - 0.58" Median enlargement
 - 179 Well Count
- 9.875" Hole
 - 10.30" Hole
 - 4.24% diameter increase
 - 9.64% area increase
 - 0.42" Average enlargement
 - 0.46" Median enlargement
 - 11 Well Count




Modelo 10 Fed Com #501H

Caliper Hole Size (12.25")

Average Hole Size

- 12.25" Bit
 - 12.76" Hole
 - 4.14% diameter increase
 - 8.44% area increase
 - 0.51" Average enlargement
 - 0.52" Median enlargement
 - Brine






5

Caliper Hole Size (9.875")

Average Hole Size

- 9.875" Hole
 - 11.21" Hole
 - 13.54% diameter increase
 - 28.92% area increase
 - 1.33" Average enlargement
 - 1.30" Median enlargement
 - EnerLite







Design A

Proposed 11" Hole with 9.625" 40# J55/HCK55 LTC Casing

- 11" Bit + 0.52" Average hole enlargement = 11.52" Hole Size
 - 0.9475" Clearance to casing OD

$$=\frac{11.52 - 9.625}{2}$$
475" Clearance to


• 0.4475" Clearance to coupling OD

$$\frac{11.52 - 10.625}{2}$$


=

- Previous Shoe 13.375" 54.5# J55 STC
 - 0.995" Clearance to coupling OD (~1,200' overlap)

$$=\frac{12.615-10.625}{2}$$



Design B







.

Casing Spec Sheets

PERFORMANCE DATA

API LTC		
Technical	Data	Sheet

9.625 in 40.00 lbs/ft

K55 HC

Tubular Parameters

Size	9.625	in	Minimum Yield	55	ksi
Nominal Weight	40.00	lbs/ft	lbs/ft Minimum Tensile		ksi
Grade	K55 HC		Yield Load	629	kips
PE Weight	38.94	lbs/ft	Tensile Load	1088	kips
Wall Thickness	0.395	in	Min. Internal Yield Pressure	3,950	psi
Nominal ID	8.835	in	Collapse Pressure	3600	psi
Drift Diameter	8.750	in			·
Nom. Pipe Body Area	11.454	in²			

Connection Parameters

Connection OD	10.625	in
Coupling Length	10.500	in
Threads Per Inch	8	tpi
Standoff Thread Turns	3.50	turns
Make-Up Loss	4.750	in
Min. Internal Yield Pressure	3,950	psi

Pipe Body and API Connections Performance Data

13.375	54.50/0.380	J55

New Search »

« Back to Previous List

|--|

10

PDF

6/8/2015 10:04:37 AM					
Mechanical Properties	Ptpe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-	-	psi
Minimum Tensile Strength	75,000	-	-	-	psi
Dimensions	Pipe	BTC	LTC	STC	
Outside Diameter	13.375	14.375	-	14.375	in.
Wall Thickness	0.380	-	-	-	in.
Inside Diameter	12.615	12.615	-	12.615	in.
Standard Drift	12.459	12.459	-	12.459	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	54.50	-	-	-	libs/ft
Plain End Weight	52.79	-	-	-	lbs/ft
Performance	Ptpe	BTC	LTC	STC	
Minimum Collapse Pressure	1,130	1,130	-	1,130	psi
Minimum Internal Yield Pressure	2,740	2,740	-	2,740	psi
Minimum Pipe Body Yield Strength	853.00	-	-	-	1000 lbs
Joint Strength	-	909	-	514	1000 lbs
Reference Length	-	11,125	-	6,290	ft
Make-Up Data	Ptpe	BTC	LTC	STC	
Make-Up Loss	-	4.81	-	3.50	in.
Minimum Make-Up Torque	-	-	-	3,860	ft-lbs
Maximum Make-Up Torque	-	-	-	6,430	ft-lbs

Casing Spec Sheets

Pipe Body and API Connections Performance Data

10.750 40.50/0.350 J55					PD
New Search »					« Back to Previous L
					USC 🔵 Metr
5/8/2015 10:14:05 AM					
Mechanical Properties	Pipe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-		psi
Minimum Tensile Strength	75,000	-	-	-	psi
Dimensions	Pipe	BTC	LTC	STC	
Outside Diameter	10.750	11.750	-	11.750	in.
Wall Thickness	0.350	-			in.
Inside Diameter	10.050	10.050		10.050	in.
Standard Drift	9.894	9.894	-	9.894	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	40.50	-	-	-	lbs/ft
Plain End Weight	38.91	-	-	-	lbs/ft
Performance	Pipe	втс	LTC	STC	
Minimum Collapse Pressure	1,580	1,580	-	1,580	psi
Minimum Internal Yield Pressure	3,130	3,130	-	3,130	psi
Minimum Pipe Body Yield Strength	629.00	-	-		1000 lbs
Joint Strength	-	700	-	420	1000 lbs
Reference Length	-	11,522	-	6,915	ft
Make-Up Data	Pipe	втс	LTC	STC	
Make-Up Loss		4.81		3.50	in.
Minimum Make-Up Torque	-	-	-	3,150	ft-lbs
Maximum Make-Up Torque	-	-	-	5,250	ft-lbs

					AP	1 5CT, 1	10th Ed. Co	onnect	ion Dat	a Shee
O.D. (in) 8.625	WEIGHT (It Nominal: Plain End:	o/ft) 32.00 31.13	WALL (i 0.352	n)	GR/ JS	ADE 55	* API DRIF 7.796	· '	RBV 87	• • • •
	Material Properti	es (PE)					Pipe Body	Data (I	PE)	
	Pipe						Geom	netry		
Minimum '	Yield Strength:	55	ksi		Nomin	al ID:			7.92	inch
Maximum	Yield Strength:	80	ksi		Nomin	al Area	1:		9.149	in ²
Minimum	Tensile Strength:	75	ksi		*Speci	ial/Alt. [Drift:		7.875	inch
Coupling							Perform	nance		
Minimum '	Yield Strength:	55	ksi		Pipe B	lody Yi	eld Strengtl	n:	503	kips
Maximum	Yield Strength:	80	ksi				istance:		2,530	psi
Minimum [·]	Tensile Strength:	75	ksi			Yield Pr storical)	essure:		3,930	psi
	API Connection Data Coupling OD: 9.625" STC Performance						PI Connect STC Torqu			
STC Inter	nal Pressure:	3,930	psi		Min:	2,793	Opti:	3,724	Max:	4,65
STC Joint	Strength:	372	kips							
	LTC Performa	ance					LTC Torqu	ie (ft-lk	os)	
LTC Interr	al Pressure:	3,930	psi		Min:	3,130	Opti:	4,174	Max:	5,217
LTC Joint SC-BTC I	Strength: Performance - Cl		kips 9.125"				BTC Torqu	ıe (ft-lk	us)	
BTC Inter	nal Pressure:	3,930	psi		follow		idelines rega	•		ake up
BTC Joint	Strength:	503	kips							
ALL INFORMATIO AND ON AN " MERCHANTABI ONLY AND IS BA INCIDENTAL, PL	f above API connecti sis provided by vallourec as is basis without warran uty, ptices for public be on estimates that have i nittive, exemplary or consec offt however caused or an	OR ITS AFFILIATES TY OR REPRESENT SURACY OR COMP NOT BEEN VERIFIE (UENTIAL LOSS OF	100% of p AT USER'S SOLE F ATION OF ANY KII UETENESS. THE IN D OR TESTED. IN I R DAMAGE (INCLU	eeds bipe ND, W FORM NO EV	S, VAM® body ra without lia (HETHER EXF MATION CON (ENT SHALL) WITHOUT L	D premiu atings. ABILITY FOR L PRESS OR IMP TAINED IN TH VALLOUREC O IMITATION, L	OSS, DAMAGE OR IN PLIED, INCLUDING WI HIS DOCUMENT IS PR ITS AFFILIATES BE OSS OF USE, LOSS OF	JURY RESULT THOUT LIMIT OVIDED FOR RESPONSIBLE F BARGAIN, L	ING FROM THE TATION ANY WA INFORMATION E FOR ANY INDI OSS OF REVENU	USE THEREO ARRANTY OF IAL PURPOSE RECT, SPECIA JE, PROFIT OI

eog

Released to Imaging: 4/11/2025 8:07:50 AM

11



EOG BLANKET CASING DESIGN VARIANCE

EOG respectfully requests the drill plans in the attached document 'EOG Alternate Casing Designs – BLM APPROVED' be added to the COA's for this well. These designs have been approved by the BLM down to the TVDs listed below and will allow EOG to run alternate casing designs for this well if necessary.

The designs and associated details listed are the "worst case scenario" boundaries for design safety factors. Location and lithology have NOT been accounted for in these designs. The specific well details will be based on the APD/Sundry package and the information listed in the COA.

The mud program will not change from the original design for this well. Summary of the mud programs for both shallow and deep targets are listed at the end of this document. If the target is changing, a sundry will be filed to update the casing design and mud/cement programs.

Cement volumes listed in this document are for reference only. The cement volumes for the specific well will be adjusted to ensure cement tops meet BLM requirements as listed in the COA and to allow bradenhead cementing when applicable.

This blanket document only applies to wells with three string designs outside of Potash and Capitan Reef boundaries.

Sł	Shallow Design Boundary Conditions									
	Deepest Deepest		Max Inc	Max DLS						
	MD (ft)	TVD (ft)	(deg)	(°/100usft)						
Surface	2030	2030	0	0						
Intermediate	7793	5650	40	8						
Production	28578	12000	90	25						



Shallow Design A

<u> C</u>										
Hole	Interval MD		Interval TVD		Csg					
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn		
16"	0	2,161	0	2,030	13-3/8"	54.5#	J-55	STC		
11"	0	7,951	0	5,650	9-5/8"	40#	J-55	LTC		
6-3/4"	0	29,353	0	12,000	5-1/2"	20#	P110-EC	DWC/C IS MS		

4. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	Sidny Description
2,030' 13-3/8''	570	13.5	1.73	Lead: Class C/H + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello- Flake (TOC @ Surface)
	160	14.8	1.34	Tail: Class C/H + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1830')
8,050' 9-5/8''	760	12.7	2.22	Lead: Class C/H + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)
	250	14.8	1.32	Tail: Class C/H + 10% NaCL + 3% MagOx (TOC @ 6360')
29,353' _{5-1/2''}	1000	14.8	1.32	Bradenhead squeeze: Class C/H + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (TOC @ surface)
	1480	13.2	1.52	Tail: Class C/H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ Top of Brushy)


5. CEMENTING PROGRAM:

Seog resources

Shallow Design A

Proposed Wellbore

KB: 3558' GL: 3533'



☞ ● 🖻 🖬 🚳 🖪 🗠 🔏 🛅 💼 💼 💽


Depth (MD)		orce (lbf)	Equivalent	Bending Stress		Absolute S	afety Factor		Temperature	Pressu	re (psi)	Addt'l Pickup To	Buckled
(usft)	Apparent (w/Bending)	Actual (w/o Bending)	Axial Load (lbf)	at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	(°F)	Internal	External	Prevent Buck. (lbf)	Length (usft
 0	252987	228954	253140	2098.2	1.69	1.58	N/A	2.82 F	70.00	2500.00	0.00	N/A	N/A
100	247735	223702	248466	2098.2	1.69	1.58	N/A	2.88 F	71.10	2543.63	43.63		
100	234996	223701	235716	986.2	1.71	1.58	N/A	3.04 F	71.10	2543.64	43.64		
1700	341565	139667	352253	17627.2	1.53	1.57	N/A	2.09 F	88.70	3241.64	741.64		
1700	312979	139666	323488	15131.5	1.58	1.57	N/A	2.28 F	88.70	3241.65	741.65		
1850	336881	132027	348440	17885.2	1.51	1.57	N/A	2.12 F	90.29	3305.05	805.05		
1850	318549	132027	329984	16284.8	1.54	1.57	N/A	2.24 F	90.29	3305.06	805.06		
1950	320468	127243	332475	16869.9	1.52	1.57	N/A	2.23 F	91.30	3344.87	844.87		
1950 2050	312802 307858	127243 122773	324756 320295	16200.7 16159.3	1.53 1.52	1.57 1.57	N/A	2.28 F 2.32 F	91.30 92.23	3344.87	844.87 881.89		
		122773			1.52	1.57	N/A N/A		92.23	3381.89	881.89		
2050 2300	303560 151294	112633	315965 163658	15784.1 3375.4	1.55	1.57	N/A	2.35 F 4.72 F	92.23	3381.89 3466.13	966.13		
2300	132741	112633	144956	1755.6	1.72	1.57	N/A	4.72 F	94.35	3466.14	966.14		
2300	129966	109858	142452	1755.6	1.72	1.57	N/A	5.30 F	94.95	3489.28	989.28		
2370	123300	107800	142452	1755.6	1.72	1.60	N/A	5.49 T	94.94	3489.29	1036.40		
2700	105515	94232	119785	985.1	1.75	1.60	N/A	6.77 F	97.73	3599.97	1152.35		
2700	111680	94231	126006	1523.4	1.75	1.60	N/A	6.39 F	97.73	3599.97	1152.35		
3100	110766	77783	126839	2879.6	1.71	1.60	N/A	6.44 F	101.11	3734.23	1293.00		
3100	97392	77783	113331	1712.1	1.73	1.60	N/A	7.33 F	101.11	3734.23	1293.01		
3700	71565	53303	89806	1594.4	1.70	1.61	N/A	9.97 F	106.15	3934.24	1502.54		
3700	60887	53302	79004	662.3	1.71	1.61	N/A	11.72 F	106.16	3934.25	1502.55		
4650	34671	14219	56495	1785.6	1.64	1.61	N/A	20.59 F	114.20	4253.37	1836.86		
4900	44595	4828	67626	3472.0	1.59	1.61	N/A	16.01 F	116.32	4337.37	1924.87		
4900	28975	4828	51775	2108.2	1.62	1.61	N/A	24.64 F	116.32	4337.38	1924.87		
5029	22103	34	45340	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.40	1969.94		
5029	22102	33	45339	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.41	1969.95		
5600	-45329	-21341	-20805	2094.3	1.57	1.62	N/A	(13.67)	122.23	4572.11	2170.78		
5650	-40465	-23210	-15657	1506.5	1.58	1.62	N/A	(15.31)	122.66	4588.87	2188.34		
F	Conn Fracture												
()	Compression												
(V)	Vector Collapse Safet	y Factor											

Working (Config (Min SF) Load/SF (DF Summary (VME (Wallplot) For Help, press F1


🙎 🛨 Default Datum @ 0.00 usft 🖪 API - US Survey Feet 😫 jgriffin2

9-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi



*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.



*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 4/11/2025 8:07:50 AM

Page 6 of 31

Shallow Design B

, (NOUNA						
Hole	Interv	al MD	Interva	al TVD	Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
13-1/2"	0	2,161	0	2,030	10-3/4"	40.5#	J-55	STC
9-7/8"	0	7,951	0	5,650	8-5/8"	32#	J-55	BTC-SC
6-3/4"	0	29,353	0	12,000	5-1/2"	20#	P110-EC	DWC/C IS MS

4. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 8-5/8" casing in the 9-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 9-7/8" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.


		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	Sidny Description
2,030' 10-3/4''	530	13.5	1.73	Lead: Class C/H + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello- Flake (TOC @ Surface)
	140	14.8	1.34	Tail: Class C/H + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1830')
8,050' _{8-5/8''}	470	12.7	2.22	Lead: Class C/H + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)
	210	14.8	1.32	Tail: Class C/H + 10% NaCL + 3% MagOx (TOC @ 6360')
29,353' _{5-1/2''}	1000	14.8	1.32	Bradenhead squeeze: Class C/H + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (TOC @ surface)
	1480	13.2	1.52	Tail: Class C/H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ Top of Brushy)

5. CEMENTING PROGRAM:

Shallow Casing Design B

Proposed Wellbore KB: 3558'

GL: 3533'



_ 8 2

 Image: Second secon

	sults	Axial F	orce (lbf)	E 1 1 1			Absolute S	afety Factor		T .	Pressur	e (psi)		
	Depth (MD) (usft)	Apparent (w/Bending)	Actual (w/o Bending)	Equivalent Axial Load (lbf)	Bending Stress at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	Temperature (°F)	Internal	External	Addt'l Pickup To Prevent Buck. (Ibf)	Buckled Length (usft
	0	200426	183224	200546	1880.2	1.68	1.57	N/A	2.89 F	70.00	2500.00	0.00	N/A	N/A
	100	196229	179028	196812	1880.2	1.69	1.57	N/A	2.95 F	71.10	2543.63	43.63		
	100	187111	179027	187686	883.7	1.70	1.57	N/A	3.10 F	71.10	2543.64	43.64		
	1700	256401	111891	264835	15795.8	1.56	1.56	N/A	2.26 F	88.70	3241.64	741.64		
	1700	235940	111891	244247	13559.4	1.60	1.56	N/A	2.45 F	88.70	3241.65	741.65		
	1850	252413	105788	261533	16027.0	1.54	1.56	N/A	2.29 F	90.29	3305.05	805.05		
	1850	239292	105787	248323	14592.9	1.56	1.56	N/A	2.42 F	90.29	3305.06	805.06		
	1950	240267	101966	249748	15117.2	1.54	1.56	N/A	2.41 F	91.30	3344.87	844.87		
	1950	234781	101965	244223	14517.5	1.56	1.56	N/A	2.47 F	91.30	3344.87	844.87		
	2050	230871	98395	240694	14480.4	1.55	1.56	N/A	2.51 F	92.23	3381.89	881.89		
	2050	227794	98394	237594	14144.2	1.55	1.56	N/A	2.54 F	92.23	3381.89	881.89		
	2300	117966	90294	127818	3024.7	1.70	1.56	N/A	4.91 F	94.35	3466.13	966.13		
l	2300	104686	90293	114432	1573.2	1.71	1.56	N/A	5.53 F	94.35	3466.14	966.14		
ļ.	2370	102469	88077	112431	1573.2	1.71	1.56	N/A	5.65 F	94.94	3489.28	989.28		
	2370	100817	86424	111200	1573.2	1.75	1.59	N/A	5.75 F	94.94	3489.29	1036.40		
i	2700	83660	75583	95052	882.8	1.74	1.59	N/A	6.92 F	97.73	3599.97	1152.35		
'	2700	88072	75583	99504	1365.1	1.74	1.59	N/A	6.58 F	97.73	3599.97	1152.35		
;	3100	86049	62442	98863	2580.4	1.71	1.59	N/A	6.73 F	101.11	3734.23	1293.00		
	3100	76477	62441	89195	1534.2	1.72	1.59	N/A	7.57 F	101.11	3734.23	1293.01		
	3700	55953	42882	70509	1428.8	1.69	1.60	N/A	10.35 F	106.15	3934.24	1502.54		
	3700	48311	42881	62778	593.5	1.71	1.60	N/A	11.99 F	106.16	3934.25	1502.55		
!	4000	41458	33043	56865	919.9	1.69	1.60	N/A	13.97 F	108.69	4034.82	1607.91		
	4650	26293	11655	43706	1600.1	1.63	1.60	N/A	22.03 F	114.20	4253.37	1836.86		
	4900	32619	4156	50970	3111.2	1.59	1.60	N/A	17.76 F	116.32	4337.37	1924.87		
	4900	21439	4155	39625	1889.2	1.61	1.60	N/A	27.02 F	116.32	4337.38	1924.87		
	5039	15822	26	34389	1726.6	1.61	1.61	N/A	36.61 F	117.49	4383.77	1973.48		
	5039	15822	26	34388	1726.6	1.61	1.61	N/A	36.61 F	117.49	4383.78	1973.49		
	5600	-33912	-16743	-14286	1876.7	1.57	1.61	N/A	(14.60)	122.23	4572.11	2170.78		
	5650	-30585	-18235	-10742	1350.0	1.58	1.61	N/A	(16.18)	122.66	4588.87	2188.34		
	_													
		Conn Fracture												
	() (Compression /ector Collapse Safet	- ·											


-

For Help, press F1


🙎 👤 Default Datum @ 0.00 usft 🖪 API - US Survey Feet 🙎 jgriffin2

8-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi



*Modelling done with 8-5/8" 32# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.



*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 4/11/2025 8:07:50 AM

Page 11 of 31

Seog resources

Shallow Design C

·		ROOM						
Hole	Interv	al MD	Interva	al TVD	Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
16"	0	2,161	0	2,030	13-3/8"	54.5#	J-55	STC
11"	0	7,951	0	5,650	9-5/8"	40#	J-55	LTC
7-7/8"	0	29,353	0	12,000	6"	24.5#	P110-EC	VAM Sprint-SF

4. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" casing in the 7-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 7-7/8" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	Sidiny Description
2,030' 13-3/8''	570	13.5	1.73	Lead: Class C/H + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello- Flake (TOC @ Surface)
	160	14.8	1.34	Tail: Class C/H + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1830')
8,050' 9-5/8''	760	12.7	2.22	Lead: Class C/H + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)
	250	14.8	1.32	Tail: Class C/H + 10% NaCL + 3% MagOx (TOC @ 6360')
29,353' _{6''}	1000	14.8	1.32	Bradenhead squeeze: Class C/H + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (TOC @ surface)
	2500	13.2	1.52	Tail: Class C/H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ Top of Brushy)

5. CEMENTING PROGRAM:

Seog resources

Shallow Design C

Proposed Wellbore

KB: 3558' GL: 3533'




Image: Image

Depth (MD)		Force (lbf)	Equivalent	Bending Stress		Absolute S	afety Factor		Temperature	Pressure	e (psi)	Addt'l Pickup To	Buckled
(usft)	Apparent (w/Bending)	Actual (w/o Bending)	Axial Load (lbf)	at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	(°F)	Internal	External	Prevent Buck. (lbf)	Length (usft
0		228954	253140	2098.2	1.69	1.58	N/A	2.82 F	70.00	2500.00	0.00	N/A	N/A
100		223702	248466	2098.2	1.69	1.58	N/A	2.88 F	71.10	2543.63	43.63		
100		223701	235716	986.2	1.71	1.58	N/A	3.04 F	71.10	2543.64	43.64		
1700		139667	352253	17627.2	1.53	1.57	N/A	2.09 F	88.70	3241.64	741.64		
1700		139666	323488	15131.5	1.58	1.57	N/A	2.28 F	88.70	3241.65	741.65		
1850		132027	348440	17885.2	1.51	1.57	N/A	2.12 F	90.29	3305.05	805.05		
1850		132027	329984	16284.8	1.54	1.57	N/A	2.24 F	90.29	3305.06	805.06		
1950		127243	332475	16869.9	1.52	1.57	N/A	2.23 F	91.30	3344.87	844.87		
1950		127243	324756	16200.7	1.53	1.57	N/A	2.28 F	91.30	3344.87	844.87		
2050		122773	320295	16159.3	1.52	1.57	N/A	2.32 F	92.23	3381.89	881.89		
2050		122772	315965	15784.1	1.53	1.57	N/A	2.35 F	92.23	3381.89	881.89		
2300		112633	163658	3375.4	1.71	1.57	N/A	4.72 F	94.35	3466.13	966.13		
2300	132741	112633	144956	1755.6	1.72	1.57	N/A	5.38 F	94.35	3466.14	966.14		
2370		109858	142452	1755.6	1.72	1.57	N/A	5.49 F	94.94	3489.28	989.28		
2370		107800	140922	1755.6	1.75	1.60	N/A	5.58 F	94.94	3489.29	1036.40		
2700		94232	119785	985.1	1.75	1.60	N/A	6.77 F	97.73	3599.97	1152.35		
2700	111680	94231	126006	1523.4	1.75	1.60	N/A	6.39 F	97.73	3599.97	1152.35		
3100	110766	77783	126839	2879.6	1.71	1.60	N/A	6.44 F	101.11	3734.23	1293.00		
3100		77783	113331	1712.1	1.73	1.60	N/A	7.33 F	101.11	3734.23	1293.01		
3700		53303	89806	1594.4	1.70	1.61	N/A	9.97 F	106.15	3934.24	1502.54		
3700		53302	79004	662.3	1.71	1.61	N/A	11.72 F	106.16	3934.25	1502.55		
4650		14219	56495	1785.6	1.64	1.61	N/A	20.59 F	114.20	4253.37	1836.86		
4900		4828	67626	3472.0	1.59	1.61	N/A	16.01 F	116.32	4337.37	1924.87		
4900	28975	4828	51775	2108.2	1.62	1.61	N/A	24.64 F	116.32	4337.38	1924.87		
5029		34	45340	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.40	1969.94		
5029		33	45339	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.41	1969.95		
5600		-21341	-20805	2094.3	1.57	1.62	N/A	(13.67)	122.23	4572.11	2170.78		
5650	-40465	-23210	-15657	1506.5	1.58	1.62	N/A	(15.31)	122.66	4588.87	2188.34		
F	Conn Fracture												
()	Compression												
(V)	Vector Collapse Safet	y Factor											


✓ ► Working Config Min SF Load/SF DF Summary WE Wallplot For Help, press F1

🕵 I Default Datum @ 0.00 usft 📑 API - US Survey Feet 😫 jgriffin2


9-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi

1



*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.



*Modelling done with 6" Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 4/11/2025 8:07:50 AM

Shallow Design D

<u> C</u>		no onun						
Hole	Interv	al MD	Interva	l TVD	Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
16"	0	2,161	0	2,030	13-3/8"	54.5#	J-55	STC
11"	0	7,951	0	5,650	9-5/8"	40#	J-55	LTC
7-7/8"	0	13,278	0	11,671	6"	22.3#	P110-EC	DWC/C IS
6-3/4"	13,278	29,353	11,671	12,000	5-1/2"	20#	P110-EC	DWC/C IS MS

4. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" and 5-1/2" casings in the 7-7/8" and 6-3/4" hole sizes. An expansion additive will be utilized in the cement slurry for the entire length of the 7-7/8" and 6-3/4" hole intervals to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	
2,030'	570	13.5	1.73	Lead: Class C/H + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-
13-3/8''				Flake (TOC @ Surface)
	160	14.8	1.34	Tail: Class C/H + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2%
				Sodium Metasilicate (TOC @ 1830')
8,050'	760	12.7	2.22	Lead: Class C/H + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC
9-5/8''				@ Surface)
	250	14.8	1.32	Tail: Class C/H + 10% NaCL + 3% MagOx (TOC @ 6360')
29,353'	1000	14.8	1.32	Bradenhead squeeze: Class C/H + 3% Salt + 1% PreMag-M + 6%
6''				Bentonite Gel (TOC @ surface)
	2500	13.2	1.52	Tail: Class C/H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5%
				NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ Top of
				Brushy)


5. CEMENTING PROGRAM:

Seog resources

Shallow Design D

Proposed Wellbore

KB: 3558' GL: 3533'



File Edit Wellbore Tubular View Composer Tools Window Help

🖻 🖬 🚳 🖪 💀 🗴 🛍 💼 🕺 🕞

▼ ← → 95/8" Intermediate Casing ▼

	Depth (MD)		orce (lbf)	Equivalent	Bending Stress		Absolute S	afety Factor		Temperature	Pressure	(psi)	Addt'l Pickup To	Buckled
100 24775 22772 22466 2992 169 188 NA 248 F 7110 24546 433 100 2496 22701 22576 992 177 188 NA 34F 7110 24546 4334 1700 31297 13966 32248 1513 5 158 157 NA 229 F 8870 32416 7146 1860 33681 13027 33444 17852 151 157 NA 229 F 8870 33416 7146 1860 33681 13027 33444 17852 151 157 NA 221 F 9029 3305 6 805 65 1860 32048 12224 332475 16699 152 157 NA 223 F 9130 3344 87 84 47 1960 32048 12273 32475 16609 1 152 157 NA 223 F 9130 3344 87 84 47 1960 33680 12277 33245 16609 1 153 157 NA 223 F 9130 3344 87 84 47 2660 30768 12277 33295 16794 1 153 157 NA 223 F 9130 3344 87 84 47 2660 30768 12277 33295 16794 1 153 157 NA 223 F 9130 3344 87 84 47 2660 30768 12277 33295 16794 1 153 157 NA 223 F 9130 3344 87 84 47 2660 30768 12277 33295 16794 1 153 157 NA 235 F 922 3 331 89 881 89 2300 15724 11653 16658 3374 171 157 NA 235 F 923 331 89 881 89 2300 15724 11653 16586 1375 177 150 NA 538 F 94 43 3466 14 966 14 2370 12996 10988 14242 1755 6 172 157 NA 538 F 94 43 380 29 9928 2300 132741 11653 16368 33754 171 150 NA 657 F 373 3399 7 1152 35 2300 13774 131633 16368 3754 175 160 NA 657 F 373 3399 7 1152 35 2300 13774 1308 14452 1755 6 177 160 NA 639 F 9773 3399 7 1152 35 2300 13774 1308 14452 1755 177 140 NA 639 F 9773 3399 7 1152 35 2300 11676 7778 12689 2275 6 177 160 NA 647 F 10111 374 23 123 00 3300 9732 7778 11331 1712 1 73 160 NA 644 F 10111 374 23 123 00 3300 9735 27763 12391 2775 161 1NA 101 NA 977 F 106 15 334 24 1502 54 4400 2997 433 3886 1594 1776 161 NA 2059 F 114 20 425 37 185 85 4400 4455 4423 6765 3370 8806 1594 177 151 NA 101F 1152 4337 195 87 4400 4455 4423 6775 2108 162 161 NA 2059 F 114 20 425 37 185 85 4400 4455 4423 6775 2108 162 154 161 NA 2259 F 114 24 4337 3 195 87 4400 4455 4428 6775 2108 162 154 161 NA 2259 F 114 24 4337 3 195 87 4400 4455 4428 6775 2108 2 155 154 101 NA 3239 F 1174 4304 195 934 455 2210 3 4433 91528 156 151 NA 323 F 114 20 44537 7 195 87 4000 4455 4428 6775 2108 2 155 158 106 181 NA 3239 F 1174 4308 4 195 934 3550 4458 67 4230 6775 2108 2 155 158 106 NA 7537 1223								Collapse (V)	Axial		Internal	External	Prevent Buck. (lbf)	Length (usf
100 24496 223701 22576 962 17772 153 157 NA 209F 877 334.6 456 1700 31297 13966 32348 1511.5 158 157 NA 229F 88.70 3341.65 741.65 1600 33661 13227 3984 1628.8 151 157 NA 228F 90.29 3365.65 805.66 1800 3366.8 12227 3984 1628.8 154 157 NA 224 F 90.29 3365.65 805.66 1800 3366.8 12223 3324.5 12027 1998.8 152 157 NA 224 F 90.29 3365.65 805.66 1900 3048 12223 324.55 1620.7 153 157 NA 224 F 90.29 3365.65 805.66 1900 3048 12273 324.55 1620.7 153 157 NA 224 F 90.29 3365.65 805.66 1900 305.08 12273 324.55 1620.7 153 157 NA 224 F 90.29 3354.67 84.87 1900 305.08 12273 324.55 1620.7 153 157 NA 224 F 91.30 3344.47 84.87 2000 11524 12733 344.55 1574.1 117 147 NA 23.5F 95.22 3381.69 881.89 2000 11524 11223 16565 1574.1 117 157 NA 23.5F 95.22 3381.69 881.89 2000 11524 11223 16565 1574.1 117 157 NA 23.5F 95.22 3381.69 881.89 2000 11524 11223 16565 1574.1 117 157 NA 23.5F 95.22 3381.69 881.89 2000 11524 11223 16565 1574.1 117 157 NA 23.5F 95.22 3381.69 881.89 2000 11524 11223 16565 1574.1 117 157 NA 53.6F 94.53 346.11 96.14 2010 11524 11223 16565 1575.6 1.72 1.57 NA 5.9F 94.53 346.51 96.14 2010 11525 9422 11975 98.51 1.75 160 NA 5.9F 94.54 3469.20 100.44 2010 11665 9422 11975 91.75 6 1.75 160 NA 6.9F 94.54 3488.20 100.44 2010 11665 9422 11975 91.75 6 1.75 160 NA 6.9F 94.54 3488.20 100.44 2010 1166 94231 12060 153.4 1.75 160 NA 6.9F 97.73 358.97 1152.35 2010 11076 7778 12869 209.6 1.11 160 NA 6.47F 97.73 358.97 1152.35 3100 11076 7778 12869 153.4 1.75 160 NA 6.47F 97.73 358.97 1152.35 3100 11076 7778 12869 153.4 1.75 160 NA 6.47F 97.73 358.97 1152.35 3100 11076 7778 12869 153.4 1.75 160 NA 6.47F 101.11 374.42 125.00 3100 9735 27778 12869 153.4 1.75 160 NA 6.47F 101.11 374.42 125.00 3100 9735 27778 12869 155.4 1.75 180 NA 6.47F 101.11 374.42 125.00 3100 9735 27783 128.65 144.4 1.70 161 NA 99.7F 106.15 394.42 1602.44 3000 9735 2302 2102 33 44530 198.6 151 161 NA 20.9F 114.20 4433.37 1182.47 3100 4465 4428 6775 21082 162 161 NA 20.9F 114.20 4433.37 138.48 4000 4455 4428 61775	-								2.82 F				N/A	N/A
1700 34166 139667 3223 1767 2 13 15 168 157 NA 200F 88 70 324 64 74 64 74 64 74 64 74 65 74 74 54 75 75 74 74 74 74 74 74 74 74 74 74 74 74 74	100							N/A						
1700 312279 13966 32348 11315 148 157 NA 228F 8870 32416 74165 1660 3368F 132027 33644 17852 151 157 NA 224F 90.29 330.06 805.06 1650 31643 132027 32994 1624.8 144 157 NA 224F 90.29 330.06 805.06 1950 31202 12743 3376 1620.7 153 157 NA 224F 91.30 334.67 844.67 1950 31202 12743 3376 1520.7 153 157 NA 223F 91.30 334.67 844.67 2950 30550 12277 33025 15159 142 2950 30550 12277 33025 15159 142 2950 30550 12277 33025 15159 142 2030 15124 11333 1495 375.6 1172 157 NA 235F 92.23 33818 88189 2030 1524 11333 14956 375.6 1172 157 NA 235F 94.5 3466 13 966 13 2300 1324F 19655 14242 175.6 1172 157 NA 538F 94.5 3466 14 966 14 2300 11324F 11533 14956 175.6 1172 157 NA 538F 94.5 3466 14 966 14 2300 11324F 11533 14956 1375.6 1172 157 NA 538F 94.5 3466 15 966 13 2300 11324F 11533 14956 1375.6 1172 157 NA 538F 94.5 3466 14 966 14 2300 11324F 11533 14956 1375.6 1172 157 NA 538F 94.5 3466 14 966 14 2300 11324F 11533 14956 140922 175.5 1175 160 NA 538F 94.5 3466 14 966 14 2300 11324F 11533 14956 13242 1375.6 1172 157 NA 538F 94.5 3466 14 966 14 2300 11324F 11533 14956 13242 1375.6 1172 157 NA 538F 94.5 3466 14 969.14 3400 12905 10780 140922 175.5 1175 160 NA 6.77F 97.73 359.97 1152.35 2700 11685 3422 11775 295.1 175 160 NA 6.39F 97.73 359.97 1152.35 2700 11685 3422 11775 20583 237.6 1.71 160 NA 6.49F 101.11 374.23 123.00 3100 3732 7778 12350 8306 159.4 1.73 160 NA 6.49F 101.11 374.23 123.01 3700 6067 5302 8006 159.4 1.70 161 NA 9.97F 105.15 334.24 150.24 3700 6067 5302 8006 159.4 1.71 1.71 160 NA 6.39F 97.73 359.97 1152.35 3400 14655 4422 6765 347.2 1.99 161 NA 20.5F 114.0 425.37 1152.55 3400 4455 4422 5775 210.2 142 161 NA 20.5F 114.0 425.37 1152.55 3400 4455 4422 5775 210.2 142 161 NA 20.5F 114.0 4453.7 192.487 4400 24975 4422 5775 210.2 14.2 161 NA 20.5F 114.0 4450.37 192.487 4400 24975 4422 5775 210.2 14.2 161 NA 20.5F 114.0 4450.37 192.487 4400 24975 4422 5775 210.2 14.2 161 NA 20.5F 114.0 4450.4 196.94 4400 24975 4422 5774 120.6 14.1 151 NA 20.5F 114.0 4450.4 196.94 4400 24975 4422 5774 120.6 14.1														
1950 33881 13227 34440 1788.2 151 157 N/A 2.2 F 90.29 336.65 885.66 1950 320458 12243 332475 1666.9 152 157 N/A 2.2 F 9130 334.47 84.47 1950 320458 12243 332475 1666.9 152 157 N/A 2.2 F 9130 334.47 84.47 2850 30786 122773 32025 16153.3 1.52 1.57 N/A 2.3 F 92.23 338.16 881.89 2300 15124 11263 16366 373.4 1.71 1.57 N/A 4.3 F 94.35 346.61 96.13 2300 15124 11263 14495 175.5 1.72 1.57 N/A 5.3 F 94.35 346.614 96.14 96.14 2300 15124 11263 14952 175.5 1.72 1.57 N/A 5.3 F 94.35 346.92 99.28 2300 15724 1175.5 1.77 1.60 N/A <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>														
1880 31649 132027 32994 1624.8 154 157 NVA 224.F 99.29 330.6.6 806.6 1950 312802 127243 324756 1600.07 153 157 NVA 228.F 91.30 334.87 84.87 2050 300868 122773 332255 16159.3 1.57 NVA 2.35 92.23 338.18 881.89 2050 300860 122772 339255 15141 1.53 1.57 NVA 2.35 94.35 3366.13 961.14 2030 151241 11253 14355 1.71 1.57 NVA 5.38 94.51 3465.13 966.14 2300 151241 11253 14495 1755.6 1.72 1.57 NVA 5.48 F 94.94 348.28 989.29 1058.40 2370 12996 19968 142452 1755.6 1.75 1.60 NVA 6.49 F 97.73 359.97 1152.35 2700 105515 94.22 199.65 1.71 1.60 NVA														
19:0 330468 12743 333475 16699 1.52 1.57 N/A 2.23 F 91.30 334.47 84.47 19:50 312802 127243 324756 16090 1.53 1.57 N/A 2.23 F 91.30 334.47 84.47 20:0 30768 122772 319955 1619.3 1.52 1.57 N/A 2.32 F 92.23 3381.89 881.89 20:0 303560 122772 319955 1576.4 1.57 N/A 2.35 F 92.23 3381.89 881.89 20:0 303560 122772 315955 1776.4 1.57 N/A 4.25 F 92.23 3381.89 881.89 20:0 132741 112633 144955 1755.6 1.72 1.57 N/A 5.38 F 94.34 349.29 1036.04 2100 1127905 10700 140922 1755.6 1.75 1.60 N/A 6.39 F 97.73 359.97 1152.35 2100 11610 94.23 12700 105515 94.23 1276 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>N/A</td><td></td><td></td><td></td><td></td><td></td><td></td></t<>								N/A						
1950 312802 112743 324765 11207 153 157 NA 2.28F 9130 334.67 94.487 2050 307563 12277 315965 1576.1 153 157 NA 2.28F 92.23 3381.89 881.89 2050 303560 122772 315965 1576.1 153 157 NA 2.38F 92.23 3381.89 881.89 2030 15124 11263 16366 337.4 171 157 NA 4.72F 94.35 3466.13 966.14 2300 132741 112633 14456 175.6 1.72 1.57 NA 5.48F 94.94 3489.28 999.28 2370 129966 109896 142452 175.6 1.72 1.57 NA 5.48F 94.94 3489.28 999.28 2700 105515 94.23 119785 995.1 1.75 1.60 NA 6.39F 97.73 3599.97 1152.35 2700 11056 77783														
2050 30768 122773 320295 161593 1.52 1.57 N/A 2.32F 9.2.3 338189 88189 2050 303560 122772 31586 1578.41 1.53 1.57 N/A 2.32F 9.2.3 338189 88189 2000 151294 112633 16568 337.4 1.71 1.57 N/A 2.38F 99.2.3 3381.89 881.89 2300 152741 112633 16468 375.4 1.71 1.57 N/A 5.38F 99.35 3466.13 966.13 2370 127969 107080 140922 175.6 1.72 1.57 N/A 5.38F 99.43 349.92 103.60 152.35 2700 105515 94.231 12606 152.4 1.75 1.60 N/A 6.39F 97.73 359.97 1152.35 2700 110766 77778 126839 287.6 1.71 1.60 N/A 6.39F 97.73 359.97 1152.35 300 11076 77778 126														
2050 303660 122772 319685 15741 1.53 1.57 NA 2.265 92.23 338188 881.9 2300 151294 112633 163668 3375.4 1.71 1.57 NA 4.72 F 94.35 3466.14 966.13 2300 132741 112633 144956 1755.6 1.72 1.57 NA 5.48 F 94.35 3466.14 966.14 2370 129966 109858 142452 1755.6 1.72 1.57 NA 5.48 F 94.94 3489.28 989.28 2700 105515 94232 119755 965.1 1.75 1.60 NA 6.77 F 97.73 3599.97 1152.35 2700 11160 942.31 120606 152.34 1.75 1.60 NA 6.39 F 97.73 3599.97 1152.35 3100 97362 77783 113331 1712.1 1.73 1.60 NA 6.31 F 101.11 3734.23 1293.01 3700 66867 63302 79004 662.3 1.71<														
2300 151294 112633 163668 33764 171 157 NA 472 F 9435 346613 96613 2300 132741 112633 144956 17556 1.72 1.57 NA 5.49 F 94.35 346614 96614 2370 129966 109868 142452 1755 6 1.72 1.57 NA 5.49 F 94.94 3489.29 999.29 2370 127909 107800 144922 1755 6 1.75 1.60 NA 5.58 F 94.94 3489.29 1035.40 2700 105515 94232 119785 395.1 1.75 1.60 NA 6.77 F 97.73 3599.97 1152.35 2700 111680 94231 126006 1523.4 1.75 1.60 NA 6.39 F 97.73 3599.97 1152.35 3100 110766 77783 126839 26796 1.11 160 NA 6.39 F 97.73 3599.97 1152.35 3100 110766 77783 126839 26796 1.11 160 NA 6.44 F 101.11 3734.23 1293.00 3100 97392 77783 11333 1712.1 1.73 1.60 NA 7.33 F 101.11 3734.23 1293.00 3100 97392 77783 11333 9896 1594.4 1.70 1.61 NA 9.97 F 106.15 3394.24 1502.54 3700 60887 53303 9806 1594.4 1.70 1.61 NA 9.97 F 106.15 3394.24 1502.54 3700 4.6687 53303 9806 1594.4 1.70 1.61 NA 9.97 F 106.15 3394.24 1502.54 3700 4.66987 53302 79004 662.3 1.71 1.61 NA 9.97 F 106.15 3394.24 1502.54 4600 34671 14219 56495 1785.6 1.64 1.61 NA 20.59 F 114.20 4253.37 1363.66 4900 44595 4828 67626 3472.0 1.59 1.61 NA 20.59 F 114.20 4253.37 1363.66 4900 28975 4828 67626 3472.0 1.59 1.61 NA 20.59 F 114.20 4253.37 1363.66 4900 28975 4828 61762 1.62 1.62 1.61 NA 32.30 F 117.40 4380.40 1969.94 5029 22102 33 45339 1326.8 1.61 1.61 NA 32.30 F 117.40 4380.40 1969.94 5029 22102 34 45339 1326.8 1.61 1.61 NA 32.30 F 117.40 4380.41 1969.95 500 44529 -21341 -20805 2.094.3 1.57 1.62 NA (13.67) 122.23 4457.21 2.170.78 500 44582 -21341 -20805 2.094.3 1.57 1.62 NA (13.67) 122.23 4457.21 2.170.78 500 45829 -21341 -20805 2.094.3 1.57 1.62 NA (13.67) 122.23 4457.21 2.170.78 500 45829 -21341 -20805 2.094.3 1.57 1.62 NA (13.67) 122.23 4457.21 2.170.78 500 45829 -21341 -20805 2.094.3 1.57 1.62 NA (13.67) 122.23 4457.21 2.170.78 500 -1565 -158 -158 -158 -158 -158 -158 -158 -15														
2300 13274 112633 14496 1756 1.72 1.57 N/A 5.88 F 94.36 3466.14 966.14 2370 12996 109658 144242 1755.6 1.72 1.57 N/A 5.48 F 94.34 3489.28 989.28 2370 129969 107600 140922 1755.6 1.75 1.60 N/A 5.98 F 94.94 3489.28 989.28 2700 105515 94.232 117975 985.1 1.75 1.60 N/A 6.77 F 97.73 3599.97 1152.35 2700 111680 94.231 12600 152.4 1.75 1.60 N/A 6.39 F 97.73 3599.97 1152.35 3100 110766 77783 12639 2879.6 1.71 1.60 N/A 6.44 F 10111 3734.23 1293.00 3100 97392 77783 11331 1772 1.60 N/A 7.35 F 101.11 3734.23 1293.00 3700 6087 53302 79004 662.3 1.71 1.61														
2370 129966 109858 14242 175.6 1.72 1.57 N/A 5.49 F 94.94 3489.28 989.28 2370 12709 107000 140922 175.6 1.75 1.60 N/A 5.58 F 9.49.4 3489.28 989.28 2700 105515 94232 119785 985.1 1.75 1.60 N/A 6.39 F 97.73 3599.97 1152.35 3100 10766 77783 12603 2879.6 1.71 1.60 N/A 6.39 F 97.73 3599.97 1152.35 3100 97392 77783 12603 2879.6 1.71 1.60 N/A 6.44 F 101.11 3734.23 1293.00 3700 71665 53303 89806 159.4 1.70 1.61 N/A 9.97 F 106.15 3934.24 1502.54 3700 60807 53302 7904 662.3 1.71 1.61 N/A 1.72 F 106.15 3934.24 1502.54 4650 34671 14219 56495 176.5 1.64<														
2370 127909 107800 140922 1755.6 1.75 1.60 N/A 5.58 F 94.94 3489.29 1036.40 2700 105515 94232 119785 965.1 1.75 1.60 N/A 6.77 F 97.73 3599.97 1152.35 2700 111660 94231 12606 1523.4 1.75 1.60 N/A 6.39 F 97.73 3599.97 1152.35 3100 110766 77783 126839 2879.6 1.71 1.60 N/A 6.44 F 101.11 3734.23 1293.00 3100 97392 77783 113331 1712.1 1.73 1.60 N/A 7.33 F 101.11 3734.23 1293.01 3700 71666 53303 89806 1594.4 1.70 1.61 N/A 9.97 F 106.16 3934.24 1502.54 3700 71666 53302 79004 662.3 1.71 1.61 N/A 11.72 F 106.16 3934.25 1502.55 44500 34671 14219 56495 1785.6														
2700 105515 94232 119785 985.1 1.75 1.60 N/A 6.77 F 97.73 3599.97 1152.35 2700 111680 94231 126006 1523.4 1.75 1.60 N/A 6.39 F 97.73 3599.97 1152.35 3100 110765 77783 126293 2879.6 1.71 1.60 N/A 6.39 F 97.73 3599.97 1152.35 3100 97392 77783 113331 1712.1 1.73 1.60 N/A 7.33 F 101.11 3734.23 1293.01 3700 71655 53303 9806 1594.4 1.70 1.61 N/A 9.97 F 106.15 3934.24 1502.54 3700 66087 53302 70904 662.3 1.71 1.61 N/A 20.59 F 114.20 4253.37 1836.86 4500 34671 14219 56495 1785.6 1.64 1.61 N/A 20.59 F 114.20 4253.37 1836.86 4500 28975 4828 67626 3472.0 <														
2700 111680 94231 126006 1523.4 1.75 1.60 N/A 6.39 F 97.73 3599.97 1152.35 3100 110766 77783 126839 2879.6 1.71 1.60 N/A 6.44 F 101.11 3734.23 1293.00 3100 97392 77783 113331 1712.1 1.73 1.60 N/A 9.37 F 106.15 3934.24 1502.54 3700 77685 53302 79004 662.3 1.71 1.61 N/A 9.37 F 106.15 3934.24 1502.55 4650 34671 14219 56495 1765.6 1.64 1.61 N/A 20.59 F 116.23 4337.37 1924.87 4900 28975 4828 67626 3472.0 1.62 1.61 N/A 16.01 F 116.32 4337.38 1924.87 4900 28975 4828 51775 2108.2 1.62 1.61 N/A 32.30 F 117.40 4380.40 1969.94 5029 22102 33 45339 1926.8 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>														
3100 110766 77783 126839 2679.6 1.71 1.60 N/A 6.44 F 101.11 3734.23 1293.00 3100 97392 77783 113331 1712.1 1.73 1.60 N/A 7.33 F 101.11 3734.23 1293.00 3700 71656 53303 89806 1594.4 1.70 1.61 N/A 9.97 F 106.15 3934.24 1502.54 3700 60887 53302 79004 6623 1.71 1.61 N/A 9.97 F 106.15 3934.24 1502.55 4650 34671 14219 56495 1785.6 1.64 1.61 N/A 20.59 F 114.20 4253.37 1836.86 4900 24875 4828 67626 3472.0 1.59 1.61 N/A 16.01 F 116.32 4337.37 1924.87 4900 28975 4828 67725 2108.2 1.62 1.61 N/A 32.05 F 117.40 4380.40 1969.94 5029 22102 33 45339 1926.8														
3100 97392 77783 11333 1712.1 1.73 1.60 N/A 7.33 F 101.11 3734.23 1293.01 3700 71665 53303 89806 1594.4 1.70 1.61 N/A 9.97 F 106.15 3934.24 1502.54 3700 60887 53302 7904 662.3 1.71 1.61 N/A 11.72 F 106.15 3934.24 1502.55 4650 34671 14.24 56495 1785.6 1.64 1.61 N/A 20.59 114.20 425.337 1836.86 4900 44595 4828 67626 3472.0 1.59 1.61 N/A 16.01 F 116.32 4337.37 1924.87 4900 28975 4828 51775 2108.2 1.62 1.61 N/A 32.30 F 117.40 4380.40 1969.94 5029 22102 33 45339 1926.8 1.61 1.61 N/A 32.30 F 117.40 4380.41 1969.94 5650 -40465 -23210 -15667 1566 1.								N/A						
3700 71565 53303 89806 1594.4 1.70 1.61 N/A 9.97 F 106.15 3934.24 1502.54 3700 60887 53302 7904 662.3 1.71 1.61 N/A 11.72 F 106.16 3934.24 1502.55 4650 34671 14219 56495 1785.6 1.64 1.61 N/A 20.59 F 114.20 4253.37 1924.87 4900 24895 4828 67626 3472.0 1.59 1.61 N/A 20.59 F 114.20 4253.37 1924.87 4900 28975 4828 67626 3472.0 1.62 1.61 N/A 24.64 F 116.32 4337.33 1924.87 5029 22103 34 45340 1926.8 1.61 1.61 N/A 32.30 F 117.40 4380.40 1969.94 5029 22102 33 45339 1926.8 1.61 1.61 N/A 32.30 F 117.40 4380.41 1969.95 5600 24529 -21341 -20805 2094.3 1														
3700 60887 53302 7904 662.3 1.71 1.61 N/A 11.72 106.16 3934.25 1502.55 4650 34671 14219 56495 1785.6 1.64 1.61 N/A 20.59 114.20 4253.37 1836.86 4900 44595 4828 67626 3472.0 1.59 1.61 N/A 16.01 116.32 4337.37 1924.87 4900 24975 4828 67676 2108.2 1.62 1.61 N/A 24.64 116.32 4337.33 1924.87 4900 24975 4828 51775 2108.2 1.62 1.61 N/A 23.05 117.40 4380.40 1969.94 5029 22102 33 45339 1926.8 1.61 1.61 N/A 32.30 F 117.40 4380.40 1969.94 5029 22102 33 45339 1926.8 1.62 N/A (13.67) 122.23 4572.11 2170.78 6560 -45329 -21341 -20805 2094.3 1.57 1.62														
4650 34671 14219 56495 1785.6 1.64 1.61 N/A 20.59 F 11420 4253.37 1836.86 4900 44595 4828 67626 3472.0 1.59 1.61 N/A 16.01 F 116.32 4337.37 1924.87 4900 28975 4828 51775 2108.2 1.62 1.61 N/A 24.64 F 116.32 4337.38 1924.87 5029 22103 34 45330 1926.8 1.61 1.61 N/A 32.30 F 117.40 4380.41 1969.94 5029 22102 33 45339 1926.8 1.61 1.61 N/A 32.30 F 117.40 4380.41 1969.95 5600 -45329 -21341 -20805 2094.3 1.57 1.62 N/A (13.67) 122.23 4572.11 2170.78 5650 -40465 -23210 -15657 1506.5 1.58 1.62 N/A (15.31) 122.66 4588.87 2188.34 6														
4900 44595 4828 67626 3472.0 1.59 1.61 N/A 16.01 116.32 4337.37 1924.87 4900 28975 4828 51775 2108.2 1.62 1.61 N/A 24.64 116.32 4337.37 1924.87 5029 22103 34 45340 1926.8 1.61 N/A 32.30 F 117.40 4380.40 1969.94 5029 22102 33 45339 1926.8 1.61 1.61 N/A 32.30 F 117.40 4380.40 1969.94 5060 -45329 -21341 -20805 2094.3 1.57 1.62 N/A (13.67) 122.23 4572.11 2170.78 5650 -40465 -23210 -15657 1506.5 1.58 1.62 N/A (15.31) 122.66 4588.87 2188.34 6 -23210 -15657 1506.5 1.58 1.62 N/A (15.31) 122.66 4588.87 2188.34 7 Conn Fracture														
4900 28975 4828 51775 2108.2 1.62 1.61 N/A 24.64 F 116.32 4337.38 1924.87 5029 22103 34 45340 1926.8 1.61 1.61 N/A 32.30 F 117.40 4380.40 1969.94 5029 22102 33 45339 1926.8 1.61 1.61 N/A 32.30 F 117.40 4380.40 1969.95 5060 -45329 -21341 -20805 2094.3 1.57 1.62 N/A (13.67) 122.23 4572.11 2170.78 5650 -40465 -23210 -15657 1506.5 1.58 1.62 N/A (15.31) 122.66 4588.87 2188.34 Conn Fracture Conn Fracture														
5029 22103 34 45340 1926.8 1.61 1.61 N/A 32.30 F 117.40 4380.40 1969.94 5029 22102 33 45339 1926.8 1.61 1.61 N/A 32.30 F 117.40 4380.41 1969.95 5600 -45329 -21341 -20805 2094.3 1.57 1.62 N/A (13.67) 122.23 4572.11 2170.78 5650 -40465 -23210 -15657 1506.5 1.58 1.62 N/A (15.31) 122.65 4588.87 2188.34 F Conn Fracture Conn Fracture () Compression														
5029 22102 33 45339 1926.8 1.61 1.61 N/A 32.30 F 117.40 4380.41 1969.95 5600 -45329 -21341 -20805 2094.3 1.57 1.62 N/A (13.67) 122.23 4572.11 2170.78 5650 -40465 -23210 -15657 1506.5 1.58 1.62 N/A (15.31) 122.66 4588.87 2188.34 F Conn Fracture Conn Fracture () Compression														
5600 -45329 -21341 -20805 2094.3 1.67 1.62 N/A (13.67) 122.23 4572.11 2170.78 5650 -40465 -23210 -15657 1506.5 1.58 1.62 N/A (15.31) 122.66 4588.87 2188.34 F Conn Fracture () Compression														
5650 -40465 -23210 -15657 1506.5 1.58 1.62 N/A (15.31) 122.66 4588.87 2188.34 F Conn Fracture Compression														
F Conn Fracture () Compression														
() Compression	5650	-40465	-23210	-15657	1506.5	1.58	1.62	N/A	(15.31)	122.66	4588.87	2188.34		
	F	Conn Fracture												
(V) Vector Collapse Safety Factor		Compression												
	× /		Eactor											


For Help, press F1

🙎 👤 Default Datum @ 0.00 usft 📑 API - US Survey Feet 🙎 jgriffin2


9-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi

Page 72 of 10




*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.



*Modelling done with 6" Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 4/11/2025 8:07:50 AM



*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 4/11/2025 8:07:50 AM

Page 22 of 31

eog resources

Shallow Casing Design E

1. C	CASING P	ROGRA	Μ					
Hole	Interv	al MD	Interva	l TVD	Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
13"	0	2,025	0	2,025	10-3/4"	40.5#	J-55	STC
9-7/8"	0	7,793	0	5,645	8-5/8"	32#	J-55	BTC-SC
7-7/8"	0	12,626	0	10,896	6"	24.5#	P110-EC	VAM Sprint-TC
6-3/4"	12,626	28,578	10,896	11,225	5-1/2"	20#	P110-EC	VAM Sprint SF

**For highlighted rows above, variance is requested to run entire string of either 6" or 5-1/2" casing string above due to availablility.

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 8-5/8" casing in the 9-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 9-7/8" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" and 5-1/2" casings in the 7-7/8" and 6-3/4" hole sizes. An expansion additive will be utilized in the cement slurry for the entire length of the 7-7/8" and 6-3/4" hole intervals to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.


Depth	No. Sacks	Wt. ppg	Yld Ft3/sk	Slurry Description
2,030' 10-3/4"	450	13.5	1.73	Lead: Class C/H + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello- Flake (TOC @ Surface)
	120	14.8	1.34	Tail: Class C/H + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1830')
7,890' 8-5/8"	460	12.7	2.22	Lead: Class C/H + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)
	210	14.8	1.32	Tail: Class C/H + 10% NaCL + 3% MagOx (TOC @ 6234')
28,578' _{6"}	1000	14.8	1.32	Bradenhead squeeze: Class C/H + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (TOC @ surface)
	2410	13.2	1.52	Tail: Class C/H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ 8140')

2. **CEMENTING PROGRAM:**

Shallow Casing Design E

GL: 3533'

API: 30-025-****



_ 8 2

 Image: Second secon

axial Results Depth (MD)		Axial F	orce (lbf)	E 1 1 1			Absolute S	afety Factor		T .	Pressur	e (psi)	A LINE D' L. T.	
	Uepth (MD) (usft)	Apparent (w/Bending)	Actual (w/o Bending)	Equivalent Axial Load (lbf)	Bending Stress at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	Temperature (°F)	Internal	External	Addt'l Pickup To Prevent Buck. (lbf)	Buckled Length (usft
	0	200426	183224	200546	1880.2	1.68	1.57	N/A	2.89 F	70.00	2500.00	0.00	N/A	N/A
	100	196229	179028	196812	1880.2	1.69	1.57	N/A	2.95 F	71.10	2543.63	43.63		
	100	187111	179027	187686	883.7	1.70	1.57	N/A	3.10 F	71.10	2543.64	43.64		
	1700	256401	111891	264835	15795.8	1.56	1.56	N/A	2.26 F	88.70	3241.64	741.64		
	1700	235940	111891	244247	13559.4	1.60	1.56	N/A	2.45 F	88.70	3241.65	741.65		
	1850	252413	105788	261533	16027.0	1.54	1.56	N/A	2.29 F	90.29	3305.05	805.05		
	1850	239292	105787	248323	14592.9	1.56	1.56	N/A	2.42 F	90.29	3305.06	805.06		
	1950	240267	101966	249748	15117.2	1.54	1.56	N/A	2.41 F	91.30	3344.87	844.87		
	1950	234781	101965	244223	14517.5	1.56	1.56	N/A	2.47 F	91.30	3344.87	844.87		
	2050	230871	98395	240694	14480.4	1.55	1.56	N/A	2.51 F	92.23	3381.89	881.89		
	2050	227794	98394	237594	14144.2	1.55	1.56	N/A	2.54 F	92.23	3381.89	881.89		
	2300	117966	90294	127818	3024.7	1.70	1.56	N/A	4.91 F	94.35	3466.13	966.13		
	2300	104686	90293	114432	1573.2	1.71	1.56	N/A	5.53 F	94.35	3466.14	966.14		
	2370	102469	88077	112431	1573.2	1.71	1.56	N/A	5.65 F	94.94	3489.28	989.28		
	2370	100817	86424	111200	1573.2	1.75	1.59	N/A	5.75 F	94.94	3489.29	1036.40		
	2700	83660	75583	95052	882.8	1.74	1.59	N/A	6.92 F	97.73	3599.97	1152.35		
	2700	88072	75583	99504	1365.1	1.74	1.59	N/A	6.58 F	97.73	3599.97	1152.35		
	3100	86049	62442	98863	2580.4	1.71	1.59	N/A	6.73 F	101.11	3734.23	1293.00		
	3100	76477	62441	89195	1534.2	1.72	1.59	N/A	7.57 F	101.11	3734.23	1293.01		
	3700	55953	42882	70509	1428.8	1.69	1.60	N/A	10.35 F	106.15	3934.24	1502.54		
	3700	48311	42881	62778	593.5	1.71	1.60	N/A	11.99 F	106.16	3934.25	1502.55		
	4000	41458	33043	56865	919.9	1.69	1.60	N/A	13.97 F	108.69	4034.82	1607.91		
	4650	26293	11655	43706	1600.1	1.63	1.60	N/A	22.03 F	114.20	4253.37	1836.86		
	4900	32619	4156	50970	3111.2	1.59	1.60	N/A	17.76 F	116.32	4337.37	1924.87		
	4900	21439	4155	39625	1889.2	1.61	1.60	N/A	27.02 F	116.32	4337.38	1924.87		
	5039	15822	26	34389	1726.6	1.61	1.61	N/A	36.61 F	117.49	4383.77	1973.48		
	5039	15822	26	34388	1726.6	1.61	1.61	N/A	36.61 F	117.49	4383.78	1973.49		
	5600	-33912	-16743	-14286	1876.7	1.57	1.61	N/A	(14.60)	122.23	4572.11	2170.78		
	5650	-30585	-18235	-10742	1350.0	1.58	1.61	N/A	(16.18)	122.66	4588.87	2188.34		
		Conn Fracture												
		Compression												
	(V)	Vector Collapse Safet	/ Factor											


-

For Help, press F1


🕵 I Default Datum @ 0.00 usft 🖪 API - US Survey Feet 😫 jgriffin2

8-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi




*Modelling done with 8-5/8" 32# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.



*Modelling done with 6" Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 4/11/2025 8:07:50 AM



*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

Released to Imaging: 4/11/2025 8:07:50 AM

Page 28 of 31

Additive	Purpose
Bentonite Gel	Lightweight/Lost circulation prevention
Calcium Chloride	Accelerator
Cello-flake	Lost circulation prevention
Sodium Metasilicate	Accelerator
MagOx	Expansive agent
Pre-Mag-M	Expansive agent
Sodium Chloride	Accelerator
FL-62	Fluid loss control
Halad-344	Fluid loss control
Halad-9	Fluid loss control
HR-601	Retarder
Microbond	Expansive Agent

Shallow Casing Design 501H

Cement integrity tests will be performed immediately following plug bump.

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

EOG requests variance from minimum standards to pump a two stage cement job on the production casing string with the first stage being pumped conventionally with the calculated top of cement at the top of the Brushy Canyon and the second stage performed as a 1000 sack bradenhead squeeze with planned cement from the Brushy Canyon to surface. If necessary, a top out consisting of 400 sacks of Class C cement + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (1.32 yld, 14.8 ppg) will be executed as a contingency. Top will be verified by Echo-meter.

Bradenhead will be the primary option for production cementing. EOG also requests to have the conventional option in place to accommodate for logistical or wellbore conditions. The tie back requirements will be met if the cement is pumped conventionally, and cement volumes will be adjusted accordingly. TOC will be verified by CBL.



MUD PROGRAM:

During this procedure we plan to use a Closed-Loop System and haul contents to the required disposal. The applicable depths and properties of the drilling fluid systems are as follows:

Measured Depth	Туре	Weight (ppg)	Viscosity	Water Loss
0 – 2,030'	Fresh - Gel	8.6-8.8	28-34	N/c
2,030' – 7,793'	Brine	9-10.5	28-34	N/c
5,450' – 28,578' Lateral	Oil Base	8.8-9.5	58-68	N/c - 6

An electronic pit volume totalizer (PVT) will be utilized on the circulating system, to monitor pit volume, flow rate, pump pressure and stroke rate.

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept at the wellsite at all times.



Appendix A - Spec Sheets

.

Pipe Bodu and API Connections Performance Data Received by OCD: 3/31/2025 3:25:40 PM 13.375 54.50/0.380 J55

Page 85 of 107 PDF

New Search »

« Back to Previous List

USC C Metric

6/8/2015 10:04:37 AM					
Mechanical Properties	Pipe	втс	LTC	STC	
Minimum Yield Strength	55,000		-	-	psi
Maximum Yield Strength	80,000			-	psi
Minimum Tensile Strength	75,000				psi
Dimensions	Pipe	втс	LTC	STC	
Outside Diameter	13.375	14.375	-	14.375	in.
Wall Thickness	0.380	-	-		in.
Inside Diameter	12.615	12.615		12.615	in.
Standard Drift	12.459	12.459	-	12.459	in.
Alternate Drift	-		-	-	in.
Nominal Linear Weight, T&C	54.50	-		1	lbs/ft
Plain End Weight	52.79				lbs/ft
Performance	Pipe	втс	LTC	STC	
Minimum Collapse Pressure	1,130	1,130		1,130	psi
Minimum Internal Yield Pressure	2,740	2,740		2,740	psi
Minimum Pipe Body Yield Strength	853.00	-	-	-	1000 lbs
Joint Strength	=	909	-	514	1000 lbs
Reference Length	-	11,125	-	6,290	ft
Make_Up Data	Pipe	втс	LTC	STC	
Make-Up Loss	-	4.81	-	3.50	in.
Minimum Make-Up Torque	-			3,860	ft-lbs
Released to Imaging: 4/11/2025 8:07:50 AM Maximum Make-Up Torque	-		-	6,430	ft-lbs

Pipe Body and API Connections Performance Data Received by OCD: 3/31/2025 3:25:40 PM 9.625 40.00/0.395 J55

Page 86 of 107 PDF

New Search »

« Back to Previous List

USC O Metric

6/8/2015 10:23:27 AM					
Mechanical Properties	Pipe	втс	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-	-	psì
Minimum Tensile Strength	75,000		-	-	psi
Dimensions	Pipe	втс	LTC	STC	
Outside Diameter	9.625	10.625	10.625	10.625	in.
Wall Thickness	0.395	-	27.0	-	in.
Inside Diameter	8.835	8.835	8.835	8.835	in.
Standard Drift	8.679	8.679	8.679	8.679	in.
Alternate Drift	8.750	8.750	8.750	8.750	in.
Nominal Linear Weight, T&C	40.00	-	-		Ibs/ft
Plain End Weight	38.97			-	lbs/ft
Performance	Pipe	втс	LTC	STC	
Minimum Collapse Pressure	2,570	2,570	2,570	2,570	psi
Minimum Internal Yield Pressure	3,950	3,950	3,950	3,950	psi
Minimum Pipe Body Yield Strength	630.00	-	-	-	1000 lbs
Joint Strength		714	520	452	1000 lbs
Reference Length	- 	11,898	8,665	7,529	ft
Make-Up Data	Pipe	втс	LTC	STC	
Make-Up Loss	-	4.81	4.75	3.38	in.
Minimum Make-Up Torque		-	3,900	3,390	ft-Ibs
Released to Imaging: 4/11/2025 8:07:50 AM Maximum Make-Up Torque	1		6,500	5,650	ft-lbs

USA	20		Connection		
			Connectio	on Data S	nee
OD (in.) WEIGHT (Ibs./ft.) WALL (in.) 5.500 Nominal: 20.00 0.361 Plain End: 19.83 19.83	-	RADE	API DRIFT (in.) RBW% 4.653 87.5	CONNECTIO DWC/C-IS M	
PIPE PROPERTIES			CONNECTION PRO	PERTIES	
Outside Diameter	5.500	in.	Connection Type	Semi-Pren	nium T
Inside Diameter	4.778	in.	Connection O.D. (nom)	6.115	
Nominal Area	5.828	sq.in.	Connection I.D. (nom)	4.778	
Grade Type	API 5CT		Make-Up Loss	4.125	
Min. Yield Strength	125	ksi	Coupling Length	9.250	
Max. Yield Strength	140	ksi	Critical Cross Section	5.828	so
Min. Tensile Strength	135	ksi	Tension Efficiency	100.0%	of
Yield Strength	729	klb	Compression Efficiency	100.0%	of p
Ultimate Strength	787	klb	Internal Pressure Efficiency	100.0%	of
Min. Internal Yield	14,360	psi	External Pressure Efficiency	100.0%	of
Collapse	12,090	psi			
CONNECTION PERFORMA	NCES		FIELD END TORQUE	VALUES	
Yield Strength	729	klb	Min. Make-up torque	16,100	
Parting Load	787	klb	Opti. Make-up torque	17,350	
Compression Rating	729	klb	Max. Make-up torque	18,600	
Min. Internal Yield	14,360	psi	Min. Shoulder Torque	1,610	
External Pressure	12,090	psi	Max. Shoulder Torque	12,880	1
Maximum Uniaxial Bend Rating	104.2	°/100 ft	Min. Delta Turn	-	Τι
Reference String Length w 1.4 Design Factor	26,040	ft	Max. Delta Turn	0.200	Τι
			Maximum Operational Torque	21,100	1
			Maximum Torsional Value (MTV)	23,210	1

For detailed information on performance properties, refer to DWC Connection Data Notes on following page(s).

Reference Drawing: 8136PP Rev.01 & 8136BP Rev.01

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages.

Date: 12/03/2019 Time: 06:19:27 PM



VAM USA 2107 CityWest Boulevard Suite 1300 Houston, TX 77042 Phone: 713-479-3200 Fax: 713-479-3234 VAM[®] USA Sales E-mail: <u>VAMUSAsales@vam-usa.com</u> Tech Support Email: <u>tech.support@vam-usa.com</u>

DWC Connection Data Sheet Notes:

1. DWC connections are available with a seal ring (SR) option.

2. All standard DWC/C connections are interchangeable for a given pipe OD. DWC connections are interchangeable with DWC/C-SR connections of the same OD and wall.

Connection performance properties are based on nominal pipe body and connection dimensions.
 DWC connection internal and external pressure resistance is calculated using the API rating for buttress connections. API Internal pressure resistance is calculated from formulas 31, 32, and 35 in the API Bulletin 5C3.
 DWC joint strength is the minimum pipe body yield strength multiplied by the connection critical area.

6. API joint strength is for reference only. It is calculated from formulas 42 and 43 in the API Bulletin 5C3.

7. Bending efficiency is equal to the compression efficiency.

8. The torque values listed are recommended. The actual torque required may be affected by field conditions such as temperature, thread compound, speed of make-up, weather conditions, etc.

9. Connection yield torque is not to be exceeded.

10. Reference string length is calculated by dividing the joint strength by both the nominal weight in air and a design factor (DF) of 1.4. These values are offered for reference only and do not include load factors such as bending, buoyancy, temperature, load dynamics, etc.

11. DWC connections will accommodate API standard drift diameters.

12. DWC/C family of connections are compatible with API Buttress BTC connections. Please contact tech.support@vam-usa.com for details on connection ratings and make-up.

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.

Pipe Body and ABI Connections Performance Data

10.750 40.50/0.350 J55

New Search »

« Back to Previous List

USC O Metric

6/8/2015 10:14:05 AM

6/8/2015 10:14:05 AM					
Mechanical Properties	Ptpe	втс	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-	-	psi
Minimum Tensile Strength	75,000	-	-	-	psi
Dimensions	Pipe	втс	LTC	STC	
Outside Diameter	10.750	11.750	-	11.750	in.
Wall Thickness	0.350	-	-	-	in.
Inside Diameter	10.050	10.050	-	10.050	in.
Standard Drift	9.894	9.894	-	9.894	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	40.50	-	-	-	lbs/ft
Plain End Weight	38.91	-	-	-	lbs/ft
Performance	Pipe	втс	LTC	STC	
Minimum Collapse Pressure	1,580	1,580	-	1,580	psi
Minimum Internal Yield Pressure	3,130	3,130	-	3,130	psi
Minimum Pipe Body Yield Strength	629.00	-	-	-	1000 lbs
Joint Strength	-	700	-	420	1000 lbs
Reference Length	-	11,522	-	6,915	ft
Make-Up Data	Pipe	втс	LTC	STC	
Make-Up Loss	-	4.81		3.50	in.
Minimum Make-Up Torque				3,150	ft-Ibs
Released to Imaging: 4/11/2025 8:07:50 AM Maximum Make-Up Torque	-	-	-	5,250	ft-lbs

Б

MADE IN USA FT

S S2L2 DA 7.875 W/O# SLN # PO#

VALLOUREC STAR 8.625 32# J55



API 5CT, 10th Ed. Connection Data Sheet

O.D. (in)		,	WALL ((in)	GR/	ADE 🛛	*API DRI	FT (in)	RBV	V %
8.625	Nominal: Plain End:	32.00 31.13	0.352	2	J5	55	7.79	6	87	.5
	Material Propert	ties (PE)				F	Pipe Body	v Data (PE)	
	Pipe						Geor	netry		
Minimum	Yield Strength:	55	ksi		Nomin	al ID:			7.92	inch
Maximum	Yield Strength:	80	ksi		Nomin	al Area	:		9.149	in ²
Minimum	Tensile Strength:	75	ksi		*Speci	al/Alt. [Drift:		7.875	inch
	Coupling	3					Perfor	mance		
Minimum	Yield Strength:	55	ksi		Pipe B	ody Yie	eld Streng	th:	503	kips
Maximum	Yield Strength:	80	ksi		Collap	se Res	istance:		2,530	psi
					Internal	Yield Pr	essure:			_
Minimum	Tensile Strength:	75	ksi			storical)			3,930	psi
Minimum	API Connectio	n Data	ksi			storical)		tion To		psi
Minimum	Ū	n Data 9.625"	ksi			storical) AF	PI Connec		orque	psi
	API Connectio	n Data 9.625"				storical) AF			orque	
STC Inter	API Connectio Coupling OD: 9 STC Perform	n Data 9.625" ance	psi		(API His	storical) AF	PI Connec STC Torq	ue (ft-ll	orque os)	
STC Inter	API Connectio Coupling OD: 9 STC Perform nal Pressure:	n Data 9.625" ance 3,930 372	psi		(API His	storical) AF 2,793	PI Connec STC Torq	u e (ft-II 3,724	orque os) Max:	
STC Inter STC Joint	API Connectio Coupling OD: 9 STC Perform nal Pressure: t Strength:	n Data 9.625" ance 3,930 372	psi kips		(API His	storical) AF 2,793	PI Connec STC Torq Opti:	u e (ft-II 3,724	orque os) Max:	psi 4,65 5,21
STC Inter STC Joint LTC Inter	API Connectio Coupling OD: 9 STC Perform nal Pressure: t Strength: LTC Perform	n Data 0.625" ance 3,930 372 ance 3,930	psi kips		(API His	storical) AF 2,793	PI Connec STC Torq Opti: LTC Torq	ue (ft-ll 3,724 ue (ft-ll	orque os) Max: os)	4,65
STC Inter STC Joint LTC Inter LTC Joint	API Connectio Coupling OD: 9 STC Perform nal Pressure: t Strength: LTC Perform nal Pressure:	n Data 0.625" ance 3,930 372 ance 3,930 417	psi kips psi kips		(API His	storical) AF 2,793 3,130	PI Connec STC Torq Opti: LTC Torq	ue (ft-ll 3,724 ue (ft-ll 4,174	orque os) Max: os) Max:	4,65
STC Inter STC Joint LTC Inter LTC Joint SC-BTC I	API Connection Coupling OD: 9 STC Perform nal Pressure: t Strength: LTC Perform nal Pressure: Strength:	n Data 0.625" ance 3,930 372 ance 3,930 417	psi kips psi kips 9.125''		(API His	storical) AF 2,793 3,130	PI Connect STC Torq Opti: LTC Torq Opti:	ue (ft-ll 3,724 ue (ft-ll 4,174 ue (ft-ll	orque os) Max: os) Max:	4,65 5,21

*Alt. Drift will be used unless API Drift is specified on order.

**If above API connections do not suit your needs, VAM® premium connections are available up to 100% of pipe body ratings.

ALL INFORMATION IS PROVIDED BY VALLOUREC OR ITS AFFILIATES AT USER'S SOLE RISK, WITHOUT LIABILITY FOR LOSS, DAMAGE OR INJURY RESULTING FROM THE USE THEREOF; AND ON AN "AS IS" BASIS WITHOUT WARRANTY OR REPRESENTATION OF ANY KIND, WHETHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR PURPOSE, ACCURACY OR COMPLETENESS. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY AND IS BASED ON ESTIMATES THAT HAVE NOT BEEN VERIFIED OR TESTED. IN NO EVENT SHALL VALLOUREC OR ITS AFFILIATES BE RESPONSIBLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, PUNITIVE, EXEMPLARY OR CONSEQUENTIAL LOSS OR DAMAGE (INCLUDING WITHOUT LIMITATION, LOSS OF USE, LOSS OF BARGAIN, LOSS OF REVENUE, PROFIT ANTICIPATED PROFIT) HOWEVER CAUSED OR ARISING, AND WHETHER SUCH LOSSES OR DAMAGES. POSSIBILITY OF SUCH DAMAGES.

Rev 3, 7/30/2021

10/21/2022 15:24



Issued on: 10 Feb. 2021 by Wesley Ott



OD	Weight (lb/ft)	Wall Th.	Grade	API Drift:	Connection
6 in.	Nominal: 24.50	0.400 in.	P110EC	5.075 in.	VAM [®] SPRINT-SF
	Plain End: 23.95				

PI PE PROPERTI ES		
Nominal OD	6.000	in.
Nominal ID	5.200	in.
Nominal Cross Section Area	7.037	sqin.
Grade Type	Hig	jh Yield
Min. Yield Strength	125	ksi
Max. Yield Strength	140	ksi
Min. Ultimate Tensile Strength	135	ksi


CONNECTION PROPERTIES		
Connection Type	Integral	Semi-Flush
Connection OD (nom):	6.277	in.
Connection ID (nom):	5.146	in.
Make-Up Loss	5.386	in.
Critical Cross Section	6.417	sqin.
Tension Efficiency	91.0	% of pipe
Compression Efficiency	91.0	% of pipe
Internal Pressure Efficiency	100	% of pipe
External Pressure Efficiency	100	% of pipe

CONNECTION PERFORMANCE		
Tensile Yield Strength	801	klb
Compression Resistance	801	klb
Internal Yield Pressure	14,580	psi
Collapse Resistance	12,500	psi
Max. Structural Bending	83	°/100ft
Max. Bending with ISO/API Sealability	30	°/100ft

TORQUE VALUES		
Min. Make-up torque	21,750	ft.lb
Opt. Make-up torque	24,250	ft.lb
Max. Make-up torque	26,750	ft.lb
Max. Torque with Sealability (MTS)	53,000	ft.lb

* 87.5% RBW

VAM® SPRINT-SF is a semi-flush connection innovatively designed for extreme shale applications. Its high tension rating and ultra high torque capacity make it ideal to run a fill string length as production casing in shale wells with extended horizontal sections and tight clearance requirements.



Do you need help on this product? - Remember no one knows VAM® like VAM®

canada@vamfieldservice.com usa@vamfieldservice.com mexico@vamfieldservice.com brazil@vamfieldservice.com uk@vamfieldservice.com dubai@vamfieldservice.com nigeria@vamfieldservice.com angola@vamfieldservice.com

Over 140 VAM® Specialists available worldwide 24/7 for Rig Site Assistance

china@vamfieldservice.com baku@vamfieldservice.com singapore@vamfieldservice.com australia@vamfieldservice.com



Connection Data Sheet

OD (in.)	WEIGHT (lbs./ft.)	WALL (in.)	GRADE	API DRIFT (in.)	RBW%	CONNECTION
6.000	Nominal: 22.30	0.360	VST P110EC	5.155	92.5	DWC/C-IS
		·		•	•	

PIPE PROPERTIES					
Nominal OD	6.000	in.			
Nominal ID	5.280	in.			
Nominal Area	6.379	sq.in.			
Grade Type	API 5CT				
Min. Yield Strength	125	ksi			
Max. Yield Strength	140	ksi			
Min. Tensile Strength	135	ksi			
Yield Strength	797	klb			
Ultimate Strength	861	klb			
Min. Internal Yield Pressure	13,880	psi			
Collapse Pressure	9,800	psi			

CONNECTION PERFORMA	NCES	
Yield Strength	797	klb
Parting Load	861	klb
Compression Rating	797	klb
Min. Internal Yield	13,880	psi
External Pressure	9,800	psi
Maximum Uniaxial Bend Rating	47.7	°/100 ft
Reference String Length w 1.4 Design Factor	25,530	ft.

CONNECTION PRO	PERTIES	
Connection Type	Semi-Prem	nium T&C
Connection OD (nom)	6.650	in.
Connection ID (nom)	5.280	in.
Make-Up Loss	4.313	in.
Coupling Length	9.625	in.
Critical Cross Section	6.379	sq.in.
Tension Efficiency	100.0%	of pipe
Compression Efficiency	100.0%	of pipe
Internal Pressure Efficiency	100.0%	of pipe
External Pressure Efficiency	100.0%	of pipe

FIELD END TORQUE VA	LUES	
Min. Make-up torque	17,000	ft.lb
Opti. Make-up torque	18,250	ft.lb
Max. Make-up torque	19,500	ft.lb
Min. Shoulder Torque	1,700	ft.lb
Max. Shoulder Torque	13,600	ft.lb
Min. Delta Turn	-	Turns
Max. Delta Turn	0.200	Turns
Maximum Operational Torque	24,200	ft.lb
Maximum Torsional Value (MTV)	26,620	ft.lb

Need Help? Contact: <u>tech.support@vam-usa.com</u> Reference Drawing: 8135PP Rev.02 & 8135BP Rev.02 Date: 07/30/2020

Time: 07:50:47 PM

For detailed information on performance properties, refer to DWC Connection Data Notes on following page(s).

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates us advised of the possibility of such damages.



VAM USA 2107 CityWest Boulevard Suite 1300 Houston, TX 77042 Phone: 713-479-3200 Fax: 713-479-3234 VAM[®] USA Sales E-mail: <u>VAMUSAsales@vam-usa.com</u> Tech Support Email: <u>tech.support@vam-usa.com</u>

DWC Connection Data Sheet Notes:

1. DWC connections are available with a seal ring (SR) option.

2. All standard DWC/C connections are interchangeable for a given pipe OD. DWC connections are interchangeable with DWC/C-SR connections of the same OD and wall.

3. Connection performance properties are based on nominal pipe body and connection dimensions.

4. DWC connection internal and external pressure resistance is calculated using the API rating for buttress connections. API Internal pressure resistance is calculated from formulas 31, 32, and 35 in the API Bulletin 5C3.

5. DWC joint strength is the minimum pipe body yield strength multiplied by the connection critical area.

6. API joint strength is for reference only. It is calculated from formulas 42 and 43 in the API Bulletin 5C3.

7. Bending efficiency is equal to the compression efficiency.

8. The torque values listed are recommended. The actual torque required may be affected by field conditions such as temperature, thread compound, speed of make-up, weather conditions, etc.

9. Connection yield torque is not to be exceeded.

10. Reference string length is calculated by dividing the joint strength by both the nominal weight in air and a design factor (DF) of 1.4. These values

are offered for reference only and do not include load factors such as bending, buoyancy, temperature, load dynamics, etc. 11. DWC connections will accommodate API standard drift diameters.


12. DWC/C family of connections are compatible with API Buttress BTC connections. Please contact tech.support@vam-usa.com for details on connection ratings and make-up.

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates use advised of the possibility of such damages.




LOCATION & ELEVATION VERIFICATION MAP



ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.

TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743 WWW.TOPOGRAPHIC.COM



THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY EOG RESOURCES, INC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET


LOYALTY

481 WINSCOTT ROAD, Ste. 200 • BENBROOK, TEXAS 76126


TELEPHONE: (817) 744-7512 • FAX (817) 744-7554 2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705

TELEPHONE; (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743

WWW.TOPOGRAPHIC.COM



Released to Imaging: 4/11/2025 8:07:50 AM



Released to Imaging: 4/11/2025 8:07:50 AM


.

Page 97 of 107

Received by OCD: 3/31/2025 3:25:40 PM







ORIGINAL DOCUMENT SIZE: 8.5" X 11"


Released to Imaging: 4/11/2025 8:07:50 AM S:SURVEYEOG_MIDLAND:LACEY_SWISS_1_FED_COM/FINAL_PRODUCTS:LO_LACEY_SWISS_1_FED_COM_1H.DWG 2/18/2025 2:43:16 PM russell.waterman

EXHIBIT 2C


RECLAMATION AND FACILITY DIAGRAM - PRODUCTION FACILITIES DIAGRAM

SECTION 2, TOWNSHIP 25-S, RANGE 33-E, N.M.P.M. LEA COUNTY, NEW MEXICO

DETAIL VIEW SCALE: 1" = 200'



Received by OCD: 3/31/2025 3:25:40 PM



Seog resources

Lacey Swiss 1 Fed Com #1H

Revised Permit Information 01/23/2025:

Well Name: Lacey Swiss 1 Fed Com #1H; FKA Lacey Swiss 1 Fed Com 306H
Location: SHL: 501' FNL & 388' FEL, Section 2, T-25-S, R-33-E, LEA Co., N.M.
BHL: 2541' FNL & 990' FWL, Section 13, T-25-S, R-33-E, LEA Co., N.M.

Hole	Interv	al MD	Interva	al TVD	Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
16"	0	1,272	0	1,272	13-3/8"	54.5#	J-55	STC
11"	0	5,406	0	5,240	9-5/8"	40#	J-55	LTC
8-3/4"	0	8,591	0	8,434	7"	32#	P110-HP	BTC
7-7/8"	8,591	21,908	8,434	8,911	5-1/2"	20#	P110-EC	DWC/C IS MS

1. CASING PROGRAM

**For highlighted rows above, variance is requested to run entire string of either 7" or 5-1/2" casing string above due to availablility.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 7" and 5-1/2" casings in the 8-3/4" and 7-7/8" hole sizes. An expansion additive will be utilized, in the cement slurry, for the entire length of the 8-3/4" and 7-7/8" hole intervals to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

Depth	No. Sacks	Wt.	Yld	Slurry Description
TVD	TVD Ppg F		Ft3/sk	Siurry Description
1,272'	340	13.5	1.73	Lead: Class C/H + additives (TOC @ Surface)
13-3/8''				
	160	14.8	1.34	Tail: Class C/H + additives (TOC @ 1080')
5,240' 9-5/8''	510	12.7	2.22	Lead: Class C/H + additives + expansion additives (TOC @ Surface)
	180	14.8	1.32	Tail: Class C/H + additives + expansion additives (TOC @ 4325')
21,908' 7''	1000	14.8	1.32	Bradenhead squeeze: Class C/H + additives + expansion additives (TOC @ surface)
5-1/2''	1770	13.2	1.52	Tail: Class C/H + additives (TOC @ 7,752')

2. CEMENTING PROGRAM:



Lacey Swiss 1 Fed Com #1H

Additive	Purpose
Bentonite Gel	Lightweight/Lost circulation prevention
Calcium Chloride	Accelerator
Cello-flake	Lost circulation prevention
Sodium Metasilicate	Accelerator
MagOx	Expansive agent
Pre-Mag-M	Expansive agent
Sodium Chloride	Accelerator
FL-62	Fluid loss control
Halad-344	Fluid loss control
Halad-9	Fluid loss control
HR-601	Retarder
Microbond	Expansive Agent

Cement integrity tests will be performed immediately following plug bump.

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

EOG requests variance from minimum standards to pump a two stage cement job on the 7" and 5-1/2" production casing strings with the first stage being pumped conventionally with the calculated top of cement at the Brushy Canyon (7,752') and the second stage performed as a 1000 sack bradenhead squeeze with planned cement from the Brushy Canyon to surface. If necessary, a top out consisting of 400 sacks of Class C/H cement + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (1.32 yld, 14.8 ppg) will be executed as a contingency. Top will be verified by Echo-meter.

Bradenhead will be the primary option for production cementing. EOG also requests to have the conventional option in place to accommodate for logistical or wellbore conditions. The tie back requirements will be met if the cement is pumped conventionally, and cement volumes will be adjusted accordingly. TOC will be verified by CBL.

3. MUD PROGRAM:

Depth (TVD)	Туре	Weight (ppg)	Viscosity	Water Loss
0 – 1,280'	Fresh - Gel	8.6-8.8	28-34	N/c
1,280' – 5,240'	Brine	9.0-10.5	28-34	N/c
5,240' - 21,908'	Oil Base	8.8-9.5	58-68	N/c - 6

Seog resources

Lacey Swiss 1 Fed Com #1H

4. VARIANCE REQUESTS:

EOG requests the additional variance(s) in the attached document(s):

Variances requested include (supporting documents attached):

- BOP Break Testing for 5M Intermediate Intervals (EOG BLM Variance 3a_b)
- Offline Cementing for Surface and Intermediate Intervals (EOG BLM Variance 3a_b)
- Production Offline Cement (EOG BLM Variance 3_d)
- Salt Interval Washout Annular Clearnace (EOG BLM Variance 4a)
- Alternate Shallow Casing Designs (EOG BLM Variance 5a)


8. TUBING REQUIREMENTS:

EOG respectively requests an exception to the following NMOCD rule:

 19.15.16.10 Casing AND TUBING RQUIREMENTS: J (3): "The operator shall set tubing as near the bottom as practical and tubing perforations shall not be more than 250 feet above top of pay zone."

With horizontal flowing and gas lifted wells an end of tubing depth placed at or slightly above KOP is a conservative way to ensure the tubing stays clean from debris, plugging, and allows for fewer well interventions post offset completion. The deeper the tubulars are run into the curve, the higher the probability is that the tubing will become stuck in sand and or well debris as the well produces over time. An additional consideration for EOT placement during artificial lift installations is avoiding the high dog leg severity and inclinations found in the curve section of the wellbore to help improve reliability and performance. Dog leg severity and inclinations tend not to hamper gas lifted or flowing wells, but they do effect other forms of artificial lift like rod pump or ESP (electric submersible pump). Keeping the EOT above KOP is an industry best practice for those respective forms of artificial lift.

Lacey Swiss 1 Fed Com #1H



Seog resources

Lacey Swiss 1 Fed Com #1H

1. GEOLOGIC NAME OF SURFACE FORMATION:

Permian

2. ESTIMATED TOPS OF IMPORTANT GEOLOGICAL MARKERS:

1,159'
1,247'
1,652'
5,140'
5,180'
5,197'
6,236'
7,752'
9,204'
9,279'
10,169'
10,489'
10,777'
11,303'
8,911'

3. ESTIMATED DEPTHS OF ANTICIPATED FRESH WATER, OIL OR GAS:

Upper Permian Sands	0-400'	Fresh Water
Bell Canyon	5,197'	Oil
Cherry Canyon	6,236'	Oil
Brushy Canyon	7,752'	Oil
Leonard (Avalon) Shale	9,279'	Oil
1st Bone Spring Sand	10,169'	Oil
2nd Bone Spring Shale	10,489'	Oil
2nd Bone Spring Sand	10,777'	Oil

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
5509 Champions Drive	Action Number:
Midland, TX 79706	447392
	Action Type:
	[C-103] NOI Change of Plans (C-103A)
CONDITIONS	

CONDITIONS		
Created By	Condition	Condition Date
matthew.gomez	Any previous COA's not addressed within the updated COA's still apply.	4/11/2025

CONDITIONS

Action 447392