Form 3160-3 (June 2015) UNITED STATE	S			FORM API OMB No. 1 Expires: Janua	004-0137	
DEPARTMENT OF THE I BUREAU OF LAND MAN	INTERIOR			5. Lease Serial No. NMNM94850		
APPLICATION FOR PERMIT TO E	ORILL OR	REENTER		6. If Indian, Allotee or 7	Tribe Name	
	REENTER			7. If Unit or CA Agreen NMNM143295	nent, Name and No.	
1b. Type of Well:   ✓     ✓   Oil Well   Gas Well	Other			8. Lease Name and Wel	l No.	
1c. Type of Completion:   Hydraulic Fracturing	Single Zone	Multiple Zone		PEGASUS 3 FED CC	M	
2. Name of Operator				312H 9. API Well No.		
EOG RESOURCES INCORPORATED				30-025-54816		
3a. Address		No. (include area cod	'e)	10. Field and Pool, or E	xploratory	
1111 BAGBY SKY LOBBY 2, HOUSTON, TX 77002	(713) 651-			TRISTE DRAW/BONE		
4. Location of Well <i>(Report location clearly and in accordance</i>	2	1 /		11. Sec., T. R. M. or Bll SEC 3/T24S/R32E/NM	2	
At surface TR O / 1219 FSL / 1717 FEL / LAT 32.2427				3LC 3/1243/132L/10	///	
At proposed prod. zone TR A / 100 FNL / 1310 FEL / LA		31 / LONG -103.658	81951			
14. Distance in miles and direction from nearest town or post of	fice*			12. County or Parish LEA	13. State NM	
15. Distance from proposed* location to nearest property or lease line, ft.	16. No of a	5. No of acres in lease 17. Spacin 640.0		ng Unit dedicated to this well		
(Also to nearest drig. unit line, if any) 18. Distance from proposed location*	19. Propose	ad Danth	20 BI M	BIA Bond No. in file		
to nearest well, drilling, completed, applied for, on this lease, ft. <b>15 feet</b>	-	20301 feet	FED:	BIA Bond No. In me		
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 3651 feet	22. Approx 05/14/2024	Approximate date work will start* /14/2024		<ul><li>23. Estimated duration</li><li>25 days</li></ul>		
	24. Attac	chments				
The following, completed in accordance with the requirements of (as applicable)	of Onshore Oil	and Gas Order No.	l, and the H	Iydraulic Fracturing rule	per 43 CFR 3162.3-3	
<ol> <li>Well plat certified by a registered surveyor.</li> <li>A Drilling Plan.</li> </ol>		4. Bond to cover the Item 20 above).	e operation	s unless covered by an ex	isting bond on file (see	
3. A Surface Use Plan (if the location is on National Forest Syste SUPO must be filed with the appropriate Forest Service Office				mation and/or plans as ma	y be requested by the	
25. Signature		e (Printed/Typed)		Da		
(Electronic Submission)	SHEA	A BAILEY / Ph: (71	3) 651-70	00 06	3/23/2023	
Title Regulatory Contractor						
Approved by (Signature)	Name	e (Printed/Typed)		Da	te	
(Electronic Submission)	COD	Y LAYTON / Ph: (5	75) 234-59	959 02	/21/2025	
Title	Office	<sup>e</sup> bad Field Office				
Assistant Field Manager Lands & Minerals Application approval does not warrant or certify that the applica applicant to conduct operations thereon. Conditions of approval, if any, are attached.			hose rights	in the subject lease which	n would entitle the	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, 1 of the United States any false, fictitious or fraudulent statements					department or agency	
	-					



\*(Instructions on page 2)

.

(Continued on page 2)


Received by OCD: 5/7/2025 5:46:41 PM

Page 2 of 108

C-102 Submit Electronic	ally			, Minera		Resources	Department	Revised July 9, 2024		
Via OCD Permitt			(	DIL CON	NSERVAT	ION DIVIS	SION		Initial Submittal	
								Submittal Type:	Amended Report	
								rype.	As Drilled	
		W	ELL LO	CATIO	N AND AC	REAGE DE	<b>EDICATION</b>	PLAT		
API Number 30-025-	54816		Pool Code 9	6603	Pool N		E DRAW; BON	E SPRING	6	
Property Code 328120			Property Name		PEGASUS	3 FED COM	l		Well Number	312H
OGRID No.	7377		Operator Name		EOG RESO	URCES, INC	<b>)</b> .		Ground Level Elev	<sup>ration</sup> 3651'
Surface Owner:	State Fee	Tribal 🖌 Federal				Mineral Owner:	State Fee Tribal 🖌	Federal		
					Surface	Location				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the N/S	Feet from the E/W	Latitude		Longitude	County
0	3	24-S	32-E	-	1219' S	1717' E	N 32.24271	59 W 1	03.6595105	LEA
UL or lot no.	Section	Township	Range	Lot Idn	Bottom Ho Feet from the N/S	le Location	Latitude		Longitude	County
A	34	23-S	32-E	-	100' N	1310' E	N 32.26809	31 W 1	03.6581951	LEA
	•							•		
Dedicated Acres	Infill or Defi	ning Well Defini	ing Well API			Overlapping Spacing	Unit (Y/N)	Consolidat	ed Code	
639.39	Infill	3	30-025-4	7243		N		С		
Order Numbers	NMNM	143295				Well Setbacks are un	der Common Ownership	: Yes No	)	
					Kick Off P	oint (KOP)				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the N/S	Feet from the E/W	Latitude		Longitude	County
P	3	24-S	32-E	-	50' S	1310' E	N 32.23950	97   W 1	03.6581911	LEA
	G	T 1	P	Lot Idn	First Take	Point (FTP) Feet from the E/W	Latitude		T 2 1	<b>C</b> 1
UL or lot no. P	Section 3	Township 24-S	Range 32-E		100' S	1310' E	N 32.23964	71 W 1	Longitude 03.6581911	County LEA
					Last Take I	Point (LTP)				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the N/S	Feet from the E/W	Latitude		Longitude	County
Α	34	23-S	32-E	-	100' N	1310' E	N 32.26809	31 W 1	03.6581951	LEA
Unitized Area or A	rea of Uniform I	ntrest		Spacing Unity	Horizonta	l Vertical	Ground F	loor Elevation	3676'	
OPERATOR CERTIFICATION         I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief; and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.         If this well is a horizontal well, I further certify that this organization has received The consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.         Star L Hamell       7/9/25         Signature       Date					I hereby certify notes of actual is true and cor	RS CERTIFICAT that the well locat surveys made by m rect to the best of n rect to the best of n	ion shown on te or under my ny belief.	24508 24508 2000 - 24508 2000 -	that the same	
Signature Star L Ha	arrell		Date							
Print Name						Certificate Number	Date of			
E-mail Address	enweogre	esources.c						01/19/2023		

Received by OCD: 5/7/2025 5:46:41 PM

Page 3 of 108



Ro	oivad	hy	OCD.	5/7/2025	5.46.41	PM
Neg	reiveu	UV	UUD	3///4043	5:40:41	<b>I</b> 1 <b>V</b> 1

If Other, please describe:	vived by OCD: 5	5/7/2025 5:46:41 PM	ſ					Page 4
1220 South St. Francis Dr. Santa Fe, NM 87505         NATURAL GAS MANAGEMENT PLAN         This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted <u>Section 1 – Plan Description</u> <u>Effective May 25, 2021</u> I. Operator:EOG Resources, IncOGRID:7377 Date: 5/5/2025         II. Type: @ Original □ Amendment due to □ 19.15.27.9.D(6)(a) NMAC □ 19.15.27.9.D(6)(b) NMAC □ Other.         If Other, please describe:		I				ent	Sub Via	mit Electronically E-permitting
Weile Colspan="2">Colspan="2"Col			1220 \$	South St. Fran	cis Dr.			
Section 1 – Plan Description Effective May 25, 2021         1. Operator:EOG Resources, IncOGRID:7377 Date: 5/5/2025         II. Type: I Original I Amendment due to I 19.15.27.9.D(6)(a) NMAC I 19.15.27.9.D(6)(b) NMAC I Other.         If Other, please describe:		N	NATURAL G	AS MANA(	GEMENT P	LAN		
Effective May 25, 2021         I. Operator:EOG Resources, Inc:OGRID:7377 Date: 5/5/2025         II. Type: Driginal Date and mendment due to D19.15.27.9.D(6)(a) NMAC D19.15.27.9.D(6)(b) NMAC D0 ther.         If Other, please describe:	This Natural Gas	s Management Plan r	nust be submitted w	ith each Applica <sup>,</sup>	tion for Permit to I	Drill (APD) fo	or a new o	or recompleted well
II. Type: ⊠ Original □ Amendment due to □ 19.15.27.9.D(6)(a) NMAC □ 19.15.27.9.D(6)(b) NMAC □ Other.         If Other, please describe:         III. Well(s): Provide the following information for each new or recompleted well or set of wells proposed to be drilled or propose recompleted from a single well pad or connected to a central delivery point.         Well Name       API       ULSTR       Footages       Anticipated       Anticipated       Anticipated         PEGASUS 3 FED COM 312H       0-3-248-32E       12197 FSL & +/~ 1000       +/~ 3500       +/~ 3000         IV. Central Delivery Point Name:      Pegasus 3 Fed Com CTB [See 19.15.27.9(D)(1) NMAC]       V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be do or proposed to be recompleted from a single well pad or connected to a central delivery point.         Well Name       API       Spud Date       TD Reached Completion Completed well or set of wells proposed to be do or proposed to be recompleted from a single well pad or connected to a central delivery point.         Well Name       API       Spud Date       TD Reached Completion Completion Back Date       Initial Flow First Produc Date         PEGASUS 3 FED COM 312H       5/15/25       5/31/25       8/01/25       9/01/25       12/01/25         VI. Separation Equipment:       X Attach a complete description of how Operator will size separation equipment to optimize gas ca         VII. Operational Practices:								
II. Type: ⊠ Original □ Amendment due to □ 19.15.27.9.D(6)(a) NMAC □ 19.15.27.9.D(6)(b) NMAC □ Other.         If Other, please describe:	I. Operator:	EOG Resources, In	ncOGRI	D:7377		Date:	5/5/2025	
If Other, please describe:	-							then
III. Well(s): Provide the following information for each new or recompleted well or set of wells proposed to be drilled or propose recompleted from a single well pad or connected to a central delivery point.         Well Name       API       ULSTR       Footages       Anticipated       Anticipated       Anticipated       BBL/D         PEGASUS 3 FED COM 312H       0-3-248-32E       1219 FSL & +/- 1000       +/- 3500       +/- 3000         IV. Central Delivery Point Name:Pegasus 3 Fed Com CTB       [See 19.15.27.9(D)(1) NMAC]         V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be do or proposed to be recompleted from a single well pad or connected to a central delivery point.         Well Name       API       Spud Date       TD Reached       Completion       Initial Flow       First Produced well Date         Well Name       API       Spud Date       TD Reached       Completion       Initial Flow       First Produced Date         VI. Separation Equipment:       S/15/25       5/31/25       8/01/25       9/01/25       12/01/25         VI. Operational Practices:       Attach a complete description of how Operator will size separation equipment to optimize gas ca         VII. Operational Practices:       Attach a complete description of the actions Operator will take to comply with the requireme Subsection A through F of 19.15.27.8 NMAC.         VIII. Best M	II. Type: 🖂			.27.9.D(0)(a) M	MAC 🗆 19.13.27.	9.D(0)(0) NIV		uler.
be recompleted from a single well pad or connected to a central delivery point.         Well Name       API       ULSTR       Footages       Anticipated Oil BBL/D       Anticipated Gas MCF/D       Anticipated Produced Wate BBL/D         PEGASUS 3 FED COM 312H       0-3-248-32E       1219° FSL & 1717° FEL       +/- 1000       +/- 3500       +/- 3000         IV. Central Delivery Point Name:Pegasus 3 Fed Com CTB       [See 19.15.27.9(D)(1) NMAC]         V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be do or proposed to be recompleted from a single well pad or connected to a central delivery point.       Initial Flow       First Produc Date         Well Name       API       Spud Date       TD Reached Date       Completion Commencement Date       Initial Flow       First Produc Date         PEGASUS 3 FED COM 312H       5/15/25       5/31/25       8/01/25       9/01/25       12/01/25         VI. Separation Equipment:       X Attach a complete description of how Operator will size separation equipment to optimize gas ca         VII. Operational Practices:       X Attach a complete description of the actions Operator will take to comply with the requireme Subsection A through F of 19.15.27.8 NMAC.         VIII. Best Management Practices:       X Attach a complete description of Operator's best management practices to minimize variables.	If Other, please	describe:						
PEGASUS 3 FED COM 312H       O-3-24S-32E       1219 FSL & 1/717 FEL       +/- 1000       +/- 3500       +/- 3000         IV. Central Delivery Point Name:						wells propose	d to be di	rilled or proposed to
PEGASUS 3 FED COM 312H       O-3-24S-32E       1219' FSL & 1/17' FEL       +/- 1000       +/- 3500       +/- 3000         IV. Central Delivery Point Name:Pegasus 3 Fed Com CTB [See 19.15.27.9(D)(1) NMAC]       IV. Central Delivery Point Name:Pegasus 3 Fed Com CTB [See 19.15.27.9(D)(1) NMAC]       IV. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be do or proposed to be recompleted from a single well pad or connected to a central delivery point.       Initial Flow First Production Date         Well Name       API       Spud Date       TD Reached Date       Completion Commencement Date       Initial Flow Back Date       First Production Date         VI. Separation Equipment:       X Attach a complete description of how Operator will size separation equipment to optimize gas ca       VII. Operational Practices:       X Attach a complete description of the actions Operator will take to comply with the requireme Subsection A through F of 19.15.27.8 NMAC.         VIII. Best Management Practices:       X Attach a complete description of Operator's best management practices to minimize values of the section of Operator's best management practices to minimize values of the section of Operator's best management practices to minimize values of the section of Operator's best management practices to minimize values of the section of Operator's best management practices to minimize values of the section of Operator's best management practices to minimize values of the section of Operator's best management practices to minimize values of the section of Operator's best management practices to minimize values of the section of Operator's be	Well Nam	e API	ULSTR	Footages		-		
V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be dror proposed to be recompleted from a single well pad or connected to a central delivery point.         Well Name       API       Spud Date       TD Reached Date       Completion Commencement Date       Initial Flow Back Date       First Produc Date         PEGASUS 3 FED COM 312H       5/15/25       5/31/25       8/01/25       9/01/25       12/01/25         VI. Separation Equipment:       X Attach a complete description of how Operator will size separation equipment to optimize gas ca         VII. Operational Practices:       X Attach a complete description of the actions Operator will take to comply with the requireme Subsection A through F of 19.15.27.8 NMAC.         VIII. Best Management Practices:       X Attach a complete description of Operator's best management practices to minimize voluments of the action of the actio	PEGASUS 3 FED COM 31	2H	O-3-24S-32E					BBL/D
or proposed to be recompleted from a single well pad or connected to a central delivery point.         Well Name       API       Spud Date       TD Reached Date       Completion Commencement Date       Initial Flow Back Date       First Produc Date         PEGASUS 3 FED COM 312H       5/15/25       5/31/25       8/01/25       9/01/25       12/01/25         VI. Separation Equipment:       ⊠ Attach a complete description of how Operator will size separation equipment to optimize gas ca         VII. Operational Practices:       ⊠ Attach a complete description of the actions Operator will take to comply with the requireme Subsection A through F of 19.15.27.8 NMAC.         VIII. Best Management Practices:       ⊠ Attach a complete description of Operator's best management practices to minimize vertices to minimize vertices.	IV. Central Del	livery Point Name: _	Pegasus 3 Fed C	om CTB		[See 19.1:	5.27.9(D)	(1) NMAC]
PEGASUS 3 FED COM 312H       Date       Commencement Date       Back Date       Date         VI. Separation Equipment:       ⊠ Attach a complete description of how Operator will size separation equipment to optimize gas ca         VII. Operational Practices:       ⊠ Attach a complete description of the actions Operator will take to comply with the requireme         Subsection A through F of 19.15.27.8 NMAC.         VIII. Best Management Practices:       ⊠ Attach a complete description of Operator's best management practices to minimize vertices							wells pro	pposed to be drilled
<ul> <li>VI. Separation Equipment: ⊠ Attach a complete description of how Operator will size separation equipment to optimize gas ca</li> <li>VII. Operational Practices: ⊠ Attach a complete description of the actions Operator will take to comply with the requireme Subsection A through F of 19.15.27.8 NMAC.</li> <li>VIII. Best Management Practices: ⊠ Attach a complete description of Operator's best management practices to minimize vertex.</li> </ul>	Well Nam	e API	Spud Date		-			First Production Date
<ul> <li>VII. Operational Practices: ⊠ Attach a complete description of the actions Operator will take to comply with the requireme Subsection A through F of 19.15.27.8 NMAC.</li> <li>VIII. Best Management Practices: ⊠ Attach a complete description of Operator's best management practices to minimize vertex.</li> </ul>	PEGASUS 3 FED COM 31	2H	5/15/25	5/31/25	8/01/25	9/01	/25	12/01/25
<ul> <li>VII. Operational Practices: ⊠ Attach a complete description of the actions Operator will take to comply with the requireme Subsection A through F of 19.15.27.8 NMAC.</li> <li>VIII. Best Management Practices: ⊠ Attach a complete description of Operator's best management practices to minimize vertex.</li> </ul>	VI Senaration	Fauinment: 🛛 Atta	ch a complete descri	ntion of how On	erator will size set	paration equin	ment to o	ntimize gas canture
Subsection A through F of 19.15.27.8 NMAC. VIII. Best Management Practices: 🖂 Attach a complete description of Operator's best management practices to minimize ve	-		Ĩ		-			
				ription of the ac	tions Operator wi	ll take to com	ply with	the requirements o
		•	-	te description of	f Operator's best 1	nanagement <sub>I</sub>	practices t	o minimize venting

.

## Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

 $\overline{X}$  Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

#### IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

#### X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

**XI. Map.**  $\Box$  Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

**XII. Line Capacity.** The natural gas gathering system  $\Box$  will  $\Box$  will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

**XIII.** Line Pressure. Operator  $\Box$  does  $\Box$  does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

□ Attach Operator's plan to manage production in response to the increased line pressure.

**XIV. Confidentiality:**  $\Box$  Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

### <u>Section 3 - Certifications</u> <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

 $\boxtimes$  Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

 $\Box$  Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. *If Operator checks this box, Operator will select one of the following:* 

**Well Shut-In.**  $\Box$  Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

**Venting and Flaring Plan.**  $\Box$  Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (**h**) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

## Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: Star L Harrell
Printed Name: Star L Harrell
Title: Regulatory Advisor
E-mail Address: Star_Harrell@eogresources.com
Date: 5/5/2025
Phone: (432) 848-9161
OIL CONSERVATION DIVISION
(Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

#### Natural Gas Management Plan Items VI-VIII

# VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture.

- Separation equipment will be sized to provide adequate separation for anticipated rates.
- Adequate separation relates to retention time for Liquid Liquid separation and velocity for Gas-Liquid separation.
- Collection systems are appropriately sized to handle facility production rates on all (3) phases.
- Ancillary equipment and metering is selected to be serviced without flow interruptions or the need to release gas from the well.

## VII. Operational Practices: Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F 19.15.27.8 NMAC.

## Drilling Operations

- All flare stacks will be properly sized. The flare stacks will be located at a minimum 100' from the nearest surface hole location on the pad.
- All natural gas produced during drilling operations will be flared, unless there is an equipment malfunction and/or to avoid risk of an immediate and substantial adverse impact on safety and the environment, at which point the gas will be vented.

### **Completions/Recompletions Operations**

- New wells will not be flowed back until they are connected to a properly sized gathering system.
- The facility will be built/sized for maximum anticipated flowrates and pressures to minimize waste.
- For flowback operations, multiple stages of separation will be used as well as excess VRU and blowers to make sure waste is minimized off the storage tanks and facility.
- During initial flowback, the well stream will be routed to separation equipment.
- At an existing facility, when necessary, post separation natural gas will be flared until it meets pipeline specifications, at which point it will be turned into a collection system.
- At a new facility, post separation natural gas will be vented until storage tanks can safely function, at which point it will be flared until it meets pipeline spec.

### Production Operations

- Weekly AVOs will be performed on all facilities.
- All flares will be equipped with auto-ignition systems and continuous pilot operations.
- After a well is stabilized from liquid unloading, the well will be turned back into the collection system.
- All plunger lift systems will be optimized to limit the amount of waste.
- All tanks will have automatic gauging equipment installed.
- Leaking thief hatches found during AVOs will be cleaned and properly re-sealed.

### Performance Standards

- Production equipment will be designed to handle maximum anticipated rates and pressure.
- All flared gas will be combusted in a flare stack that is properly sized and designed to ensure proper combustion.
- Weekly AVOs will be performed on all wells and facilities that produce more than 60 Mcfd.

### Measurement & Estimation

- All volume that is flared and vented that is not measured will be estimated.
- All measurement equipment for flared volumes will conform to API 14.10.
- No meter bypasses with be installed.

• When metering is not practical due to low pressure/low rate, the vented or flared volume will be estimated.

## VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

- During downhole well maintenance, EOG will use best management practices to vent as minimally as possible.
- Prior to the commencement of any maintenance, the tank or vessel will be isolated from the rest of the facilities.
  All valves upstream of the equipment will be closed and isolated.
- After equipment has been isolated, the equipment will be blown down to as low a pressure as possible into the collection system.
- If the equipment being maintained cannot be relieved into the collection system, it shall be released to a tank where the vapor can either be captured or combusted if possible.
- After downhole well maintenance, natural gas will be flared until it reaches pipeline specification.

## **S**eog resources

## Pegasus 3 Fed Com 312H

### **1. GEOLOGIC NAME OF SURFACE FORMATION:**

Permian

#### 2. ESTIMATED TOPS OF IMPORTANT GEOLOGICAL MARKERS:

Rustler	1,185'
Tamarisk Anhydrite	1,255'
Top of Salt	1,485'
Base of Salt	4,730'
Lamar	4,910'
Bell Canyon	4,935'
Cherry Canyon	5,755'
Brushy Canyon	7,065'
Bone Spring Lime	8,760'
Leonard (Avalon) Shale	8,880'
1st Bone Spring Sand	9,910'
TD	9,960'

#### 3. ESTIMATED DEPTHS OF ANTICIPATED FRESH WATER, OIL OR GAS:

Upper Permian Sands	0-400'	Fresh Water
Bell Canyon	4,935'	Oil
Cherry Canyon	5,755'	Oil
Brushy Canyon	7,065'	Oil
Leonard (Avalon) Shale	8,880'	Oil
1st Bone Spring Sand	9,910'	Oil
2nd Bone Spring Shale	5,938'	Oil

No other Formations are expected to give up oil, gas or fresh water in measurable quantities. Surface fresh water sands will be protected by setting 13-3/8" casing at 1,280' and circulating cement back to surface.



#### 4. CASING PROGRAM

Hole	Interv	al MD	Interva	l TVD	Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
16"	0	1,280	0	1,280	13-3/8"	54.5#	J-55	STC
11"	0	4,159	0	4,000	9-5/8"	40#	J-55	LTC
11"	4,159	4,989	4,000	4,830	9-5/8"	40#	HCK-55	LTC
6-3/4"	0	20,301	0	9,960	5-1/2"	17#	HCP-110	LTC

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation. Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Onshore Order #2 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	
1,280'	390	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-
13-3/8''				Flake (TOC @ Surface)
	100	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium
				Metasilicate (TOC @ 1080')
4,830'	480	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @
9-5/8''				Surface)
	160	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 3864')
20,301'	340	10.5	3.21	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond
5-1/2''				(TOC @ 4330')
	750	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5%
				NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @
				9630')

#### **<u>Cementing Program</u>**:

Additive	Purpose
Bentonite Gel	Lightweight/Lost circulation prevention
Calcium Chloride	Accelerator
Cello-flake	Lost circulation prevention
Sodium Metasilicate	Accelerator
MagOx	Expansive agent
Pre-Mag-M	Expansive agent
Sodium Chloride	Accelerator
FL-62	Fluid loss control
Halad-344	Fluid loss control
Halad-9	Fluid loss control
HR-601	Retarder
Microbond	Expansive Agent

Cement integrity tests will be performed immediately following plug bump.

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

#### 5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

Variance is requested to use a co-flex line between the BOP and choke manifold (instead of using a 4" OD steel line).

The minimum blowout preventer equipment (BOPE) shown in Exhibit #1 will consist of a single ram, mud cross and double ram-type (10,000 psi WP) preventer and an annular preventer (5,000-psi WP). Both units will be hydraulically operated and the ram-type will be equipped with blind rams on bottom and drill pipe rams on top. All BOPE will be tested in accordance with Onshore Oil & Gas order No. 2.

EOG will utilize wing unions on BOPE connections that can be isolated from wellbore pressure through means of a choke. All wing unions will be rated to a pressure that meets or exceeds the pressure rating of the BOPE system.

Variance is requested to use a 5,000 psi annular BOP with the 10,000 psi BOP stack.

Before drilling out of the surface casing, the ram-type BOP and accessory equipment will be tested to 10,000/250 psig and the annular preventer to 5,000/250 psig.

Pipe rams and blind rams will be operationally checked on each trip out of the hole. These checks will be noted on the daily tour sheets.

A hydraulically operated choke will be installed prior to drilling out of the intermediate casing shoe.



#### 6. TYPES AND CHARACTERISTICS OF THE PROPOSED MUD SYSTEM:

During this procedure we plan to use a Closed-Loop System and haul contents to the required disposal.

The applicable depths and properties of the drilling fluid systems are as follows:

Depth	Туре	Weight (ppg)	Viscosity	Water Loss
0 - 1,280'	Fresh - Gel	8.6-8.8	28-34	N/c
1,280' – 4,830'	Brine	8.6-8.8	28-34	N/c
4,630' – 20,301' Lateral	Oil Base	8.8-9.5	58-68	N/c - 6

An electronic pit volume totalizer (PVT) will be utilized on the circulating system, to monitor pit volume, flow rate, pump pressure and stroke rate.

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept at the wellsite at all times.

#### 7. AUXILIARY WELL CONTROL AND MONITORING EQUIPMENT:

- (A) A kelly cock will be kept in the drill string at all times.
- (B) A full opening drill pipe-stabbing valve (inside BOP) with proper drill pipe connections will be on the rig floor at all times.
- (C) H2S monitoring and detection equipment will be utilized from surface casing point to TD.

#### 8. LOGGING, TESTING AND CORING PROGRAM:

- (A) Open-hole logs are not planned for this well.
- (B) GR–CCL will be run in cased hole during completions phase of operations.

## 9. ABNORMAL CONDITIONS, PRESSURES, TEMPERATURES AND POTENTIAL HAZARDS:

The estimated bottom-hole temperature (BHT) at TD is 170 degrees F with an estimated maximum bottom-hole pressure (BHP) at TD of 4,661 psig and a maximum anticipated surface pressure of 2,470 psig (based on 9.0 ppg MW). No hydrogen sulfide or other hazardous gases or fluids have been encountered, reported or are known to exist at this depth in this area. Severe loss circulation is expected from 7,065' to intermediate casing point.



#### **10. ANTICIPATED STARTING DATE AND DURATION OF OPERATIONS:**

The drilling operation should be finished in approximately one month. If the well is productive, an additional 60-90 days will be required for completion and testing before a decision is made to install permanent facilities.

EOG Resources requests the option to contract a Surface Rig to drill, set surface casing, and Cement on the subject well. After WOC 8 hours or 500 psi compressive strength (whichever is greater), the Surface Rig will move off so the wellhead can be installed. A welder will cut the casing to the proper height and weld on the wellhead (both "A" and "B" sections). The weld will be tested to 1,500 psi. All valves will be closed and a wellhead cap will be installed (diagram attached). If the timing between rigs is such that EOG Resources would not be able to preset the surface, the Primary Rig will MIRU and drill the well in its entirety per the APD.

#### 11. WELLHEAD & Offline Cementing:

A multi-bowl wellhead system will be utilized.

After running the 13-3/8" surface casing, a 13-3/8" BOP/BOPE system with a minimum working pressure of 10,000 psi will be installed on the wellhead system and will be pressure tested to 250 psi low followed by a 10,000 psi pressure test. This pressure test will be repeated at least every 30 days, as per Onshore Order No. 2.

The minimum working pressure of the BOP and related BOPE required for drilling below the surface casing shoe shall be 10,000 psi.

The multi-bowl wellhead will be installed by vendor's representative(s). A copy of the installation instructions for the Cactus Multi-Bowl WH system has been sent to the NM BLM office in Carlsbad, NM.

The wellhead will be installed by a third party welder while being monitored by WH vendor's representative.

All BOP equipment will be tested utilizing a conventional test plug. Not a cup or Jpacker type. EOG Resources reserves the option to conduct BOPE testing during wait on cement periods provided a test plug is utilized.

A solid steel body pack-off will be utilized after running and cementing the intermediate casing. After installation the pack-off and lower flange will be pressure tested to 5000 psi.

Casing strings will be tested as per Onshore Order No. 2 to at least 0.22 psi/ft or 1,500 psi, whichever is greater.



EOG Resources Inc. (EOG) respectfully requests a variance from the minimum standards for well control equipment testing of Onshore Order No. 2 (item III.A.2.a.i) to allow a testing schedule of the blow out preventer (BOP) and blow out prevention equipment (BOPE) along with Batch Drilling & Offline cement operations to include the following:

- Full BOPE test at first installation on the pad.
- Full BOPE test every 20 days per Onshore Order No. 2.
- Function test BOP elements per Onshore Order No. 2.
- Break testing BOP and BOPE coupled with batch drilling operations and option to offline cement and/or remediate (if needed) any surface or intermediate sections, according to attached offline cementing support documentation.
- After the well section is secured, the BOP will be disconnected from the wellhead and walked with the rig to another well on the pad.
- TA cap will also be installed per Wellhead vendor procedure and pressure inside the casing will be monitored via the valve on the TA cap as per standard batch drilling ops.
- See attached "EOG BLM Variance 3a -Offline Cement Intermediate Operational Procedure"




#### **12. TUBING REQUIREMENTS**

EOG respectively requests an exception to the following NMOCD rule:

• 19.15.16.10 Casing AND TUBING RQUIREMENTS: J (3): "The operator shall set tubing as near the bottom as practical and tubing perforations shall not be more than 250 feet above top of pay zone."

With horizontal flowing and gas lifted wells an end of tubing depth placed at or slightly above KOP is a conservative way to ensure the tubing stays clean from debris, plugging, and allows for fewer well interventions post offset completion. The deeper the tubulars are run into the curve, the higher the probability is that the tubing will become stuck in sand and or well debris as the well produces over time. An additional consideration for EOT placement during artificial lift installations is avoiding the high dog leg severity and inclinations found in the curve section of the wellbore to help improve reliability and performance. Dog leg severity and inclinations tend not to hamper gas lifted or flowing wells, but they do effect other forms of artificial lift like rod pump or ESP (electric submersible pump). Keeping the EOT above KOP is an industry best practice for those respective forms of artificial lift.





# **S**eog resources

Well Name: Pegasus 3 Fed Com 312H Location: SHL: 1219' FSL & 1717' FEL, Section 3, T-24-S, R-32-E, Lea Co., N.M. BHL: 100' FNL & 1310' FEL, Section 34, T-24-S, R-32-E, Lea Co., N.M.

**Casing Program B:** 

Hole	Interval MD		Interva	l TVD	Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
13-1/2"	0	1,280	0	1,280	10-3/4"	40.5#	J-55	STC
9-7/8"	0	4,159	0	4,000	8-5/8"	32#	J-55	BTC-SC
9-7/8"	4,159	4,989	4,000	4,830	8-5/8"	32#	P110-EC	BTC-SC
6-3/4"	0	20,301	0	9,960	5-1/2"	17#	HCP-110	LTC

### **Cementing Program:**

	No.	Wt.	Yld	Shurry Description
Depth	Sacks	ppg	Ft3/sk	Slurry Description
1,280'	410	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk
10-3/4''				Cello-Flake (TOC @ Surface)
	110	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium
				Metasilicate (TOC @ 1,080')
4,830'	330	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC
8-5/8''				@ Surface)
	160	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx (TOC @ 3,860')
20,301'	560	10.5	3.21	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond
5-1/2''				(TOC @ 4,330')
	770	13.2	1.52	Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 +
				0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241
				(TOC @ 9630')



Variance is requested to waive the centralizer requirements for the 8-5/8" casing in the 9-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 9-7/8" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Onshore Order #2 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

#### Wellhead & Offline Cementing:


EOG Resources Inc. (EOG) respectfully requests a variance from the minimum standards for well control equipment testing of Onshore Order No. 2 (item III.A.2.a.i) to allow a testing schedule of the blow out preventer (BOP) and blow out prevention equipment (BOPE) along with Batch Drilling & Offline cement operations to include the following:

- Full BOPE test at first installation on the pad.
- Full BOPE test every 30 days per Onshore Order No. 2.
- Function test BOP elements per Onshore Order No. 2.
- Break testing BOP and BOPE coupled with batch drilling operations and option to offline cement and/or remediate (if needed) any surface or intermediate sections, according to attached offline cementing support documentation.
- After the well section is secured, the BOP will be disconnected from the wellhead and walked with the rig to another well on the pad.
- TA cap will also be installed per Wellhead vendor procedure and pressure inside the casing will be monitored via the valve on the TA cap as per standard batch drilling ops.
- See attached "EOG BLM Variance 3a -Offline Cement Intermediate Operational Procedure"





1219'	<b>Proposed Wellbore B:</b>	KB: 3676'
1717'		GL: 3651'
Section 3		
T 24 S P 32 F	ADI: 30_025_****	





#### EOG BLANKET CASING DESIGN VARIANCE

EOG respectfully requests the drill plans in the attached document 'EOG BLM Variance 5a -Alternate Shallow Casing Designs' be added to the COA's for this well. These designs have been approved by the BLM down to the TVDs listed below and will allow EOG to run alternate casing designs for this well if necessary.

The designs and associated details listed are the "worst case scenario" boundaries for design safety factors. Location and lithology have NOT been accounted for in these designs. The specific well details will be based on the APD/Sundry package and the information listed in the COA.

The mud program will not change from the original design for this well. Summary of the mud programs for both shallow and deep targets are listed at the end of this document. If the target is changing, a sundry will be filed to update the casing design and mud/cement programs.

Cement volumes listed in this document are for reference only. The cement volumes for the specific well will be adjusted to ensure cement tops meet BLM requirements as listed in the COA and to allow bradenhead cementing when applicable.

This blanket document only applies to wells with three string designs outside of Potash and Capitan Reef boundaries.

SI	nallow Desig	n Boundary (	Conditions	5
	Deepest	Deepest	Max Inc	Max DLS
	MD (ft)	TVD (ft)	(deg)	(°/100usft)
Surface	2030	2030	0	0
Intermediate	7793	5650	40	8
Production	28578	12000	90	25



Shallow Design A

- <b>T</b> - C		ROOM						
Hole	<b>Interval MD</b>		Interval TVD		Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
16"	0	2,161	0	2,030	13-3/8"	54.5#	J-55	STC
11"	0	7,951	0	5,650	9-5/8"	40#	J-55	LTC
6-3/4"	0	29,353	0	12,000	5-1/2"	20#	P110-EC	DWC/C IS MS

#### 4. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	
2,030' 13-3/8''	570	13.5	1.73	Lead: Class C/H + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello- Flake (TOC @ Surface)
	160	14.8	1.34	Tail: Class C/H + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1830')
<b>8,050'</b> 9-5/8''	760	12.7	2.22	Lead: Class C/H + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)
	250	14.8	1.32	Tail: Class C/H + 10% NaCL + 3% MagOx (TOC @ 6360')
29,353' <sub>5-1/2''</sub>	1000	14.8	1.32	Bradenhead squeeze: Class C/H + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (TOC @ surface)
	1480	13.2	1.52	Tail: Class C/H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ Top of Brushy)


#### 5. CEMENTING PROGRAM:

## **S**eog resources

Shallow Design A

Proposed Wellbore

KB: 3558' GL: 3533'



Received by OCD: 5/7/2025 5:46:41 PM

File Edit Wellbore Tubular View Composer Tools Window Help

	Bending) 252987 247735 234996 341565 312979 336881 318549 320468 312802 307858 303560 151294	(w/o Bending) 228954 223702 223701 139667 139666 132027 132027 127243 127243 122773	Axial Load (lbf) 253140 248466 235716 352253 323488 348440 329984 332475	at OĎ (psi) 2098.2 2098.2 986.2 17627.2 15131.5 17885.2 16284.8	1.69 1.69 1.71 1.53 1.58 1.51	1.58 1.58 1.58 1.57 1.57	N/A N/A N/A N/A N/A	2.82 F 2.88 F 3.04 F 2.09 F	(°F) 70.00 71.10 71.10 88.70	2500.00 2543.63 2543.64 3241.64	0.00 43.63 43.64 741.64	Prevent Buck. (lbf)	Buckled Length (us N/A
100       247735       223702       224866       2092       159       158       N/A       2.08 F       71.10       2543.63       43.64         100       344565       139667       32253       1767.22       15.3       157       N/A       2.09 F       88.70       3241.64       741.64         1100       334591       130207       33444       1785.2       151.5       157       N/A       2.24 F       90.29       3336.06       880.06         1360       336841       130207       33444       1785.2       157       N/A       2.24 F       90.29       3336.06       880.06         1360       336448       127243       332475       16809       152       1.57       N/A       2.24 F       90.29       3336.06       880.06         1360       336484       127243       332475       16809       1.57       N/A       2.3 F       91.30       334.47       84.47         2060       30360.6       12271       30265       1676.3       1.57       N/A       2.3 F       92.23       333.89       881.89         2200       151244       11053       1476.6       172       1.57       N/A       5.3 F       94.45	247735 234996 341565 312979 336881 318549 320468 312802 307858 303560 151294	223702 223701 139667 139666 132027 132027 127243 127243 127243 122773	248466 235716 352253 323488 348440 32984 332475 324756	2098.2 986.2 17627.2 15131.5 17885.2 16284.8	1.69 1.71 1.53 1.58 1.51	1.58 1.58 1.57 1.57	N/A N/A N/A N/A	2.88 F 3.04 F 2.09 F	71.10 71.10 88.70	2543.63 2543.64 3241.64	43.63 43.64 741.64	N/A	N/A
100 234966 223701 223701 9367 33248 1767 2 153 157 NA 2.0 F 8870 324164 74164	234996 341565 312979 336881 318549 320468 312802 307858 303560 151294	223701 139667 139666 132027 132027 127243 127243 127243 122773	235716 352253 323488 348440 329984 332475 324756	986.2 17627.2 15131.5 17885.2 16284.8	1.71 1.53 1.58 1.51	1.58 1.57 1.57	N/A N/A N/A	3.04 F 2.09 F	71.10 88.70	2543.64 3241.64	43.64 741.64		
1700 31297 13966 35223 17272 153 157 NA 209F 8870 324164 74164 1700 31297 33666 32488 15135 5 158 157 NA 2.22F 8929 3305.05 805.05 1653 33681 132027 336440 1788.2 151 157 NA 2.12F 9929 3305.05 805.05 1653 33645 132027 32994 1528.8 154 157 NA 2.23F 9929 3305.05 805.06 1653 320468 112743 32475 15085.9 152 157 NA 2.23F 99130 3344.87 844.87 1660 30766 12773 32295 16163 152 157 NA 2.23F 99130 3344.87 844.87 2006 30766 12277 32025 16153 152 157 NA 2.23F 99130 334.47 844.87 2006 30350 12277 32025 16153 152 157 NA 2.23F 9923 331.89 881.89 2006 13050 12277 32025 16153 152 157 NA 2.23F 9223 331.89 881.89 2006 132741 11233 14696 1755 6 172 157 NA 2.3F 9223 331.89 881.89 2007 11524 112633 14696 1755 6 172 157 NA 5.38F 94.35 346614 996.14 2370 12774 12639 142622 1755 6 172 157 NA 5.38F 94.54 3492.29 130.40 2270 11610 42422 1755 6 172 157 160 NA 5.8F 94.54 3492.29 130.40 2270 11610 42432 1773 509.51 175 1.60 NA 6.39F 97.73 3599.97 1152.35 2270 11666 1773 126056 152.4 1.75 1.60 NA 6.39F 97.73 3599.97 1152.35 2270 11660 5423 126006 152.4 1.75 1.60 NA 6.39F 97.73 3599.97 1152.35 2270 11660 5423 126006 152.4 1.75 1.60 NA 6.39F 97.73 3599.97 1152.35 2370 105615 9423 126006 152.4 1.75 1.60 NA 6.39F 97.73 3599.97 1152.35 2300 11076 77773 12869 2275 65.1 71 160 NA 6.39F 97.73 3599.97 1152.35 2300 11076 77733 12603 152.4 1.75 1.60 NA 6.39F 97.73 3599.97 1152.35 2300 11076 7773 12869 2375 6 15.1 1.75 1.60 NA 6.39F 97.73 3599.97 1152.35 24 2500 11065 15 9423 126006 152.4 1.75 1.60 NA 6.39F 97.73 3599.97 1152.35 24 2500 11065 15 9423 126006 159.4 1.75 1.60 NA 6.39F 97.73 3599.97 1152.35 250 2700 11065 9423 12600 159.4 1.75 1.60 NA 6.39F 97.73 3599.97 1152.35 250 2700 11065 9423 12600 159.4 1.75 1.60 NA 6.39F 97.73 3599.97 1152.35 250 2700 11065 9425 1197.5 1.75 1.60 NA 6.39F 97.73 3599.97 1152.35 250 2700 11065 9425 1197.5 117.5 1.60 NA 6.39F 97.73 3599.97 1152.35 250 2700 11065 9425 1192 2.6 1.51 NA 1.020.95 1142 243.377 112.4 1.73 1.60 NA 6.39F 97.73 3599.97 1152.35 250 250 2713 34 4534 122.6 1.51 NA 1.020.95 1142 243.377 139.447 249.	341565 312979 336881 318549 320468 312802 307858 303560 151294	139667 139666 132027 132027 127243 127243 127243 122773	352253 323488 348440 329984 332475 324756	17627.2 15131.5 17885.2 16284.8	1.53 1.58 1.51	1.57 1.57	N/A N/A	2.09 F	88.70	3241.64	741.64		
1700 312979 13966 32488 1513 5 1.58 1.57 NA 2.28 F 88.70 324 65 741 65 1650 33881 132027 34840 1705 2 1.51 157 NA 2.12 F 90.29 330.50 605 05 1650 318549 132027 32994 15284 6 1.54 1.57 NA 2.24 F 90.29 330.50 605 05 1650 320460 127243 32475 160689 1.22 1.57 NA 2.23 F 91.30 3344.67 844 87 2050 307650 122773 320295 16159.3 1.52 1.57 NA 2.23 F 91.30 3344.67 844 87 2050 307650 122773 320295 16159.3 1.52 1.57 NA 2.23 F 92.23 3381.68 861.69 2200 151244 112633 15365 3375.4 1.71 1.57 NA 4.23 F 92.23 3381.68 861.69 2300 151244 112633 15365 3375.4 1.71 1.57 NA 4.23 F 94.35 3466.13 966.13 2300 151244 112633 15365 3375.4 1.72 1.57 NA 4.23 F 94.35 3466.13 966.13 2300 151244 112633 15456 1756 1.72 1.57 NA 4.53 F 94.35 3466.13 966.14 2370 12966 109686 142422 1755 6 1.72 1.57 NA 5.49 F 94.44 3489.28 969.28 2370 12966 109686 142422 1755 6 1.77 1.57 NA 5.49 F 94.44 3489.28 969.28 2370 12966 109686 142422 1755 6 1.77 1.60 NA 6.59 F 97.73 3599.97 1152.35 2700 11650 94231 12606 1523.4 1.75 1.60 NA 6.59 F 97.73 3599.97 1152.35 2700 11666 7.778 12639 2.2796 1.71 1.60 NA 6.39 F 97.73 3599.97 1152.35 3100 110766 7.778 11333 1.712 1.73 1.60 NA 6.39 F 97.73 3599.97 1152.35 3100 110766 7.778 11333 1.712 1.73 1.60 NA 6.39 F 97.73 3599.97 1152.35 3100 110766 7.778 11333 1.712 1.73 1.60 NA 6.39 F 97.73 3599.97 1152.35 3100 110766 7.778 11333 1.712 1.73 1.60 NA 7.33 F 101.11 .373.42 1.23.00 3100 97.952 7.7783 11333 1.712 1.73 1.60 NA 7.33 F 101.11 .373.42 1.23.00 3100 97.952 7.7783 1.3331 .712 1.73 1.60 NA 7.33 F 101.11 .373.42 1.52.55 44900 44655 4428 67.62 3.177 1.61 NA 2.05 F 114.20 423.37.37 152.45 4500 34677 1.4219 5.645 1.76 1.61 NA 2.30 F 114.04 425.37 1.53.66 4509 2.2403 3.44534 1.926.8 1.61 1.61 NA 2.30 F 114.04 425.37 1.53.66 4509 2.2403 3.44534 1.926.8 1.61 1.61 NA 2.30 F 114.04 4380.40 1.969.5 5600 44552 2.2134 2.2005 2.943.3 1.57 1.62 NA (13.67) 1.22.8 457.21 1.2470.78 4490 2.4466 7.2210 3.344539 1.956 1.62 NA (15.7) 1.22.8 457.21 1.2470.78 4466 7.2018 3.44539 1.956 1.62 NA (15.7) 1.22.8 456.87 2.108.34	312979 336881 318549 320468 312802 307858 303560 151294	139666 132027 132027 127243 127243 127243 122773	323488 348440 329984 332475 324756	15131.5 17885.2 16284.8	1.58 1.51	1.57	N/A						
1950 338881 12027 1950 338881 12027 1950 320488 12273 12743 32475 16869 152 157 NA 223F 90.29 3305.05 885.05 1950 320488 12273 12743 32475 16869 152 157 NA 223F 9130 334487 84487 1950 30788 12273 32475 16869 153 157 NA 223F 92.3 334.87 84487 2050 30788 12273 32425 16193 152 157 NA 23F 92.3 334.87 84487 2050 30560 12277 319565 1744.1 153 157 NA 2.3F 92.23 334.88 881.89 2000 151244 112633 16568 3375.4 171 157 NA 2.3F 92.23 334.87 84487 2030 151244 112633 14956 1775.6 172 157 NA 2.3F 92.23 334.87 94.35 2030 151244 112633 14956 1756.6 172 157 NA 5.3F 94.35 346613 96613 2030 151244 112633 14956 1756.6 172 157 NA 5.3F 94.35 346614 96613 2030 151241 112633 14995 1756.6 172 157 NA 5.3F 94.35 346614 996.13 2030 1512741 112633 14995 1756.6 172 157 NA 5.3F 94.35 346614 996.14 2030 1515 94232 17756 175 1.60 NA 5.45F 94.94 349.29 99.28 2030 115741 112633 14995 1756.6 177 160 NA 5.45F 94.94 349.29 99.28 2700 111680 94231 12606 1523.4 1.75 1.60 NA 6.37F 97.73 3599.97 1152.35 2700 111680 94231 12606 1523.4 1.75 1.60 NA 6.37F 97.73 3599.97 1152.35 3100 110766 77783 1268.9 2879.6 1.71 1.60 NA 6.34F 10111 374.23 123.00 3700 77665 5303 81006 1593.4 1.76 1.60 NA 6.34F 10111 374.23 123.00 3700 77665 6303 84006 1594.4 1.70 1.60 NA 7.33F 0.713 359.97 1152.35 3700 76665 63303 84006 1594.4 1.70 1.60 NA 7.33F 101.11 374.23 123.00 3700 77665 63303 84006 1594.4 1.70 1.61 NA 7.33F 101.11 374.23 123.00 3700 7665 63303 84006 1594.4 1.70 1.61 NA 7.33F 101.11 374.23 123.00 3700 7665 6428 6705 3472.0 1.59 1.61 NA 10.01F 116.32 4437.37 192.447 4900 44595 4428 67056 3472.0 1.59 1.61 NA 22.30F 117.40 4380.40 198.95 4900 44595 4428 67056 3472.0 1.59 1.61 NA 22.30F 117.40 4380.40 198.95 4900 44595 4428 67056 3472.0 1.59 1.61 NA 22.30F 117.40 4380.40 198.95 4900 44595 4428 67056 3472.0 1.59 1.61 NA 22.30F 117.40 4380.40 198.95 4900 44595 4428 67056 3472.0 1.59 1.61 NA 22.30F 117.40 4380.40 198.95 4900 44595 4428 67056 3472.0 1.59 1.61 NA 22.30F 117.40 4380.40 198.95 4900 44595 4428 67056 3472.0 1.59 1.62 NA (15.7) 122.	336881 318549 320468 312802 307858 303560 151294	132027 132027 127243 127243 122773	348440 329984 332475 324756	17885.2 16284.8	1.51			2 28 F					
1950       3385.49       132027       32984       1628.48       1.57       NA       2.24 F       90.29       330.60 6       885.06         1950       320466       12743       33475       1660.9       1.57       NA       2.28 F       91.30       334.487       64.487         2050       307686       122773       320295       16153       1.52       1.57       NA       2.38 F       92.23       3381.69       681.69         2050       307686       122772       315665       1578       NA       2.35 F       92.23       3381.69       681.69         2030       15124       112633       15656       172       1.57       NA       4.35 F       94.35       3466.14       956.14         2300       15124       112633       14456       175.56       1.72       1.57       NA       5.38 F       94.94       3489.28       999.24       935.40         2370       129966       109658       142452       175.56       1.72       1.57       NA       5.49 F       94.94       3489.28       999.24       935.40         2370       129966       109658       142452       175.56       1.75       160       NA       6.37	318549 320468 312802 307858 303560 151294	132027 127243 127243 122773	329984 332475 324756	16284.8		1 57							
1950       320468       127243       332475       16669       152       1.67       N/A       2.23 F       91.30       334.47       844.87         1950       312802       127243       324255       1650.07       1.53       1.57       N/A       2.23 F       91.30       334.487       844.87         2050       30756       122772       339695       16784.1       1.53       1.57       N/A       2.32 F       92.23       3331.89       881.89         2300       15124       112633       116656       37.74       1.11       1.57       N/A       4.23 F       92.23       3381.89       881.89         2300       1132741       112633       144966       1755.6       1.72       1.57       N/A       5.38 F       94.35       3466.14       966.14         2370       12709       10706       14922       1755.6       1.75       1.60       N/A       6.39 F       97.73       359.97       1152.35         2700       105615       94222       11976       985.1       1.75       1.60       N/A       6.39 F       97.73       359.97       1152.35         2700       11680       94231       126839       267.6       1	320468 312802 307858 303560 151294	127243 127243 122773	332475 324756		1.54								
1950       312802       127243       324756       162007       15.3       1.57       N/A       2.28 F       91.30       334.487       84.487         2050       303560       122773       32025       161593       1.52       1.57       N/A       2.32 F       92.23       338189       88189         2060       303560       122772       315965       15784.1       1.53       1.57       N/A       2.32 F       92.23       338189       88189         2300       151244       112833       163668       3375.4       1.71       1.57       N/A       4.72 F       94.35       3466.14       966.14         2300       132741       112836       107656       1.72       1.57       N/A       5.49 F       94.94       3489.28       999.28         2370       12966       109695       142422       175.56       1.72       1.57       N/A       6.49 F       94.94       3489.28       999.28         2370       117696       107703       14302       12236       1.75       1.60       N/A       6.79 F       97.73       3599.97       1152.35         2700       111680       34231       1263.9       2876       1.71	312802 307858 303560 151294	127243 122773	324756	16869.9									
2050       30768       12277       32025       1619.3       1.52       1.57       N/A       2.35       9.2.3       3381.89       881.89         2050       303560       12277       315955       1574.1       1.53       1.57       N/A       2.35       9.2.3       3381.89       881.89         2300       15124       112633       16356       337.4       1.71       1.57       N/A       5.38       94.35       3466.13       966.13         2300       132741       112633       144966       175.5       1.72       1.57       N/A       5.38       94.35       3466.14       966.14         2370       127909       107000       140922       175.6       1.72       1.57       N/A       5.49       94.94       349.29       1036.40         2370       127909       107000       140922       1775.6       1.75       1.60       N/A       6.39       97.73       359.97       1152.35         2700       111680       94231       126006       152.4       1.75       1.60       N/A       6.39       97.73       359.97       1152.35         3100       11076       77783       126333       207.90       166       <	307858 303560 151294	122773											
2050       303650       12272       319965       15784 1       1.53       1.67       NVA       2.35F       92.23       3381.89       881.80         2300       151294       112633       163668       3375.4       1.71       1.57       NVA       4.72F       94.35       3466.13       966.14         2300       151294       112633       14495       1755       1.72       1.57       NVA       5.38F       94.35       3466.14       966.14         2370       122966       109868       142452       1755       1.72       1.57       NVA       5.48F       94.94       3489.28       999.28         2370       122966       109868       142452       1755       1.60       NVA       6.39F       97.73       3599.97       1152.35         2700       11660       94231       12006       16234       1.75       1.60       NVA       6.39F       97.73       3599.97       1152.35         3100       19739       277783       11331       1712       1.73       1.60       NVA       6.34F       101.11       373.423       1233.00         3100       97392       77783       11331       1724       1.77       1.61	303560 151294												
2300       151294       112633       163656       3375.4       1.71       1.67       N/A       4.72 F       94.35       3466.13       966.13         2300       132741       112633       1144956       175.6       1.72       1.57       N/A       5.38 F       94.35       3466.14       966.14         2370       127906       109056       144252       1755.6       1.72       1.57       N/A       5.38 F       94.34       3489.29       909.28         2370       127909       107800       140922       1755.6       1.75       1.60       N/A       5.58 F       94.94       3489.29       1036.40         2700       11650       94231       126006       1523.4       1.75       1.60       N/A       6.37 F       97.73       3599.97       1152.35         3100       110766       77783       126039       2.87 6       1.71       1.60       N/A       6.44 F       10111       3734.23       1233.00         3100       97392       77783       113331       1712.1       1.73       1.60       N/A       7.33 F       101.11       3734.23       1233.01         3100       97392       77783       13338       169.44	151294	122772											
2200       132741       112833       144866       1756.6       172       157       NA       538 F       94.35       3466.14       966.14         2370       127909       109850       142452       1756.6       1.72       1.67       NA       548 F       94.94       3489.28       989.28       0       64         270       127909       107600       140922       1756.6       1.75       1.60       NA       65.8 F       94.94       3489.28       989.28       0       64         2700       105515       94.232       119785       985.1       1.75       1.60       NA       6.77 F       97.73       3599.97       1152.35       0       0       116       0       NA       6.39 F       97.73       3599.97       1152.35       0       0       0       0       116       0       NA       6.39 F       107.11       0       1.61       NA       7.33       1599.97       1152.35       0 <td></td> <td>440000</td> <td></td>		440000											
2370       12996       109858       142452       1755.6       1.72       1.57       N/A       5.49 F       94.94       3489.28       989.28          2370       127909       107800       140922       1755.6       1.75       1.60       N/A       5.68 F       94.94       3489.29       1036.40          2700       105515       94232       119765       985.1       1.75       1.60       N/A       6.77 F       97.73       3599.97       1152.35          3100       110765       77783       126809       2879.6       1.71       1.60       N/A       6.49 F       101.11       3734.23       1293.01          3100       110765       77783       126839       2879.6       1.71       1.60       N/A       6.44 F       101.11       3734.23       1293.01          370       71665       53303       88866       1594.4       1.70       1.61       N/A       9.97 F       106.15       3934.24       1502.54          4502.53       1632.54            370.539.2       1502.55        161.10       N/A       10.75 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>													
2370       127909       107600       140922       1755.6       1.75       1.60       N/A       5.58 F       94.94       3489.29       1036.40         2700       105515       94232       119765       985.1       1.75       1.60       N/A       6.77 F       97.73       3599.97       1152.35         2700       11160       94231       126005       1523.4       1.75       1.60       N/A       6.39 F       97.73       3599.97       1152.35         3100       110766       77783       126839       2879.6       1.71       1.60       N/A       6.44 F       101.11       3734.23       1293.00         3100       97392       77783       113331       1171.2       1.70       1.60       N/A       7.33 F       101.11       3734.23       1293.00         3700       60887       53302       79004       662.3       1.71       1.60       N/A       1172 F       106.16       3934.24       1502.55         4650       34671       14219       56495       1765.6       1.64       1.61       N/A       20.59 F       114.20       4253.37       1838.66         4900       24875       4828       67626       377.2													
2700       106515       94232       119785       985.1       1.75       1.60       N/A       6.77 F       97.73       3599.97       1152.35         2700       111660       94231       126006       1523.4       1.75       1.60       N/A       6.39 F       97.73       3599.97       1152.35         3100       110766       77783       12639       287.9       1.71       1.60       N/A       6.44 F       101.11       3734.23       1293.00         3100       97392       77783       113331       1712.1       1.73       1.60       N/A       7.33 F       101.11       3734.23       1293.01         3700       71655       53303       89806       1534.4       1.70       1.61       N/A       9.97 F       106.15       3934.24       1502.55         4650       34671       14219       56495       1785.6       1.64       1.61       N/A       20.59 F       114.20       4253.37       1836.86         4900       44595       4428       67626       3472.0       1.59       1.61       N/A       20.59 F       114.20       4337.37       1924.87         4900       24975       4828       67626       3472.0       <													
2700       111680       94231       126006       1523.4       1.75       1.60       N/A       6.39 F       97.73       3599.97       1152.35         3100       110766       77783       126039       2879.6       1.71       1.60       N/A       6.44 F       101.11       3734.23       1293.00         3100       97392       77783       113331       1712.1       1.73       1.60       N/A       7.33 F       101.11       3734.23       1293.01         3700       71665       53303       89806       1594.4       1.70       1.61       N/A       9.97 F       106.15       3934.24       1502.54         3700       60887       53302       79004       662.3       1.71       1.61       N/A       117.2 F       106.16       3934.25       1502.55         4650       34671       14219       56495       1785.6       1.64       1.61       N/A       20.59 F       114.20       4253.37       1836.86         4900       28975       4828       6762       3472.0       1.59       1.61       N/A       20.59 F       114.20       4337.37       1924.87         4900       28975       4828       51775       2108.2													
3100       110766       77783       126839       2879.6       1.71       1.60       N/A       6.44 F       101.11       3734.23       1293.00         3100       97392       77783       113331       1712.1       1.73       1.60       N/A       7.33 F       101.11       3734.23       1293.01       1293.01         3700       71656       53303       89806       1594.4       1.70       1.61       N/A       9.97 F       106.15       3934.24       1502.54         3700       60887       53302       7904       662.3       1.71       1.61       N/A       20.9F       106.15       3934.24       1502.55         4650       34671       14219       56495       1785       1.64       1.61       N/A       20.9F       114.20       4265.37       1386.66         4900       44595       4828       67626       3472.0       1.59       1.61       N/A       16.01 F       116.32       4337.37       1924.87         4900       28975       4828       51775       2108.2       1.62       1.61       N/A       32.30 F       117.40       4380.40       196.94         5029       22102       33       45330       1926.													
3100       97392       77763       113331       1712.1       1.73       1.60       N/A       7.33 F       101.11       3734.23       1293.01         3700       71665       53303       88806       1594.4       1.70       1.61       N/A       9.97 F       106.15       3934.24       1502.54         3700       60867       53302       79004       662.3       1.71       1.61       N/A       11.72 F       106.15       3934.24       1502.55         4650       34671       14219       56495       1765 6       1.64       1.61       N/A       20.59 F       114.20       4253.37       1938.86         4900       44595       4628       66762       3472.0       1.59       1.61       N/A       24.64 F       116.32       4337.37       1924.87         4900       28975       4828       51775       2108.2       1.62       1.61       N/A       23.05 F       117.40       4380.40       1969.94         5029       22102       3.3       45339       1926.8       1.61       1.61       N/A       32.30 F       117.40       4380.40       1969.95       34         5600       45329       -21341       -20805													
3700       71665       53303       89806       1594.4       1.70       1.61       N/A       9.97 F       106.15       393.424       1502.54         3700       60887       53302       79004       662.3       1.71       1.61       N/A       11.72 F       106.16       3934.24       1502.55         4650       34611       14219       56495       1785.6       1.64       1.61       N/A       20.59 F       114.02       4253.37       1836.86         4400       44595       4428       67626       3472.0       1.59       1.61       N/A       16.01 F       116.32       4337.33       1924.87         4900       28975       4828       67626       3472.0       1.62       1.61       N/A       20.59 F       116.32       4337.33       1924.87         5029       22103       34       445340       1926.8       1.61       1.61       N/A       32.30 F       117.40       4380.40       1969.94         5029       22102       33       45339       1926.8       1.61       1.61       N/A       32.30 F       117.40       4380.41       1969.95         5600       -45329       -21341       -20005       2094.3 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>													
3700       66887       53302       7904       662.3       1.71       1.61       N/A       11.72 F       106.6       393.425       1502.55         4650       3461       14219       56495       1785.6       1.64       1.61       N/A       20.59 F       114.20       4253.37       1836.86         4490       44595       4628       67626       3472.0       1.59       1.61       N/A       16.01 F       116.32       4337.37       1924.87         4900       28975       4828       51775       2102.2       1.62       1.61       N/A       22.05 F       117.40       4380.40       1969.94         5029       22102       33       45339       1926.8       1.61       1.61       N/A       32.30 F       117.40       4380.40       1969.94         5029       22102       33       45339       1926.8       1.61       1.61       N/A       32.30 F       117.40       4380.41       1969.95         5600       -45329       -21341       -20805       2094.3       1.57       1.62       N/A       (13.67)       122.23       4572.11       2170.78         6565       -40465       -23210       -1566.5       1.58 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>													
4650       34671       14219       56495       1785.6       1.64       1.61       N/A       20.59 F       114.20       4253.37       1836.86         4900       44595       4428       67626       3472.0       1.59       1.61       N/A       16.01 F       116.32       4337.37       1924.87         4900       28975       4828       51775       2108.2       1.62       1.61       N/A       24.64 F       116.32       4337.38       1924.87         5029       22103       34       45340       1926.8       1.61       N/A       32.30 F       117.40       4380.40       1969.94         5029       22102       33       45339       1926.8       1.61       1.61       N/A       32.30 F       117.40       4380.41       1969.94         5029       22102       33       45339       1926.8       1.61       1.61       N/A       32.30 F       117.40       4380.41       1969.95         5600       -45329       -21341       -20805       2094.3       1.57       1.62       N/A       (13.67)       122.23       4572.11       2170.78         6       -23210       -1565       1506.5       1.58       1.62       N/A													
4400       44595       44828       667626       3472.0       1.59       1.61       N/A       1601 F       116.2       4337.37       1924.87         4400       22975       4828       51775       2108.2       1.62       1.61       N/A       24.64 F       116.32       4337.37       1924.87         5029       22103       34       45340       1926.8       1.61       1.61       N/A       32.30 F       117.40       4380.40       1969.94         5029       22102       33       45339       1926.8       1.61       1.61       N/A       32.30 F       117.40       4380.41       1969.95         5600       -45329       -21341       -20805       2094.3       1.57       1.62       N/A       (13.67)       122.23       4572.11       2170.78         5650       -40465       -23210       -1565       1.58       1.62       N/A       (15.31)       122.66       4588.87       2188.34         6       -203210       -1565       1506.5       1.58       1.62       N/A       (15.31)       122.66       4588.87       2188.34       160       161       161       161       17.40       4580.87       2188.34       160       1													
4900       28975       4828       51775       2108.2       1.62       1.61       N/A       24.64 F       116.32       4337.38       1924.87         5029       22103       33       45340       1926.8       1.61       1.61       N/A       32.30 F       117.40       4330.40       1969.94         5029       22102       33       45339       1926.8       1.61       1.61       N/A       32.30 F       117.40       4380.41       1969.95         5600       -45329       -21341       -20805       2094.3       1.57       1.62       N/A       (13.67)       122.23       4572.11       2170.78         5650       -40465       -23210       -15667       1506.5       1.58       1.62       N/A       (15.31)       122.65       4588.87       2188.34         F Com Fracture         () Compression													
5029       22103       34       45340       1926.8       1.61       1.61       N/A       32.30 F       117.40       4380.40       1969.94         5029       22102       33       45339       1926.8       1.61       1.61       N/A       32.30 F       117.40       4380.40       1969.94         5600       -45329       -21341       -20805       2094.3       1.57       1.62       N/A       (13.67)       122.23       4572.11       2170.78         5600       -40465       -23210       -15667       1506.5       1.58       1.62       N/A       (13.67)       122.23       4572.11       2170.78         6       -0       -0       -0       0 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>													
5029       22102       33       45339       1926.8       1.61       1.61       N/A       32.30 F       117.40       4380.41       1969.95         5600       -45329       -21341       -20805       2094.3       1.57       1.62       N/A       (13.67)       122.23       4.572.11       2170.78         5650       -40465       -23210       -15657       1506.5       1.58       1.62       N/A       (15.31)       122.66       4588.87       2188.34         Com Fracture         Compression													
5650       -40465       -23210       -15667       1506.5       1.58       1.62       N/A       (15.31)       122.66       4588.87       2188.34         F       Compression       Compression	22102	33	45339	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.41	1969.95		
F Conn Fracture () Compression	-45329	-21341	-20805	2094.3	1.57	1.62	N/A	(13.67)	122.23	4572.11	2170.78		
() Compression	-40465	-23210	-15657	1506.5	1.58	1.62	N/A	(15.31)	122.66	4588.87	2188.34		
() Compression													
	racture												
(V) Vector Collapse Safety Factor	ession												
	Collapse Safety Fa	ctor											
	es	111680 110766 97392 71565 60887 34671 44595 28975 22103 22102 -45329 -40465 cture sion	111680         94231           110766         77783           97392         77783           71655         5303           60887         53002           34671         14219           44595         4828           22103         34           22102         33           -45329         -21341           -40465         -23210           cture         -	111680         94231         126006           110766         77783         126839           97392         77783         113331           71565         53303         89806           60887         53302         79004           34671         14219         56495           44595         4828         67626           28975         4828         51775           22103         34         45349           245329         -21341         -20805           -40465         -23210         -15657           cture         -         -	111680         94231         126006         1523.4           110766         77783         126839         2879.6           97392         77783         113331         1712.1           71655         53303         98806         1594.4           60887         53302         79004         662.3           34671         14219         56495         1785.6           44595         4828         67626         3472.0           28975         4828         61775         2108.2           22103         34         45340         1926.8           245329         -21341         -20805         2094.3           -40465         -23210         -15657         1506.5	111680         94231         126006         1523.4         1.75           110766         77783         126839         2879.6         1.71           97392         77783         113331         1712.1         1.73           71656         53303         89806         1594.4         1.70           60887         53302         79004         662.3         1.71           34671         14219         56495         1785.6         1.64           44595         4828         67626         3472.0         1.59           28975         4828         51775         2108.2         1.62           22103         34         45340         1926.8         1.61           24529         -21341         -20805         2094.3         1.57           -40465         -23210         -15657         1506.5         1.58	111680         94231         126006         1523.4         1.75         1.60           110766         77783         126339         2879.6         1.71         1.60           97392         77783         113331         1712.1         1.73         1.60           71656         53303         89806         1594.4         1.70         1.61           60887         53302         79004         662.3         1.71         1.61           34671         14219         56495         1785.6         1.64         1.61           28975         4828         67626         3472.0         1.59         1.61           28975         4828         51775         2108.2         1.62         1.61           22103         34         45340         1926.8         1.61         1.61           22102         33         45339         1926.8         1.61         1.61           -45329         -21341         -20805         2094.3         1.57         1.62           -40465         -23210         -15657         1506.5         1.58         1.62	111680         94231         126006         1523.4         1.75         1.60         N/A           110766         77783         126839         2879.6         1.71         1.60         N/A           97392         77783         113331         1712.1         1.73         1.60         N/A           97392         77783         113331         1712.1         1.73         1.60         N/A           97392         77783         113331         1712.1         1.73         1.60         N/A           60887         53302         79004         662.3         1.71         1.61         N/A           46984         50302         79004         662.3         1.71         1.61         N/A           34671         14219         56495         1785.6         1.64         1.61         N/A           28975         4828         67626         3472.0         1.59         1.61         N/A           28975         4828         51775         2108.2         1.62         1.61         N/A           22103         34         45340         1926.8         1.61         1.61         N/A           -45329         -21341         -20805         2094	111680         94231         126006         1523.4         1.75         1.60         N/A         6.39 F           110766         77783         126839         2879.6         1.71         1.60         N/A         6.39 F           97392         77783         113331         1712.1         1.73         1.60         N/A         7.33 F           97392         77783         113331         1712.1         1.73         1.60         N/A         7.33 F           71565         53303         89806         1594.4         1.70         1.61         N/A         9.97 F           60887         53302         79004         662.3         1.71         1.61         N/A         20.59 F           34671         14219         56495         1785.6         1.64         1.61         N/A         20.59 F           346539         4262         67626         3472.0         1.59         1.61         N/A         12.04 F           22013         34         45340         1926.8         1.61         1.61         N/A         32.30 F           24102         33         45339         1926.8         1.61         1.61         N/A         32.30 F           45329 <td>111680       94231       126006       1523.4       1.75       1.60       N/A       6.39 F       97.73         110766       77783       126839       2879.6       1.71       1.60       N/A       6.44 F       101.11         97392       77783       113331       1712.1       1.73       1.60       N/A       7.44 F       101.11         97392       77783       113331       1712.1       1.73       1.60       N/A       7.33 F       101.11         97392       77783       113331       1712.1       1.73       1.60       N/A       9.97 F       106.15         60887       53302       79004       662.3       1.71       1.61       N/A       9.97 F       106.16         34671       14219       56495       1785.6       1.64       1.61       N/A       20.59 F       114.20         28975       4828       67626       3472.0       1.59       1.61       N/A       26.01 F       116.32         28975       4828       67626       3472.0       1.62       1.61       N/A       24.64 F       116.32         22103       34       45340       1926.8       1.61       1.61       N/A       32.30</td> <td>111680       94231       126006       1523.4       1.75       1.60       N/A       6.39 F       97.73       3599.97         110766       77783       126039       2879.6       1.71       1.60       N/A       6.44 F       101.11       373.423         97392       77783       113331       1712.1       1.73       1.60       N/A       7.33 F       101.11       373.423         97392       77783       113331       1712.1       1.73       1.60       N/A       7.33 F       101.11       373.423         97392       77783       13330       0.172.1       1.73       1.60       N/A       7.33 F       101.11       373.423         9768       53302       79004       662.3       1.71       1.61       N/A       11.72 F       106.16       3934.25         34671       14219       56495       1785.6       1.64       1.61       N/A       20.59 F       114.20       4253.73         28975       4828       67626       3472.0       1.59       1.61       N/A       16.01 F       16.32       4337.37         28975       4828       51775       2108.2       1.62       1.61       N/A       32.30 F       117.</td> <td>111680       94231       126006       1523.4       1.75       1.60       N/A       6.39 F       97.73       3599.97       1152.35         110766       77783       126839       2879.6       1.71       1.60       N/A       6.44 F       101.11       3734.23       1293.00         97392       77783       113331       1712.1       1.73       1.60       N/A       7.33 F       101.11       3734.23       1293.01         77165       53303       89806       1594.4       1.70       1.61       N/A       9.97 F       106.15       3934.24       1502.54         60887       53302       79004       662.3       1.71       1.61       N/A       17.2 F       106.16       3934.25       1502.55         34671       14219       56495       1785.6       1.64       1.61       N/A       10.1 F       16.32       4337.37       1924.87         28975       4828       67626       3472.0       1.59       1.61       N/A       16.01 F       116.32       4337.37       1924.87         28975       4828       65775       2108.2       1.62       1.61       N/A       23.0 F       117.40       4380.40       1969.94      2</td> <td>111680       94231       126006       1523.4       1.75       1.60       N/A       6.39 F       97.73       3599.97       1152.35         110766       77783       126839       2879.6       1.71       1.60       N/A       6.44 F       101.11       3734.23       1293.00         97392       77783       113331       1712.1       1.73       1.60       N/A       7.33 F       101.11       3734.23       1293.01         71565       53303       89806       1594.4       1.70       1.61       N/A       9.97 F       106.15       3934.24       1502.54         60887       53302       79004       662.3       1.71       1.61       N/A       1172 F       106.16       3934.25       1502.55         34671       14219       56495       1786.6       1.64       1.61       N/A       20.59 F       114.20       4253.37       1924.87         28975       4828       67626       3472.0       1.59       1.61       N/A       24.64 F       116.32       4337.37       1924.87         28975       4828       61775       2108.2       1.62       1.61       N/A       32.30 F       117.40       4380.40       1969.94      <t< td=""></t<></td>	111680       94231       126006       1523.4       1.75       1.60       N/A       6.39 F       97.73         110766       77783       126839       2879.6       1.71       1.60       N/A       6.44 F       101.11         97392       77783       113331       1712.1       1.73       1.60       N/A       7.44 F       101.11         97392       77783       113331       1712.1       1.73       1.60       N/A       7.33 F       101.11         97392       77783       113331       1712.1       1.73       1.60       N/A       9.97 F       106.15         60887       53302       79004       662.3       1.71       1.61       N/A       9.97 F       106.16         34671       14219       56495       1785.6       1.64       1.61       N/A       20.59 F       114.20         28975       4828       67626       3472.0       1.59       1.61       N/A       26.01 F       116.32         28975       4828       67626       3472.0       1.62       1.61       N/A       24.64 F       116.32         22103       34       45340       1926.8       1.61       1.61       N/A       32.30	111680       94231       126006       1523.4       1.75       1.60       N/A       6.39 F       97.73       3599.97         110766       77783       126039       2879.6       1.71       1.60       N/A       6.44 F       101.11       373.423         97392       77783       113331       1712.1       1.73       1.60       N/A       7.33 F       101.11       373.423         97392       77783       113331       1712.1       1.73       1.60       N/A       7.33 F       101.11       373.423         97392       77783       13330       0.172.1       1.73       1.60       N/A       7.33 F       101.11       373.423         9768       53302       79004       662.3       1.71       1.61       N/A       11.72 F       106.16       3934.25         34671       14219       56495       1785.6       1.64       1.61       N/A       20.59 F       114.20       4253.73         28975       4828       67626       3472.0       1.59       1.61       N/A       16.01 F       16.32       4337.37         28975       4828       51775       2108.2       1.62       1.61       N/A       32.30 F       117.	111680       94231       126006       1523.4       1.75       1.60       N/A       6.39 F       97.73       3599.97       1152.35         110766       77783       126839       2879.6       1.71       1.60       N/A       6.44 F       101.11       3734.23       1293.00         97392       77783       113331       1712.1       1.73       1.60       N/A       7.33 F       101.11       3734.23       1293.01         77165       53303       89806       1594.4       1.70       1.61       N/A       9.97 F       106.15       3934.24       1502.54         60887       53302       79004       662.3       1.71       1.61       N/A       17.2 F       106.16       3934.25       1502.55         34671       14219       56495       1785.6       1.64       1.61       N/A       10.1 F       16.32       4337.37       1924.87         28975       4828       67626       3472.0       1.59       1.61       N/A       16.01 F       116.32       4337.37       1924.87         28975       4828       65775       2108.2       1.62       1.61       N/A       23.0 F       117.40       4380.40       1969.94      2	111680       94231       126006       1523.4       1.75       1.60       N/A       6.39 F       97.73       3599.97       1152.35         110766       77783       126839       2879.6       1.71       1.60       N/A       6.44 F       101.11       3734.23       1293.00         97392       77783       113331       1712.1       1.73       1.60       N/A       7.33 F       101.11       3734.23       1293.01         71565       53303       89806       1594.4       1.70       1.61       N/A       9.97 F       106.15       3934.24       1502.54         60887       53302       79004       662.3       1.71       1.61       N/A       1172 F       106.16       3934.25       1502.55         34671       14219       56495       1786.6       1.64       1.61       N/A       20.59 F       114.20       4253.37       1924.87         28975       4828       67626       3472.0       1.59       1.61       N/A       24.64 F       116.32       4337.37       1924.87         28975       4828       61775       2108.2       1.62       1.61       N/A       32.30 F       117.40       4380.40       1969.94 <t< td=""></t<>


For Help, press F1

🙎 🚺 Default Datum @ 0.00 usft 🖪 API - US Survey Feet 😫 jgriffin2

Page 24 of 10


9-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi



\*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.

#### Released to Imaging: 7/9/2025 2:24:22 PM



\*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

#### Released to Imaging: 7/9/2025 2:24:22 PM

Page 6 of 31

Shallow Design B

<b></b> (		NUGNA	IVI					
Hole	Interval MD		Interva	al TVD	Csg			
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
13-1/2"	0	2,161	0	2,030	10-3/4"	40.5#	J-55	STC
9-7/8"	0	7,951	0	5,650	8-5/8"	32#	J-55	BTC-SC
6-3/4"	0	29,353	0	12,000	5-1/2"	20#	P110-EC	DWC/C IS MS

#### 4. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 8-5/8" casing in the 9-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 9-7/8" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

		Wt.	Yld	Slurry Description
Depth	No. Sacks	ppg	Ft3/sk	
2,030' 10-3/4''	530	13.5	1.73	Lead: Class C/H + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello- Flake (TOC @ Surface)
	140	14.8	1.34	Tail: Class C/H + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1830')
8,050' <sup>8-5/8''</sup>	470	12.7	2.22	Lead: Class C/H + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)
	210	14.8	1.32	Tail: Class C/H + 10% NaCL + 3% MagOx (TOC @ 6360')
29,353' <sub>5-1/2''</sub>	1000	14.8	1.32	Bradenhead squeeze: Class C/H + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (TOC @ surface)
	1480	13.2	1.52	Tail: Class C/H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ Top of Brushy)


#### 5. CEMENTING PROGRAM:

## **S**eog resources

**Shallow Casing Design B** 

Proposed Wellbore KB: 3558'

GL: 3533'



StressCheck - [Triaxial Results - Shallow 3.0 Mile \*]

#### File Edit Wellbore Tubular View Composer Tools Window Help

## Image: Image

Depth (MD)	Axial f	Force (lbf)	Equivalent	Bending Stress		Absolute S	afety Factor		Temperature	Pressure	e (psi)	Addt'l Pickup To	Buckled
(usft)	Apparent (w/Bending)	Actual (w/o Bending)	Axial Load (lbf)	at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	(°F)	Internal	External	Prevent Buck. (lbf)	Length (usf
 0	200426	183224	200546	1880.2	1.68	1.57	N/A	2.89 F	70.00	2500.00	0.00	N/A	N/A
100	196229	179028	196812	1880.2	1.69	1.57	N/A	2.95 F	71.10	2543.63	43.63		
100	187111	179027	187686	883.7	1.70	1.57	N/A	3.10 F	71.10	2543.64	43.64		
1700	256401	111891	264835	15795.8	1.56	1.56	N/A	2.26 F	88.70	3241.64	741.64		
1700	235940	111891	244247	13559.4	1.60	1.56	N/A	2.45 F	88.70	3241.65	741.65		
1850	252413	105788	261533	16027.0	1.54	1.56	N/A	2.29 F	90.29	3305.05	805.05		
1850	239292	105787	248323	14592.9	1.56	1.56	N/A	2.42 F	90.29	3305.06	805.06		
1950	240267	101966	249748	15117.2	1.54	1.56	N/A	2.41 F	91.30	3344.87	844.87		
1950	234781	101965	244223	14517.5	1.56	1.56	N/A	2.47 F	91.30	3344.87	844.87		
2050	230871	98395	240694	14480.4	1.55	1.56	N/A	2.51 F	92.23	3381.89	881.89		
2050	227794	98394	237594	14144.2	1.55	1.56	N/A	2.54 F	92.23	3381.89	881.89		
2300	117966	90294	127818	3024.7	1.70	1.56	N/A	4.91 F	94.35	3466.13	966.13		
2300	104686	90293	114432	1573.2	1.71	1.56	N/A	5.53 F	94.35	3466.14	966.14		
2370	102469	88077	112431	1573.2	1.71	1.56	N/A	5.65 F	94.94	3489.28	989.28		
2370	100817	86424	111200	1573.2	1.75	1.59	N/A	5.75 F	94.94	3489.29	1036.40		
2700	83660	75583	95052	882.8	1.74	1.59	N/A	6.92 F	97.73	3599.97	1152.35		
2700	88072	75583	99504	1365.1	1.74	1.59	N/A	6.58 F	97.73	3599.97	1152.35		
3100	86049	62442	98863	2580.4	1.71	1.59	N/A	6.73 F	101.11	3734.23	1293.00		
3100	76477	62441	89195	1534.2	1.72	1.59	N/A	7.57 F	101.11	3734.23	1293.01		
3700	55953	42882	70509	1428.8	1.69	1.60	N/A	10.35 F	106.15	3934.24	1502.54		
3700	48311	42881	62778	593.5	1.71	1.60	N/A	11.99 F	106.16	3934.25	1502.55		
4000	41458	33043	56865	919.9	1.69	1.60	N/A	13.97 F	108.69	4034.82	1607.91		
4650	26293	11655	43706	1600.1	1.63	1.60	N/A	22.03 F	114.20	4253.37	1836.86		
4900	32619	4156	50970	3111.2	1.59	1.60	N/A	17.76 F	116.32	4337.37	1924.87		
4900	21439	4155	39625	1889.2	1.61	1.60	N/A	27.02 F	116.32	4337.38	1924.87		
5039	15822	26	34389	1726.6	1.61	1.61	N/A	36.61 F	117.49	4383.77	1973.48		
5039	15822	26	34388	1726.6	1.61	1.61	N/A	36.61 F	117.49	4383.78	1973.49		
5600	-33912	-16743	-14286	1876.7	1.57	1.61	N/A	(14.60)	122.23	4572.11	2170.78		
5650	-30585	-18235	-10742	1350.0	1.58	1.61	N/A	(16.18)	122.66	4588.87	2188.34		
	Conn Fracture												
() (	Compression												
	Vector Collapse Safet	y Factor											
(/)													

For Help, press F1


🧏 I Default Datum @ 0.00 usft 🖪 API - US Survey Feet 😫 jgriffin2

Page 29 of 108

\_ 8 >


8-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi



\*Modelling done with 8-5/8" 32# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.

#### Released to Imaging: 7/9/2025 2:24:22 PM



\*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

#### Released to Imaging: 7/9/2025 2:24:22 PM

Page 11 of 31



**Shallow Design C** 

<del>т.</del> С		ROOM						
Hole	Interv	Interval MD		Interval TVD				
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn
16"	0	2,161	0	2,030	13-3/8"	54.5#	J-55	STC
11"	0	7,951	0	5,650	9-5/8"	40#	J-55	LTC
7-7/8"	0	29,353	0	12,000	6"	24.5#	P110-EC	VAM Sprint-SF

#### 4. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" casing in the 7-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 7-7/8" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

		Wt.	Yld	Slurry Description					
Depth	No. Sacks	ppg	Ft3/sk	Sidiry Description					
2,030'	570	13.5	1.73	Lead: Class C/H + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-					
13-3/8''				Flake (TOC @ Surface)					
	160	14.8	1.34	Tail: Class C/H + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2%					
				Sodium Metasilicate (TOC @ 1830')					
8,050'	760	12.7	2.22	Lead: Class C/H + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC					
9-5/8''				@ Surface)					
	250	14.8	1.32	Tail: Class C/H + 10% NaCL + 3% MagOx (TOC @ 6360')					
29,353'	1000	14.8	1.32	Bradenhead squeeze: Class C/H + 3% Salt + 1% PreMag-M + 6%					
6''				Bentonite Gel (TOC @ surface)					
	2500	13.2	1.52	Tail: Class C/H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5%					
				NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ Top of					
				Brushy)					


#### 5. CEMENTING PROGRAM:

## **S**eog resources

Shallow Design C

Proposed Wellbore

KB: 3558' GL: 3533'



Received by OCD: 5/7/2025 5:46:41 PM

File Edit Wellbore Tubular View Composer Tools Window Help

Deeth (MD)	Axial F	Axial Force (lbf)		Dealing Observe	Absolute Safety Factor				T	Pressure (psi)		Addell Distance To	Ducklast
Depth (MD) (usft)	Apparent (w/Bending)	Actual (w/o Bending)	Equivalent Axial Load (lbf)	Bending Stress at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	Temperature (°F)	Internal	External	Addt'l Pickup To Prevent Buck. (lbf)	Buckled Length (usft
0	252987	228954	253140	2098.2	1.69	1.58	N/A	2.82 F	70.00	2500.00	0.00	N/A	N/A
100	247735	223702	248466	2098.2	1.69	1.58	N/A	2.88 F	71.10	2543.63	43.63		
100	234996	223701	235716	986.2	1.71	1.58	N/A	3.04 F	71.10	2543.64	43.64		
1700	341565	139667	352253	17627.2	1.53	1.57	N/A	2.09 F	88.70	3241.64	741.64		
1700	312979	139666	323488	15131.5	1.58	1.57	N/A	2.28 F	88.70	3241.65	741.65		
1850	336881	132027	348440	17885.2	1.51	1.57	N/A	2.12 F	90.29	3305.05	805.05		
1850	318549	132027	329984	16284.8	1.54	1.57	N/A	2.24 F	90.29	3305.06	805.06		
1950	320468	127243	332475	16869.9	1.52	1.57	N/A	2.23 F	91.30	3344.87	844.87		
1950	312802	127243	324756	16200.7	1.53	1.57	N/A	2.28 F	91.30	3344.87	844.87		
2050	307858	122773	320295	16159.3	1.52	1.57	N/A	2.32 F	92.23	3381.89	881.89		
2050	303560	122772	315965	15784.1	1.53	1.57	N/A	2.35 F	92.23	3381.89	881.89		
2300	151294	112633	163658	3375.4	1.71	1.57	N/A	4.72 F	94.35	3466.13	966.13		
2300	132741	112633	144956	1755.6	1.72	1.57	N/A	5.38 F	94.35	3466.14	966.14		
2370	129966	109858	142452	1755.6	1.72	1.57	N/A	5.49 F	94.94	3489.28	989.28		
2370 2700	127909 105515	107800 94232	140922 119785	1755.6 985.1	1.75	1.60 1.60	N/A N/A	5.58 F 6.77 F	94.94 97.73	3489.29 3599.97	1036.40 1152.35		
2700	111680	94232	126006	1523.4	1.75	1.60	N/A	6.39 F	97.73	3599.97	1152.35		
3100	110766	77783	126839	2879.6	1.75	1.60	N/A	6.44 F	101.11	3734.23	1293.00		
3100	97392	77783	113331	1712.1	1.73	1.60	N/A	7.33 F	101.11	3734.23	1293.00		
3700	71565	53303	89806	1594.4	1.73	1.60	N/A	9.97 F	106.15	3934.24	1502.54		
3700	60887	53302	79004	662.3	1.70	1.61	N/A	11.72 F	106.15	3934.25	1502.54		
4650	34671	14219	56495	1785.6	1.64	1.61	N/A	20.59 F	114.20	4253.37	1836.86		
4900	44595	4828	67626	3472.0	1.59	1.61	N/A	16.01 F	116.32	4337.37	1924.87		
4900	28975	4828	51775	2108.2	1.62	1.61	N/A	24.64 F	116.32	4337.38	1924.87		
5029	22103	34	45340	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.40	1969.94		
5029	22102	33	45339	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.41	1969.95		
5600	-45329	-21341	-20805	2094.3	1.57	1.62	N/A	(13.67)	122.23	4572.11	2170.78		
5650	-40465	-23210	-15657	1506.5	1.58	1.62	N/A	(15.31)	122.66	4588.87	2188.34		
F	Conn Fracture												
()	Compression												
(V)	Vector Collapse Safety	Factor											

Working (Config (Min SF) Load/SF (DF Summary (VME (Wallplot)


For Help, press F1

🤶 🛨 Default Datum @ 0.00 usft 📑 API - US Survey Feet 😫 jgriffin2

9-5/8" Intermediate Casing Pressure Test:


Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi

•



\*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.

#### Released to Imaging: 7/9/2025 2:24:22 PM



\*Modelling done with 6" Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

#### Released to Imaging: 7/9/2025 2:24:22 PM

## Shallow Design D

<u> C</u>												
Hole	Interv	<b>Interval MD</b>		ID Interval TVD								
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	D Weight Grade		Conn				
16"	0	2,161	0	2,030	13-3/8"	54.5#	J-55	STC				
11"	0	7,951	0	5,650	9-5/8"	40#	J-55	LTC				
7-7/8"	0	13,278	0	11,671	6"	22.3#	P110-EC	DWC/C IS				
6-3/4"	13,278	29,353	11,671	12,000	5-1/2"	20#	P110-EC	DWC/C IS MS				

## 4. CASING PROGRAM

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" and 5-1/2" casings in the 7-7/8" and 6-3/4" hole sizes. An expansion additive will be utilized in the cement slurry for the entire length of the 7-7/8" and 6-3/4" hole intervals to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

		Wt.	Yld	Slurry Description					
Depth	No. Sacks	ppg	Ft3/sk						
2,030'	570	13.5	1.73	Lead: Class C/H + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-					
13-3/8''				Flake (TOC @ Surface)					
	160	14.8	1.34	Tail: Class C/H + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2%					
				Sodium Metasilicate (TOC @ 1830')					
8,050'	760	12.7	2.22	Lead: Class C/H + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC					
9-5/8''				@ Surface)					
	250	14.8	1.32	Tail: Class C/H + 10% NaCL + 3% MagOx (TOC @ 6360')					
29,353'	1000	14.8	1.32	Bradenhead squeeze: Class C/H + 3% Salt + 1% PreMag-M + 6%					
6''				Bentonite Gel (TOC @ surface)					
	2500	13.2	1.52	Tail: Class C/H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5%					
				NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ Top of					
				Brushy)					


## 5. CEMENTING PROGRAM:

# **S**eog resources

**Shallow Design D** 

Proposed Wellbore

KB: 3558' GL: 3533'



💭 File Edit Wellbore Tubular View Composer Tools Window Help 😂 🔲 🌑 🗋 🔊 🖄 📾 🗟 💦 🗔 💎 🐨 💎 🐨 💎 🐨 95/6" Intermediate Cas


#### Page 39 of 108

\$	Pressure Test

Axial Force (lbf)		prce (lbf)	<b>E</b>			Absolute S	afety Factor		<b>-</b> .	Pressure (psi)		A 198 D' 1 T	
Depth (MD) (usft)	Apparent (w/Bending)	Actual (w/o Bending)	Equivalent Axial Load (Ibf)	Bending Stress at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	Temperature (°F)	Internal	External	Addt'l Pickup To Prevent Buck. (lbf)	Buckled Length (us
C		228954	253140	2098.2	1.69	1.58	N/A	2.82 F	70.00	2500.00	0.00	N/A	N/A
100		223702	248466	2098.2	1.69	1.58	N/A	2.88 F	71.10	2543.63	43.63		
100		223701	235716	986.2	1.71	1.58	N/A	3.04 F	71.10	2543.64	43.64		
1700		139667	352253	17627.2	1.53	1.57	N/A	2.09 F	88.70	3241.64	741.64		
1700		139666	323488	15131.5	1.58	1.57	N/A	2.28 F	88.70	3241.65	741.65		
1850		132027	348440	17885.2	1.51	1.57	N/A	2.12 F	90.29	3305.05	805.05		
1850		132027	329984	16284.8	1.54	1.57	N/A	2.24 F	90.29	3305.06	805.06		
1950		127243	332475	16869.9	1.52	1.57	N/A	2.23 F	91.30	3344.87	844.87		
1950		127243	324756	16200.7	1.53	1.57	N/A	2.28 F	91.30	3344.87	844.87		
2050		122773	320295	16159.3	1.52	1.57	N/A	2.32 F	92.23	3381.89	881.89		
2050		122772	315965	15784.1	1.53	1.57	N/A	2.35 F	92.23	3381.89	881.89		
2300		112633	163658	3375.4	1.71	1.57	N/A	4.72 F	94.35	3466.13	966.13		
2300		112633	144956	1755.6	1.72	1.57	N/A	5.38 F	94.35	3466.14	966.14		
2370		109858	142452	1755.6	1.72	1.57	N/A	5.49 F	94.94	3489.28	989.28		
2370		107800	140922	1755.6	1.75	1.60	N/A	5.58 F	94.94	3489.29	1036.40		
2700		94232	119785	985.1	1.75	1.60	N/A	6.77 F	97.73	3599.97	1152.35		
2700		94231	126006	1523.4	1.75	1.60	N/A	6.39 F	97.73	3599.97	1152.35		
3100		77783	126839	2879.6	1.71	1.60	N/A	6.44 F	101.11	3734.23	1293.00		
3100		77783	113331	1712.1	1.73	1.60	N/A	7.33 F	101.11	3734.23	1293.01		
3700		53303	89806	1594.4	1.70	1.61	N/A	9.97 F	106.15	3934.24	1502.54		
3700		53302	79004	662.3	1.71	1.61	N/A	11.72 F	106.16	3934.25	1502.55		
4650		14219	56495	1785.6	1.64	1.61	N/A	20.59 F	114.20	4253.37	1836.86		
4900		4828	67626 51775	3472.0 2108.2	1.59 1.62	1.61 1.61	N/A N/A	16.01 F 24.64 F	116.32 116.32	4337.37 4337.38	1924.87 1924.87		
5029		4626	45340	1926.8	1.62	1.61	N/A	24.64 F 32.30 F	116.32	4337.38	1924.87		
5029		33	45340	1926.8	1.61	1.61	N/A	32.30 F	117.40	4380.40	1969.94		
5600		-21341	-20805	2094.3	1.57	1.61	N/A	(13.67)	122.23	4572.11	2170.78		
5650		-21341	-20005	1506.5	1.57	1.62	N/A	(15.31)	122.25	4572.11	2170.78		
5050	-40403	-23210	-10007	1500.5	1.50	1.02	IN/A	(15.51)	122.00	4000.07	2 100.34		
F	Conn Fracture												
	Compression												
	Vector Collapse Safety	Factor											
	vector contapse curery	1 actor											


9-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi




\*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.

## Released to Imaging: 7/9/2025 2:24:22 PM



\*Modelling done with 6" Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

## Released to Imaging: 7/9/2025 2:24:22 PM



\*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

## Released to Imaging: 7/9/2025 2:24:22 PM

Page 22 of 31

CASING PROGRAM

1

# **S**eog resources

## Shallow Casing Design E

<u>1.</u> C	I. CASING PROGRAM											
Hole	Interval MD		Interval TVD		Csg							
Size	From (ft)	To (ft)	From (ft)	To (ft)	OD	Weight	Grade	Conn				
13"	0	2,025	0	2,025	10-3/4"	40.5#	J-55	STC				
9-7/8"	0	7,793	0	5,645	8-5/8"	32#	J-55	BTC-SC				
7-7/8"	0	12,626	0	10,896	6"	24.5#	P110-EC	VAM Sprint-TC				
6-3/4"	12,626	28,578	10,896	11,225	5-1/2"	20#	P110-EC	VAM Sprint SF				

\*\*For highlighted rows above, variance is requested to run entire string of either 6" or 5-1/2" casing string above due to availablility.

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 8-5/8" casing in the 9-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 9-7/8" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" and 5-1/2" casings in the 7-7/8" and 6-3/4" hole sizes. An expansion additive will be utilized in the cement slurry for the entire length of the 7-7/8" and 6-3/4" hole intervals to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

Depth	No. Sacks	Wt. ppg	Yld Ft3/sk	Slurry Description
2,030' 10-3/4"	450	13.5	1.73	Lead: Class C/H + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello- Flake (TOC @ Surface)
	120	14.8	1.34	Tail: Class C/H + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1830')
7,890' 8-5/8"	460	12.7	2.22	Lead: Class C/H + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)
	210	14.8	1.32	Tail: Class C/H + 10% NaCL + 3% MagOx (TOC @ 6234')
28,578' <sub>6"</sub>	1000	14.8	1.32	Bradenhead squeeze: Class C/H + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (TOC @ surface)
	2410	13.2	1.52	Tail: Class C/H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ 8140')

## 2. CEMENTING PROGRAM:


**Shallow Casing Design E** 

Proposed Wellbore	KB:
-------------------	-----

GL: 3533'

3558'

API: 30-025-\*\*\*\*



StressCheck - [Triaxial Results - Shallow 3.0 Mile \*]

## File Edit Wellbore Tubular View Composer Tools Window Help

# Image: Image


Depth (MD)		Axial F	Force (lbf)	Equivalent	Bending Stress		Absolute S	afety Factor		T	Pressure	e (psi)	Addt'l Pickup To	Buckled
	(usft)	Apparent (w/Bending)	Actual (w/o Bending)	Axial Load (lbf)	at OD (psi)	Triaxial	Burst	Collapse (V)	Axial	Temperature (°F)	Internal	External	Prevent Buck. (lbf)	Length (usft
	0	200426	183224	200546	1880.2	1.68	1.57	N/A	2.89 F	70.00	2500.00	0.00	N/A	N/A
	100	196229	179028	196812	1880.2	1.69	1.57	N/A	2.95 F	71.10	2543.63	43.63		
	100	187111	179027	187686	883.7	1.70	1.57	N/A	3.10 F	71.10	2543.64	43.64		
	1700	256401	111891	264835	15795.8	1.56	1.56	N/A	2.26 F	88.70	3241.64	741.64		
	1700	235940	111891	244247	13559.4	1.60	1.56	N/A	2.45 F	88.70	3241.65	741.65		
	1850	252413	105788	261533	16027.0	1.54	1.56	N/A	2.29 F	90.29	3305.05	805.05		
	1850	239292	105787	248323	14592.9	1.56	1.56	N/A	2.42 F	90.29	3305.06	805.06		
	1950	240267	101966	249748	15117.2	1.54	1.56	N/A	2.41 F	91.30	3344.87	844.87		
	1950	234781	101965	244223	14517.5	1.56	1.56	N/A	2.47 F	91.30	3344.87	844.87		
	2050	230871	98395	240694	14480.4	1.55	1.56	N/A	2.51 F	92.23	3381.89	881.89		
	2050	227794	98394	237594	14144.2	1.55	1.56	N/A	2.54 F	92.23	3381.89	881.89		
	2300	117966	90294	127818	3024.7	1.70	1.56	N/A	4.91 F	94.35	3466.13	966.13		
	2300	104686	90293	114432	1573.2	1.71	1.56	N/A	5.53 F	94.35	3466.14	966.14		
	2370	102469	88077	112431	1573.2	1.71	1.56	N/A	5.65 F	94.94	3489.28	989.28		
	2370	100817	86424	111200	1573.2	1.75	1.59	N/A	5.75 F	94.94	3489.29	1036.40		
	2700	83660	75583	95052	882.8	1.74	1.59	N/A	6.92 F	97.73	3599.97	1152.35		
	2700	88072	75583	99504	1365.1	1.74	1.59	N/A	6.58 F	97.73	3599.97	1152.35		
	3100	86049	62442	98863	2580.4	1.71	1.59	N/A	6.73 F	101.11	3734.23	1293.00		
	3100	76477	62441	89195	1534.2	1.72	1.59	N/A	7.57 F	101.11	3734.23	1293.01		
	3700	55953	42882	70509	1428.8	1.69	1.60	N/A	10.35 F	106.15	3934.24	1502.54		
	3700	48311	42881	62778	593.5	1.71	1.60	N/A	11.99 F	106.16	3934.25	1502.55		
	4000	41458	33043	56865	919.9	1.69	1.60	N/A	13.97 F	108.69	4034.82	1607.91		
	4650	26293	11655	43706	1600.1	1.63	1.60	N/A	22.03 F	114.20	4253.37	1836.86		
	4900	32619	4156	50970	3111.2	1.59	1.60	N/A	17.76 F	116.32	4337.37	1924.87		
	4900	21439	4155	39625	1889.2	1.61	1.60	N/A	27.02 F	116.32	4337.38	1924.87		
	5039	15822	26	34389	1726.6	1.61	1.61	N/A	36.61 F	117.49	4383.77	1973.48		
	5039	15822	26	34388	1726.6	1.61	1.61	N/A	36.61 F	117.49	4383.78	1973.49		
	5600	-33912	-16743	-14286	1876.7	1.57	1.61	N/A	(14.60)	122.23	4572.11	2170.78		
	5650	-30585	-18235	-10742	1350.0	1.58	1.61	N/A	(16.18)	122.66	4588.87	2188.34		
	F	Conn Fracture												
	() (	Compression												
	(V) \	Vector Collapse Safet	y Factor											

For Help, press F1

🙎 I Default Datum @ 0.00 usft 🖪 API - US Survey Feet 😫 jgriffin2


8-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi External Profile based off Pore Pressure: 2188 psi Page 45 of 108




\*Modelling done with 8-5/8" 32# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.

## Released to Imaging: 7/9/2025 2:24:22 PM



\*Modelling done with 6" Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

## Released to Imaging: 7/9/2025 2:24:22 PM



\*Modelling done with 5-1/2" 20# Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.

## Released to Imaging: 7/9/2025 2:24:22 PM

Page 28 of 31

Additive	Purpose
Bentonite Gel	Lightweight/Lost circulation prevention
Calcium Chloride	Accelerator
Cello-flake	Lost circulation prevention
Sodium Metasilicate	Accelerator
MagOx	Expansive agent
Pre-Mag-M	Expansive agent
Sodium Chloride	Accelerator
FL-62	Fluid loss control
Halad-344	Fluid loss control
Halad-9	Fluid loss control
HR-601	Retarder
Microbond	Expansive Agent

## Shallow Casing Design 501H

Cement integrity tests will be performed immediately following plug bump.

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

EOG requests variance from minimum standards to pump a two stage cement job on the production casing string with the first stage being pumped conventionally with the calculated top of cement at the top of the Brushy Canyon and the second stage performed as a 1000 sack bradenhead squeeze with planned cement from the Brushy Canyon to surface. If necessary, a top out consisting of 400 sacks of Class C cement + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (1.32 yld, 14.8 ppg) will be executed as a contingency. Top will be verified by Echo-meter.

Bradenhead will be the primary option for production cementing. EOG also requests to have the conventional option in place to accommodate for logistical or wellbore conditions. The tie back requirements will be met if the cement is pumped conventionally, and cement volumes will be adjusted accordingly. TOC will be verified by CBL.



## **MUD PROGRAM:**

During this procedure we plan to use a Closed-Loop System and haul contents to the required disposal. The applicable depths and properties of the drilling fluid systems are as follows:

Measured Depth	Туре	Weight (ppg)	Viscosity	Water Loss
0-2,030'	Fresh - Gel	8.6-8.8	28-34	N/c
2,030' – 7,793'	Brine	9-10.5	28-34	N/c
5,450' – 28,578' Lateral	Oil Base	8.8-9.5	58-68	N/c - 6

An electronic pit volume totalizer (PVT) will be utilized on the circulating system, to monitor pit volume, flow rate, pump pressure and stroke rate.

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept at the wellsite at all times.



**Appendix A - Spec Sheets** 

•

# Pipe Body and API Connections Performance Data Received by OCD: 5/7/2025 5:46:41 PM 13.375 54.50/0.380 J55

Page 52 of 108 PDF

New Search »

« Back to Previous List

USC O Metric

6/8/2015 10:04:37 AM					
Mechanical Properties	Ptpe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000			-	psi
Minimum Tensile Strength	75,000			-	psi
Dimensions	Pipe	втс	LTC	STC	
Outside Diameter	13.375	14.375	-	14.375	in.
Wall Thickness	0.380	=	-		in.
Inside Diameter	12.615	12.615		12.615	in.
Standard Drift	12.459	12.459		12.459	in.
Alternate Drift	-		-	-	in.
Nominal Linear Weight, T&C	54.50	-		-	lbs/ft
Plain End Weight	52.79		·		lbs/ft
Performance	Pipe	втс	LTC	STC	
Minimum Collapse Pressure	1,130	1,130		1,130	psi
Minimum Internal Yield Pressure	2,740	2,740	<del></del>	2,740	psi
Minimum Pipe Body Yield Strength	853.00			-	1000 lbs
Joint Strength	-	909	-	514	1000 lbs
Reference Length	-	11,125	-	6,290	n
Make-Up Data	Pipe	втс	LTC	STC	
Make-Up Loss	-	4.81	-	3.50	in.
Minimum Make-Up Torque	-			3,860	ft-lbs
Released to Imaging: 7/9/2025 2:24:22 PM Maximum Make-Up Torque	-		-	6,430	ft-lbs

# **Pipe Body and API Connections Performance Data** Received by OCD: 5/7/2025 5:46:41 PM 9.625 40.00/0.395 J55

Page 53 of 108 PDF

New Search »

« Back to Previous List

USC O Metric

6/8/2015 10:23:27 AM			0		
Mechanical Properties	Pipe	втс	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-		psi
Minimum Tensile Strength	75,000	J			psi
Dimensions	Pipe	втс	LTC	STC	
Outside Diameter	9.625	10.625	10.625	10.625	in.
Wall Thickness	0.395	-	<b>17</b> .0		in.
Inside Diameter	8.835	8.835	8.835	8.835	in.
Standard Drift	8.679	8.679	8.679	8.679	in.
Alternate Drift	8.750	8.750	8.750	8.750	in.
Nominal Linear Weight, T&C	40.00	-	-		lbs/ft
Plain End Weight	38.97			-	lbs/ft
Performance	Pipe	втс	LTC	STC	
Minimum Collapse Pressure	2,570	2,570	2,570	2,570	psi
Minimum Internal Yield Pressure	3,950	3,950	3,950	3,950	psi
Minimum Pipe Body Yield Strength	630.00	-	-		1000 lbs
Joint Strength		714	520	452	1000 lbs
Reference Length	·	11,898	8,665	7,529	ft
Make-Up Data	Pipe	втс	LTC	STC	
Make-Up Loss	-	4.81	4.75	3.38	in.
Minimum Make-Up Torque		<u> </u>	3,900	3,390	ft-lbs
Released to Imaging: 7/9/2025 2:24:22 PM Maximum Make-Up Torque	-	-	6,500	5,650	ft-lbs

USA	20		TG//C=/S	Int	3
			Connectio	on Data S	hee
OD (in.)         WEIGHT (Ibs./ft.)         WALL (in.)           5.500         Nominal: 20.00         0.361           Plain End: 19.83         19.83	-	P110EC	API DRIFT (in.) RBW% 4.653 87.5	CONNECTIO DWC/C-IS M	
PIPE PROPERTIES			CONNECTION PROF	ERTIES	
Outside Diameter	5.500	in.	Connection Type	Semi-Pren	nium T8
Inside Diameter	4.778	in.	Connection O.D. (nom)	6.115	i
Nominal Area	5.828	sq.in.	Connection I.D. (nom)	4.778	
Grade Type	API 5CT		Make-Up Loss	4.125	
Min. Yield Strength	125	ksi	Coupling Length	9.250	
Max. Yield Strength	140	ksi	Critical Cross Section	5.828	sq.
Min. Tensile Strength	135	ksi	Tension Efficiency	100.0%	of pi
Yield Strength	729	klb	Compression Efficiency	100.0%	of pi
Ultimate Strength	787	klb	Internal Pressure Efficiency	100.0%	of pi
Min. Internal Yield	14,360	psi	External Pressure Efficiency	100.0%	of pi
Collapse	12,090	psi			
CONNECTION PERFORMA	NCES		FIELD END TORQUE	VALUES	
Yield Strength	729	klb	Min. Make-up torque	16,100	ft
Parting Load	787	klb	Opti. Make-up torque	17,350	ft
Compression Rating	729	klb	Max. Make-up torque	18,600	ft
Min. Internal Yield	14,360	psi	Min. Shoulder Torque	1,610	ft
External Pressure	12,090	psi	Max. Shoulder Torque	12,880	ft
Maximum Uniaxial Bend Rating	104.2	°/100 ft	Min. Delta Turn	-	Tu
Reference String Length w 1.4 Design Factor	26,040	ft	Max. Delta Turn	0.200	Tur
			Maximum Operational Torque	21,100	ft
			Maximum Torsional Value (MTV)	23,210	ft

Need Help? Contact: <u>tech.support@vam-usa.com</u> Reference Drawing: 8136PP Rev.01 & 8136BP Rev.01 Date: 12/03/2019 Time: 06:19:27 PM

For detailed information on performance properties, refer to DWC Connection Data Notes on following page(s).

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages.



VAM USA 2107 CityWest Boulevard Suite 1300 Houston, TX 77042 Phone: 713-479-3200 Fax: 713-479-3234 VAM<sup>®</sup> USA Sales E-mail: <u>VAMUSAsales@vam-usa.com</u> Tech Support Email: <u>tech.support@vam-usa.com</u>

DWC Connection Data Sheet Notes:

1. DWC connections are available with a seal ring (SR) option.

2. All standard DWC/C connections are interchangeable for a given pipe OD. DWC connections are interchangeable with DWC/C-SR connections of the same OD and wall.

Connection performance properties are based on nominal pipe body and connection dimensions.
 DWC connection internal and external pressure resistance is calculated using the API rating for buttress connections. API Internal pressure resistance is calculated from formulas 31, 32, and 35 in the API Bulletin 5C3.
 DWC joint strength is the minimum pipe body yield strength multiplied by the connection critical area.

6. API joint strength is for reference only. It is calculated from formulas 42 and 43 in the API Bulletin 5C3.

7. Bending efficiency is equal to the compression efficiency.

8. The torque values listed are recommended. The actual torque required may be affected by field conditions such as temperature, thread compound, speed of make-up, weather conditions, etc.

9. Connection yield torque is not to be exceeded.

10. Reference string length is calculated by dividing the joint strength by both the nominal weight in air and a design factor (DF) of 1.4. These values are offered for reference only and do not include load factors such as bending, buoyancy, temperature, load dynamics, etc.

11. DWC connections will accommodate API standard drift diameters.

12. DWC/C family of connections are compatible with API Buttress BTC connections. Please contact tech.support@vam-usa.com for details on connection ratings and make-up.

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages.

## Pipe: Body and MPI Connections Performance Data

10.750 40.50/0.350 J55

New Search » « Back to Previous List

USC 🔵 Metric

5 10:	14:05	AM		

6/8/2015 10:14:05 AM	6/8/2015 10:14:05 AM							
Mechanical Properties	Pipe	BTC	LTC	STC				
Minimum Yield Strength	55,000	-	-	-	psi			
Maximum Yield Strength	80,000	-	-	-	psi			
Minimum Tensile Strength	75,000	-	-	-	psi			
Dimensions	Ptpe	BTC	LTC	STC				
Outside Diameter	10.750	11.750	-	11.750	in.			
Wall Thickness	0.350	-	-	-	in.			
Inside Diameter	10.050	10.050	-	10.050	in.			
Standard Drift	9.894	9.894	-	9.894	in.			
Alternate Drift	-	-	-	-	in.			
Nominal Linear Weight, T&C	40.50	-	-	-	lbs/ft			
Plain End Weight	38.91	-	-	-	lbs/ft			
Performance	Ptpe	втс	LTC	STC				
Minimum Collapse Pressure	1,580	1,580	-	1,580	psi			
Minimum Internal Yield Pressure	3,130	3,130	-	3,130	psi			
Minimum Pipe Body Yield Strength	629.00	-	-	-	1000 lbs			
Joint Strength	-	700	-	420	1000 lbs			
Reference Length	-	11,522	-	6,915	ft			
Make-Up Data	Ріре	BTC	LTC	STC				
Make-Up Loss	-	4.81	-	3.50	in.			
Minimum Make-Up Torque	-	-	-	3,150	ft-lbs			
Released to Imaging: 7/9/2025 2:24:22 PM Maximum Make-Up Torque	-	-	-	5,250	• ft-lbs			

В

뵤

MADE IN USA

PO#

SLN#

S2L2 DA 7.875 W/O#

**J55 S** 

VALLOUREC STAR 8.625 32#

							val	lou	rec
API 5CT, 10th Ed. Connection Data Sheet									
<b>O.D.</b> (in) <b>WEIGHT</b> 8.625Nominal: Plain End:	· · ·	<b>WALL</b> ( 0.352	. ,		<b>ADE</b> 55		<b>RIFT (in)</b> 796		<b>№</b> % 7.5
Material Properties (PE)					I	Pipe Bo	dy Data (	PE)	
Pipe						Ge	ometry		
Minimum Yield Strength:	55	ksi		Nomir	nal ID:			7.92	inch
Maximum Yield Strength:	80	ksi		Nomir	nal Area	1:		9.149	in <sup>2</sup>
Minimum Tensile Strengt	h: 75	ksi		*Spec	ial/Alt. I	Drift:		7.875	inch
Coupling				Performance					
Minimum Yield Strength:	55	ksi		Pipe E	Body Yie	eld Strer	ngth:	503	kips
Maximum Yield Strength:	80	ksi				istance:		2,530	psi
Minimum Tensile Strengt	h: 75	ksi			l Yield Pr istorical)	essure:		3,930	psi
API Connect Coupling OD:	9.625"						ection To	-	
STC Perfor	mance					STC To	rque (ft-l	bs)	
STC Internal Pressure:	3,930	psi		Min:	2,793	Opti:	3,724	Max:	4,655
STC Joint Strength:		kips							
LTC Perfor	mance					LTC To	rque (ft-l	bs)	
LTC Internal Pressure:	3,930	psi		Min:	3,130	Opti:	4,174	Max:	5,217
LTC Joint Strength:		kips							
SC-BTC Performance -	TC Performance - Cplg OD = 9.125" BTC Torque (ft-lbs)								
BTC Internal Pressure:	3,930	psi		follo			egarding po		ake up
BTC Joint Strength:	503	kips							
	*Alt. Drift will	be used un	less	API Drift	is specifie	ed on orde	r.		

\*\*If above API connections do not suit your needs, VAM® premium connections are available up to

100% of pipe body ratings.

ALL INFORMATION IS PROVIDED BY VALLOUREC OR ITS AFFILIATES AT USER'S SOLE RISK, WITHOUT LIABILITY FOR LOSS, DAMAGE OR INJURY RESULTING FROM THE USE THEREOF; AND ON AN "AS IS" BASIS WITHOUT WARRANTY OR REPRESENTATION OF ANY KIND, WHETHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR PURPOSE, ACCURACY OR COMPLETENESS. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY AND IS BASED ON ESTIMATES THAT HAVE NOT BEEN VERIFIED OR TESTED. IN NO EVENT SHALL VALLOUREC OR ITS AFFILIATES BE RESPONSIBLE FOR ANY INDIRCT, SPECIAL, INCIDENTAL, PUNITIVE, EXEMPLARY OR CONSEQUENTIAL LOSS OR DAMAGE (INCLUDING WITHOUT LIMITATION, LOSS OF USE, LOSS OF BARGAIN, LOSS OF REVENUE, PROFIT ANTICIPATED PROFIT) HOWEVER CAUSED OR ARISING, AND WHETHER SUCH LOSSES OR DAMAGES.

Rev 3, 7/30/2021

10/21/2022 15:24



Issued on: 10 Feb. 2021 by Wesley Ott



OD	Weight (lb/ft)	Wall Th.	Grade	API Drift:	Connection
6 in.	Nominal: 24.50 Plain End: 23.95	0.400 in.	P110EC	5.075 in.	VAM <sup>®</sup> SPRINT-SF
	Plain End: 23.95				

PI PE PROPERTI ES		
Nominal OD	6.000	in.
Nominal ID	5.200	in.
Nominal Cross Section Area	7.037	sqin.
Grade Type	Hig	h Yield
Min. Yield Strength	125	ksi
Max. Yield Strength	140	ksi
Min. Ultimate Tensile Strength	135	ksi


CONNECTION PROPERTIES		
Connection Type	Integral	Semi-Flush
Connection OD (nom):	6.277	in.
Connection ID (nom):	5.146	in.
Make-Up Loss	5.386	in.
Critical Cross Section	6.417	sqin.
Tension Efficiency	91.0	% of pipe
Compression Efficiency	91.0	% of pipe
Internal Pressure Efficiency	100	% of pipe
External Pressure Efficiency	100	% of pipe

CONNECTION PERFORMANCES					
Tensile Yield Strength	801	klb			
Compression Resistance	801	klb			
Internal Yield Pressure	14,580	psi			
Collapse Resistance	12,500	psi			
Max. Structural Bending	83	°/100ft			
Max. Bending with ISO/API Sealability	30	°/100ft			

TORQUE VALUES		
Min. Make-up torque	21,750	ft.lb
Opt. Make-up torque	24,250	ft.lb
Max. Make-up torque	26,750	ft.lb
Max. Torque with Sealability (MTS)	53,000	ft.lb

\* 87.5% RBW

VAM® SPRINT-SF is a semi-flush connection innovatively designed for extreme shale applications. Its high tension rating and ultra high torque capacity make it ideal to run a fill string length as production casing in shale wells with extended horizontal sections and tight clearance requirements.



#### Do you need help on this product? - Remember no one knows VAM® like VAM®

canada@vamfieldservice.com usa@vamfieldservice.com mexico@vamfieldservice.com brazil@vamfieldservice.com uk@vamfieldservice.com dubal@vamfieldservice.com nigeria@vamfieldservice.com angola@vamfieldservice.com

china@vamfieldservice.com baku@vamfieldservice.com singapore@vamfieldservice.com australia@vamfieldservice.com

Over 140 VAM® Specialists available worldwide 24/7 for Rig Site Assistance



## **Connection Data Sheet**

OD (in.)	WEIGHT (lbs./ft.)	WALL (in.)	GRADE	API DRIFT (in.)	RBW%	CONNECTION
6.000	Nominal: 22.30	0.360	VST P110EC	5.155	92.5	DWC/C-IS
	Plain End: 21 70		•		•	

PIPE PROPERTIE	S	
Nominal OD	6.000	in.
Nominal ID	5.280	in.
Nominal Area	6.379	sq.in.
Grade Type	API 5CT	
Min. Yield Strength	125	ksi
Max. Yield Strength	140	ksi
Min. Tensile Strength	135	ksi
Yield Strength	797	klb
Ultimate Strength	861	klb
Min. Internal Yield Pressure	13,880	psi
Collapse Pressure	9,800	psi

	NCES	
Yield Strength	797	klb
Parting Load	861	klb
Compression Rating	797	klb
Min. Internal Yield	13,880	psi
External Pressure	9,800	psi
Maximum Uniaxial Bend Rating	47.7	°/100 ft
Reference String Length w 1.4 Design Factor	25,530	ft.

CONNECTION PRO	PERTIES	
Connection Type	Semi-Prem	nium T&C
Connection OD (nom)	6.650	in.
Connection ID (nom)	5.280	in.
Make-Up Loss	4.313	in.
Coupling Length	9.625	in.
Critical Cross Section	6.379	sq.in.
Tension Efficiency	100.0%	of pipe
Compression Efficiency	100.0%	of pipe
Internal Pressure Efficiency	100.0%	of pipe
External Pressure Efficiency	100.0%	of pipe

FIELD END TORQUE VA	LUES	
Min. Make-up torque	17,000	ft.lb
Opti. Make-up torque	18,250	ft.lb
Max. Make-up torque	19,500	ft.lb
Min. Shoulder Torque	1,700	ft.lb
Max. Shoulder Torque	13,600	ft.lb
Min. Delta Turn	-	Turns
Max. Delta Turn	0.200	Turns
Maximum Operational Torque	24,200	ft.lb
Maximum Torsional Value (MTV)	26,620	ft.lb

Need Help? Contact: <u>tech.support@vam-usa.com</u> Reference Drawing: 8135PP Rev.02 & 8135BP Rev.02 Date: 07/30/2020

Time: 07:50:47 PM

For detailed information on performance properties, refer to DWC Connection Data Notes on following page(s).

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates us advised of the possibility of such damages.



VAM USA 2107 CityWest Boulevard Suite 1300 Houston, TX 77042 Phone: 713-479-3200 Fax: 713-479-3234 VAM<sup>®</sup> USA Sales E-mail: <u>VAMUSAsales@vam-usa.com</u> Tech Support Email: <u>tech.support@vam-usa.com</u>

DWC Connection Data Sheet Notes:

1. DWC connections are available with a seal ring (SR) option.

2. All standard DWC/C connections are interchangeable for a given pipe OD. DWC connections are interchangeable with DWC/C-SR connections of the same OD and wall.

3. Connection performance properties are based on nominal pipe body and connection dimensions.

4. DWC connection internal and external pressure resistance is calculated using the API rating for buttress connections. API Internal pressure resistance is calculated from formulas 31, 32, and 35 in the API Bulletin 5C3.

5. DWC joint strength is the minimum pipe body yield strength multiplied by the connection critical area.

6. API joint strength is for reference only. It is calculated from formulas 42 and 43 in the API Bulletin 5C3.

7. Bending efficiency is equal to the compression efficiency.

8. The torque values listed are recommended. The actual torque required may be affected by field conditions such as temperature, thread compound, speed of make-up, weather conditions, etc.

9. Connection yield torque is not to be exceeded.

10. Reference string length is calculated by dividing the joint strength by both the nominal weight in air and a design factor (DF) of 1.4. These values are offered for reference only and do not include load factors such as bending, buoyancy, temperature, load dynamics, etc.

11. DWC connections will accommodate API standard drift diameters.

12. DWC/C family of connections are compatible with API Buttress BTC connections. Please contact tech.support@vam-usa.com for details on connection ratings and make-up.

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.





## Midland

Lea County, NM (NAD 83 NME) Pegasus 3 Fed Com #312H

ОН

Plan: Plan #0.1 RT

# **Standard Planning Report**

02 June, 2023



•	504100						
Database: Company: Project: Site: Well: Well: Design:	PEDM Midland Lea County, NN Pegasus 3 Fed #312H OH Plan #0.1 RT	•	ME)	Local Co-ordir TVD Reference MD Reference North Referen Survey Calcula	ce:	Well #312H kb = 26' @ 3677 kb = 26' @ 3677 Grid Minimum Curvat	7.0usft
Project	Lea County, NM	(NAD 83 NM	1E)				
Geo Datum:	US State Plane 1 North American D New Mexico East	atum 1983		System Datum:		Mean Sea Level	
Site	Pegasus 3 Fed	Com					
Site Position: From: Position Uncertainty:	Мар	0.0 usft	Northing: Easting: Slot Radius:	451,857.( 747,693.( 13-3/ <sup>/</sup>	0 usft Longitud		32° 14' 25.685 N 103° 39' 57.253 W
Well	#312H						
Well Position Position Uncertainty Grid Convergence:	+N/-S +E/-W	0.0 usft 0.0 usft 0.0 usft 0.36 °	Northing: Easting: Wellhead Elev	74	52,687.00 usft 19,665.00 usft usft	Latitude: Longitude: Ground Level:	32° 14' 33.776 N 103° 39' 34.232 W 3,651.0 usft
Wellbore	ОН						
Magnetics	Model Name	e	Sample Date	Declination (°)		Dip Angle (°)	Field Strength (nT)
	IGRF	2020	6/1/2023		6.36	59.84	47,290.08428963
Design	Plan #0.1 RT						
Audit Notes: Version:			Phase:	PLAN	Tie On Dept	h:	0.0
Vertical Section:		(u	rom (TVD) Isft) ).0	<b>+N/-S</b> (usft) 0.0	+E/-W (usft) 0.0		ection (°) 2.16
				0.0	0.0	2	
Plan Survey Tool Pro Depth From	Depth To	Date 6/2/20					
<b>(usft)</b> 1 0.0	(usft) Si 20,301.3 Pi	urvey (Wellbo lan #0.1 RT ((		Tool Name EOG MWD+IFR1 MWD + IFR1	Remar	rks	

Database:	PEDM	Local Co-ordinate Reference:	Well #312H
Company:	Midland	TVD Reference:	kb = 26' @ 3677.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3677.0usft
Site:	Pegasus 3 Fed Com	North Reference:	Grid
Well:	#312H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.1 RT		

Plan Sections

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,475.0	0.00	0.00	1,475.0	0.0	0.0	0.00	0.00	0.00	0.00	
2,187.6	14.25	160.42	2,180.3	-83.1	29.5	2.00	2.00	0.00	160.42	
6,489.4	14.25	160.42	6,349.7	-1,080.9	384.5	0.00	0.00	0.00	0.00	
7,202.1	0.00	0.01	7,055.0	-1,164.0	414.0	2.00	-2.00	0.00	180.00	
9,629.6	0.00	0.01	9,482.5	-1,164.0	414.0	0.00	0.00	0.00	0.00	KOP(Pegasus 3 Fe
9,850.0	26.46	0.00	9,695.2	-1,114.0	414.0	12.00	12.00	0.00	0.00	FTP(Pegasus 3 Fe
10,379.5	90.00	359.62	9,959.9	-686.5	412.1	12.00	12.00	-0.07	-0.42	
15,116.2	90.00	359.62	9,960.0	4,050.0	381.0	0.00	0.00	0.00	0.00	Fed Perf 1(Pegasu
19,080.3	90.00	359.65	9,960.0	8,014.0	356.0	0.00	0.00	0.00	87.34	Fed Perf 2(Pegasu
20,301.3	90.00	359.60	9,960.0	9,235.0	348.0	0.00	0.00	0.00	-91.34	PBHL(Pegasus 3 F



Database:	PEDM	Local Co-ordinate Reference:	Well #312H
Company:	Midland	TVD Reference:	kb = 26' @ 3677.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3677.0usft
Site:	Pegasus 3 Fed Com	North Reference:	Grid
Well:	#312H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.1 RT		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	0.00
700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	0.00
800.0	0.00	0.00	800.0	0.0	0.0	0.0	0.00	0.00	0.00
900.0	0.00	0.00	900.0	0.0	0.0	0.0	0.00	0.00	0.00
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.0	0.00	0.00	0.00
1,100.0	0.00	0.00	1,100.0	0.0	0.0	0.0	0.00	0.00	0.00
1,200.0	0.00	0.00	1,200.0	0.0	0.0	0.0	0.00	0.00	0.00
1,300.0	0.00	0.00	1,300.0	0.0	0.0	0.0	0.00	0.00	0.00
1,400.0	0.00	0.00	1,400.0	0.0	0.0	0.0	0.00	0.00	0.00
1,475.0	0.00	0.00	1,475.0	0.0	0.0	0.0	0.00	0.00	0.00
1,500.0	0.50	160.42	1,500.0	-0.1	0.0	-0.1	2.00	2.00	0.00
1,600.0	2.50	160.42	1,600.0	-2.6	0.9	-2.5	2.00	2.00	0.00
1,700.0	4.50	160.42	1,699.8	-8.3	3.0	-8.2	2.00	2.00	0.00
1,800.0	6.50	160.42	1,799.3	-17.4	6.2	-17.1	2.00	2.00	0.00
1,900.0	8.50	160.42	1,898.4	-29.6	10.5	-29.2	2.00	2.00	0.00
2,000.0	10.50	160.42	1,997.1	-45.2	16.1	-44.6	2.00	2.00	0.00
2,100.0	12.50	160.42	2,095.1	-64.0	22.8	-63.1	2.00	2.00	0.00
2,187.6	14.25	160.42	2,180.3	-83.1	29.5	-81.9	2.00	2.00	0.00
2,200.0	14.25	160.42	2,192.3	-85.9	30.6	-84.7	0.00	0.00	0.00
2,300.0	14.25	160.42	2,289.2	-109.1	38.8	-107.6	0.00	0.00	0.00
2,400.0	14.25	160.42	2,386.1	-132.3	47.1	-130.5	0.00	0.00	0.00
2,500.0	14.25	160.42	2,483.1	-155.5	55.3	-153.3	0.00	0.00	0.00
2,600.0	14.25	160.42	2,580.0	-178.7	63.6	-176.2	0.00	0.00	0.00
2,700.0	14.25	160.42	2,676.9	-201.9	71.8	-199.1	0.00	0.00	0.00
2,800.0	14.25	160.42	2,773.8	-225.1	80.1	-222.0	0.00	0.00	0.00
2,900.0	14.25	160.42	2,870.7	-248.3	88.3	-244.8	0.00	0.00	0.00
3,000.0	14.25	160.42	2,967.7	-271.5	96.6	-267.7	0.00	0.00	0.00
3,100.0	14.25	160.42	3,064.6	-294.7	104.8	-290.6	0.00	0.00	0.00
3,200.0	14.25	160.42	3,161.5	-317.9	113.1	-313.4	0.00	0.00	0.00
3,300.0	14.25	160.42	3,258.4	-341.1	121.3	-336.3	0.00	0.00	0.00
3,400.0	14.25	160.42	3,355.4	-364.3	129.6	-359.2	0.00	0.00	0.00
3,500.0	14.25	160.42	3,452.3	-387.5	137.8	-382.0	0.00	0.00	0.00
3,600.0	14.25	160.42	3,549.2	-410.7	146.1	-302.0	0.00	0.00	0.00
3,700.0	14.25	160.42	3,646.1	-433.9	154.3	-404.5	0.00	0.00	0.00
3,800.0	14.25	160.42	3,743.0	-457.1	162.6	-450.6	0.00	0.00	0.00
3,900.0	14.25	160.42	3,840.0	-480.3	170.8	-473.5	0.00	0.00	0.00
4,000.0	14.25	160.42	3,936.9	-503.5	179.1	-496.4	0.00	0.00	0.00
4,100.0	14.25	160.42	4,033.8	-526.7	187.3	-519.2	0.00	0.00	0.00
4,200.0	14.25	160.42	4,130.7	-549.9	195.6	-542.1	0.00	0.00	0.00
4,300.0	14.25	160.42	4,227.7	-573.1	203.8	-565.0	0.00	0.00	0.00
4,400.0	14.25	160.42	4,324.6	-596.3	212.1	-587.8	0.00	0.00	0.00
4,500.0	14.25	160.42	4,421.5	-619.5	220.3	-610.7	0.00	0.00	0.00
4,600.0	14.25	160.42	4,518.4	-642.7	228.6	-633.6	0.00	0.00	0.00
4,700.0	14.25	160.42	4,615.3	-665.8	236.8	-656.5	0.00	0.00	0.00
4,800.0	14.25	160.42	4,712.3	-689.0	245.1	-679.3	0.00	0.00	0.00
4,900.0	14.25	160.42	4,809.2	-712.2	253.3	-702.2	0.00	0.00	0.00
5,000.0	14.25	160.42	4,906.1	-735.4	261.6	-725.1	0.00	0.00	0.00
5,100.0	14.25	160.42	5,003.0	-758.6	269.8	-747.9	0.00	0.00	0.00
0,100.0	17.20	100.72	0,000.0	, 00.0	200.0	171.5	0.00	0.00	0.00

6/2/2023 9:20:00AM



Database:	PEDM	Local Co-ordinate Reference:	Well #312H
Company:	Midland	TVD Reference:	kb = 26' @ 3677.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3677.0usft
Site:	Pegasus 3 Fed Com	North Reference:	Grid
Well:	#312H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.1 RT		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5,200.0		160.42	5,100.0	-781.8	278.1	-770.8	0.00	0.00	0.00
5,300.0	14.25	160.42	5,196.9	-805.0	286.3	-793.7	0.00	0.00	0.00
5,400.0		160.42	5,293.8	-828.2	294.6	-816.5	0.00	0.00	0.00
5,500.0		160.42	5,390.7	-851.4	302.8	-839.4	0.00	0.00	0.00
5,600.0		160.42	5,487.6	-874.6	311.1	-862.3	0.00	0.00	0.00
5,700.0		160.42	5,584.6	-897.8	319.3	-885.1	0.00	0.00	0.00
5,800.0	14.25	160.42	5,681.5	-921.0	327.6	-908.0	0.00	0.00	0.00
5,900.0		160.42	5,778.4	-944.2	335.8	-930.9	0.00	0.00	0.00
6,000.0		160.42	5,875.3	-967.4	344.1	-953.7	0.00	0.00	0.00
6,100.0		160.42	5,972.3	-990.6	352.3	-976.6	0.00	0.00	0.00
6,200.0		160.42	6,069.2	-1,013.8	360.6	-999.5	0.00	0.00	0.00
6,300.0	14.25	160.42	6,166.1	-1,037.0	368.8	-1,022.4	0.00	0.00	0.00
6,400.0		160.42	6,263.0	-1,037.0	300.0 377.1	-1,022.4	0.00	0.00	0.00
6,489.4		160.42	6,263.0	-1,080.2	384.5	-1,045.2	0.00	0.00	0.00
									0.00
6,500.0		160.42	6,359.9	-1,083.4	385.3	-1,068.1	2.00	-2.00	
6,600.0		160.42	6,457.4	-1,104.6	392.9	-1,089.0	2.00	-2.00	0.00
6,700.0		160.42	6,555.5	-1,122.7	399.3	-1,106.8	2.00	-2.00	0.00
6,800.0		160.42	6,654.3	-1,137.5	404.6	-1,121.4	2.00	-2.00	0.00
6,900.0		160.42	6,753.5	-1,149.0	408.7	-1,132.8	2.00	-2.00	0.00
7,000.0		160.42	6,853.1	-1,157.3	411.6	-1,141.0	2.00	-2.00	0.00
7,100.0		160.42	6,953.0	-1,162.3	413.4	-1,145.9	2.00	-2.00	0.00
7,202.1		0.01	7,055.0	-1,164.0	414.0	-1,147.6	2.00	-2.00	0.00
7,300.0		0.00	7,152.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
7,400.0	0.00	0.00	7,252.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
7,500.0	0.00	0.00	7,352.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
7,600.0	0.00	0.00	7,452.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
7,700.0	0.00	0.00	7,552.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
7,800.0	0.00	0.00	7,652.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
7,900.0	0.00	0.00	7,752.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
8,000.0	0.00	0.00	7,852.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
8,100.0	0.00	0.00	7,952.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
8,200.0	0.00	0.00	8,052.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
8,300.0		0.00	8,152.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
8,400.0		0.00	8,252.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
8,500.0		0.00	8,352.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
8,600.0		0.00	8,452.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
8,700.0	0.00	0.00	8,552.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
8,800.0		0.00	8,652.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
8,900.0		0.00	8,752.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
9,000.0		0.00	8,852.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
9,100.0		0.00	8,952.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
9,200.0	0.00	0.00	9,052.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
9,300.0		0.00	9,152.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
9,400.0		0.00	9,252.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
9,500.0		0.00	9,352.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
9,600.0		0.00	9,452.9	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
9,629.6		0.00	9,482.5	-1,164.0	414.0	-1,147.6	0.00	0.00	0.00
	sus 3 Fed Com #3		9,402.0	-1,104.0	414.0	-1,147.0	0.00	0.00	0.00
9,650.0		0.00	9,502.9	-1,163.6	414.0	-1,147.1	12.00	12.00	0.00
9,675.0		0.00	9,527.9	-1,161.8	414.0	-1,145.4	12.00	12.00	0.00
9,700.0		0.00	9,552.7	-1,158.8	414.0	-1,142.4	12.00	12.00	0.00
9,725.0		0.00	9,577.3	-1,154.5	414.0	-1,138.1	12.00	12.00	0.00
9,750.0	14.45	0.00	9,601.7	-1,148.9	414.0	-1,132.5	12.00	12.00	0.00

### 6/2/2023 9:20:00AM

COMPASS 5000.16 Build 100



Database:	PEDM	Local Co-ordinate Reference:	Well #312H
Company:	Midland	TVD Reference:	kb = 26' @ 3677.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3677.0usft
Site:	Pegasus 3 Fed Com	North Reference:	Grid
Well:	#312H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.1 RT		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9,775.0	17.45	0.00	9,625.7	-1,142.0	414.0	-1,125.6	12.00	12.00	0.00
9,800.0	20.46	0.00	9,649.3		414.0				0.00
				-1,133.9		-1,117.5	12.00	12.00	
9,825.0	23.46	0.00	9,672.5	-1,124.6	414.0	-1,108.2	12.00	12.00	0.00
9,850.0	26.46	0.00	9,695.2	-1,114.0	414.0	-1,097.6	12.00	12.00	0.00
FTP(Pegasu	s 3 Fed Com #3 <sup>-</sup>	12H)							
9,875.0	29.46	359.96	9,717.3	-1,102.3	414.0	-1,085.9	12.00	12.00	-0.18
9,900.0	32.46	359.92	9,738.7	-1,089.4	414.0	-1,073.1	12.00	12.00	-0.15
9,925.0	35.46	359.89	9,759.4	-1,075.5	414.0	-1,059.1	12.00	12.00	-0.13
9,950.0	38.46	359.86	9,779.4	-1,060.4	413.9	-1,044.1	12.00	12.00	-0.11
9,975.0	41.46	359.84	9,798.6	-1,044.4	413.9	-1,028.1	12.00	12.00	-0.10
10,000.0	44.46	359.81	9,816.9	-1,027.4	413.8	-1,011.0	12.00	12.00	-0.08
10,025.0	47.46	359.80	9,834.3	-1,009.4	413.8	-993.1	12.00	12.00	-0.08
10,050.0	50.46	359.78	9,850.7	-990.5	413.7	-974.3	12.00	12.00	-0.07
10,075.0	53.46	359.76	9,866.1	-970.8	413.6	-954.6	12.00	12.00	-0.06
10,100.0	56.46	359.75	9,880.4	-950.4	413.5	-934.1	12.00	12.00	-0.06
10,125.0	59.46	359.73	9,893.7	-929.2	413.4	-913.0	12.00	12.00	-0.05
10,125.0	62.46	359.73	9,893.7 9,905.8	-929.2 -907.3	413.4	-913.0		12.00	-0.05
							12.00		
10,175.0	65.46	359.71	9,916.8	-884.9	413.2	-868.7	12.00	12.00	-0.05
10,200.0	68.46	359.70	9,926.6	-861.9	413.1	-845.7	12.00	12.00	-0.05
10,225.0	71.46	359.69	9,935.2	-838.4	413.0	-822.3	12.00	12.00	-0.04
10,250.0	74.46	359.68	9,942.5	-814.5	412.8	-798.4	12.00	12.00	-0.04
10,275.0	77.46	359.67	9,948.5	-790.2	412.7	-774.1	12.00	12.00	-0.04
10,300.0	80.46	359.66	9,953.3	-765.7	412.6	-749.6	12.00	12.00	-0.04
10,325.0	83.46	359.65	9,956.8	-741.0	412.4	-724.9	12.00	12.00	-0.04
10,350.0	86.46	359.64	9,959.0	-716.1	412.3	-700.0	12.00	12.00	-0.04
10,375.0	89.46	359.63	9,959.9	-691.1	412.1	-675.1	12.00	12.00	-0.04
10,379.5	90.00	359.62	9,959.9	-686.5	412.1	-670.5	12.00	12.00	-0.04
10,400.0	90.00	359.62	9,959.9	-666.1	411.9	-650.1	0.00	0.00	0.00
10,500.0	90.00	359.62	9,959.9	-566.1	411.3	-550.2	0.00	0.00	0.00
10,600.0	90.00	359.62	9,959.9	-466.1	410.6	-450.3	0.00	0.00	0.00
10,700.0	90.00	359.62	9,959.9	-366.1	410.0	-350.4	0.00	0.00	0.00
10,800.0	90.00	359.62	9,959.9	-266.1	409.3	-250.5	0.00	0.00	0.00
10,900.0	90.00	359.62	9,960.0	-166.1	408.6	-150.6	0.00	0.00	0.00
11,000.0	90.00	359.62	9,960.0	-66.1	408.0	-50.7	0.00	0.00	0.00
11,100.0	90.00	359.62	9,960.0	33.9	407.3	49.2	0.00	0.00	0.00
11,200.0	90.00	359.62	9,960.0	133.9	406.7	149.1	0.00	0.00	0.00
11,300.0	90.00	359.62	9,960.0	233.9	406.0	249.0	0.00	0.00	0.00
11,400.0	90.00	359.62	9,960.0	333.9	405.4	348.9	0.00	0.00	0.00
11,500.0	90.00	359.62	9,960.0	433.9	404.7	448.8	0.00	0.00	0.00
11,600.0	90.00	359.62	9,960.0	533.9	404.1	548.7	0.00	0.00	0.00
11,700.0	90.00	359.62	9,960.0	633.9	403.4	648.6	0.00	0.00	0.00
11,800.0	90.00	359.62	9,960.0 9,960.0	733.9	403.4 402.7	040.0 748.5	0.00	0.00	0.00
11,800.0	90.00	359.62	9,960.0 9,960.0	833.9	402.7	746.5 848.4	0.00	0.00	0.00
12,000.0		359.62 359.62	9,960.0 9,960.0	833.9 933.9	402.1 401.4	848.4 948.3		0.00	0.00
12,000.0	90.00 90.00	359.62 359.62	9,960.0 9,960.0	933.9 1,033.9	401.4	948.3 1,048.2	0.00 0.00	0.00	0.00
12,200.0	90.00	359.62	9,960.0	1,133.9	400.1	1,148.1	0.00	0.00	0.00
12,300.0	90.00	359.62	9,960.0	1,233.9	399.5	1,248.0	0.00	0.00	0.00
12,400.0	90.00	359.62	9,960.0	1,333.9	398.8	1,347.9	0.00	0.00	0.00
12,500.0	90.00	359.62	9,960.0	1,433.9	398.2	1,447.8	0.00	0.00	0.00
12,600.0	90.00	359.62	9,960.0	1,533.9	397.5	1,547.7	0.00	0.00	0.00
12,700.0	90.00	359.62	9,960.0	1,633.9	396.8	1,647.7	0.00	0.00	0.00
12,800.0	90.00	359.62	9,960.0	1,733.9	396.2	1,747.6	0.00	0.00	0.00
12,900.0	90.00	359.62	9,960.0	1,833.9	395.5	1,847.5	0.00	0.00	0.00
13,000.0	90.00	359.62	9,960.0	1,933.9	394.9	1,947.4	0.00	0.00	0.00

6/2/2023 9:20:00AM

Page 6

COMPASS 5000.16 Build 100



Database:	PEDM	Local Co-ordinate Reference:	Well #312H
Company:	Midland	TVD Reference:	kb = 26' @ 3677.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3677.0usft
Site:	Pegasus 3 Fed Com	North Reference:	Grid
Well:	#312H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.1 RT		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
13,100.0	90.00	359.62	9,960.0	2,033.9	394.2	2,047.3	0.00	0.00	0.00
13,200.0	90.00	359.62	9,960.0	2,133.9	393.6	2,147.2	0.00	0.00	0.00
13,300.0	90.00	359.62	9,960.0	2,233.9	392.9	2,247.1	0.00	0.00	0.00
13,400.0	90.00	359.62	9,960.0	2,333.9	392.3	2,347.0	0.00	0.00	0.00
13,500.0	90.00	359.62	9,960.0	2,433.9	391.6	2,446.9	0.00	0.00	0.00
13,600.0	90.00	359.62	9,960.0	2,533.8	390.9	2,546.8	0.00	0.00	0.00
13,700.0	90.00	359.62	9,960.0	2,633.8	390.3	2,646.7	0.00	0.00	0.00
13,800.0	90.00	359.62	9,960.0	2,733.8	389.6	2,746.6	0.00	0.00	0.00
13,900.0	90.00	359.62	9,960.0	2,833.8	389.0	2,846.5	0.00	0.00	0.00
14,000.0	90.00	359.62	9,960.0	2,933.8	388.3	2,946.4	0.00	0.00	0.00
14,100.0	90.00	359.62	9,960.0	3,033.8	387.7	3,046.3	0.00	0.00	0.00
14,200.0	90.00	359.62	9,960.0	3,133.8	387.0	3,146.2	0.00	0.00	0.00
14,300.0	90.00	359.62	9,960.0	3,233.8	386.4	3,246.1	0.00	0.00	0.00
14,400.0	90.00	359.62	9,960.0	3,333.8	385.7	3,346.0	0.00	0.00	0.00
14,500.0	90.00	359.62	9,960.0	3,433.8	385.0	3,445.9	0.00	0.00	0.00
14,600.0	90.00	359.62	9,960.0	3,533.8	384.4	3,545.8	0.00	0.00	0.00
14,700.0	90.00	359.62	9,960.0	3,633.8	383.7	3,645.7	0.00	0.00	0.00
14,800.0	90.00	359.62	9,960.0	3,733.8	383.1	3,745.6	0.00	0.00	0.00
14,900.0	90.00	359.62	9,960.0	3,833.8	382.4	3,845.5	0.00	0.00	0.00
15,000.0	90.00	359.62	9,960.0	3,933.8	381.8	3,945.4	0.00	0.00	0.00
15,100.0	90.00	359.62	9,960.0	4,033.8	381.1	4,045.3	0.00	0.00	0.00
15,116.2	90.00	359.62	9,960.0	4,050.0	381.0	4,061.5	0.00	0.00	0.00
Fed Perf 1(P	egasus 3 Fed C	om #312H)							
15,200.0	90.00	359.62	9,960.0	4,133.8	380.5	4,145.2	0.00	0.00	0.00
15,300.0	90.00	359.63	9,960.0	4,233.8	379.8	4,245.1	0.00	0.00	0.00
15,400.0	90.00	359.63	9,960.0	4,333.8	379.1	4,345.0	0.00	0.00	0.00
15,500.0	90.00	359.63	9,960.0	4,433.8	378.5	4,444.9	0.00	0.00	0.00
15,600.0	90.00	359.63	9,960.0	4,533.8	377.8	4,544.8	0.00	0.00	0.00
15,700.0	90.00	359.63	9,960.0	4,633.8	377.2	4,644.7	0.00	0.00	0.00
15,800.0	90.00	359.63	9,960.0	4,733.8	376.5	4,744.6	0.00	0.00	0.00
15,900.0	90.00	359.63	9,960.0	4,833.8	375.9	4,844.5	0.00	0.00	0.00
16,000.0	90.00	359.63	9,960.0	4,933.8	375.3	4,944.4	0.00	0.00	0.00
16,100.0	90.00	359.63	9,960.0	5,033.8	374.6	5,044.3	0.00	0.00	0.00
16,200.0	90.00	359.63	9,960.0	5,133.8	374.0	5,144.2	0.00	0.00	0.00
16,300.0	90.00	359.63	9,960.0	5,233.8	373.3	5,244.1	0.00	0.00	0.00
16,400.0	90.00	359.63	9,960.0	5,333.8	372.7	5,344.0	0.00	0.00	0.00
16,500.0	90.00	359.63	9,960.0	5,433.8	372.0	5,443.9	0.00	0.00	0.00
16,600.0	90.00	359.64	9,960.0	5,533.8	371.4	5,543.8	0.00	0.00	0.00
16,700.0	90.00	359.64	9,960.0	5,633.8	370.8	5,643.7	0.00	0.00	0.00
16,800.0	90.00	359.64	9,960.0	5,733.8	370.1	5,743.7	0.00	0.00	0.00
16,900.0	90.00	359.64	9,960.0	5,833.8	369.5	5,843.6	0.00	0.00	0.00
17,000.0	90.00	359.64	9,960.0	5,933.8	368.9	5,943.5	0.00	0.00	0.00
17,100.0	90.00	359.64	9,960.0	6,033.8	368.2	6,043.4	0.00	0.00	0.00
17,200.0	90.00	359.64	9,960.0	6,133.8	367.6	6,143.3	0.00	0.00	0.00
17,300.0	90.00	359.64	9,960.0	6,233.8	367.0	6,243.2	0.00	0.00	0.00
17,400.0	90.00	359.64	9,960.0	6,333.8	366.4	6,343.1	0.00	0.00	0.00
17,500.0	90.00	359.64	9,960.0	6,433.8	365.7	6,443.0	0.00	0.00	0.00
17,600.0	90.00	359.64	9,960.0	6,533.8	365.1	6,542.9	0.00	0.00	0.00
17,700.0	90.00	359.64	9,960.0	6,633.8	364.5	6,642.8	0.00	0.00	0.00
17,800.0	90.00	359.64	9,960.0	6,733.8	363.9	6,742.7	0.00	0.00	0.00
17,900.0	90.00	359.64	9,960.0	6,833.8	363.2	6,842.6	0.00	0.00	0.00
18,000.0	90.00	359.65	9,960.0	6,933.8	362.6	6,942.5	0.00	0.00	0.00
18,100.0	90.00	359.65	9,960.0	7,033.8	362.0	7,042.4	0.00	0.00	0.00

6/2/2023 9:20:00AM



Database:	PEDM	Local Co-ordinate Reference:	Well #312H
Company:	Midland	TVD Reference:	kb = 26' @ 3677.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	kb = 26' @ 3677.0usft
Site:	Pegasus 3 Fed Com	North Reference:	Grid
Well:	#312H	Survey Calculation Method:	Minimum Curvature
Wellbore:	ОН		
Design:	Plan #0.1 RT		

Planned Survey


Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
18,200.0	90.00	359.65	9,960.0	7,133.8	361.4	7,142.3	0.00	0.00	0.00	
18,300.0	90.00	359.65	9,960.0	7,233.8	360.8	7,242.2	0.00	0.00	0.00	
18,400.0	90.00	359.65	9,960.0	7,333.7	360.1	7,342.1	0.00	0.00	0.00	
18,500.0	90.00	359.65	9,960.0	7,433.7	359.5	7,442.0	0.00	0.00	0.00	
18,600.0	90.00	359.65	9,960.0	7,533.7	358.9	7,541.9	0.00	0.00	0.00	
18,700.0	90.00	359.65	9,960.0	7,633.7	358.3	7,641.8	0.00	0.00	0.00	
18,800.0	90.00	359.65	9,960.0	7,733.7	357.7	7,741.7	0.00	0.00	0.00	
18,900.0	90.00	359.65	9,960.0	7,833.7	357.1	7,841.6	0.00	0.00	0.00	
19,000.0	90.00	359.65	9,960.0	7,933.7	356.5	7,941.5	0.00	0.00	0.00	
19,080.3	90.00	359.65	9,960.0	8,014.0	356.0	8,021.7	0.00	0.00	0.00	
Fed Perf 2(P	egasus 3 Fed C	om #312H)								
19,100.0	90.00	359.65	9,960.0	8,033.7	355.9	8,041.4	0.00	0.00	0.00	
19,200.0	90.00	359.65	9,960.0	8,133.7	355.3	8,141.3	0.00	0.00	0.00	
19,300.0	90.00	359.64	9,960.0	8,233.7	354.6	8,241.2	0.00	0.00	0.00	
19,400.0	90.00	359.64	9,960.0	8,333.7	354.0	8,341.2	0.00	0.00	0.00	
19,500.0	90.00	359.63	9,960.0	8,433.7	353.4	8,441.1	0.00	0.00	0.00	
19,600.0	90.00	359.63	9,960.0	8,533.7	352.7	8,541.0	0.00	0.00	0.00	
19,700.0	90.00	359.62	9,960.0	8,633.7	352.1	8,640.9	0.00	0.00	0.00	
19,800.0	90.00	359.62	9,960.0	8,733.7	351.4	8,740.8	0.00	0.00	0.00	
19,900.0	90.00	359.61	9,960.0	8,833.7	350.8	8,840.7	0.00	0.00	0.00	
20,000.0	90.00	359.61	9,960.0	8,933.7	350.1	8,940.6	0.00	0.00	0.00	
20,100.0	90.00	359.61	9,960.0	9,033.7	349.4	9,040.5	0.00	0.00	0.00	
20,200.0	90.00	359.60	9,960.0	9,133.7	348.7	9,140.4	0.00	0.00	0.00	
20,301.3	90.00	359.60	9,960.0	9,235.0	348.0	9,241.6	0.00	0.00	0.00	
PBHL(Pegas	PBHL(Pegasus 3 Fed Com #312H)									


Design	Targote
Design	largets


Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
KOP(Pegasus 3 Fed Co - plan hits target cent - Point	0.00 er	0.01	9,482.5	-1,164.0	414.0	451,523.00	750,079.00	32° 14' 22.232 N	103° 39' 29.497 W
FTP(Pegasus 3 Fed Cor - plan hits target cent - Point	0.00 er	0.00	9,695.2	-1,114.0	414.0	451,573.00	750,079.00	32° 14' 22.727 N	103° 39' 29.493 W
Fed Perf 2(Pegasus 3 F - plan hits target cent - Point	0.00 er	0.00	9,960.0	8,014.0	356.0	460,701.00	750,021.00	32° 15' 53.055 N	103° 39' 29.500 W
Fed Perf 1(Pegasus 3 F - plan hits target cent - Point	0.00 er	0.00	9,960.0	4,050.0	381.0	456,737.00	750,046.00	32° 15' 13.829 N	103° 39' 29.499 W
PBHL(Pegasus 3 Fed C - plan hits target cent - Point	0.00 er	0.00	9,960.0	9,235.0	348.0	461,922.00	750,013.00	32° 16' 5.138 N	103° 39' 29.504 W


# leog resources


vived by OCD: 5/7/2025 5:46:41 PM











Released to Imaging: 7/9/2025 2:24:22 PM

---++

---+

Lea County, NM (NAD 83 NME) Pegasus 3 Fed Com #312H OH Plan #0.1 RT 9:20, June 02 2023

- 1 -

· |- |- |-

1750

1400

## PECOS DISTRICT DRILLING CONDITIONS OF APPROVAL

## OPERATOR'S NAME: EOG Resources Incorporated WELL NAME & NO.: PEGASUS 3 FED COM 312H LOCATION: Section 3, T.24 S., R.32 E. COUNTY: Lea County, New Mexico

## COA

H2S	• Yes	O No		
H25		_	_	
Potash	• None	Secretary	© R-111-P	
Cave/Karst Potential	• Low	O Medium	O High	
Cave/Karst Potential	Critical			
Variance	O None	• Flex Hose	O Other	
Wellhead	Conventional	Multibowl	O Both	
Wellhead Variance	O Diverter			
Other	□4 String	Capitan Reef	□   WIPP	
Other	Fluid Filled	Pilot Hole	□ Open Annulus	
Cementing	□ Contingency	EchoMeter	Primary Cement	
	Cement Squeeze		Squeeze	
Special Requirements	U Water Disposal	COM	🗆 Unit	
Special Requirements	□ Batch Sundry			
Special Requirements	Break Testing	✓ Offline	Casing	
Variance		Cementing	Clearance	

## A. HYDROGEN SULFIDE

A Hydrogen Sulfide (H2S) Drilling Plan shall be activated AT SPUD. As a result, the Hydrogen Sulfide area must meet Onshore Order 6 requirements, which includes equipment and personnel/public protection items. If Hydrogen Sulfide is encountered, please provide measured values and formations to the BLM.

## **B.** CASING

The above well is approved for the primary design and 5 Designs listed in the "EOG BLM Variance 5a - Alternate Shallow Casing Designs" document. The casing set points and directional plans for the wells in the batch are within the boundary conditions reviewed in the blanket design. The COA is written for the deepest well on the pad. Operator is responsible to review the cement volumes based on the set points, design executed and to achieve the TOC requirements listed in the COA.

## **Primary:**

- 1. The **10-3/4** inch surface casing shall be set at approximately **1280** feet **TVD** (a minimum of 25 feet (Lea County) into the Rustler Anhydrite, above the salt, and below usable fresh water) and cemented to the surface.
  - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
  - b. Wait on cement (WOC) time for a primary cement job will be a minimum of <u>8</u> <u>hours</u> or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
  - c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
  - d. If cement falls back, remedial cementing will be done prior to drilling out that string.
- 2. The **8-5/8** inch intermediate casing shall be set at approximately **4830** feet **TVD**.
  - a. Mud weight could brine up to 10.2ppg. Reviewed and OK
  - b. Keep casing half full during run for collapse SF

The minimum required fill of cement behind the 8-5/8 inch intermediate casing is:

- Cement to surface. If cement does not circulate see B.1.a, c-d above.
- 3. The **6** inch **x 5.5** inch tapered production casing shall be set at approximately **20,301** feet. Operator has also proposed ONLY running **6** inch casing for the production string. Reviewed and is OK. The minimum required fill of cement behind the **5-1/2** inch production casing is:
  - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

## Shallow Design A:

- 1. The **13-3/8** inch surface casing shall be set at approximately **1280** feet **TVD** (a minimum of 25 feet (Lea County) into the Rustler Anhydrite, above the salt, and below usable fresh water) and cemented to the surface.
  - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature

Page 2 of 11

survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.

- b. Wait on cement (WOC) time for a primary cement job will be a minimum of <u>8</u>
   <u>hours</u> or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
- c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
- d. If cement falls back, remedial cementing will be done prior to drilling out that string.
- 2. The **9-5/8** inch intermediate casing shall be set at approximately **4830** feet **TVD**.
  - a. Mud weight could brine up to 10.2ppg. Reviewed and OK
  - b. Keep casing half full during run for collapse SF

The minimum required fill of cement behind the **9-5/8** inch intermediate casing is:

- Cement to surface. If cement does not circulate see B.1.a, c-d above.
- 3. The **5-1**/2 inch production casing shall be set at approximately **20,301** feet. The minimum required fill of cement behind the **5-1**/2 inch production casing is:
  - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

## **Shallow Design B:**

1. The **10-3/4** inch surface casing shall be set at approximately **1280** feet **TVD** (a minimum of 25 feet (Lea County) into the Rustler Anhydrite, above the salt, and below usable fresh water) and cemented to the surface.

- e. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
- f. Wait on cement (WOC) time for a primary cement job will be a minimum of  $\underline{8}$ <u>hours</u> or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
- g. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength,

## **Approval Date: 02/21/2025**

whichever is greater.

If cement falls back, remedial cementing will be done prior to drilling out that string.

- 2. The **8-5/8** inch intermediate casing shall be set at approximately **4830** feet **TVD**.
  - a. Mud weight could brine up to 10.2ppg. Reviewed and OK
  - b. Keep casing half full during run for collapse SF

The minimum required fill of cement behind the **8-5/8** inch intermediate casing is:

- Cement to surface. If cement does not circulate see B.1.a, c-d above.
- 3. The **5-1**/2 inch production casing shall be set at approximately **20,301** feet. The minimum required fill of cement behind the **5-1**/2 inch production casing is:
  - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

### Shallow Design C:

- 1. The **13-3/8** inch surface casing shall be set at approximately **1280** feet **TVD** (a minimum of 25 feet (Lea County) into the Rustler Anhydrite, above the salt, and below usable fresh water) and cemented to the surface.
  - h. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
  - i. Wait on cement (WOC) time for a primary cement job will be a minimum of  $\underline{\mathbf{8}}$ <u>hours</u> or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
  - j. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
  - k. If cement falls back, remedial cementing will be done prior to drilling out that string.
- 2. The 9-5/8 inch intermediate casing shall be set at approximately 4830 feet TVD.
  - a. Mud weight could brine up to 10.2ppg. Reviewed and OK
  - b. Keep casing half full during run for collapse SF

The minimum required fill of cement behind the **9-5/8** inch intermediate casing is:

• Cement to surface. If cement does not circulate see B.1.a, c-d above.

- 3. The **6** inch production casing shall be set at approximately **20,301** feet. The minimum required fill of cement behind the **6** inch production casing is:
  - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

### **Shallow Design D:**

- 1. The **13-3/8** inch surface casing shall be set at approximately **1280** feet **TVD** (a minimum of 25 feet (Lea County) into the Rustler Anhydrite, above the salt, and below usable fresh water) and cemented to the surface.
  - 1. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
  - m. Wait on cement (WOC) time for a primary cement job will be a minimum of <u>8</u>
     <u>hours</u> or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
  - n. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
  - o. If cement falls back, remedial cementing will be done prior to drilling out that string.
- 2. The 9-5/8 inch intermediate casing shall be set at approximately 4830 feet TVD.
  - a. Mud weight could brine up to 10.2ppg. Reviewed and OK
  - b. Keep casing half full during run for collapse SF

The minimum required fill of cement behind the 9-5/8 inch intermediate casing is:

- Cement to surface. If cement does not circulate see B.1.a, c-d above.
- 3. The 6 inch x 5.5 inch tapered production casing shall be set at approximately 20,301 feet. The minimum required fill of cement behind the 6 inch x 5.5 inch tapered production casing is:
  - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.

Page 5 of 11

### C. PRESSURE CONTROL

- 1. Variance approved to use flex line from BOP to choke manifold. Manufacturer's specification to be readily available. No external damage to flex line. Flex line to be installed as straight as possible (no hard bends).'
- Operator has proposed a multi-bowl wellhead assembly. This assembly will only be tested when installed on the 13-3/8 inch surface casing. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be 5000 (5M) psi. Variance is approved to use a 5000 (5M) Annular which shall be tested to 3500 (70% Working Pressure) psi.
  - a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
  - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
  - c. Manufacturer representative shall install the test plug for the initial BOP test.
  - d. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
  - e. Whenever any seal subject to test pressure is broken, all the tests in OOGO2.III.A.2.i must be followed.

### **D. SPECIAL REQUIREMENT (S)**

### **Communitization Agreement**

- The operator will submit a Communitization Agreement to the Santa Fe Office, 301 Dinosaur Trail Santa Fe, New Mexico 87508, at least 90 days before the anticipated date of first production from a well subject to a spacing order issued by the New Mexico Oil Conservation Division. The Communitization Agreement will include the signatures of all working interest owners in all Federal and Indian leases subject to the Communitization Agreement (i.e., operating rights owners and lessees of record), or certification that the operator has obtained the written signatures of all such owners and will make those signatures available to the BLM immediately upon request.
- If the operator does not comply with this condition of approval, the BLM may take enforcement actions that include, but are not limited to, those specified in 43 CFR 3163.1.
- In addition, the well sign shall include the surface and bottom hole lease numbers. <u>When the Communitization Agreement number is known, it shall also be on the sign.</u>

### (Note: For a minimum 5M BOPE or less (Utilizing a 10M BOPE system) BOPE Break Testing Variance

- BOPE Break Testing is ONLY permitted for 5M BOPE or less. (Annular preventer must be tested to a minimum of 70% of BOPE working pressure and shall be higher than the MASP)
- BOPE Break Testing is NOT permitted to drilling the production hole section.

- Variance only pertains to the intermediate hole-sections and no deeper than the Bone Springs formation.
- While in transfer between wells, the BOPE shall be secured by the hydraulic carrier or cradle.
- Any well control event while drilling require notification to the BLM Petroleum Engineer (**575-706-2779**) prior to the commencement of any BOPE Break Testing operations.
- A full BOPE test is required prior to drilling the first deep intermediate hole section. If any subsequent hole interval is deeper than the first, a full BOPE test will be required. (200' TVD tolerance between intermediate shoes is allowable).
- The BLM is to be contacted (575-689-5981 Lea County) 4 hours prior to BOPE tests.
- As a minimum, a full BOPE test shall be performed at 21-day intervals.
- In the event any repairs or replacement of the BOPE is required, the BOPE shall test as per Onshore Oil and Gas Order No. 2.
- If in the event break testing is not utilized, then a full BOPE test would be conducted.

### **Casing Clearance:**

- Variance in place for production interval as long as the 500' overlap into the previous casing meets the requirement
- Variance in place for salt interval clearance based on caliper data study

### **Offline Cementing**

Operator is approved for offline cementing for surface and intermediate intervals. Notify the BLM prior to the commencement of any offline cementing procedure.

### **GENERAL REQUIREMENTS**

The BLM is to be notified in advance for a representative to witness:

- a. Spudding well (minimum of 24 hours)
- b. Setting and/or Cementing of all casing strings (minimum of 4 hours)
- c. BOPE tests (minimum of 4 hours)

Eddy County

**EMAIL** or call the Carlsbad Field Office, 620 East Greene St., Carlsbad, NM 88220,

**BLM\_NM\_CFO\_DrillingNotifications@BLM.GOV** (575) 361-2822

- Lea CountyCall the Hobbs Field Station, 414 West Taylor, Hobbs NM 88240, (575) 689-5981
- 1. Unless the production casing has been run and cemented or the well has been properly plugged, the drilling rig shall not be removed from over the hole without prior approval.

- a. In the event the operator has proposed to drill multiple wells utilizing a skid/walking rig. Operator shall secure the wellbore on the current well, after installing and testing the wellhead, by installing a blind flange of like pressure rating to the wellhead and a pressure gauge that can be monitored while drilling is performed on the other well(s).
- b. When the operator proposes to set surface casing with Spudder Rig
  - Notify the BLM when moving in and removing the Spudder Rig.
  - Notify the BLM when moving in the 2<sup>nd</sup> Rig. Rig to be moved in within 90 days of notification that Spudder Rig has left the location.
  - BOP/BOPE test to be conducted per **43** CFR part **3170** Subpart **3172** as soon as 2nd Rig is rigged up on well.
- 2. Floor controls are required for 3M or Greater systems. These controls will be on the rig floor, unobstructed, readily accessible to the driller and will be operational at all times during drilling and/or completion activities. Rig floor is defined as the area immediately around the rotary table; the area immediately above the substructure on which the draw works are located, this does not include the dog house or stairway area.
- 3. The record of the drilling rate along with the GR/N well log run from TD to surface (horizontal well vertical portion of hole) shall be submitted to the BLM office as well as all other logs run on the borehole 30 days from completion. If available, a digital copy of the logs is to be submitted in addition to the paper copies. The Rustler top and top and bottom of Salt are to be recorded on the Completion Report.

### A. CASING

- 1. Changes to the approved APD casing program need prior approval if the items substituted are of lesser grade or different casing size or are Non-API. The Operator can exchange the components of the proposal with that of superior strength (i.e. changing from J-55 to N-80, or from 36# to 40#). Changes to the approved cement program need prior approval if the altered cement plan has less volume or strength or if the changes are substantial (i.e. Multistage tool, ECP, etc.). The initial wellhead installed on the well will remain on the well with spools used as needed.
- <u>Wait on cement (WOC) for Potash Areas:</u> After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi for all cement blends, 2) until cement has been in place at least <u>24 hours</u>. WOC time will be recorded in the driller's log. The casing intergrity test can be done (prior to the cement setting up) immediately after bumping the plug.
- 3. <u>Wait on cement (WOC) for Water Basin:</u> After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi at the shoe, 2) until cement has been in place at least <u>8 hours</u>.

WOC time will be recorded in the driller's log. See individual casing strings for details regarding lead cement slurry requirements. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.

- 4. Provide compressive strengths including hours to reach required 500 pounds compressive strength prior to cementing each casing string. Have well specific cement details onsite prior to pumping the cement for each casing string.
- 5. No pea gravel permitted for remedial or fall back remedial without prior authorization from the BLM engineer.
- 6. On that portion of any well approved for a 5M BOPE system or greater, a pressure integrity test of each casing shoe shall be performed. Formation at the shoe shall be tested to a minimum of the mud weight equivalent anticipated to control the formation pressure to the next casing depth or at total depth of the well. This test shall be performed before drilling more than 20 feet of new hole.
- 7. If hardband drill pipe is rotated inside casing, returns will be monitored for metal. If metal is found in samples, drill pipe will be pulled and rubber protectors which have a larger diameter than the tool joints of the drill pipe will be installed prior to continuing drilling operations.
- 8. Whenever a casing string is cemented in the R-111-P potash area, the NMOCD requirements shall be followed.

### B. PRESSURE CONTROL

- All blowout preventer (BOP) and related equipment (BOPE) shall comply with well control requirements as described in 43 CFR part 3170 Subpart 3172 and API STD 53 Sec. 5.3.
- 2. If a variance is approved for a flexible hose to be installed from the BOP to the choke manifold, the following requirements apply: The flex line must meet the requirements of API 16C. Check condition of flexible line from BOP to choke manifold, replace if exterior is damaged or if line fails test. Line to be as straight as possible with no hard bends and is to be anchored according to Manufacturer's requirements. The flexible hose can be exchanged with a hose of equal size and equal or greater pressure rating. Anchor requirements, specification sheet and hydrostatic pressure test certification matching the hose in service, to be onsite for review. These documents shall be posted in the company man's trailer and on the rig floor.
- 3. 5M or higher system requires an HCR valve, remote kill line and annular to match. The remote kill line is to be installed prior to testing the system and tested to stack pressure.

- 4. If the operator has proposed a multi-bowl wellhead assembly in the APD. The following requirements must be met:
  - a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
  - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
  - c. Manufacturer representative shall install the test plug for the initial BOP test.
  - d. Whenever any seal subject to test pressure is broken, all the tests in 43
     CFR part 3170 Subpart 3172 must be followed.
  - e. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
- 5. The appropriate BLM office shall be notified a minimum of 4 hours in advance for a representative to witness the tests.
  - a. In a water basin, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. The casing cut-off and BOP installation can be initiated four hours after installing the slips, which will be approximately six hours after bumping the plug. For those casing strings not using slips, the minimum wait time before cut-off is eight hours after bumping the plug. BOP/BOPE testing can begin after cut-off or once cement reaches 500 psi compressive strength (including lead cement), whichever is greater. However, if the float does not hold, cut-off cannot be initiated until cement reaches 500 psi compressive strength (including lead when specified).
  - b. In potash areas, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. For all casing strings, casing cut-off and BOP installation can be initiated at twelve hours after bumping the cement plug. The BOPE test can be initiated after bumping the cement plug with the casing valve open. (only applies to single stage cement jobs, prior to the cement setting up.)
  - c. The tests shall be done by an independent service company utilizing a test plug not a cup or J-packer and can be initiated immediately with the casing valve open. The operator also has the option of utilizing an independent tester to test without a plug (i.e. against the casing) pursuant to 43 CFR part 3170 Subpart 3172 with the pressure not to exceed 70% of the burst rating for the casing. Any test against the casing must meet the WOC time for water basin (8 hours) or potash (24 hours) or 500 pounds compressive strength, whichever is greater, prior to initiating the test (see casing segment as lead cement may be critical item).

- d. The test shall be run on a 5000 psi chart for a 2-3M BOP/BOP, on a 10000 psi chart for a 5M BOP/BOPE and on a 15000 psi chart for a 10M BOP/BOPE. If a linear chart is used, it shall be a one hour chart. A circular chart shall have a maximum 2 hour clock. If a twelve hour or twenty-four hour chart is used, tester shall make a notation that it is run with a two hour clock.
- e. The results of the test shall be reported to the appropriate BLM office.
- f. All tests are required to be recorded on a calibrated test chart. A copy of the BOP/BOPE test chart and a copy of independent service company test will be submitted to the appropriate BLM office.
- g. The BOP/BOPE test shall include a low pressure test from 250 to 300 psi. The test will be held for a minimum of 10 minutes if test is done with a test plug and 30 minutes without a test plug. This test shall be performed prior to the test at full stack pressure.
- h. BOP/BOPE must be tested by an independent service company within 500 feet of the top of the Wolfcamp formation if the time between the setting of the intermediate casing and reaching this depth exceeds 20 days. This test does not exclude the test prior to drilling out the casing shoe as per 43 CFR part 3170 Subpart 3172.

### C. DRILLING MUD

Mud system monitoring equipment, with derrick floor indicators and visual and audio alarms, shall be operating before drilling into the Wolfcamp formation, and shall be used until production casing is run and cemented.

### D. WASTE MATERIAL AND FLUIDS

All waste (i.e. drilling fluids, trash, salts, chemicals, sewage, gray water, etc.) created as a result of drilling operations and completion operations shall be safely contained and disposed of properly at a waste disposal facility. No waste material or fluid shall be disposed of on the well location or surrounding area.

Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.

**KPI** 2/16/2025

# **S**eog resources

Pegasus 3 Fed Com #312H

### Hydrogen Sulfide Plan Summary

- A. All personnel shall receive proper H2S training in accordance with Onshore Order III.C.3.a.
- **B.** Briefing Area: two perpendicular areas will be designated by signs and readily accessible.
- C. Required Emergency Equipment:

### Well control equipment

- a. Flare line 150' from wellhead to be ignited by flare gun.
- b. Choke manifold with a remotely operated choke.
- c. Mud/gas separator

### Protective equipment for essential personnel:

- a. Breathing Apparatus:
  - i. Rescue Packs (SCBA) 1 unit shall be placed at each breathing area, 2 shall be stored in the safety trailer.
  - ii. Work/Escape packs —4 packs shall be stored on the rig floor with sufficient air hose not to restrict work activity.
  - iii. Emergency Escape Packs —4 packs shall be stored in the doghouse for emergency evacuation.
- b. Auxiliary Rescue Equipment:
  - i. Stretcher
  - ii. Two OSHA full body harness
  - iii. 100 ft 5/8 inch OSHA approved rope
  - iv. 1-20# class ABC fire extinguisher

### H2S Detection and Monitoring Equipment:

The stationary detector with three sensors will be placed in the upper dog house if equipped, set to visually alarm @ 10 ppm and audible @ 14 ppm. Calibrate a minimum of every 30 days or as needed. The sensors will be placed in the following places: Rig floor / Bell nipple / End of flow line or where well bore fluid is being discharged. (Gas sample tubes will be stored in the safety trailer)

### Visual Warning System:

- a. One color code condition sign will be placed at the entrance to the site reflecting the possible conditions at the site.
- b. A colored condition flag will be on display, reflecting the current condition at the site at the time.
- c. Two wind socks will be placed in strategic locations, visible from all angles.



Pegasus 3 Fed Com #312H

### Mud Program:

The mud program has been designed to minimize the volume of H2S circulated to surface. The operator will have the necessary mud products to minimize hazards while drilling in H2S bearing zones.

### Metallurgy:

All drill strings, casings, tubing, wellhead, blowout preventer, drilling spool, kill lines, choke manifold and lines, and valves shall be suitable for H2S service.

### **Communication:**

Communication will be via cell phones and land lines where available.

•



### Pegasus 3 Fed Com #312H

### **Emergency Assistance Telephone List**

PUBLIC SAFETY:	911 or
Lea County Sheriff's Department	(575) 396-3611
Corey Helton	
Fire Department	
Carlsbad	(575) 885-3125
Artesia	(575) 746-5050
Hospitals	
Carlsbad	(575) 887-4121
Artesia	(575) 748-3333
Hobbs	(575) 392-1979
Dept. of Public Safety/Carlsbad	(575) 748-9718
Highway Department	(575) 885-3281
U.S. Department of Labor	(575) 887-1174
Bureau of Land Management - Hobbs (Lea Co)	(575) 393-3612
PET On Call - Hobbs	(575) 706-2779
Bureau of Land Management - Carlsbad (Eddy Co)	(575) 234-5972
PET On Call - Carlsbad	(575) 706-2779
New Mexico Oil Conservation Division - Artesia	(575) 748-1283
Inspection Group South - Gilbert Gordero	(575) 626-0830
EOG Resources, Inc.	
EOG Midland	(432) 686-3600
Company Drilling Consultants:	
Jett Dueitt	(432) 230-4840
Blake Burney	
Drilling Engineers	
Stephen Davis	(432) 235-9789
Matt Day	(210) 296-4456
Drilling Managers	
Branden Keener	(210) 294-3729
Drilling Superintendents	
Lance Hardy	(432) 215-8152
Ryan Reynolds	(432) 215-5978
Steve Kelly	(210) 416-7894
H&P Drilling	
H&P Drilling	(432) 563-5757
Nabors Drilling	
Nabors Drilling	(432) 363-8180
Patterson UTI	
Patterson UTI	(432) 561-9382
EOG Safety	
Brian Chandler (HSE Manager)	(817) 239-0251

### **Seog resources** Offline Intermediate Cementing Procedure

#### **Cement Program**

1. No changes to the cement program will take place for offline cementing.

#### Summarized Operational Procedure for Intermediate Casing

- 1. Run casing as per normal operations. While running casing, conduct negative pressure test and confirm integrity of the float equipment back pressure valves.
  - a. Float equipment is equipped with two back pressure valves rated to a minimum of 5,000 psi.
- 2. Land production casing on mandrel hanger through BOP.
  - a. If casing is unable to be landed with a mandrel hanger, then the **casing will be cemented online**.
- 3. Break circulation and confirm no restrictions.
  - a. Ensure no blockage of float equipment and appropriate annular returns.
  - b. Perform flow check to confirm well is static.
- 4. Set pack-off
  - a. If utilizing a fluted/ported mandrel hanger, ensure well is static on the annulus and inside the casing by filling the pipe with kill weight fluid, remove landing joint, and set annular packoff through BOP. Pressure test to 5,000 psi for 10 min.
  - b. If utilizing a solid mandrel hanger, ensure well is static on the annulus and inside the casing by filling the pipe with kill weight fluid. Pressure test seals to 5,000 psi for 10 min. Remove landing joint through BOP.
- 5. After confirmation of both annular barriers and the two casing barriers, install TA plug and pressure test to 5,000 psi for 10 min. Notify the BLM with intent to proceed with nipple down and offline cementing.
  - a. Minimum 4 hrs notice.
- 6. With the well secured and BLM notified, nipple down BOP and secure on hydraulic carrier or cradle.
  - a. Note, if any of the barriers fail to test, the BOP stack will not be nippled down until after the cement job has concluded and both lead and tail slurry have reached 500 psi.
- 7. Skid/Walk rig off current well.
- 8. Confirm well is static before removing TA Plug.
  - a. Cementing operations will not proceed until well is under control. (If well is not static, notify BLM and proceed to kill)
  - b. Casing outlet valves will provide access to both the casing ID and annulus. Rig or third party pump truck will kill well prior to cementing.
  - c. Well control plan can be seen in Section B, Well Control Procedures.
  - d. If need be, rig can be moved back over well and BOP nippled back up for any further remediation.

Page | 1

### Page 85 of 108

### **S**eog resources

Offline Intermediate Cementing Procedure

- e. Diagram for rig positioning relative to offline cementing can be seen in Figure 4.
- 9. Rig up return lines to take returns from wellhead to pits and rig choke.
  - a. Test all connections and lines from wellhead to choke manifold to 5,000 psi high for 10 min.
  - b. If either test fails, perform corrections and retest before proceeding.
  - c. Return line schematics can be seen in Figure 3.
- 10. Remove TA Plug from the casing.
- 11. Install offline cement tool.
  - a. Current offline cement tool schematics can be seen in Figure 1 (Cameron) and Figure 2 (Cactus).
- 12. Rig up cement head and cementing lines.
  - a. Pressure test cement lines against cement head to 80% of casing burst for 10 min.
- 13. Break circulation on well to confirm no restrictions.
  - a. If gas is present on circulation, well will be shut in and returns rerouted through gas buster.
  - b. Max anticipated time before circulating with cement truck is 6 hrs.
- 14. Pump cement job as per plan.
  - a. At plug bump, test casing to 0.22 psi/ft or 1500 psi, whichever is greater.
  - b. If plug does not bump on calculated, shut down and wait 8 hrs or 500 psi compressive strength, whichever is greater before testing casing.
- 15. Confirm well is static and floats are holding after cement job.
  - a. With floats holding and backside static:
    - i. Remove cement head.
  - b. If floats are leaking:
    - i. Shut-in well and WOC (Wait on Cement) until tail slurry reaches 500 psi compressive strength and the casing is static prior to removing cement head.
  - c. If there is flow on the backside:
    - i. Shut in well and WOC until tail slurry reaches 500 psi compressive strength. Ensure that the casing is static prior to removing cement head.
- 16. Remove offline cement tool.
- 17. Install night cap with pressure gauge for monitoring.
- 18. Test night cap to 5,000 psi for 10 min.

2/24/2022

#### **Example Well Control Plan Content**

#### A. Well Control Component Table

The table below, which covers the cementing of the <u>5M MASP (Maximum Allowable Surface Pressure) portion of the well</u>, outlines the well control component rating in use. This table, combined with the mud program, documents that two barriers to flow can be maintained at all times, independent of the BOP nippled up to the wellhead.

Intermediate hole section, 5M requirement

Component	RWP
Pack-off	10M
Casing Wellhead Valves	10M
Annular Wellhead Valves	5M
TA Plug	10M
Float Valves	5M
2" 1502 Lo-Torque Valves	15M

#### **B. Well Control Procedures**

Well control procedures are specific to the rig equipment and the operation at the time the kick occurs. Below are the minimal high-level tasks prescribed to assure a proper shut-in while circulating and cementing through the Offline Cement Adapter.

#### **General Procedure While Circulating**

- 1. Sound alarm (alert crew).
- 2. Shut down pumps.
- 3. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 4. Confirm shut-in.
- 5. Notify tool pusher/company representative.

Page | 3

2/24/2022

### **S**eog resources

Offline Intermediate Cementing Procedure

- 6. Read and record the following:
  - a. SICP (Shut in Casing Pressure) and AP (Annular Pressure)
  - b. Pit gain
  - c. Time
  - d. Regroup and identify forward plan to continue circulating out kick via rig choke and mud/gas separator. Circulate and adjust mud density as needed to control well.

### **General Procedure While Cementing**

- 1. Sound alarm (alert crew).
- 2. Shut down pumps.
- 3. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 4. Confirm shut-in.
- 5. Notify tool pusher/company representative.
- 6. Open rig choke and begin pumping again taking returns through choke manifold and mud/gas separator.
- 7. Continue to place cement until plug bumps.
- 8. At plug bump close rig choke and cement head.
- 9. Read and record the following
  - a. SICP and AP
  - b. Pit gain
  - c. Time
  - d. Shut-in annulus valves on wellhead


### General Procedure After Cementing

- 1. Sound alarm (alert crew).
- 2. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
- 3. Confirm shut-in.
- 4. Notify tool pusher/company representative.
- 5. Read and record the following:
  - a. SICP and AP
  - b. Pit gain
  - c. Time
  - d. Shut-in annulus valves on wellhead

Page | 4

### **Seog resources** Offline Intermediate Cementing Procedure


Figure 1: Cameron TA Plug and Offline Adapter Schematic



2/24/2022

# **Offline Intermediate Cementing Procedure**






2/24/2022

### Page 90 of 108

2/24/2022








\*\*\* All Lines 10M rated working pressure

Page | 7





2/24/2022



# Salt Section Annular Clearance Variance Request

**Daniel Moose** 

# **Current Design (Salt Strings)**

### 0.422" Annular clearance requirement

- Casing collars shall have a minimum clearance of 0.422 inches on all sides in the hole/casing annulus, with recognition that variances can be granted for justified exceptions.

- 12.25" Hole x 9.625"40# J55/HCK55 LTC Casing
  - 1.3125" Clearance to casing OD
  - 0.8125" Clearance to coupling OD
- 9.875" Hole x 8.75" 38.5# P110 Sprint-SF Casing
  - 0.5625" Clearance to casing OD
  - 0.433" Clearance to coupling OD

# **Annular Clearance Variance Request**

EOG request permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Onshore Order #2 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues


# **Volumetric Hole Size Calculation**

### **Hole Size Calculations Off Cement Volumes**

- Known volume of cement pumped
- Known volume of cement returned to surface
- Must not have had any losses
- Must have bumped plug

### Average Hole Size

- 12.25" Hole
  - 12.88" Hole
    - 5.13% diameter increase
    - 10.52% area increase
  - 0.63" Average enlargement
  - 0.58" Median enlargement
  - 179 Well Count
- 9.875" Hole
  - 10.30" Hole
    - 4.24% diameter increase
    - 9.64% area increase
  - 0.42" Average enlargement
  - 0.46" Median enlargement
  - 11 Well Count




### Modelo 10 Fed Com #501H

# Caliper Hole Size (12.25")

### **Average Hole Size**

- 12.25" Bit
  - 12.76" Hole
    - 4.14% diameter increase
    - 8.44% area increase
  - 0.51" Average enlargement
  - 0.52" Median enlargement
  - Brine




5

# Caliper Hole Size (9.875")

### **Average Hole Size**

- 9.875" Hole
  - 11.21" Hole
    - 13.54% diameter increase
    - 28.92% area increase
  - 1.33" Average enlargement
  - 1.30" Median enlargement
  - EnerLite





# **Design A**

## Proposed 11" Hole with 9.625" 40# J55/HCK55 LTC Casing

- 11" Bit + 0.52" Average hole enlargement = 11.52" Hole Size
  - 0.9475" Clearance to casing OD

$$=\frac{11.52 - 9.625}{2}$$
475" Clearance to


 0.4475" Clearance to coupling OD 11.52 - 10.625

$$\frac{11.52 - 10}{2}$$


= -

- Previous Shoe 13.375" 54.5# J55 STC
  - 0.995" Clearance to coupling OD (~1,200' overlap)

$$=\frac{12.615-10.625}{2}$$



# **Design B**







.

# **Casing Spec Sheets**

### **PERFORMANCE DATA**

API LTC		
Technical	Data	Sheet

9.625 in 40.00 lbs/ft

K55 HC

### Tubular Parameters

Size	9.625	in	Minimum Yield	55	ksi
Nominal Weight	40.00	lbs/ft	Minimum Tensile	95	ksi
Grade	K55 HC		Yield Load	629	kips
PE Weight	38.94	lbs/ft	Tensile Load	1088	kips
Wall Thickness	0.395	in	Min. Internal Yield Pressure	3,950	psi
Nominal ID	8.835	in	Collapse Pressure	3600	psi
Drift Diameter	8.750	in		•	
Nom. Pipe Body Area	11.454	in²			

#### **Connection Parameters**

Connection OD	10.625	in
Coupling Length	10.500	in
Threads Per Inch	8	tpi
Standoff Thread Turns	3.50	turns
Make-Up Loss	4.750	in
Min. Internal Yield Pressure	3,950	psi

### Pipe Body and API Connections Performance Data

13.375	54.50/0.380	J55

### New Search »

« Back to Previous List

USC 💽 Metric

PDF

6/8/2015 10:04:37 AM					
Mechanical Properties	Ptpe	BTC	LTC	STC	
Minimum Yield Strength	55,000	-	-	-	psi
Maximum Yield Strength	80,000	-	-	-	psi
Minimum Tensile Strength	75,000	-	-	-	psi
Dimensions	Pipe	втс	LTC	STC	
Outside Diameter	13.375	14.375	-	14.375	in.
Wall Thickness	0.380	-	-	-	in.
Inside Diameter	12.615	12.615	-	12.615	in.
Standard Drift	12.459	12.459	-	12.459	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	54.50	-	-	-	lbs/ft
Plain End Weight	52.79	-	-	-	lbs/ft
Performance	Ptpe	BTC	LTC	STC	
Minimum Collapse Pressure	1,130	1,130	-	1,130	psi
Minimum Internal Yield Pressure	2,740	2,740	-	2,740	psi
Minimum Pipe Body Yield Strength	853.00	-	-	-	1000 lbs
Joint Strength	-	909	-	514	1000 lbs
Reference Length	-	11,125	-	6,290	ft
Make-Up Data	Ptpe	втс	LTC	STC	
Make-Up Loss	-	4.81	-	3.50	in.
Minimum Make-Up Torque	-	-	-	3,860	ft-lbs
Maximum Make-Up Torque	-	-	-	6,430	ft-lbs



# **Casing Spec Sheets**

### Pipe Body and API Connections Performance Data

10.750 40.50/0.350 J55					PD
New Search »					« Back to Previous L
					USC 💽 Metr
/8/2015 10:14:05 AM					
Mechanical Properties	Ptpe	BTC	LTC	STC	
Minimum Yield Strength	55,000		-		psi
Maximum Yield Strength	80,000	-	-	-	psi
Minimum Tensile Strength	75,000	-	-		psi
Dimensions	Ptpe	втс	LTC	STC	
Outside Diameter	10.750	11.750	-	11.750	in.
Wall Thickness	0.350				in.
Inside Diameter	10.050	10.050	-	10.050	in.
Standard Drift	9.894	9.894	-	9.894	in.
Alternate Drift	-	-	-	-	in.
Nominal Linear Weight, T&C	40.50	-	-	-	lbs/ft
Plain End Weight	38.91	-	-		lbs/ft
Performance	Ptpe	втс	LTC	STC	
Minimum Collapse Pressure	1,580	1,580	-	1,580	psi
Minimum Internal Yield Pressure	3,130	3,130	-	3,130	psi
Minimum Pipe Body Yield Strength	629.00	-	-	-	1000 lbs
Joint Strength		700	-	420	1000 lbs
Reference Length	-	11,522	-	6,915	ft
Make-Up Data	Ptpe	втс	LTC	STC	
Make-Up Loss	-	4.81	-	3.50	in.
Minimum Make-Up Torque	-	-	-	3,150	ft-lbs
Maximum Make-Up Torque	-	-	-	5,250	ft-lbs

STC Joint Strength: 372 kips LTC Performance LTC Torque (ft-lbs)	ch 2 ch ps si
PipeMinimum Yield Strength:55 ksiMaximum Yield Strength:80 ksiMinimum Tensile Strength:75 ksiCouplingPerformanceMinimum Yield Strength:55 ksiMaximum Yield Strength:55 ksiMaximum Yield Strength:80 ksiMinimum Tensile Strength:55 ksiMaximum Yield Strength:80 ksiMinimum Tensile Strength:75 ksiAPI Connection Data Coupling OD:Qualing OD:9.625"STC PerformanceSTC Torque (ft-lbs)STC Internal Pressure:3,930 psiSTC Joint Strength:372 kips LTC PerformanceLTC PerformanceLTC Torque (ft-lbs)	2 ch ps si
Minimum Yield Strength:       55 ksi         Maximum Yield Strength:       80 ksi         Minimum Tensile Strength:       75 ksi         Coupling       Performance         Minimum Yield Strength:       55 ksi         Minimum Yield Strength:       55 ksi         Minimum Yield Strength:       55 ksi         Maximum Yield Strength:       80 ksi         Minimum Tensile Strength:       80 ksi         Minimum Tensile Strength:       75 ksi         Minimum Tensile Strength:       75 ksi         Minimum Tensile Strength:       75 ksi         API Connection Data Coupling OD:       9.625"         STC Performance       STC Torque (ft-lbs)         STC Joint Strength:       372 kips LTC Performance         LTC Performance       LTC Torque (ft-lbs)	2 ch ps si
Maximum Yield Strength:       80 ksi         Minimum Tensile Strength:       75 ksi         Coupling       *Special/Alt. Drift:       7.875 ind         Minimum Yield Strength:       55 ksi         Maximum Yield Strength:       55 ksi         Maximum Yield Strength:       80 ksi         Minimum Tensile Strength:       75 ksi         API Connection Data Coupling OD:       9.625"         STC Performance       STC Torque (ft-lbs)         STC Joint Strength:       372 kips LTC Performance         LTC Performance       LTC Torque (ft-lbs)	2 ch ps si
Minimum Tensile Strength:       75 ksi         Coupling       *Special/Alt. Drift:       7.875 incl         Minimum Yield Strength:       55 ksi         Maximum Yield Strength:       80 ksi         Minimum Tensile Strength:       75 ksi         Minimum Tensile Strength:       75 ksi         API Connection Data Coupling OD:       9.625"         STC Performance       STC Torque (ft-lbs)         STC Internal Pressure:       3,930 psi         STC Joint Strength:       372 kips LTC Performance	ch ps si
Coupling       Performance         Minimum Yield Strength:       55 ksi         Maximum Yield Strength:       80 ksi         Minimum Tensile Strength:       75 ksi         Minimum Tensile Strength:       75 ksi         API Connection Data Coupling OD:       9.625°         STC Performance       STC Torque (ft-lbs)         STC Internal Pressure:       3,930 psi         LTC Performance       LTC Torque (ft-lbs)	ps si
Minimum Yield Strength:       55 ksi         Maximum Yield Strength:       80 ksi         Minimum Tensile Strength:       75 ksi         API Connection Data Coupling OD:       9.625°         STC Performance       STC Torque (ft-lbs)         STC Joint Strength:       372 kips LTC Performance         LTC Performance       LTC Torque (ft-lbs)	si
Maximum Yield Strength:       80 ksi         Minimum Tensile Strength:       75 ksi         Collapse Resistance:       2,530 psi         Internal Yield Pressure:       3,930 psi         API Connection Data Coupling OD:       9.625"         STC Performance       STC Torque (ft-lbs)         STC Internal Pressure:       3,930 psi         STC Joint Strength:       372 kips LTC Performance         LTC Performance       LTC Torque (ft-lbs)	si
Minimum Tensile Strength:       75 ksi       Internal Yield Pressure: (API Historical)       3,930 psi         API Connection Data Coupling OD:       9.625"       API Connection Torque         STC Performance       STC Torque (ft-lbs)         STC Joint Strength:       372 kips LTC Performance       LTC Torque (ft-lbs)	
API Connection Data Coupling OD: 9.625"     API Connection Torque       STC Performance     STC Torque (ft-lbs)       STC Joint Strength:     372 kips LTC Performance     Min: 2,793 Opti: 3,724 Max: 4	si
Coupling OD: 9.625"     API Connection Torque       STC Performance     STC Torque (ft-lbs)       STC Joint Strength:     372 kips       LTC Performance     LTC Torque (ft-lbs)	
STC Joint Strength: 372 kips LTC Performance LTC Torque (ft-lbs)	
LTC Performance LTC Torque (ft-lbs)	4,65
LICINIEINALFIESSULE. 3,930 psi Min. 3,130 Opu. 4,174 Max. 3	5.04
LTC Joint Strength: 417 kips	5,21
LTC Joint Strength: 417 kips SC-BTC Performance - Cplg OD = 9.125" BTC Torque (ft-lbs)	
BTC Internal Pressure: 3,930 psi follow API guidelines regarding positional make a	e up
BTC Joint Strength: 503 kips	

Released to Imaging: 7/9/2025 2:24:22 PM

11

eog

### 10,000 PSI BOP Annular Variance Request (EOG Variance 1c)

EOG Resources request a variance to use a 5000 psi annular BOP with a 10,000 psi BOP stack. The component and compatibility tables along with the general well control plans demonstrate how the 5000 psi annular BOP will be protected from pressures that exceed its rated working pressure (RWP). The pressure at which the control of the wellbore is transferred from the annular preventer to another available preventer will not exceed 3500 psi (70% of the RWP of the 5000 psi annular BOP).


#### 1. Component and Preventer Compatibility Tables


The tables below outlines the tubulars and the compatible preventers in use. This table, combined with the drilling fluid, documents that two barriers to flow will be maintained at all times.

12-1/4" Intermediate Hole Section 10M psi requirement					
Component	OD	Primary Preventer	RWP	Alternate Preventer(s)	RWP
Drillpipe	5.000" or	Annular	5M	Upper 3.5 - 5.5" VBR	10M
	4.500"			Lower 3.5 - 5.5" VBR	10M
HWDP	5.000" or	Annular	5M	Upper 3.5 - 5.5" VBR	10M
	4.500"			Lower 3.5 - 5.5" VBR	10M
Jars	6.500″	Annular	5M	Upper 3.5 - 5.5" VBR	10M
				Lower 3.5 - 5.5" VBR	10M
DCs and MWD tools	6.500" - 8.000"	Annular	5M	-	-
Mud Motor	8.000" – 9.625"	Annular	5M	-	-
1 <sup>st</sup> Intermediate casing	9.625"	Annular	5M	-	-
Open-hole	-	Blind Rams	10M	-	-

8-3/4" Production Hole Section 10M psi requirement					
Component	OD	Primary Preventer	RWP	Alternate Preventer(s)	RWP
Drillpipe	5.000" or	Annular	5M	Upper 3.5 - 5.5" VBR	10M
	4.500"			Lower 3.5 - 5.5" VBR	10M
HWDP	5.000" or	Annular	5M	Upper 3.5 - 5.5" VBR	10M
	4.500"			Lower 3.5 - 5.5" VBR	10M
Jars	6.500″	Annular	5M	Upper 3.5 - 5.5" VBR	10M
				Lower 3.5 - 5.5" VBR	10M
DCs and MWD tools	6.500" – 8.000"	Annular	5M	-	-
Mud Motor	6.750" – 8.000"	Annular	5M	-	-
2 <sup>nd</sup> Intermediate casing	7.625″	Annular	5M	-	-
Open-hole	-	Blind Rams	10M	-	-

VBR = Variable Bore Ram





### 2. Well Control Procedures

Below are the minimal high-level tasks prescribed to assure a proper shut-in while drilling, tripping, running casing, pipe out of the hole (open hole), and moving the BHA through the BOPs. At least one well control drill will be performed weekly per crew to demonstrate compliance with the procedure and well control plan. The well control drill will be recorded in the daily drilling log. The type of drill will be determined by the ongoing operations, but reasonable attempts will be made to vary the type of drill conducted (pit, trip, open hole, choke, etc.). This well control plan will be available for review by rig personnel in the EOG Resources drilling supervisor's office on location, and on the rig floor. All BOP equipment will be tested as per Onshore O&G Order No. 2 with the exception of the 5000 psi annular which will be tested to 100% of its RWP.

### General Procedure While Drilling

- 1. Sound alarm (alert crew)
- 2. Space out drill string
- 3. Shut down pumps (stop pumps and rotary)
- 4. Shut-in Well (uppermost applicable BOP, typically annular preventer first. HCR and choke will already be in the closed position.)
- 5. Confirm shut-in
- 6. Notify toolpusher/company representative
- 7. Read and record the following:
  - a. SIDPP and SICP
  - b. Pit gain
  - c. Time
- 8. Regroup and identify forward plan
- 9. If pressure has built or is anticipated during the kill to reach 70% or greater of the RWP of the annular preventer, confirm spacing and close the upper variable bore rams.

### General Procedure While Tripping

- 1. Sound alarm (alert crew)
- 2. Stab full opening safety valve and close
- 3. Space out drill string
- 4. Shut-in (uppermost applicable BOP, typically annular preventer first. HCR and choke will already be in the closed position.)
- 5. Confirm shut-in
- 6. Notify toolpusher/company representative
- 7. Read and record the following:
  - a. SIDPP and SICP
  - b. Pit gain
  - c. Time
- 8. Regroup and identify forward plan
- 9. If pressure has built or is anticipated during the kill to reach 70% or greater of the RWP of the annular preventer, confirm spacing and close the upper variable bore rams.

### General Procedure While Running Production Casing

- 1. Sound alarm (alert crew)
- 2. Stab crossover and full opening safety valve and close
- 3. Space out string
- 4. Shut-in (uppermost applicable BOP, typically annular preventer first. HCR and choke will already be in the closed position.)
- 5. Confirm shut-in
- 6. Notify toolpusher/company representative
- 7. Read and record the following:
  - a. SIDPP and SICP
    - b. Pit gain
    - c. Time
- 8. Regroup and identify forward plan
- 9. If pressure has built or is anticipated during the kill to reach 70% or greater of the RWP of the annular preventer, confirm spacing and close the upper variable bore rams.

### General Procedure With No Pipe In Hole (Open Hole)

- 1. Sound alarm (alert crew)
- 2. Shut-in with blind rams. (HCR and choke will already be in the closed position.)
- 3. Confirm shut-in
- 4. Notify toolpusher/company representative
- 5. Read and record the following:
  - a. SICP
  - b. Pit gain
  - c. Time
- 6. Regroup and identify forward plan

### General Procedures While Pulling BHA thru Stack

- 1. PRIOR to pulling last joint of drillpipe thru the stack.
  - a. Perform flowcheck, if flowing:
  - b. Sound alarm (alert crew)
  - c. Stab full opening safety valve and close
  - d. Space out drill string with tool joint just beneath the upper variable bore rams.
  - e. Shut-in using upper variable bore rams. (HCR and choke will already be in the closed position.)
  - f. Confirm shut-in
  - g. Notify toolpusher/company representative
  - h. Read and record the following:
    - i. SIDPP and SICP
    - ii. Pit gain
    - iii. Time
  - i. Regroup and identify forward plan

- 2. With BHA in the stack and compatible ram preventer and pipe combo immediately available.
  - a. Sound alarm (alert crew)
  - b. Stab crossover and full opening safety valve and close
  - c. Space out drill string with upset just beneath the upper variable bore rams.
  - d. Shut-in using upper variable bore rams. (HCR and choke will already be in the closed position.)
  - e. Confirm shut-in
  - f. Notify toolpusher/company representative
  - g. Read and record the following:
    - i. SIDPP and SICP
    - ii. Pit gain
    - iii. Time
  - h. Regroup and identify forward plan
- 3. With BHA in the stack and NO compatible ram preventer and pipe combo immediately available.
  - a. Sound alarm (alert crew)
  - b. If possible to pick up high enough, pull string clear of the stack and follow "Open Hole" scenario.
  - c. If impossible to pick up high enough to pull the string clear of the stack:
  - d. Stab crossover, make up one joint/stand of drillpipe, and full opening safety valve and close
  - e. Space out drill string with tooljoint just beneath the upper variable bore ram.
  - f. Shut-in using upper variable bore ram. (HCR and choke will already be in the closed position.)
  - g. Confirm shut-in
  - h. Notify toolpusher/company representative
  - i. Read and record the following:
    - i. SIDPP and SICP
    - ii. Pit gain
    - iii. Time
  - j. Regroup and identify forward plan

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

### State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
5509 Champions Drive	Action Number:
Midland, TX 79706	459960
	Action Type:
	[C-101] BLM - Federal/Indian Land Lease (Form 3160-3)

#### CONDITIONS

Created By	Condition	Condition Date
sharrell1	Cement is required to circulate on both surface and intermediate1 strings of casing.	5/7/2025
sharrell1	If cement does not circulate on any string, a Cement Bond Log (CBL) is required for that string of casing.	5/7/2025
matthew.gomez	Notify the OCD 24 hours prior to casing & cement.	7/9/2025
matthew.gomez	A [C-103] Sub. Drilling (C-103N) is required within (10) days of spud.	7/9/2025
matthew.gomez	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string.	7/9/2025
matthew.gomez	Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system.	7/9/2025
matthew.gomez	File As Drilled C-102 and a directional Survey with C-104 completion packet.	7/9/2025

Action 459960