Sundry Print Repor

County or Parish/State: EDDY /

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: THOROUGHBRED 10-3 Well Location: T26S / R31E / SEC 10 /

FED COM

SESW / 32.0507339 / -103.7695556

Well Number: 821H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM120904 **Unit or CA Name: Unit or CA Number:**

NMNM143512

US Well Number: Operator: DEVON ENERGY 30-015-56776

PRODUCTION COMPANY LP

Notice of Intent

Sundry ID: 2857831

Type of Submission: Notice of Intent Type of Action: APD Change

Date Sundry Submitted: 06/12/2025 Time Sundry Submitted: 12:09

Date proposed operation will begin: 06/13/2025

Procedure Description: Devon Energy Production Co., L.P. (Devon) respectfully requests a drill plan change for the subject well (API ID 10400101311). Please see revised plan attached.

NOI Attachments

Procedure Description

5.5_20lb_P110EC_DWC_C_IS_PLUS_20250612120843.pdf

8.625_32lb_P110_ICY_20250612120819.pdf

10.75_45.5lb_J55_BTC_20250612120745.pdf

THOROUGHBRED_10_3_FED_COM_821H_6_11_25_20250612120653.pdf

Page 1 of 2

eived by OCD: 6/17/2025 11:09:08 PM Well Name: THOROUGHBRED 10-3

FED COM

Well Location: T26S / R31E / SEC 10 / SESW / 32.0507339 / -103.7695556

County or Parish/State: EDDY? of

Well Number: 821H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM120904

Unit or CA Name:

Unit or CA Number: NMNM143512

US Well Number:

Operator: DEVON ENERGY PRODUCTION COMPANY LP

Conditions of Approval

Specialist Review

Thoroughbred 10 3 Fed Com 821H Sundry ID 2857831 20250617052931.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMY BROWN Signed on: JUN 12, 2025 12:08 PM

Name: DEVON ENERGY PRODUCTION COMPANY LP

Title: Regulatory Professional

Street Address: 333 WEST SHERIDAN AVENUE

City: OKLAHOMA CITY State: OK

Phone: (405) 552-6137

Email address: AMY.BROWN@DVN.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: LONG VO BLM POC Title: Petroleum Engineer

BLM POC Phone: 5759885402 BLM POC Email Address: LVO@BLM.GOV

Disposition: Approved Disposition Date: 06/17/2025

Signature: Long Vo

Page 2 of 2

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

BURI	EAU OF LAND MANAGEMENT		5. Lease Serial No.	
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.			6. If Indian, Allottee or Tribe	Name
SUBMIT IN T	TRIPLICATE - Other instructions on pag	je 2	7. If Unit of CA/Agreement,	Name and/or No.
1. Type of Well Oil Well Gas W	/ell Other		8. Well Name and No.	
2. Name of Operator			9. API Well No.	
3a. Address	3b. Phone No.	(include area code)	10. Field and Pool or Explora	atory Area
4. Location of Well (Footage, Sec., T.,R	.,M., or Survey Description)		11. Country or Parish, State	
12. CHE	CK THE APPROPRIATE BOX(ES) TO IN	DICATE NATURE	OF NOTICE, REPORT OR OT	HER DATA
TYPE OF SUBMISSION		TYP	E OF ACTION	
Notice of Intent	Acidize Deep Alter Casing Hyde	pen raulic Fracturing	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity
Subsequent Report		Construction	Recomplete	Other
Final Abandonment Notice		and Abandon Back	Temporarily Abandon Water Disposal	
is ready for final inspection.)				
14. I hereby certify that the foregoing is	true and correct. Name (Printed/Typed)			
		Title		
Signature		Date		
	THE SPACE FOR FED	ERAL OR STA	TE OFICE USE	
Approved by		Title		Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		nt or		
Title 18 U.S.C. Section 1001 and Title 43	3 U.S.C. Section 1212, make it a crime for a	ny nerson knowingly	and willfully to make to any d	enartment or agency of the United States

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United State any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

0. SHL: SESW / 220 FSL / 1580 FWL / TWSP: 26S / RANGE: 31E / SECTION: 10 / LAT: 32.0507339 / LONG: -103.7695556 (TVD: 0 feet, MD: 0 feet) PPP: SWSW / 100 FSL / 330 FWL / TWSP: 26S / RANGE: 31E / SECTION: 10 / LAT: 32.0503979 / LONG: -103.7735898 (TVD: 11366 feet, MD: 11474 feet) PPP: NWSW / 1518 FSL / 329 FWL / TWSP: 26S / RANGE: 31E / SECTION: 10 / LAT: 32.0542962 / LONG: -103.7735855 (TVD: 12177 feet, MD: 13500 feet) BHL: NWSW / 2646 FSL / 330 FWL / TWSP: 26S / RANGE: 31E / SECTION: 3 / LAT: 32.0720496 / LONG: -103.7735575 (TVD: 12213 feet, MD: 19958 feet)



d by OCD: 6/17/2025 11:09:08 PM



Connection Data Sheet

OD (in.)	WEIGHT (lbs./ft.)	WALL (in.)	GRADE	DRIFT (in.)	RBW%	CONNECTION
5.500	Nominal: 20.00 Plain End: 19.83	0.361	VST P110 EC	4.653	87.5	DWC/C-IS PLUS

PIPE PROPERTIES		
Nominal OD	5.500	in.
Nominal ID	4.778	in.
Nominal Area	5.828	sq.in.
Grade Type	API 5CT; Vallourec Sourced Material Only	
Min. Yield Strength	125	ksi
Max. Yield Strength	140	ksi
Min. Tensile Strength	135	ksi
Yield Strength	729	klb
Ultimate Strength	787	klb
Min. Internal Yield	14,360	psi
High Collapse	12,090	psi

CONNECTION PROPERTIES		
Connection Type	Semi-Premium T&	С
Connection OD (nom)	6.300	in.
Connection ID (nom)	4.778	in.
Make-Up Loss	4.125	in.
Coupling Length	9.250	in.
Critical Cross Section	5.828	sq.in.
Tension Efficiency	100.0%	of pipe
Compression Efficiency	100.0%	of pipe
Internal Pressure Efficiency	100.0%	of pipe
External Pressure Efficiency	100.0%	of pipe

CONNECTION PERFORMANCES		
Yield Strength	729	klb
Parting Load	787	klb
Compression Rating	729	klb
Min. Internal Yield	14,360	psi
High Collapse	12,090	psi
Maximum Uniaxial Bend Rating	104.2	°/100 ft
Ref String Length w 1.4 Design Factor	26,040	ft

FIELD TORQUE VALUES		
Min. Make-up Torque	16,600	ft.lbs
Opti. Make-up Torque	17,850	ft.lbs
Max. Make-up Torque	19,100	ft.lbs
Min. Shoulder Torque	1,660	ft.lbs
Max. Shoulder Torque	13,280	ft.lbs
Max. Delta Turn	0.200	Turns
†Max Operational Torque	24,300	ft.lbs
†Maximum Torsional Value (MTV)	26,730	ft.lbs

†Maximum Operational Torque and Maximum Torsional Value Only Valid with Vallourec P110EC Material

For detailed information on performance properties, refer to DWC Connection Data Notes on following page(s).

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.

05/23/2023 4:11 PM



VAM USA 2107 CityWest Boulevard Suite 1300 Houston, TX 77042 Phone: 713-479-3200

Fax: 713-479-3234
VAM USA Sales E-mail: <u>VAMUSAsales@vam-usa.com</u>
Tech Support E-mail: tech.support@vam-usa.com

DWC Connection Data Notes:

- 1. DWC connections are available with a seal ring (SR) option.
- 2. All standard DWC/C connections are interchangeable for a given pipe OD. DWC connections are interchangeable with DWC/C-SR connections of the same OD and wall.
- 3. Connection performance properties are based on nominal pipe body and connection dimensions.
- DWC connection internal and external pressure resistance is calculated using the API rating for buttress connections. API Internal pressure resistance is calculated from formulas 31, 32, and 35 in the API Bulletin 5C3.
- 5. DWC joint strength is the minimum pipe body yield strength multiplied by the connection critical area.
- 6. API joint strength is for reference only. It is calculated from formulas 42 and 43 in the API Bulletin 5C3.
- 7. Bending efficiency is equal to the compression efficiency.
- 8. The torque values listed are recommended. The actual torque required may be affected by field conditions such as temperature, thread compound, speed of make-up, weather conditions, etc.
- 9. Connection yield torque is not to be exceeded.
- 10. Reference string length is calculated by dividing the joint strength by both the nominal weight in air and a design factor (DF) of 1.4. These values are offered for reference only and do not include load factors such as bending, buoyancy, temperature, load dynamics, etc.
- 11. DWC connections will accommodate API standard drift diameters.
- 12. DWC/C family of connections are compatible with API Buttress BTC connections. Please contact tech.support@vam-usa.com for details on connection ratings and make-up.

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.

05/23/2023 4:11 PM





TenarisHydril Wedge 441[®] - AD



 Coupling
 Pipe Body

 Grade: P110-ICY
 Grade: P110-ICY

 Body: White
 1st Band: White

 1st Band: Pale Green
 2nd Band: Pale Green

2nd Band: -

3rd Band: -

4th Band: -5th Band: -

6th Band: -

3rd Band: Pale Green

Outside Diameter	8.625 in.	Wall Thickness	0.352 in.	Grade	P110-ICY
Min. Wall Thickness	90.00 %	Pipe Body Drift	Alternative Drift	Туре	Casing

Pipe Body Data

Connection OD Option

Geometry			
Nominal OD	8.625 in.	Wall Thickness	0.352 in.
Nominal Weight	32.00 lb/ft	Plain End Weight	31.13 lb/ft
Drift	7.875 in.	OD Tolerance	API
Nominal ID	7.921 in.		

REGULAR

Performance	
Body Yield Strength	1144 x1000 lb
Min. Internal Yield Pressure	9180 psi
SMYS	125,000 psi
Collapse Pressure	4000 psi

Connection Data

Geometry	
Connection OD	8.889 in.
Coupling Length	8.862 in.
Connection ID	7.921 in.
Make-up Loss	3.744 in.
Threads per inch	3.43
Connection OD Option	Regular

Performance	
Tension Efficiency	81.20 %
Joint Yield Strength	929 x1000 lb
Internal Pressure Capacity	9180 psi
Compression Efficiency	81.20 %
Compression Strength	929 x1000 lb
Max. Allowable Bending	53.59 °/100 ft
External Pressure Capacity	4000 psi

Make-Up Torques	
Minimum	23,000 ft-lb
Optimum	24,000 ft-lb
Maximum	27,000 ft-lb
Operation Limit Torques	
Operating Torque	59,000 ft-lb
Yield Torque	70,000 ft-lb
Buck-On	
Minimum	27,000 ft-lb
Maximum	29,000 ft-lb

Notes

For the lastest performance data, always visit our website: www.tenaris.com
For further information on concepts indicated in this datasheet, download the Datasheet Manual from www.tenaris.com

Tenaris has issued this document for general information only, and the information in this document, including, without limitation, any pictures, drawings or designs ("Information") is not intended to constitute professional or any other type of advice or recommendation and is provided on an "as is" basis. No warranty is given. Tenaris has not independently verified any information—if any- provided by the user in connection with, or for the purpose of, the Information contained hereunder. The use of the Information is at user's own risk and Tenaris does not assume any responsibility or liability of any kind for any loss, damage or injury resulting from, or in connection with any Information contained hereunder or any use thereof. The Information in this document is subject to change or modification without notice. Tenaris's products and services are subject to Tenaris's standard terms and conditions or otherwise to the terms resulting from the respective contracts of sale or services, as the case may be, between petitioner and Tenaris. For more complete information please contact a Tenaris's representative or visit our website at www.tenaris.com . ©Tenaris 2024. All rights reserved.



<u>10-3/4"</u>	<u>45.50#</u>	<u>0.400"</u>	<u>J-55</u>					
<u>Dimensions (Nominal)</u>								
Outside Diameter			10.750	in.				
Wall			0.400	in.				
Inside Diameter			9.950	in.				
Drift			9.875	in.				
Weight, T&C			45.500	lbs/ft				
Weight, PE			44.260	lbs/ft				
<u>Performance</u>	Properties							
Collapse			2090	psi				
Internal Yield Press	sure at Minimum Yield							
	PE		3580	psi				
	STC		3580	psi				
	ВТС		3580	psi				
Yield Strength, Pipe	e Body		715	1000 lbs				
Joint Strength								
	STC		493	1000 lbs				
	ВТС		796	1000 lbs				
	BTC Special Clearance (11.25" OD Cplg)	506	1000 lbs				

Note: SeAH Steel has produced this specification sheet for general information only. SeAH does not assume liability or responsibility for any loss or injury resulting from the use of information or data contained herein. All applications for the material described are at the customer's own risk and responsibility.

THOROUGHBRED 10-3 FED COM 821H

1. Geologic Formations

TVD of target	12213	Pilot hole depth	N/A
MD at TD:	19898	Deepest expected fresh water	

Basin

Dasin			
	Depth	Water/Mineral	
Formation	(TVD)	Bearing/Target	Hazards*
	from KB	Zone?	
Rustler	1630		
Salt	1938		
Base of Salt	3891		
Delaware	4078		
Cherry Canyon	5071		
Brushy Canyon	6360		
1st Bone Spring Lime	8035		
Bone Spring 1st	9033		
Bone Spring 2nd	9683		
3rd Bone Spring Lime	10115		
Bone Spring 3rd	10956		
Wolfcamp	11366		

^{*}H2S, water flows, loss of circulation, abnormal pressures, etc.

2. Casing Program

		Wt			Casing	Interval	Casing	Interval
Hole Size	Csg. Size	(PPF)	Grade	Conn	From (MD)	To (MD)	From (TVD)	To (TVD)
13 1/2	10 3/4	45 1/2	J-55	BTC SCC	0	1125	0	1125
9 7/8	8 5/8	32	P110-ICY	441	0	11589	0	11589
7 7/8	5 1/2	20	P110	DWC / C-IS+	0	19898	0	12213

[•]All casing strings will be tested in accordance with 43 CFR 3172. Must have table for contingency casing.

3. Cementing Program

Assuming no returns are established while drilling, Devon requests to pump a two stage cement job on the intermediate casing string with the first stage being pumped conventionally with the calculated top of cement at the Brushy Canyon and the second stage performed as a bradenhead squeeze with planned cement from the Brushy Canyon to surface. The final cement top will be verified by Echo-meter. Devon will include the Echo-meter verified fluid top and the volume of displacement fluid above the cement slurry in the annulus in all post-drill sundries on wells utilizing this cement program. Devon will report to the BLM the volume of fluid (limited to 1 bbls) used to flush intermediate casing valves following backside cementing procedures.

Casing	# Sks	TOC	Wt. ppg	Yld (ft3/sack)	Slurry Description
Surface	450	Surf	13.2	1.44	Lead: Class C Cement + additives
Int 1	449	Surf	13.0	2.3	2nd State: Bradenhead Squeeze - Lead: Class C Cement + additives
IIIt I	598	6422	13.2	1.44	Tail: Class H / C + additives
Production	119	9689	9	3.27	Lead: Class H /C + additives
Froduction	1086	11689	13.2	1.44	Tail: Class H / C + additives

Casing String	% Excess
Surface	50%
Intermediate 1	30%
Prod	10%

4. Pressure Control Equipment (Three String Design)

BOP installed and tested before drilling which hole?	Size?	Min. Required WP	Ty	ype	✓	Tested to:																																
			Anı	nular	X	50% of rated working pressure																																
Int 1	13-5/8" 5M	Bline	l Ram	X																																		
IIIt I	13-3/6	JIVI	Pipe	Ram		5M																																
			Doub	le Ram	X	JIVI																																
			Other*																																			
			Annul	ar (5M)	X	100% of rated working pressure																																
Dun dunation	13-5/8"	101/4	Blind Ram		X																																	
Production		13-3/8 10101	13-3/8 101/1	13-3/8 10W	13-3/6	13-3/8	13-3/8	13-3/6 10W	13-3/6 10101	13-3/6 10W	13-3/6 10W	13-3/6 10101	13-3/6 101/1	13-3/6 10101	13-3/6 10M	13-3/6 101/1	3-5/8" 10M	TOM	TOM	TOM	TOM	TOM	TOW	TOW	3-3/6 10W	13-3/6 10101	13-3/6 10101	10111	10101	10101	TOW	TOW	10101	10101	10101	Pipe	Ram	
			Doub	le Ram	X	TOW																																
			Other*																																			
			Annular (5M)																																			
			Blind Ram																																			
			Pipe Ram																																			
			Double Ram																																			
			Other*																																			
N A variance is requested for	A variance is requested for the use of a diverter on the surface casing. See attached for schematic.																																					
Y A variance is requested to run a 5 M annular on a 10M system																																						

5. Mud Program (Three String Design)

Section	Туре	Weight (ppg)
Surface	FW Gel	8.5-9
Intermediate	DBE / Cut Brine	10-10.5
Production	OBM	10-10.5

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept on location at all times.

What will be used to monitor the loss or gain of fluid?	PVT/Pason/Visual Monitoring

6. Logging and Testing Procedures

Logging, C	Logging, Coring and Testing					
	Will run GR/CNL from TD to surface (horizontal well - vertical portion of hole). Stated logs run will be in the					
X	Completion Report and sbumitted to the BLM.					
	No logs are planned based on well control or offset log information.					
	Drill stem test? If yes, explain.					
	Coring? If yes, explain.					

Additional 1	logs planned	Interval
	Resistivity	Int. shoe to KOP
	Density	Int. shoe to KOP
X	CBL	Production casing
	Mud log	Intermediate shoe to TD
	PEX	

7. Drilling Conditions

Condition	Specfiy what type and where?
BH pressure at deepest TVD	6668
Abnormal temperature	No

Mitigation measure for abnormal conditions. Describe. Lost circulation material/sweeps/mud scavengers.

Hydrogren Sulfide (H2S) monitors will be installed prior to drilling out the surface shoe. If H2S is detected in concentrations greater than 100 ppm, the operator will comply with the provisions of 43 CFR 3176. If Hydrogen Sulfide is encountered measured values and formations will be provided to the BLM.

measured v	alues and formations will be provided to the BEW.
N	H2S is present
Y	H2S plan attached.

THOROUGHBRED 10-3 FED COM 821H

8. Other facets of operation

Is this a walking operation? Potentially

- 1 If operator elects, drilling rig will batch drill the surface holes and run/cement surface casing; walking the rig to next wells on the pad.
- 2 The drilling rig will then batch drill the intermediate sections and run/cement intermediate casing; the wellbore will be isolated with a blind flange and pressure gauge installed for monitoring the well before walking to the next well.
- 3 The drilling rig will then batch drill the production hole sections on the wells with OBM, run/cement production casing, and install TA caps or tubing heads for completions.

NOTE: During batch operations the drilling rig will be moved from well to well however, it will not be removed from the pad until all wells have production casing run/cemented.

Will be pre-setting casing? Potentially

- 1 Spudder rig will move in and batch drill surface hole.
 - a. Rig will utilize fresh water based mud to drill surface hole to TD. Solids control will be handled entirely on a closed loop basis.,
- 2 After drilling the surface hole section, the spudder rig will run casing and cement following all of the applicable rules and regulations (43 CFR 3172, all COAs and NMOCD regulations).
- 3 The wellhead will be installed and tested once the surface casing is cut off and the WOC time has been reached.
- 4 A blind flange with the same pressure rating as the wellhead will be installed to seal the wellbore. Pressure will be monitored with a pressure gauge installed on the wellhead.
- 5 Spudder rig operations is expected to take 4-5 days per well on a multi-well pa.
- 6 The NMOCD will be contacted and notified 24 hours prior to commencing spudder rig operations.
- 7 Drilling operations will be performed with drilling rig. A that time an approved BOP stack will be nippled up and tested on the wellhead before drilling operations commences on each well.
 - a. The NMOCD will be contacted / notified 24 hours before the drilling rig moves back on to the pad with the pre-set surface casing.

Attachments	1
X	Directional Plan
	Other, describe



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: THOROUGHBRED 10-3

FED COM

Well Location: T26S / R31E / SEC 10 /

SESW / 32.0507339 / -103.7695556

Well Number: 821H Type of Well: OIL WELL

County or Parish/State: EDDY /

M

Allottee or Tribe Name:

Lease Number: NMNM120904

Unit or CA Name:

Unit or CA Number:

NMNM143512

US Well Number:

Operator: DEVON ENERGY PRODUCTION COMPANY LP

Notice of Intent

Sundry ID: 2857831

Type of Submission: Notice of Intent

Type of Action: APD Change

Date Sundry Submitted: 06/12/2025 Time Sundry Submitted: 12:09

Date proposed operation will begin: 06/13/2025

Procedure Description: Devon Energy Production Co., L.P. (Devon) respectfully requests a drill plan change for the subject well (API ID 10400101311). Please see revised plan attached.

NOI Attachments

Procedure Description

 $5.5_20 lb_P110 EC_DWC_C_IS_PLUS_20250612120843.pdf$

8.625_32lb_P110_ICY_20250612120819.pdf

10.75_45.5lb_J55_BTC_20250612120745.pdf

THOROUGHBRED_10_3_FED_COM_821H_6_11_25_20250612120653.pdf

Page 1 of 2

eived by OCD: 6/17/2025 11:09:08 PM Well Name: THOROUGHBRED 10-3

FED COM

Well Location: T26S / R31E / SEC 10 / SESW / 32.0507339 / -103.7695556

County or Parish/State: Page 16 of

Well Number: 821H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM120904

Unit or CA Name:

Unit or CA Number: NMNM143512

US Well Number:

Operator: DEVON ENERGY PRODUCTION COMPANY LP

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMY BROWN Signed on: JUN 12, 2025 12:08 PM

Name: DEVON ENERGY PRODUCTION COMPANY LP

Title: Regulatory Professional

Street Address: 333 WEST SHERIDAN AVENUE

City: OKLAHOMA CITY State: OK

Phone: (405) 552-6137

Email address: AMY.BROWN@DVN.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

APPROVED by Long Vo Petroleum Engineer Carlsbad Field Office 575-988-50402 LVO@BLM.GOV

Page 2 of 2

PECOS DISTRICT DRILLING CONDITIONS OF APPROVAL

OPERATOR'S NAME: Devon Energy Production Company LP

LOCATION: Section 10, T.26 S., R.31 E., NMPM

COUNTY: Eddy County, New Mexico

WELL NAME & NO.: ATS/API ID: ATS-25-11
APD ID: 10400101311
Sundry ID: 2857831

COA

H2S	No 🔻		
Potash	None	None	
Cave/Karst Potential	Medium 🔽		
Cave/Karst Potential	☐ Critical		
Variance	None	Flex Hose	C Other
Wellhead	Conventional and Multibowl	•	
Other	□4 String □5 String	Capitan Reef None	□WIPP
Other	Pilot Hole None	☐ Open Annulus	
Cementing	Contingency Squeeze None	Echo-Meter Int 1	Primary Cement Squeeze None
Special Requirements	☐ Water Disposal/Injection	▼ COM	□ Unit
Special Requirements	☐ Batch Sundry	Waste Prevention Waste MP	
Special Requirements Variance	☐ BOPE Break Testing ☐ Offline BOPE Testing	☐ Offline Cementing	☐ Casing Clearance

A. HYDROGEN SULFIDE

Hydrogen Sulfide (H2S) monitors shall be installed prior to drilling out the surface shoe. If H2S is detected in concentrations greater than 100 ppm, the Hydrogen Sulfide area shall meet **43 CFR part 3170 Subpart 3176**, which includes equipment and personnel/public protection items. If Hydrogen Sulfide is encountered, provide measured values and formations to the BLM.

B. CASING

- 1. The 10-3/4 inch surface casing shall be set at approximately 1125 feet (a minimum of 70 feet into the Rustler Anhydrite and above the salt when present, and below usable fresh water) and cemented to the surface. The surface hole shall be 13 1/2 inch in diameter.
 - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
 - b. Wait on cement (WOC) time for a primary cement job will be a minimum of **8** hours or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
 - c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
 - d. If cement falls back, remedial cementing will be done prior to drilling out that string.

Intermediate casing must be kept fluid filled to meet BLM minimum collapse requirement.

2. The minimum required fill of cement behind the 8-5/8 inch intermediate casing is:

Option 1 (Single Stage):

• Cement to surface. If cement does not circulate see B.1.a, c-d above. Wait on cement (WOC) time for a primary cement job is to include the lead cement slurry due to cave/karst or potash.

Option 2:

Operator has proposed to cement in two stages by conventionally cementing the first stage and performing a bradenhead squeeze on the second stage, contingent upon no returns to surface.

- a. First stage: Operator will cement with intent to reach the top of the **Brushy** Canyon at 6360'.
- b. Second stage:
 - Operator will perform bradenhead squeeze and top-out. Cement to surface. If cement does not reach surface, the appropriate BLM office shall be notified. (Squeeze 449 sxs Class C)
 Wait on cement (WOC) time for a primary cement job is to include the lead cement slurry due to cave/karst or potash.

Operator has proposed to pump down 10-3/4" X 8-5/8" annulus after primary cementing stage. Operator must run Echo-meter to verify Cement Slurry/Fluid top in the annulus Or operator shall run a CBL from TD of the 8-5/8" casing to surface after the second stage BH to verify TOC.

Submit results to the BLM. No displacement fluid/wash out shall be utilized at the top of the cement slurry between second stage BH and top out. Operator must run one CBL per Well Pad. Operator may conduct a negative and positive pressure test during completion to remediate sustained casing pressure.

If cement does not reach surface, the next casing string must come to surface.

Operator must use a limited flush fluid volume of 1 bbl following backside cementing procedures.

- ❖ In Medium Cave/Karst Areas if cement does not circulate to surface on the first two casing strings, the cement on the 3rd casing string must come to surface.
- 3. The minimum required fill of cement behind the 5-1/2 inch production casing is:
 - Cement should tie-back at least 200 feet into previous casing string.
 Operator shall provide method of verification.
 Wait on cement (WOC) time for a primary cement job is to include the lead cement slurry due to cave/karst or potash.

C. PRESSURE CONTROL

- 1. Variance approved to use flex line from BOP to choke manifold. Manufacturer's specification to be readily available. No external damage to flex line. Flex line to be installed as straight as possible (no hard bends).'
- 2.

Option 1:

- a. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be **5000 (5M)** psi.
- b. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the 8-5/8 inch intermediate casing shoe shall be 10,000 (10M) psi. Variance is approved to use a 5000 (5M) Annular which shall be tested to 5000 (5M) psi.

Option 2:

Operator has proposed a multi-bowl wellhead assembly. This assembly will only be tested when installed on the 10-3/4 inch surface casing. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be 10,000 (10M) psi. Variance is approved to use a 5000 (5M) Annular which shall be tested to 5000 (5M) psi.

- a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
- b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
- c. Manufacturer representative shall install the test plug for the initial BOP test.
- d. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
- e. Whenever any seal subject to test pressure is broken, all the tests in 43 CFR 3172.6(b)(9) must be followed.

D. SPECIAL REQUIREMENT (S)

Communitization Agreement

- The operator will submit a Communitization Agreement to the Santa Fe Office, 301 Dinosaur Trail Santa Fe, New Mexico 87508, at least 90 days before the anticipated date of first production from a well subject to a spacing order issued by the New Mexico Oil Conservation Division. The Communitization Agreement will include the signatures of all working interest owners in all Federal and Indian leases subject to the Communitization Agreement (i.e., operating rights owners and lessees of record), or certification that the operator has obtained the written signatures of all such owners and will make those signatures available to the BLM immediately upon request.
- The operator will submit an as-drilled survey well plat of the well completion, but are not limited to, those specified in 43 CFR part 3170 Subpart 3171

- If the operator does not comply with this condition of approval, the BLM may take enforcement actions that include, but are not limited to, those specified in 43 CFR 3163.1.
- In addition, the well sign shall include the surface and bottom hole lease numbers. When the Communitization Agreement number is known, it shall also be on the sign.

Commercial Well Determination

- A commercial well determination shall be submitted after production has been established for at least six months if the well penetrate a federal exploratory unit acreage, in addition the unit number and participating area number shall be on the well sign when the well is determined to be a Unit well.
- If a participating area has not been established, the operator can use the general unit designation, but will replace the unit number with the participating area number when the sign is replaced.

GENERAL REQUIREMENTS

The BLM is to be notified in advance for a representative to witness:

- a. Spudding well (minimum of 24 hours)
- b. Setting and/or Cementing of all casing strings (minimum of 4 hours)
- c. BOPE tests (minimum of 4 hours)

☑ Eddy County

EMAIL or call the Carlsbad Field Office, 620 East Greene St., Carlsbad, NM 88220,

BLM_NM_CFO_DrillingNotifications@BLM.GOV (575) 361-2822

- 1. Unless the production casing has been run and cemented or the well has been properly plugged, the drilling rig shall not be removed from over the hole without prior approval.
 - a. In the event the operator has proposed to drill multiple wells utilizing a skid/walking rig. Operator shall secure the wellbore on the current well, after installing and testing the wellhead, by installing a blind flange of like pressure rating to the wellhead and a pressure gauge that can be monitored while drilling is performed on the other well(s).
 - b. When the operator proposes to set surface casing with Spudder Rig
 - Notify the BLM when moving in and removing the Spudder Rig.
 - Notify the BLM when moving in the 2nd Rig. Rig to be moved in within 90 days of notification that Spudder Rig has left the location.
 - BOP/BOPE test to be conducted per **43** CFR part **3170** Subpart **3172** as soon as 2nd Rig is rigged up on well.
- 2. Floor controls are required for 3M or Greater systems. These controls will be on the rig floor, unobstructed, readily accessible to the driller and will be operational at all times during drilling and/or completion activities. Rig floor is defined as the area immediately around the rotary table; the area immediately above the substructure on which the draw works are located, this does not include the dog house or stairway area.

A. CASING

1. Changes to the approved APD casing program need prior approval if the items substituted are of lesser grade or different casing size or are Non-API. The Operator can exchange the components of the proposal with that of superior strength (i.e. changing from J-55 to N-80, or from 36# to 40#). Changes to the approved cement program need prior approval if the altered cement plan has less volume or strength or

- if the changes are substantial (i.e. Multistage tool, ECP, etc.). The initial wellhead installed on the well will remain on the well with spools used as needed.
- 2. Wait on cement (WOC) for Potash Areas: After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi for all cement blends of both lead and tail cement, 2) until cement has been in place at least 8 hours. WOC time will be recorded in the driller's log. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.
- 3. Wait on cement (WOC) for Water Basin: After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi at the shoe, 2) until cement has been in place at least 8 hours. WOC time will be recorded in the driller's log. See individual casing strings for details regarding lead cement slurry requirements. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.
- 4. Provide compressive strengths including hours to reach required 500 pounds compressive strength prior to cementing each casing string. Have well specific cement details onsite prior to pumping the cement for each casing string.
- 5. No pea gravel permitted for remedial or fall back remedial without prior authorization from the BLM engineer.
- 6. On that portion of any well approved for a 5M BOPE system or greater, a pressure integrity test of each casing shoe shall be performed. Formation at the shoe shall be tested to a minimum of the mud weight equivalent anticipated to control the formation pressure to the next casing depth or at total depth of the well. This test shall be performed before drilling more than 20 feet of new hole.
- 7. If hardband drill pipe is rotated inside casing, returns will be monitored for metal. If metal is found in samples, drill pipe will be pulled and rubber protectors which have a larger diameter than the tool joints of the drill pipe will be installed prior to continuing drilling operations.
- 8. Whenever a casing string is cemented in the R-111-P potash area, the NMOCD requirements shall be followed.
- B. PRESSURE CONTROL
- 1. All blowout preventer (BOP) and related equipment (BOPE) shall comply with well control requirements as described in 43 CFR part 3170 Subpart 3172 and API STD 53 Sec. 5.3.

- 2. If a variance is approved for a flexible hose to be installed from the BOP to the choke manifold, the following requirements apply: The flex line must meet the requirements of API 16C. Check condition of flexible line from BOP to choke manifold, replace if exterior is damaged or if line fails test. Line to be as straight as possible with no hard bends and is to be anchored according to Manufacturer's requirements. The flexible hose can be exchanged with a hose of equal size and equal or greater pressure rating. Anchor requirements, specification sheet and hydrostatic pressure test certification matching the hose in service, to be onsite for review. These documents shall be posted in the company man's trailer and on the rig floor.
- 3. 5M or higher system requires an HCR valve, remote kill line and annular to match. The remote kill line is to be installed prior to testing the system and tested to stack pressure.
- 4. If the operator has proposed a multi-bowl wellhead assembly in the APD. The following requirements must be met:
 - a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
 - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
 - c. Manufacturer representative shall install the test plug for the initial BOP test.
 - d. Whenever any seal subject to test pressure is broken, all the tests in 43 CFR 3172.6(b)(9) must be followed.
 - e. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
- 5. The appropriate BLM office shall be notified a minimum of 4 hours in advance for a representative to witness the tests.
 - a. In a water basin, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. The casing cut-off and BOP installation can be initiated four hours after installing the slips, which will be approximately six hours after bumping the plug. For those casing strings not using slips, the minimum wait time before cut-off is eight hours after bumping the plug. BOP/BOPE testing can begin after cut-off or once cement reaches 500 psi compressive strength (including lead cement), whichever is greater. However, if the float does not hold, cut-off cannot be initiated until cement reaches 500 psi compressive strength (including lead when specified).
 - b. In potash areas, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been

done. For all casing strings, casing cut-off and BOP installation can be initiated at twelve hours after bumping the cement plug. The BOPE test can be initiated after bumping the cement plug with the casing valve open. (only applies to single stage cement jobs, prior to the cement setting up.)

- c. The tests shall be done by an independent service company utilizing a test plug not a cup or J-packer and can be initiated immediately with the casing valve open. The operator also has the option of utilizing an independent tester to test without a plug (i.e. against the casing) pursuant to 43 CFR part 3170 Subpart 3172 with the pressure not to exceed 70% of the burst rating for the casing. Any test against the casing must meet the WOC time for 8 hours or 500 pounds compressive strength, whichever is greater, prior to initiating the test (see casing segment as lead cement may be critical item).
- d. The test shall be run on a 5000 psi chart for a 2-3M BOP/BOP, on a 10000 psi chart for a 5M BOP/BOPE and on a 15000 psi chart for a 10M BOP/BOPE. If a linear chart is used, it shall be a one hour chart. A circular chart shall have a maximum 2 hour clock. If a twelve hour or twenty-four hour chart is used, tester shall make a notation that it is run with a two hour clock.
- e. The results of the test shall be reported to the appropriate BLM office.
- f. All tests are required to be recorded on a calibrated test chart. A copy of the BOP/BOPE test chart and a copy of independent service company test will be submitted to the appropriate BLM office.
- g. The BOP/BOPE test shall include a low pressure test from 250 to 300 psi. The test will be held for a minimum of 10 minutes if test is done with a test plug and 30 minutes without a test plug. This test shall be performed prior to the test at full stack pressure.
- h. BOP/BOPE must be tested by an independent service company within 500 feet of the top of the Wolfcamp formation if the time between the setting of the intermediate casing and reaching this depth exceeds 20 days. This test does not exclude the test prior to drilling out the casing shoe as per 43 CFR part 3170 Subpart 3172.

C. DRILLING MUD

Mud system monitoring equipment, with derrick floor indicators and visual and audio alarms, shall be operating before drilling into the Wolfcamp formation, and shall be used until production casing is run and cemented.

D. WASTE MATERIAL AND FLUIDS

All waste (i.e. drilling fluids, trash, salts, chemicals, sewage, gray water, etc.) created as a result of drilling operations and completion operations shall be safely contained and disposed of properly at a waste disposal facility. No waste material or fluid shall be disposed of on the well location or surrounding area.

Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.

Long Vo (LVO) 6/17/2025

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

BUREAU OF LAND MANAGEMENT 5			Lease Serial No. If Indian, Allottee or Tribe Name			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.						
SUBMIT IN T	TRIPLICATE - Other instructions on pag	je 2	7. If Unit of CA/Agreement,	Name and/or No.		
1. Type of Well Oil Well Gas W	/ell Other		8. Well Name and No.			
2. Name of Operator			9. API Well No.			
3a. Address	3b. Phone No.	(include area code)	10. Field and Pool or Explora	atory Area		
4. Location of Well (Footage, Sec., T.,R	.,M., or Survey Description)		11. Country or Parish, State			
12. CHE	CK THE APPROPRIATE BOX(ES) TO IN	DICATE NATURE	OF NOTICE, REPORT OR OT	HER DATA		
TYPE OF SUBMISSION		TYP	E OF ACTION			
Notice of Intent	Acidize Deep Alter Casing Hyde	pen raulic Fracturing	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity		
Subsequent Report		Construction	Recomplete	Other		
Final Abandonment Notice		and Abandon Back	Temporarily Abandon Water Disposal			
is ready for final inspection.)						
14. I hereby certify that the foregoing is	true and correct. Name (Printed/Typed)					
		Title				
Signature		Date				
	THE SPACE FOR FED	ERAL OR STA	TE OFICE USE			
Approved by		Title		Date		
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.						
Title 18 U.S.C. Section 1001 and Title 43	itle 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212 make it a crime for any person knowingly and willfully to make to any department or agency of the United States					

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United State any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

0. SHL: SESW / 220 FSL / 1580 FWL / TWSP: 26S / RANGE: 31E / SECTION: 10 / LAT: 32.0507339 / LONG: -103.7695556 (TVD: 0 feet, MD: 0 feet) PPP: SWSW / 100 FSL / 330 FWL / TWSP: 26S / RANGE: 31E / SECTION: 10 / LAT: 32.0503979 / LONG: -103.7735898 (TVD: 11366 feet, MD: 11474 feet) PPP: NWSW / 1518 FSL / 329 FWL / TWSP: 26S / RANGE: 31E / SECTION: 10 / LAT: 32.0542962 / LONG: -103.7735855 (TVD: 12177 feet, MD: 13500 feet) BHL: NWSW / 2646 FSL / 330 FWL / TWSP: 26S / RANGE: 31E / SECTION: 3 / LAT: 32.0720496 / LONG: -103.7735575 (TVD: 12213 feet, MD: 19958 feet)



d by OCD: 6/17/2025 11:09:08 PM



Connection Data Sheet

OD (in.)	WEIGHT (lbs./ft.)	WALL (in.)	GRADE	DRIFT (in.)	RBW%	CONNECTION
5.500	Nominal: 20.00 Plain End: 19.83	0.361	VST P110 EC	4.653	87.5	DWC/C-IS PLUS

PIPE PROPERTIES		
Nominal OD	5.500	in.
Nominal ID	4.778	in.
Nominal Area	5.828	sq.in.
Grade Type	API 5CT; Vallourec Sourced Material Only	
Min. Yield Strength	125	ksi
Max. Yield Strength	140	ksi
Min. Tensile Strength	135	ksi
Yield Strength	729	klb
Ultimate Strength	787	klb
Min. Internal Yield	14,360	psi
High Collapse	12,090	psi

Connection Type	Semi-Premium T&	ιC
Connection OD (nom)	6.300	in.
Connection ID (nom)	4.778	in.
Make-Up Loss	4.125	in.
Coupling Length	9.250	in.
Critical Cross Section	5.828	sq.in.
Tension Efficiency	100.0%	of pipe
Compression Efficiency	100.0%	of pipe
Internal Pressure Efficiency	100.0%	of pipe
External Pressure Efficiency	100.0%	of pipe

CONNECTION PERFORMANCES		
Yield Strength	729	klb
Parting Load	787	klb
Compression Rating	729	klb
Min. Internal Yield	14,360	psi
High Collapse	12,090	psi
Maximum Uniaxial Bend Rating	104.2	°/100 ft
Ref String Length w 1.4 Design Factor	26,040	ft

FIELD TORQUE VALUES		
Min. Make-up Torque	16,600	ft.lbs
Opti. Make-up Torque	17,850	ft.lbs
Max. Make-up Torque	19,100	ft.lbs
Min. Shoulder Torque	1,660	ft.lbs
Max. Shoulder Torque	13,280	ft.lbs
Max. Delta Turn	0.200	Turns
†Max Operational Torque	24,300	ft.lbs
†Maximum Torsional Value (MTV)	26,730	ft.lbs

†Maximum Operational Torque and Maximum Torsional Value Only Valid with Vallourec P110EC Material

For detailed information on performance properties, refer to DWC Connection Data Notes on following page(s).

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.

05/23/2023 4:11 PM



VAM USA 2107 CityWest Boulevard Suite 1300 Houston, TX 77042 Phone: 713-479-3200

Fax: 713-479-3234
VAM USA Sales E-mail: <u>VAMUSAsales@vam-usa.com</u>
Tech Support E-mail: tech.support@vam-usa.com

DWC Connection Data Notes:

- 1. DWC connections are available with a seal ring (SR) option.
- 2. All standard DWC/C connections are interchangeable for a given pipe OD. DWC connections are interchangeable with DWC/C-SR connections of the same OD and wall.
- 3. Connection performance properties are based on nominal pipe body and connection dimensions.
- 4. DWC connection internal and external pressure resistance is calculated using the API rating for buttress connections. API Internal pressure resistance is calculated from formulas 31, 32, and 35 in the API Bulletin 5C3.
- 5. DWC joint strength is the minimum pipe body yield strength multiplied by the connection critical area.
- 6. API joint strength is for reference only. It is calculated from formulas 42 and 43 in the API Bulletin 5C3.
- 7. Bending efficiency is equal to the compression efficiency.
- 8. The torque values listed are recommended. The actual torque required may be affected by field conditions such as temperature, thread compound, speed of make-up, weather conditions, etc.
- Connection yield torque is not to be exceeded.
- 10. Reference string length is calculated by dividing the joint strength by both the nominal weight in air and a design factor (DF) of 1.4. These values are offered for reference only and do not include load factors such as bending, buoyancy, temperature, load dynamics, etc.
- 11. DWC connections will accommodate API standard drift diameters.
- 12. DWC/C family of connections are compatible with API Buttress BTC connections. Please contact tech.support@vam-usa.com for details on connection ratings and make-up.

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.

05/23/2023 4:11 PM





TenarisHydril Wedge 441® - AD



Coupling Pipe Body

Body: White
1st Band: Pale Green
2nd Band: -

Grade: P110-ICY

3rd Band: -

1st Band: White 2nd Band: Pale Green 3rd Band: Pale Green 4th Band: -

Grade: P110-ICY

5th Band: -

Outside Diameter	8.625 in.	Wall Thickness	0.352 in.	Grade	P110-ICY
Min. Wall Thickness	90.00 %	Pipe Body Drift	Alternative Drift	Туре	Casing
Connection OD Option	REGULAR				

Pipe Body Data

Geometry			
Nominal OD	8.625 in.	Wall Thickness	0.352 in.
Nominal Weight	32.00 lb/ft	Plain End Weight	31.13 lb/ft
Drift	7.875 in.	OD Tolerance	API
Nominal ID	7.921 in.		

Performance	
Body Yield Strength	1144 x1000 lb
Min. Internal Yield Pressure	9180 psi
SMYS	125,000 psi
Collapse Pressure	4000 psi

Connection Data

Geometry	
Connection OD	8.889 in.
Coupling Length	8.862 in.
Connection ID	7.921 in.
Make-up Loss	3.744 in.
Threads per inch	3.43
Connection OD Option	Regular

Performance	
Tension Efficiency	81.20 %
Joint Yield Strength	929 x1000 lb
Internal Pressure Capacity	9180 psi
Compression Efficiency	81.20 %
Compression Strength	929 x1000 lb
Max. Allowable Bending	53.59 °/100 ft
External Pressure Capacity	4000 psi

Make-Up Torques	
Minimum	23,000 ft-lb
Optimum	24,000 ft-lb
Maximum	27,000 ft-lb
Operation Limit Torques	
Operating Torque	59,000 ft-lb
Yield Torque	70,000 ft-lb
Buck-On	
Minimum	27,000 ft-lb
Maximum	29,000 ft-lb

Notes

For the lastest performance data, always visit our website: www.tenaris.com
For further information on concepts indicated in this datasheet, download the Datasheet Manual from www.tenaris.com

Tenaris has issued this document for general information only, and the information in this document, including, without limitation, any pictures, drawings or designs ("Information") is not intended to constitute professional or any other type of advice or recommendation and is provided on an "as is" basis. No warranty is given. Tenaris has not independently verified any information—if any- provided by the user in connection with, or for the purpose of, the Information contained hereunder. The use of the Information is at user's own risk and Tenaris does not assume any responsibility or liability of any kind for any loss, damage or injury resulting from, or in connection with any Information contained hereunder or any use thereof. The Information in this document is subject to change or modification without notice. Tenaris's products and services are subject to Tenaris's standard terms and conditions or otherwise to the terms resulting from the respective contracts of sale or services, as the case may be, between petitioner and Tenaris. For more complete information please contact a Tenaris's representative or visit our website at www.tenaris.com . ©Tenaris 2024. All rights reserved.



<u>10-3/4"</u>	<u>45.50#</u>	0.400"	<u>J-55</u>						
<u>Dimensions (Nominal)</u>									
Outside Diameter			10.750	in.					
Wall			0.400	in.					
Inside Diameter			9.950	in.					
Drift			9.875	in.					
Weight, T&C			45.500	lbs/ft					
Weight, PE			44.260	lbs/ft					
<u>Performance</u>	<u>Properties</u>								
Collapse			2090	psi					
Internal Yield Press	sure at Minimum Yield								
	PE		3580	psi					
	STC		3580	psi					
	ВТС		3580	psi					
Yield Strength, Pipe	e Body		715	1000 lbs					
Joint Strength									
	STC		493	1000 lbs					
	ВТС		796	1000 lbs					
	BTC Special Clearance (11.25" OD Cplg)	506	1000 lbs					

Note: SeAH Steel has produced this specification sheet for general information only. SeAH does not assume liability or responsibility for any loss or injury resulting from the use of information or data contained herein. All applications for the material described are at the customer's own risk and responsibility.

THOROUGHBRED 10-3 FED COM 821H

1. Geologic Formations

TVD of target	12213	Pilot hole depth	N/A
MD at TD:	19898	Deepest expected fresh water	

Basin

Dasin			
	Depth	Water/Mineral	
Formation	(TVD)	Bearing/Target	Hazards*
	from KB	Zone?	
Rustler	1630		
Salt	1938		
Base of Salt	3891		
Delaware	4078		
Cherry Canyon	5071		
Brushy Canyon	6360		
1st Bone Spring Lime	8035		
Bone Spring 1st	9033		
Bone Spring 2nd	9683		
3rd Bone Spring Lime	10115		
Bone Spring 3rd	10956		
Wolfcamp	11366		

^{*}H2S, water flows, loss of circulation, abnormal pressures, etc.

THOROUGHBRED 10-3 FED COM 821H

2. Casing Program

		Wt				Casing Inte		Interval	nterval Casing	
Hole Size	Csg. Size	(PPF)	Grade	Conn	From (MD)	To (MD)	From (TVD)	To (TVD)		
13 1/2	10 3/4	45 1/2	J-55	BTC SCC	0	1125	0	1125		
9 7/8	8 5/8	32	P110-ICY	441	0	11589	0	11589		
7 7/8	5 1/2	20	P110	DWC / C-IS+	0	19898	0	12213		

[•]All casing strings will be tested in accordance with 43 CFR 3172. Must have table for contingency casing.

3. Cementing Program

Assuming no returns are established while drilling, Devon requests to pump a two stage cement job on the intermediate casing string with the first stage being pumped conventionally with the calculated top of cement at the Brushy Canyon and the second stage performed as a bradenhead squeeze with planned cement from the Brushy Canyon to surface. The final cement top will be verified by Echo-meter. Devon will include the Echo-meter verified fluid top and the volume of displacement fluid above the cement slurry in the annulus in all post-drill sundries on wells utilizing this cement program. Devon will report to the BLM the volume of fluid (limited to 1 bbls) used to flush intermediate casing valves following backside cementing procedures.

Casing	# Sks	TOC	Wt. ppg	Yld (ft3/sack)	Slurry Description
Surface	450	Surf	13.2	1.44	Lead: Class C Cement + additives
Int 1	449	Surf	13.0	2.3	2nd State: Bradenhead Squeeze - Lead: Class C Cement + additives
IIIt I	598	6422	13.2	1.44	Tail: Class H / C + additives
Droduction	119	9689	9	3.27	Lead: Class H /C + additives
Froduction	Production 1086 11689 13.2 1.44		Tail: Class H / C + additives		

Casing String	% Excess
Surface	50%
Intermediate 1	30%
Prod	10%

4. Pressure Control Equipment (Three String Design)

BOP installed and tested before drilling which hole?	Size?	Min. Required WP	Туре		✓	Tested to:	
	Annular		nular	X	50% of rated working pressure		
Int 1	13-5/8"	5M	Bline	l Ram	X		
IIIt I	13-3/6	JIVI	Pipe	Ram		5M	
			Doub	le Ram	X	JIVI	
			Other*				
	13-5/8"	10M	Annular (5M)		X	100% of rated working pressure	
Dun dunation			Blind Ram		X	10M	
Production			Pipe Ram				
			Double Ram		X	10M	
			Other*				
			Annular (5M)				
			Blind Ram				
			Pipe Ram				
			Double Ram				
			Other*				
N A variance is requested for	N A variance is requested for the use of a diverter on the surface casing. See attached for schematic.						
Y A variance is requested to a	A variance is requested to run a 5 M annular on a 10M system						

5. Mud Program (Three String Design)

Section	Туре	Weight (ppg)
Surface	FW Gel	8.5-9
Intermediate	DBE / Cut Brine	10-10.5
Production	OBM	10-10.5

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept on location at all times.

What will be used to monitor the loss or gain of fluid?	PVT/Pason/Visual Monitoring
---	-----------------------------

6. Logging and Testing Procedures

Logging, Coring and Testing					
	Will run GR/CNL from TD to surface (horizontal well - vertical portion of hole). Stated logs run will be in the				
X	Completion Report and sbumitted to the BLM.				
	No logs are planned based on well control or offset log information.				
	Drill stem test? If yes, explain.				
	Coring? If yes, explain.				

Additional logs planned		Interval	
	Resistivity	Int. shoe to KOP	
	Density	Int. shoe to KOP	
X	CBL	Production casing	
	Mud log	Intermediate shoe to TD	
	PEX		

7. Drilling Conditions

Condition	Specfiy what type and where?
BH pressure at deepest TVD	6668
Abnormal temperature	No

Mitigation measure for abnormal conditions. Describe. Lost circulation material/sweeps/mud scavengers.

Hydrogren Sulfide (H2S) monitors will be installed prior to drilling out the surface shoe. If H2S is detected in concentrations greater than 100 ppm, the operator will comply with the provisions of 43 CFR 3176. If Hydrogen Sulfide is encountered measured values and formations will be provided to the BLM.

measured v	alues and formations will be provided to the BLM.
N	H2S is present
Y	H2S plan attached.

THOROUGHBRED 10-3 FED COM 821H

8. Other facets of operation

Is this a walking operation? Potentially

- 1 If operator elects, drilling rig will batch drill the surface holes and run/cement surface casing; walking the rig to next wells on the pad.
- 2 The drilling rig will then batch drill the intermediate sections and run/cement intermediate casing; the wellbore will be isolated with a blind flange and pressure gauge installed for monitoring the well before walking to the next well.
- 3 The drilling rig will then batch drill the production hole sections on the wells with OBM, run/cement production casing, and install TA caps or tubing heads for completions.

NOTE: During batch operations the drilling rig will be moved from well to well however, it will not be removed from the pad until all wells have production casing run/cemented.

Will be pre-setting casing? Potentially

- 1 Spudder rig will move in and batch drill surface hole.
 - a. Rig will utilize fresh water based mud to drill surface hole to TD. Solids control will be handled entirely on a closed loop basis.,
- 2 After drilling the surface hole section, the spudder rig will run casing and cement following all of the applicable rules and regulations (43 CFR 3172, all COAs and NMOCD regulations).
- 3 The wellhead will be installed and tested once the surface casing is cut off and the WOC time has been reached.
- 4 A blind flange with the same pressure rating as the wellhead will be installed to seal the wellbore. Pressure will be monitored with a pressure gauge installed on the wellhead.
- 5 Spudder rig operations is expected to take 4-5 days per well on a multi-well pa.
- 6 The NMOCD will be contacted and notified 24 hours prior to commencing spudder rig operations.
- 7 Drilling operations will be performed with drilling rig. A that time an approved BOP stack will be nippled up and tested on the wellhead before drilling operations commences on each well.
 - a. The NMOCD will be contacted / notified 24 hours before the drilling rig moves back on to the pad with the pre-set surface casing.

Attachments	1
X	Directional Plan
	Other, describe

oroughbred 10-3 Fed Com 821H

10 3/4		surface csg in a	13 1/2 i	inch hole.		Design	Factors -			Surface		
Segment	#/ft	Grade		Coupling	Joint	Collapse	Burst	Length	B@s	a-B	a-C	Weigh
"A"	45.50		j 55	btc scc	9.89	3.97	0.57	1,125	7	0.95	7.51	51,188
"B"				btc scc				0				0
	w	/8.4#/g mud, 30min Sfc Csg Test	psig: 1,500	Tail Cmt	does not	circ to sfc.	Totals:	1,125				51,188
Comparison o		to Minimum Required Ceme										
Hole	Annular	1 Stage	1 Stage	Min	1 Stage	Drilling	Calc	Reg'd				Min Dis
Size	Volume	Cmt Sx	CuFt Cmt	Cu Ft	% Excess	Mud Wt	MASP	BOPE				Hole-Cp
13 1/2	0.3637	450	648	409	58	9.00	3772	5M				1.13
Burst Frac Grac	lient(s) for Se	egment(s) A, B = , b All > 0.	.70, OK.									
8 5/8		casing inside the	10 3/4			<u>Design</u>	Factors Pactors			Int 1		
Segment	#/ft	Grade		Coupling	Joint	Collapse	Burst	Length	B@s	a-B	a-C	Weigh
"A"	32.00		p 110	wedge 441	2.51	0.63	1.38	11,589	1	2.31	1.06	370,84
"B"								0				0
	w	/8.4#/g mud, 30min Sfc Csg Test	psig: 1,369				Totals:	11,589				370,84
		The cement v	volume(s) are intend	led to achieve a top of	0	ft from su	ırface or a	1125				overlap.
Hole	Annular	1 Stage	1 Stage	Min	1 Stage	Drilling	Calc	Req'd				Min Dis
Size	Volume	Cmt Sx	CuFt Cmt	Cu Ft	% Excess	Mud Wt	MASP	BOPE				Hole-Cp
9 7/8	0.1261	598	861	1471	-41	10.50	3975	5M				0.49
D V Tool(s):			6360				sum of sx	Σ CuFt				Σ%exces
	t yld > 1.35	31	27				1047	1894				29
Class 'C' tail cm						Dosign Fa		1894		Prod 1		29
Tail cmt		casing inside the	27 8 5/8	Coupling	loint	Design Fa	ctors		R@s	Prod 1	a.C	
Tail cmt 5 1/2 Segment	#/ft		8 5/8	Coupling	Joint 2 98	Collapse	ctors Burst	Length	B@s	а-В	a-C	Weigh
Tail cmt 5 1/2 Segment "A"		casing inside the		Coupling dwc/c is+	Joint 2.98		ctors	Length 19,898	B@s 2		a-C 3.04	Weigh 397,96
Tail cmt 5 1/2 Segment "A" "B"	#/ft	casing inside the	8 5/8			Collapse	ctors Burst	Length 19,898		а-В		Weigh 397,96
Tail cmt 5 1/2 Segment "A" "B" "C"	#/ft	casing inside the	8 5/8			Collapse	ctors Burst	Length 19,898 0		а-В		Weigh 397,96 0
Tail cmt 5 1/2 Segment "A" "B"	#/ft 20.00	casing inside the Grade	8 5/8 p 110			Collapse	ctors Burst 2.16	Length 19,898 0 0		а-В		Weigh 397,96 0 0
Tail cmt 5 1/2 Segment "A" "B" "C"	#/ft 20.00	casing inside the Grade	8 5/8 p 110	dwc/c is+	2.98	Collapse 1.81	ctors Burst 2.16 Totals:	Length 19,898 0 0 19,898		а-В	3.04	Weigh 397,96 0 0 0 397,96
Tail cmt 5 1/2 Segment "A" "B" "C" "D"	#/ft 20.00	casing inside the Grade /8.4#/g mud, 30min Sfc Csg Test The cement v	8 5/8 p 110 p psig: 2,687 volume(s) are intend	dwc/c is+	2.98	Collapse 1.81	ctors Burst 2.16 Totals:	Length 19,898 0 0 19,898 200		а-В	3.04	Weigh 397,96 0 0 397,96 overlap.
Tail cmt 5 1/2 Segment "A" "B" "C" "D"	#/ft 20.00	casing inside the Grade /8.4#/g mud, 30min Sfc Csg Test The cement v 1 Stage	8 5/8 p 110 spsig: 2,687 volume(s) are intend 1 Stage	dwc/c is+	2.98 11389 1 Stage	ft from su Drilling	ctors Burst 2.16 Totals: urface or a Calc	Length 19,898 0 0 0 19,898 200 Req'd		а-В	3.04	Weigh 397,960 0 0 397,960 overlap.
Tail cmt 5 1/2 Segment "A" "B" "C" "D"	#/ft 20.00	casing inside the Grade /8.4#/g mud, 30min Sfc Csg Test The cement v 1 Stage Cmt Sx	8 5/8 p 110 e psig: 2,687 volume(s) are intend 1 Stage CuFt Cmt	dwc/c is+ led to achieve a top of Min Cu Ft	2.98 11389 1 Stage % Excess	ft from su Drilling Mud Wt	ctors Burst 2.16 Totals:	Length 19,898 0 0 19,898 200		а-В	3.04	Weigh 397,96 0 0 397,96 overlap. Min Dis
Tail cmt 5 1/2 Segment "A" "B" "C" "D" Hole Size 7 7/8	#/ft 20.00 w Annular Volume 0.1733	casing inside the Grade /8.4#/g mud, 30min Sfc Csg Test The cement v 1 Stage	8 5/8 p 110 spsig: 2,687 volume(s) are intend 1 Stage	dwc/c is+	2.98 11389 1 Stage	ft from su Drilling	ctors Burst 2.16 Totals: urface or a Calc	Length 19,898 0 0 0 19,898 200 Req'd		а-В	3.04	Weigh 397,96 0 0 397,96 overlap.
Tail cmt 5 1/2 Segment "A" "B" "C" "D" Hole Size 7 7/8 Class 'C' tail cm	#/ft 20.00 w Annular Volume 0.1733	casing inside the Grade /8.4#/g mud, 30min Sfc Csg Test The cement v 1 Stage Cmt Sx	8 5/8 p 110 e psig: 2,687 volume(s) are intend 1 Stage CuFt Cmt	dwc/c is+ led to achieve a top of Min Cu Ft	2.98 11389 1 Stage % Excess	ft from su Drilling Mud Wt	ctors Burst 2.16 Totals: urface or a Calc	Length 19,898 0 0 0 19,898 200 Req'd		а-В	3.04	Weigh 397,96 0 0 397,96 overlap. Min Dis
Tail cmt 5 1/2 Segment "A" "B" "C" "D" Hole Size 7 7/8 Class 'C' tail cm	#/ft 20.00 w Annular Volume 0.1733	casing inside the Grade /8.4#/g mud, 30min Sfc Csg Test The cement v 1 Stage Cmt Sx	8 5/8 p 110 spsig: 2,687 volume(s) are intend 1 Stage CuFt Cmt 1953	dwc/c is+ led to achieve a top of Min Cu Ft	2.98 11389 1 Stage % Excess	ft from su Drilling Mud Wt 10.50	Ctors Burst 2.16 Totals: urface or a Calc MASP	Length 19,898 0 0 0 19,898 200 Req'd	2	a-B 3.61	3.04	Weigh 397,96 0 0 397,96 overlap. Min Dis Hole-Cp
Tail cmt 5 1/2 Segment "A" "B" "C" "D" Hole Size 7 7/8 Class 'C' tail cm	#/ft 20.00 w Annular Volume 0.1733 tyld>1.35	casing inside the Grade /8.4H/g mud, 30min Sfc Csg Test The cement of 1 Stage Cmt Sx 1205	8 5/8 p 110 e psig: 2,687 volume(s) are intend 1 Stage CuFt Cmt	dwc/c is+	2.98 11389 1 Stage % Excess 32	ft from su Drilling Mud Wt 10.50	Ctors Burst 2.16 Totals: urface or a Calc MASP	Length 19,898 0 0 19,898 200 Req'd BOPE	2 <c< td=""><td>a-B 3.61</td><td>3.04</td><td>Weigh 397,96 0 0 397,96 overlap. Min Dis Hole-Cp 0.79</td></c<>	a-B 3.61	3.04	Weigh 397,96 0 0 397,96 overlap. Min Dis Hole-Cp 0.79
Tail cmt 5 1/2 Segment "A" "B" "C" "D" Hole Size 7 7/8 Class 'C' tail cm	#/ft 20.00 w Annular Volume 0.1733	casing inside the Grade /8.4#/g mud, 30min Sfc Csg Test The cement v 1 Stage Cmt Sx	8 5/8 p 110 spsig: 2,687 volume(s) are intend 1 Stage CuFt Cmt 1953	dwc/c is+	2.98 11389 1 Stage % Excess	ft from su Drilling Mud Wt 10.50	Ctors Burst 2.16 Totals: urface or a Calc MASP	Length 19,898 0 0 19,898 200 Req'd BOPE	2	a-B 3.61	3.04	Weigh 397,96 0 0 397,96 overlap. Min Dis Hole-Cp 0.79
Tail cmt 5 1/2 Segment "A" "B" "C" "D" Hole Size 7 7/8 Class 'C' tail cm	#/ft 20.00 w Annular Volume 0.1733 tyld>1.35	casing inside the Grade /8.4H/g mud, 30min Sfc Csg Test The cement of 1 Stage Cmt Sx 1205	8 5/8 p 110 spsig: 2,687 volume(s) are intend 1 Stage CuFt Cmt 1953	dwc/c is+	2.98 11389 1 Stage % Excess 32	ft from su Drilling Mud Wt 10.50	Ctors Burst 2.16 Totals: urface or a Calc MASP	Length 19,898 0 0 19,898 200 Req'd BOPE	2 <c< td=""><td>a-B 3.61</td><td>3.04</td><td>Weigh 397,96 0 0 397,96 overlap. Min Dis Hole-Cp 0.79</td></c<>	a-B 3.61	3.04	Weigh 397,96 0 0 397,96 overlap. Min Dis Hole-Cp 0.79
Tail cmt 5 1/2 Segment "A" "B" "C" "D" Hole Size 7 7/8 Class 'C' tail cm	#/ft 20.00 Annular Volume 0.1733 t yld > 1.35	Casing inside the Grade /8.4#/g mud, 30min Sfc Csg Test The cement of 1 Stage Cmt Sx 1205 Grade	8 5/8 p 110 e psig: 2,687 volume(s) are intend 1 Stage CuFt Cmt 1953	dwc/c is+	2.98 11389 1 Stage % Excess 32	ft from su Drilling Mud Wt 10.50	Totals: urface or a Calc MASP	Length 19,898 0 0 19,898 200 Req'd BOPE Length 0	2 <c< td=""><td>a-B 3.61</td><td>3.04</td><td>Weigh 397,96 0 0 397,96 overlap. Min Dis Hole-Cp 0.79</td></c<>	a-B 3.61	3.04	Weigh 397,96 0 0 397,96 overlap. Min Dis Hole-Cp 0.79
Tail cmt 5 1/2 Segment "A" "B" "C" "D" Hole Size 7 7/8 Class 'C' tail cm	#/ft 20.00 Annular Volume 0.1733 t yld > 1.35	Casing inside the Grade (8.4#/g mud, 30min Sfc Csg Test The cement of 1 Stage Cmt Sx 1205 Grade	p 110 s psig: 2,687 volume(s) are intend 1 Stage CuFt Cmt 1953 5 1/2	dwc/c is+	2.98 11389 1 Stage % Excess 32 #N/A	ft from st. Drilling Mud Wt 10.50 Design Collapse	Ctors Burst 2.16 Totals: urface or a Calc MASP Factors Burst Totals:	Length 19,898 0 0 19,898 200 Req'd BOPE Length 0 0	2 <0	a-B 3.61	3.04 ng> a-C	Weight 397,96 0 0 0 397,96 overlap. Min Dis Hole-Cp 0.79 Weight 0 0 0
Tail cmt 5 1/2 Segment "A" "B" "C" "D" Hole Size 7 7/8 Class 'C' tail cm #N/A 0 Segment "A" "B"	#/ft 20.00 w Annular Volume 0.1733 t yld > 1.35	Casing inside the Grade /8.4#/g mud, 30min Sfc Csg Test The cement v 1 Stage Cmt Sx 1205 Grade /8.4#/g mud, 30min Sfc Csg Test Cmt vol ca	8 5/8 p 110 spsig: 2,687 volume(s) are intend 1 Stage CuFt Cmt 1953 5 1/2	dwc/c is+ led to achieve a top of Min Cu Ft 1475 Coupling 0.00 0.00 nis csg, TOC intended	2.98 11389 1 Stage % Excess 32 #N/A	ft from su Drilling Mud Wt 10.50 Design Collapse	Totals: urface or a Calc MASP Factors Burst Totals:	Length 19,898 0 0 19,898 200 Req'd BOPE Length 0 0 4N/A	2 <0	a-B 3.61	3.04 ng> a-C	Weight 397,960 0 0 397,960 overlap. Min Dis Hole-Cp 0.79 Weight 0 0 0 overlap.
Tail cmt 5 1/2 Segment "A" "B" "C" "D" Hole Size 7 7/8 Class 'C' tail cm #N/A 0 Segment "A" "B"	#/ft 20.00 Annular Volume 0.1733 tyld > 1.35 #/ft	Casing inside the Grade /8.4#/g mud, 30min Sfc Csg Test The cement of 1 Stage Cmt Sx 1205 Grade /8.4#/g mud, 30min Sfc Csg Test Cmt vol ca	8 5/8 p 110 st psig: 2,687 volume(s) are intend 1 Stage CuFt Cmt 1953 5 1/2 st psig: alc below includes the 1 Stage	dwc/c is+ led to achieve a top of Min Cu Ft 1475 Coupling 0.00 0.00 his csg, TOC intended Min	2.98 11389 1 Stage % Excess 32 #N/A #N/A 1 Stage	ft from su Drilling Mud Wt 10.50 Design Collapse ft from su Drilling	Totals: urface or a Calc MASP Totals: urface or a Calc MASP	Length 19,898 0 0 19,898 200 Req'd BOPE Length 0 0 #N/A Req'd	2 <0	a-B 3.61	3.04 ng> a-C	Weight 397,960 0 0 0 397,960 overlap. Min Dis Hole-Cp 0.79 Weight 0 0 overlap. Min Dis
Tail cmt 5 1/2 Segment "A" "B" "C" "D" Hole Size 7/8 Class 'C' tail cm	#/ft 20.00 w Annular Volume 0.1733 t yld > 1.35	Casing inside the Grade /8.4#/g mud, 30min Sfc Csg Test The cement v 1 Stage Cmt Sx 1205 Grade /8.4#/g mud, 30min Sfc Csg Test Cmt vol ca	8 5/8 p 110 spsig: 2,687 volume(s) are intend 1 Stage CuFt Cmt 1953 5 1/2	dwc/c is+ led to achieve a top of Min Cu Ft 1475 Coupling 0.00 0.00 nis csg, TOC intended	2.98 11389 1 Stage % Excess 32 #N/A #N/A 1 Stage % Excess	ft from su Drilling Mud Wt 10.50 Design Collapse	Totals: urface or a Calc MASP Factors Burst Totals:	Length 19,898 0 0 19,898 200 Req'd BOPE Length 0 0 4N/A	2 <0	a-B 3.61	3.04 ng> a-C	Weigh 397,96 0 0 397,96 overlap. Min Dis Hole-Cp 0.79 Weigh 0 0
5 1/2 Segment "A" "B" "C" "D" Hole Size 7 7/8 Class 'C' tail cm "A" "B" Hole	#/ft 20.00 Annular Volume 0.1733 tyld > 1.35 #/ft	Casing inside the Grade /8.4#/g mud, 30min Sfc Csg Test The cement of 1 Stage Cmt Sx 1205 Grade /8.4#/g mud, 30min Sfc Csg Test Cmt vol ca	8 5/8 p 110 st psig: 2,687 volume(s) are intend 1 Stage CuFt Cmt 1953 5 1/2 st psig: alc below includes the 1 Stage	dwc/c is+ led to achieve a top of Min Cu Ft 1475 Coupling 0.00 0.00 his csg, TOC intended Min	2.98 11389 1 Stage % Excess 32 #N/A #N/A 1 Stage	ft from su Drilling Mud Wt 10.50 Design Collapse ft from su Drilling	Totals: urface or a Calc MASP Totals: urface or a Calc MASP	Length 19,898 0 0 19,898 200 Req'd BOPE Length 0 0 #N/A Req'd	2 <0	a-B 3.61	3.04 ng> a-C	Weigh 397,96 0 0 397,96 overlap. Min Dis Hole-Cp 0.79 Weigh 0 overlap. Min Dis

Carlsbad Field Office 6/17/2025 Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 476105

CONDITIONS

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	476105
	Action Type:
	[C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By		Condition Date
ward.rikala	Any previous COA's not addressed within the updated COA's still apply.	7/10/2025