

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.***Carlsbad Field Office**
OCD Artesia

License # 121941

Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

7. If Unit or CA/Agreement, Name and/or No.

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

8. Well Name and No.

CHARLIE SWEENEY FED COM 208H

2. Name of Operator

MATADOR PRODUCTION COMPANY

Contact: TAMMY R LINK

E-Mail: tlink@matadorresources.com

9. API Well No.

30-015-44025

3a. Address

5400 LBJ FREEWAY, SUITE 1500
DALLAS, TX 75240

3b. Phone No. (include area code)

Ph: 575-627-2465

10. Field and Pool or Exploratory Area

PURPLE SAGE; WOLFCAMP

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 31 T23S R28E Mer NMP SESE 188FSL 575FEL

11. County or Parish, State

EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

BLM BOND No. NMB001079

Surety Bond No. RLB0015172

Matador requests a variance to run 7-5/8" casing inside 9-5/8" casing which will be less than 0.422" stand off regulation. Matador has met with Christopher Walls and Mustafa Haque as well as other BLM representatives and determined that this would be acceptable as long as the 7-5/8" flush casing was run throughout the entire 300' cement tie back section between 9-5/8" and 7 5/8" casing.

Note: Expected spud date is 8/4/17.

See attachments.

8-1-17
Accepted for record - NMOCDNM OIL CONSERVATION
ARTESIA DISTRICT

AUG 01 2017

- All previous COAs still apply. Additional COAs is not required. RECEIVED

14. I hereby certify that the foregoing is true and correct.		Electronic Submission #380555 verified by the BLM Well Information System For MATADOR PRODUCTION COMPANY, sent to the Carlsbad Committed to AFMSS for processing by PRISCILLA PEREZ on 07/14/2017 ()	
Name (Printed/Typed)	TAMMY R LINK	Title	PRODUCTION ANALYST
Signature	(Electronic Submission)	Date	07/05/2017
THIS SPACE FOR FEDERAL OR STATE OFFICE USE			
Approved By <u>Mustafa Haque</u>		Title	PETROLEUM ENGINEER
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office	BUREAU OF LAND MANAGEMENT CARLSBAD FIELD OFFICE
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.			

(Instructions on page 2)

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

Name	Hole Size	Casing Size	Wt/Grade	Thread Collar	Setting Depth
Surface	17-1/2"	13-3/8" (new)	54.5# J-55	BTC	350
Intermediate	12-1/4"	9-5/8" (new)	40# J-55	BTC	2450
Intermediate 2 Top	8-3/4"	7-5/8" (new)	29.7# P-110	BTC	2150
Intermediate 2 Middle	8-3/4"	7-5/8" (new)	29.7# P-110	VAM HTF-NR	8800
Intermediate 2 Bottom	8-3/4"	7" (new)	29# P-110	BTC	9700
Production Top	6-1/8"	5-1/2" (new)	20# P-110	BTC/TXP	8700
Production Bottom	6-1/8"	4-1/2" (new)	13.5# P-110	BTC/TXP	14300

Top Cement
Surface
Surface
2150
2150
2150
9200
9200

Name	Type	Sacks	Yield	Weight
Surface	Tail	400	1.38	14.8
TOC = 0'		100% Excess		
Intermediate	Lead	550	2.13	12.6
	Tail	270	1.38	14.8
TOC = 0'		100% Excess		
Intermediate 2	Lead	400	2.13	12.6
	Tail	310	1.38	14.8
TOC = 2150'		60% Excess		
Production	Tail	510	1.17	15.8
TOC = 9200'		25% Excess		


Blend
Class C + 5% NaCl + LCM
Centralizers per Onshore Order 2.III.B.1f
Class C + Bentonite + 1% CaCL ₂ + 8% NaCl + LCM
Class C + 5% NaCl + LCM
2 on btm jt, 1 on 2nd jt, 1 every 4th jt to surface
TXI + Fluid Loss + Dispersant + Retarder + LCM
TXI + Fluid Loss + Dispersant + Retarder + LCM
2 on btm jt, 1 on 2nd jt, 1 every 4th jt to top of tail cement (500' above TOC)
Class H + Fluid Loss + Dispersant + Retarder + LCM
2 on btm jt, 1 on 2nd jt, 1 every other jt to top of curve

CONNECTION DATA SHEET (Imperial Units)



Connection: VAM® HTF-NR 7,625" 29,70# P110EC
 Alternate Drift: 6,750"

Drawing: PD-101836P PD-101836B Isolated connection



OD	WEIGHT	WALL	GRADE	API DRIFT
7,625"	29,70 lb/ft	0,375"	P110EC	6,750"

PIPE BODY PROPERTIES:			CONNECTION PROPERTIES:		
Outside Diameter	inch	7,625	Connection OD (nom)	inch	7,701
Internal Diameter	inch	6,875	Connection ID	inch	6,782
Nominal Area	sqin.	8,541	Coupling Length	inch	N/A
			Make-up Loss	inch	4,657
			Box critical area	%PBYS	58%
			Pin critical area	%PBYS	67%
Yield Strength	klb	1 068	Yield Strength	klb	619
Ultimate Strength	klb	1 153	Ultimate strength	klb	669
			Structural compression	klb	776
			Compression with sealability	klb	371
MIYP	psi	10 760	MIYP	psi	10 760
Collapse Pressure	psi	5 670	Ext Pressure Resistance	psi	5 670
			Regular Make-up Torque	ft.lb	
				Min	9 600
				Opt	11 300
				Max	13 000
			Maximum Torque with Sealability	ft.lb	58 500
			Maximum Torsional Value	ft.lb	73 000


No one knows VAM like VAM

uk@vamfieldservice.com
 dubai@vamfieldservice.com
 angola@vamfieldservice.com
 singapore@vamfieldservice.com



usa@vamfieldservice.com
 brazil@vamfieldservice.com
 canada@vamfieldservice.com
 mexico@vamfieldservice.com

OO VAM Specialists Available Worldwide 24/7 for Rig Site Assistance



Designed by :
 X. MENCAGLIA

Reference: VRCC16-1177
 Revision : 0
 Date : July 19, 2016

For the latest performance data, always visit our website: www.tenaris.com

February 02 2017



Connection: TenarisXP® BTC
Casing/Tubing: CAS
Coupling Option: REGULAR

Size: 5.500 in.
Wall: 0.361 in.
Weight: 20.00 lbs/ft
Grade: P110-IC
Min. Wall Thickness: 87.5 %

Nominal OD	5.500 in.	Nominal Weight	20.00 lbs/ft	Standard Drift Diameter	4.653 in.
Nominal ID	4.778 in.	Wall Thickness	0.361 in.	Special Drift Diameter	N/A
Plain End Weight	19.83 lbs/ft				
Body Yield Strength	641 x 1000 lbs	Internal Yield	12630 psi	SMYS	110000 psi
Collapse	12100 psi				
Connection OD	6.100 in.	Coupling Length	9.450 in.	Connection ID	4.766 in.
Critical Section Area	5.828 sq. in.	Threads per in.	5.00	Make-Up Loss	4.204 in.
Tension Efficiency	100 %	Joint Yield Strength	641 x 1000 lbs	Internal Pressure Capacity ⁽¹⁾	12630 psi
Structural Compression Efficiency	100 %	Structural Compression Strength	641 x 1000 lbs	Structural Bending ⁽²⁾	92 °/100 ft
External Pressure Capacity	12100 psi				
Minimum	11270 ft-lbs	Optimum	12520 ft-lbs	Maximum	13770 ft-lbs
Operating Torque	21500 ft-lbs	Yield Torque	23900 ft-lbs		

Blanking Dimensions

(1) Internal Pressure Capacity related to structural resistance only. Internal pressure leak resistance as per

section 10.3 API 5C3 / ISO 10400 - 2007.

(2) Structural rating, pure bending to yield (i.e no other loads applied)

(3) Torque values calculated for API Modified thread compounds with Friction Factor=1. For other thread compounds please contact us at licensees@oilfield.tenaris.com. Torque values may be further reviewed.

For additional information, please contact us at contact-tenarishydril@tenaris.com

For the latest performance data, always visit our website: www.tenaris.com

February 02 2017



Connection: TenarisXP® BTC
Casing/Tubing: CAS
Coupling Option: REGULAR

Size: 4.500 in.
Wall: 0.290 in.
Weight: 13.50 lbs/ft
Grade: P110-ICY
Min. Wall Thickness: 87.5 %

Nominal OD	4.500 in.	Nominal Weight	13.50 lbs/ft	Standard Drift Diameter	3.795 in.
Nominal ID	3.920 in.	Wall Thickness	0.290 in.	Special Drift Diameter	N/A
Plain End Weight	13.05 lbs/ft				
Body Yield Strength	479 x 1000 lbs	Internal Yield	14100 psi	SMYS	125000 psi
Collapse	11620 psi				
Connection OD	5.000 in.	Coupling Length	9.075 in.	Connection ID	3.908 in.
Critical Section Area	3.836 sq. in.	Threads per in.	5.00	Make-Up Loss	4.016 in.
Tension Efficiency	100 %	Joint Yield Strength	479 x 1000 lbs	Internal Pressure Capacity ⁽¹⁾	14100 psi
Structural Compression Efficiency	100 %	Structural Compression Strength	479 x 1000 lbs	Structural Bending ⁽²⁾	127 °/100 ft
External Pressure Capacity	11620 psi				
Minimum	6950 ft-lbs	Optimum	7720 ft-lbs	Maximum	8490 ft-lbs
Operating Torque	10500 ft-lbs	Yield Torque	12200 ft-lbs		

Blanking Dimensions

(1) Internal Pressure Capacity related to structural resistance only. Internal pressure leak resistance as per

section 10.3 API 5C3 / ISO 10400 - 2007.

(2) Structural rating, pure bending to yield (i.e no other loads applied)

(3) Torque values calculated for API Modified thread compounds with Friction Factor=1. For other thread compounds please contact us at licensees@oilfield.tenaris.com. Torque values may be further reviewed.

For additional information, please contact us at contact-tenarishydril@tenaris.com