

Tuesday A Federal No. 1
Pg 3

after every two bbls acid pumped. Total of 51 balls added.
Flush w/25 BTFW w/1:1000 Clc-sta. Shut-in for 1 hr.
Swab well. If zone is non-commercial release treating
pk at 3500' & POOH. Set retained at 3540'. Load backside
w/ TFW & pressure to 500 psi. Cement squeeze Delaware
Zone B interval w/50 5x9 class C cement. Flush to
retained w/21 BTFW. Spot 2 5x5 cement on top retained
& reverse-circulate out excess slurry. POOH. Tuesday
A Federal No. 1 will be temporarily abandoned if no
uphole productive intervals are found.