

- 23 light tan-grey medium granular calcite incl. pinpoint to fair porosity, sour gas odor
- 24 light tan, very fine granular, calcite incl. pinpoint- good porosity, bleeding oil, good gas odor, fair to medium out
- 25 top 6" light tan, very fine granular, calcite incl. pinpoint - good porosity, bleeding oil, good gas odor, fair to medium out. Bottom 6" light tan-grey dense limestone w/pinpoint porosity - sour gas odor
- 26 top 6" light tan, very fine granular, calcite incl. pinpoint - good porosity, bleeding oil, good gas odor, fair to medium out. Bottom 6" light tan-grey dense limestone w/ pinpoint porosity - sour gas odor, with horizontal and vertical fractures.
- 27 lightgray-tan, very dense limestone, no odor - horizontal & vertical frac.
- 28 light gray-tan, very finely crystalline limestone - carb. partings, calcite incl. vertical fractures
- 29 light tan-brown, finely crystalline, hard limestone w/alternate black shale partings, horizontal & vertical fractures
- 30 tan-brown litho limestone, sour gas odor, horizontal fractures w/trace vugular porosity
- 31 tan-brown litho limestone, sour gas odor, horizontal fractures w/calcite incl.
- 32 brown litho limestone - trace vugular porosity, calcite incl. horizontal fractures
- 33 brown litho limestone, trace vugular porosity, calcite incl. horizontal fractures w/black shale partings, sour gas odor
- 34 brown litho limestone, trace vugular porosity, calcite incl. horizontal fractures, with black shale partings, no odor.
- 35 dark brown, medium crystalline horizontal fractures w/calcite incl - sour gas odor
- 36 dark brown, finely crystalline, dense, black shale partings, horizontal fractures - no odor
- 37 top 6" dark brown, finely crystalline, dense, black shale partings, horizontal fractures, no odor - more broken. Bottom 6" light tan-medium granular limestone, w/pinpoint porosity, no odor, horizontal fractures, spotty fluor.
- 38 light tan med. granular limestone w/pinpoint porosity (fair) no odor, bleeding water, horizontal and vertical fractures.
- 39 light tan, med. granular, honey comb porosity, bleeding oil
- 40 oil saturated xln ls - good porosity
- 41 oil saturated xln ls - ditto
- 42 Stained xln ls - bleeding pinpoint porosity, strong water smell
- 43 light tan, finely xln, pinpoint porosity, horizontal & vertical frac. bleeding something (probably water)
- 44 light tan, finely xln ls, horizontal & vertical fractures - sour gas odor dense ls. ~~thinly bedded~~ laminations - slight salt taste
- 45 light tan, finely xln ls, horizontal & vertical fractures sour gas odor, dense ls. laminations - slight salt taste.
- 46 light tan, finely xln, dense ls, calcite & carb. partings, strong sour gas odor
- 47 light tan, finely xln, ditto
- 48 light-dark tan, sub.litho., calcite along vertical fractures, sour gas odor
- 49 light-dark tan, sub.litho., calcite along vertical fractures, sour gas odor
- 50 light-dark tan, sub.litho ditto
- 51 light-dark tan, sub.litho., calcite along horizontal & vertical fractures no gas odor
- 52 light tan, very finely xln, strong sulphur odor, horizontal fractures
- 53 light tan, very finely xln, strong sulphur odor ditto
Bottom 6" pinpoint porosity
- 54 light tan, grey, finely xln, ls - pinpoint porosity, horizontal & vert. frac. Sour gas odor.
- 55 lt. tan, grey, finely xln, ls, pinpoint pore. horis. & verti. frac. sour gas odor with much ~~matrix~~ calcite.