



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYBudget Bureau 42-R358.2
Approval expires 12-31-62.Land Office Santa FeLease No. 079043Unit Northeast Blanco

Unit Agreement No. 1, Sec. 929

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 16, 1956

Well No. 44-4 is located 285 ft. from [N] line and 2330 ft. from [E] line of sec. 4WW/SE/4 Sec. 4
($\frac{1}{4}$ Sec. and Sec. No.)30N
(Twp.)7E
(Range)EDM
(Meridian)Blanco Mesavieja
(Field)San Juan
(County or Subdivision)New Mexico
(State or Territory)The elevation of the derrick floor above sea level is 6127 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

On 6-9-56, ran 5 jts 10-3/4" 32.75# API casing - 152' set at 166'. Cemented with 200 sacks regular cement. Cement circulated. Tested casing with 800 PSI for 30 minutes. Held OK.

On 6-20-56, ran 103 jts 7-5/8" 26.40# J55 casing - 3268' set at 3272'. Cemented with 225 sacks 1:1 mixture of cement & poxmix with 4% gel & 1# floccle per sack. Tested casing with 1000 PSI for 15 minutes. Held OK. Drilled with gas from 7-5/8" casing point.

On 6-27-56, ran 167 jts 5-1/2" 14.00# & 15.50# J55 casing - 5433' set at 5445'. Cemented with 175 sacks 4% gel cement with 1# floccle per sack. Tested casing with 1000 PSI for 15 minutes. Held OK. Cement plug back depth: 5426'. Top of cement at 3100'. by temperature survey.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Blackwood & Nichols Company (Unit Operator)Address P. O. Box 1237Durango, ColoradoBy DeLasso Loos Delasso LoosTitle Field Superintendent