



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe

Lease No. 079082

Unit Northeast Blanco

Unit Agreement No. 1, Sec. 929

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 24, 1957

Well No. 41-25 is located 1240 ft. from N line and 1650 ft. from E line of sec. 25

N4/E4 Sec. 25 31N 8W TMPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco Mesaverte San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6384 ft.

DETAILS OF WORK

Spudded at 4:00 PM 8-24-57

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

On 8-25-57, ran 5 Jts 10-3/4" 32.75# H40 casing - 156' set at 159'. Cemented with 200 sacks regular cement with 2% calcium chloride. Cement circulated. Tested casing with 800 PSI for 15 minutes. Held OK.

On 9-5-57, ran 112 Jts 7-5/8" 26.40# J55 casing - 3612' set at 3625'. Cemented with 225 sacks 1:1 cement and poamix with 4% gel and 1/4 lb. floccle per sack. Tested casing with 1000 PSI for 30 minutes. Held OK. Drilled with gas from 7-5/8" casing point.

On 9-10-57, ran 182 Jts 5-1/2" 15.50# J55 casing - 5790' set at 5802'. Cemented with 150 sacks regular cement with 4% gel and 1/4 lb. floccle per sack. Tested casing with 1000 PSI for 30 minutes. Held OK. Cement plug back depth: 5787'. Top of cement at 4010', by temperature survey.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Blackwood & Nichols Company (Unit Operator)

Address P. O. Box 1737

Durango, Colorado

Original Signed
By DeLasso Loos

Title Field Superintendent

