



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe

Lease No. 080557

Unit Northeast Blanco

Unit Agreement No. 1, Sec. 929

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

..... November 14, 1957

Well No. 42-19 is located 790 ft. from S line and 1230 ft. from W line of sec. 19

SE 3/4 Sec. 19
(1/4 Sec. and Sec. No.)

31N
(Twp.)

7W
(Range)

NMPM
(Meridian)

Blanco Mesaverde
(Field)

San Juan
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 6349 ft. (Graded)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded at 6:00 PM 9-18-57

On 9-20-57, ran 5 Jts 10-3/4" 32.75# H40 casing - 159' set at 174'. Cemented with 300 sacks regular cement with 2.8 lbs. HONCO HA-5 per sack. Cement circulated. Tested casing with 800 PSI for 20 minutes. Held OK.

On 10-5-57, ran 112 Jts 7-5/8" 26.40# J55 casing - 3562' set at 3575'. Cemented with 225 sacks 1:1 cement & poxmix with 4% gel & 1/4 lb. floccs per sack. Tested casing with 1000 PSI for 15 minutes. Held OK. Drilled with gas from 7-5/8" casing point.

On 10-9-57, ran 179 Jts 5-1/2" 15.50# J55 casing - 5786' set at 5797'. Cemented with 150 sacks 4% gel cement with 1/4 lb. floccs per sack. Tested casing with 1000 PSI for 30 minutes. Held OK. Cement plug back depth: 5769'. Top of cement at 3990', by temperature survey.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Blackwood & Nichols Company (Unit Operator)

Address F. O. Box 1237

Durango, Colorado

Original Signed
by DeLasso Loos

By DeLasso Loos

Title Field Superintendent

