

(SUBMIT IN TRIPLICATE)

Land Office

Santa Fe

Lease No.


NM 03358

Unit

Northeast Blanco

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Unit Agreement No. 1, Sec. 929



## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<b>2</b>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

U. S. GEOLOGICAL SURVEY  
FARMINGTON, NEW MEXICO

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

RECEIVED  
NOV 23 1959

MESAVERDE-DAKOTA DUAL

November 20, 1959

Well No. **58-13** is located **925** ft. from **[N]** line and **990** ft. from **[E]** line of sec. **13**

NE/NE/4 Sec. 13

31E

7W

RMPM

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

Blanco-Mesaverde-Dakota

San Juan

New Mexico

(Field)

(County or Subdivision)

(State or Territory) NOV 24 1959

The elevation of the derrick floor above sea level is **6524** ft.

Spudded at 10:30 PM 9/20/59

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

On 9/21/59, ran 6 Jts 10-3/4" 32.75# N40 casing - 192' set at 205'. Cemented with 200 sacks regular cement with 2% calcium chloride. Cement circulated. Tested casing with 800 PSI for 10 minutes. Held OK.

On 10/4/59, ran 115 Jts 7-5/8" 26.40# J55 casing - 3628' set at 3638'. Cemented with a mixture of 123 sacks regular cement with 4% gel and 122 sacks Diamix with 12.5% Gilsomite, followed with 50 sacks regular cement. Tested casing with 1000 PSI for 15 minutes. Held OK. Temperature survey shows top of cement at 1735'. Drilled with gas from 7-5/8" casing point.

On 10/22/59, ran 253 Jts 5 1/2" 15.50# &amp; 17# J55 casing - 8115' set at 8126'. Cemented with 163 sacks Pozmix S &amp; 162 Sacks regular cement with 2% gel, 1% HR-4 &amp; 12.5% Gilsomite, followed with 330 sacks Pozmix S-140. Tested casing with 1000 PSI for 20 minutes. Held OK. Temperature survey shows top of cement at 2800'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Blackwood & Nichols Company (Unit Operator)**Address **P. O. Box 1237****Durango, Colorado**By **Delasco Leos**  
Original Signed  
by Delasco LeosTitle **Field Superintendent**