

NEW MEXICO OIL CONSERVATION COMMISSION  
DRAWER 100  
ALBUQUERQUE, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <i>Gulf Pet Corp</i>		Lease <i>Townell #9</i>			Well # <i>1</i>
Location of Well	Unit <i>663 1980</i>	Section <i>35</i>	Township <i>17</i>	Range <i>25</i>	County <i>Eddy</i>
Drilling Contractor <i>Acid</i>	Type of Equipment <i>Rotary &amp; Start approx. 6-15-74</i>				

APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<i>17 1/2"</i>	<i>13 3/8"</i>	<i>48</i>		<i>400</i>	<i>cin</i>
<i>12 1/4"</i>	<i>8 5/8"</i>	<i>24</i>		<i>1300</i>	<i>cin.</i>
<i>7 7/8"</i>	<i>4 1/2 or 5/2</i>			<i>8700</i>	<i>250</i>

Casing Data:

Surface *34* joints of *8 5/8"* inch *24* # Grade *API New K-55*  
(Approved) (Rejected)

Inspected by *L. A. Williams* date *6-10-74*

Cementing Program

Size of hole *12 1/2* Size of Casing *8 5/8* Sacks cement required *500/sx*

Type of Shoe used *Guide* Float collar used *None* Btm. *2* jts ~~used~~ *Thread Lock*

TD of hole *1238KB* Set *1224* Feet of *8 5/8"* inch *24* # Grade *K-55*

New-used csg. @ *1224* with *200* sacks neat cement around shoe *Class C 2% CC 4.5*  
+ *350* sax *Class C* additives *6% Bentonite, 0.6% Flocc, 2% CC 1.3.0*

Plug down @ *11:40* (AM) (PM) Date *6-15-74*

Cement circulated *NO* No. of Sacks *None*

Cemented by *Denton* Witnessed by *L. A. Williams*

Temp. Survey ran @ *5:45* (AM) (PM) Date *6-16-74* top cement @ *575'*

Casing test @ \_\_\_\_\_ (AM) (PM) Date \_\_\_\_\_

Method Used \_\_\_\_\_ Witnessed by \_\_\_\_\_

Checked for shut off @ \_\_\_\_\_ (AM) (PM) Date \_\_\_\_\_

Method used \_\_\_\_\_ Witnessed by \_\_\_\_\_

Remarks: *TD 391' KB 377' GL 13 3/8" 48# J-55 New*

*250/sx Class C 4% CC PD 9:30 PM 4yd Ready mix*

~~One inch~~ *Washed from 420' to 483 wouldn't go any further*

*Cut 100/sx Class C 4% CC PD 8:40 PM Taged at 11:20 PM Top Cut*

*431' Cut 150/sx Class C 4% CC PD 11:50 PM*

*Taged at 2:25 AM 19<sup>th</sup> Top Cut 410' Cut w/ 250/sx same*

*Taged at 6:30 AM Top Cut 408' Cut 50/sx same set water cut*

*cut, Pulled 2 doubles and Cut 25/sx. Circ. 25/sx to sit*