

YATES PETROLEUM CORPORATION
Federal LDY Deep Com #10
Section 27-T17S-R25E
Eddy County, New Mexico

SUNDRY NOTICE CONTINUED:

Breakdown of 7" casing is as follows:

7" 26# J-55 LT&C casing from 0-100'
7" 23# J-55 LT&C casing from 100-5300'
7" 26# J-55 LT&C casing from 5300-7400'
7" 26# J-55 LT&C casing from 7400-8600'

Cement for the 9-5/8" casing will be 250 sacks Lite C (yield 2.0, weight 12.5).
Tailed in with 250 sacks Class C and 2% CaCl₂ (yield 1.32, weight 14.8).

Cement for the 7" casing will be 950 sacks Super C Modified (yield 1.67, weight 13.0).
Top of cement will be brought back to 700'



Rusty Klein
Operations Technician
March 30, 2000