


Form 9-331a
(Feb. 1951)Budget Bureau No. 42-R358.4.
Form Approved.

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office _____
Lease No. **L.C. 025530**
Unit **H**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 21, 1963

O. C. C.
ARTESIA, OFFICE

Hondo-
Well No. **#1-2** is located **2086'** ft. from **[N]** line and **440'** ft. from **[E]** line of sec **4**
SE 1/4 NE 1/4 Section 4 18-S, 27-E N.M.P.M.,
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
EDDY **NEW MEXICO**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We drilled to a total depth of 1682' and was unable to continue drilling as the hole was caving. We ran 1602' of 5-1/2" 8-round thread 1 1/2" casing and cemented with 390 sacks of 6% Gel and Pozmix, adding 12 1/2% of Gilsonite per sack of cement, together with 100 sacks of Encore neat cement around the shoe.

After running temperature survey ^{in 6 hrs} we found the top of the cement at 1275'. We perforated pipe at 829' cemented and squeezed 50 sacks of cement with 4% calcium chloride. The second temperature survey log showed the top of cement at 690' and the bottom at 810'. Squeezed perforations at 829' with 100 sacks of cement, adding 4% calcium chloride. Hole tested dry. (over) (witnessed by Knauf)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **WILLIAM HUDSON**Address **DRAWER T****ARTESIA, NEW MEXICO**By *Wm Hudson*
Title **OPERATOR**

Pozmix slurry did not show on temp. survey. As it should have after 90 ft. down, it was considered to have cemented. The test after 700 ft. was OK.

We will run 1/2" pipe to approximately 400 feet on the outside of the casing and cement to the surface.

This will be done at the time the oil liner string is cemented. Work to be done by Halliburton.

W^m Hudson

William Hudson
Drawer T
Artesia, New Mexico.

RECEIVED
OCT 21 1963
U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

RECEIVED

OCT 29 1963

O. C. C.
ARTESIA, OFFICE