

Testing Procedure:

- 11 3/4" casing - pressure to 1000 psi for 30 min before drilling below
11 3/4" csg.
- 8 5/8" casing - pressure to 1500 psi for 30 min before drilling below 8 5/8"
csg. Yellow Jacket, Inc. to test 8 5/8" csg installation. Test @ 7500'.
11. See Form 9-331C.
12. A. DST Program - Possible in Bone Springs, Wolfcamp & Strawn.
B. Cores - 10,950' \pm in Atoka.
- C. Mud Logging - 2500-TD
D. Wire Line Logs:
275-3350' - Compensated Neutron/Compensated Density/GR
Dual Laterolog/GR/RXO
3350-TD - Caliper/Borehole Volume Integrator
Dual Laterolog/GR/RXO
13. No abnormal pressures anticipated with bottom hole pressures at TD expected
to be 4400. Bottom hole temperature 169°F. No Hydrogen Sulfide expected in
this known drilling area. No crooked hole or abnormal deviation problems.
14. Anticipated starting date to spud - March 15, 1982.
Anticipated drilling time expected to be 56 days from surface to TD.

2/19/82

C. Nokes