

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <u>Vates Petr Corp</u>		Lease <u>Greenswood BD State</u>		Well # <u>10</u>	
Location of Well	Unit <u>95N 2310W C</u>	Section <u>5</u>	Township <u>19</u>	Range <u>25</u>	County <u>Eddy</u>
Drilling Contractor	<u>L+M Drlg Co</u>		Type of Equipment <u>Rotary</u>		
* Witness					
APPROVED CASING PROGRAM					
Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<u>15"</u>	<u>10³/₄"</u>	<u>32.75[#]</u>		<u>410'</u> 380'	<u>350-Circ</u>
<u>9⁵/₈"</u>	<u>7"</u>	<u>20[#]</u>		<u>485'</u>	<u>550-Circ</u>
<u>6¹/₄"</u>	<u>4¹/₄"</u>	<u>9.5[#]</u>		<u>3150</u>	<u>325-</u>
Casing Data:					
Surface _____ joints of _____ inch _____ # Grade _____					
(Approved) (Rejected) _____					
Inspected by _____ date _____					
Cementing Program					
Size of hole <u>9¹/₂"</u> Size of Casing <u>7"</u> Sacks cement required _____					
Type of Shoe used <u>guide</u> Float collar used <u>Insert</u> Btm 3 jts welded <u>yes</u>					
TD of hole <u>992'</u> Set <u>992'</u> Feet of <u>7"</u> Inch <u>20</u> # Grade <u>K-SS</u>					
New-used csg. @ <u>992'</u> with <u>150</u> <u>29cc</u> sacks neat cement around shoe					
+ <u>200</u> sax <u>C</u> additives <u>37cc</u>					
Plug down @ <u>2300</u> (AM) (PM) Date <u>8/30/80</u>					
Cement circulated <u>No</u> No. of Sacks <u>-0-</u>					
Cemented by <u>Dowell</u> Witnessed by <u>Mike Stutfield</u>					
Temp. Survey ran @ <u>8:00</u> (AM) (PM) Date <u>8/30/80</u> top cement @ <u>400</u>					
Casing test @ _____ (AM) (PM) Date _____					
Method Used _____ Witnessed by _____					
Checked for shut off @ _____ (AM) (PM) Date _____					
Method used _____ Witnessed by _____					
Remarks: <u>+ 800 cc 65/35 per. (4% gel, 37cc, 1/4" celoflex, 8# Kofite)</u>					
host returns @ 414'					
No centralizers host dily break @ 878'					

1 Run 1" Tagged to c @ 405'
Pumped 2500 cc C 37cc

2 Run 1" Tagged to c @ 365'
Pumped 2500 cc C 37cc

3 Run 1" Tagged to c @ 365'
Pumped 2000 cc C 37cc
Cement circulated