

Ran temperature survey - found top of cement at 825 feet. Ran in with 3/4 inch pipe outside 9 5/8 inch casing and tagged cement. Pumped in 35 sacks Incor-Pozmix with 4% jel. Waited two hours.

Ran in with 3/4 inch pipe outside 9 5/8 inch casing and tagged cement at 759 feet. Pumped in 50 sacks Incor-Pozmix with 4% jel. Waited two hours.

Ran in with 3/4 inch pipe outside 9 5/8 inch casing and tagged cement at 719 feet. Conferred with U.S.G.S. representative and received verbal approval to attempt to plug back at 612 feet. Pumped in 25 sacks Incor-Pozmix with 4% jel. Waited four hours.

Ran in with 3/4 inch pipe outside 9 5/8 inch casing and tagged cement at 556 feet. Pumped in 140 sacks Incor-Pozmix with 4% jel with returns to the surface, but lost returns when pump was shut down. Waited four hours.

Ran in with 3/4 inch pipe outside 9 5/8 inch casing and tagged cement at 336 feet. Pumped in 110 sacks Incor-Pozmix with 4% jel. Cement circulated and held.

| | |
|------------------|---|
| January 29, 1964 | Job completed at 11:00 a.m. |
| January 30, 1964 | Pressured up and held O.K. Drilled plug and encountered water at 2428 feet. Drilled to 2442 feet. |
| January 31, 1964 | Ran Halliburton RTTS squeeze packer and set at 2327. Squeezed with 200 sacks Incor Neat. Job complete at 4:00 A. M. |
| February 1, 1964 | Blew hole dry and drilled out cement. Drilled with air in dry hole to 2480 feet. |

RECEIVED

FEB 5 1964

D. C. C.
KRTESIA. OFFICE

1-18-1964
FEB 4 1964
KRTESIA. OFFICE

RECEIVED
JAN 10 1964
U.S. DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C.