then leveling out for remaining one minute of test. NO VISIBLE LEAK. PRESSURE LEVELING OUT TOWARDS APPROXIMATELY 2900#.

Released pressure against check value off stack on kill line with leak thru check value off stack on kill line.

TESTING: Outside value off stack on kill line. value off casing spool, and inside value next to stack on chokeline with pipe rams closed - pressure applied as before.

Test #7 Pressured to 400# with loss of pressure; repressured to 3000# with loss of approximately 100# during first fourteen minutes then leveling out for remaining one minute of test. Released pressure to 200# and closed Hydril and opened rams. NO VISIBLE LEAK. PRESSURE LEVELING OUT TOWARDS APPROXIMATELY 2900#.

TESTING: Hydril with values same as before.

Test #8 Pressured to 2500# with loss of pressure; repressured to 2500# with loss of approximately 300# during first fourteen minutes then leveling out for remaining two minutes of test. NO VISIBLE LEAK. PRESSURE LEVELING OUT TOWARDS APPROXIMATELY 2200#.

TESTING: Upper Kelly Cock with pressure applied at bottom of kelly. Test #9 Pressured to 3000# with loss of approximately 50# during first two minutes then pressure slowly rising approximately 50# during next ten minutes then leveling out for remaining four minutes of test.

NO VISIBLE LEAK. PRESSURE STEADY AT APPROXIMATELY 3000*.