Test #2 Pressured to 3100# with loss of pressure; repressured to 3100# with loss of approximately 200# during first fourteen minutes then leveling out for remaining one minute of test.

NO VISIBLE LEAK. PRESSURE LEVELING OUT TOWARDS APPROXIMATELY 2900#.

TESTING: Blind Rams with outside value closed off stack on kill line, value closed off casing spool, and all inside values closed off choke-manifold cross - pressure applied thru guage connection.

- Test #3 Pressured to 1200# with leak thru blind rams. Operated rams.
- Test #4 Repeated test. Pressured to 3000# with loss of pressure; repressured to 3000# with <u>leak to flange between spacer spool</u> and <u>casing spool</u>. Tightened.
- Test #5 Repeated test. Pressured to 3000# with loss of pressure; repressured to 3000# with loss of pressure; repressured to 3000# with loss of approximately 100# during first eight minutes then leveling out for remaining ten minutes of test. NO VISIBLE LEAK. PRESSURE LEVELING OUT TOWARDS APPROXIMATELY 2900#.

TESTING: Pipe Rams with inside value closed next to stack on kill line, outside value closed off stack on chokeline, and value closed off casing spool - pressure applied down drill pipe.

Test #6 Pressured to 3000# with <u>leak thru inside value next to stack</u> <u>on kill line;</u> closed outside value off stack on kill line and opened inside value next to stack on kill line; repressured to 3000# with loss of approximately 100# during first eleven minutes