repressured to 3000# with loss of approximately 100# during first eleven minutes then leveling out for remaining one minute of test. NO VISIBLE LEAK. PRESSURE LEVELING OUT TOWARDS APPROXIMATELY 2900#.

\_\_\_\_\_

TESTING: Pipe Rams with all values closed next to stack - pressure applied down drill pipe.

- Test #6 Pressured to 200# and released air; repressured to 2500# and released air. No test.
- Test #7 Repeated test. Pressured to 3000# with loss of approximately 100# during first eleven minutes then leveling out for remaining one minute of test.

NO VISIBLE LEAK. PRESSURE LEVELING OUT TOWARDS APPROXIMATELY 2900#.

TESTING: Hydril with values same as before.

- Test #8 Pressured to 1500# with <u>leak to flange between pipe rams</u> bop and adaptor spool. Tightened.
- Test #9 Repeated test. Pressured to 1500# with loss of pressure; repressured to 1500# with loss of approximately 100# during first thirteen minutes then leveling out for remaining one minute of test.

NO VISIBLE LEAK. PRESSURE LEVELING OUT TOWARDS APPROXIMATELY 1400#.

-----

No delay was observed to operation of blowout control equipment at the conclusion of testing. Closures were made using closing unit pump only to the observed pressure of 2000# for test to ram type bops and 1500# for test to Hydril. Accumulators were pressured to