

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPL
(Other instructions
verse side)E-
re-Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 12241-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Little Box Canyon Unit

8. FARM OR LEASE NAME

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat Morrow

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 7-T21S-R22E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4465' GR(Est.)

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Prep to drill ahead. This well was spudded @ 6:30 AM on 7-4-75 and drilled to a T.D. of 30'. Ran 1 Jt. (30') 13-3/8" OD 48# H-40 conductor pipe set and cemented @ 30' w/3 yards of Redi-Mix cement. Drilled to a T.D. of 1808' and spotted a pill of mud on the bottom. Ran 5 Jts. (204.38') 9-5/8" OD 40# K-55 and 43-1/2 Jts. (1593.62') 9-5/8" OD 36# K-55 casing set and cemented @ 1808' w/438 sacks Trinity Lite w/5# Gilsonite, 1/4# Flocele and 2% CaCl followed by 300 sacks Class C w/2% CaCl cement. Bumped float w/500# - Held O.K. Plug down @ 12:10 AM on 7-9-75. Cement did not circulate to the surface. WOC 6 hrs. Ran Temp. Survey. Top of cement @ 520'. Ran 1" tubing in annulus to 485' and displaced cement stages as follows:

No. 1	50 sacks Class C w/3% CaCl cement.	Tagged at 418'.	67' fill.
No. 2	50 sacks Class C w/4% CaCl cement.	Tagged at 279'.	139' fill.
No. 3	50 sacks Class C w/4% CaCl cement.	Tagged at 135'.	144' fill.
No. 4	50 sacks Class C w/4% CaCl cement.	Tagged at 279'.	Lost 144'.
No. 5	75 sacks Class C w/4% CaCl cement.	Tagged at 94'.	185' fill.
No. 6	50 sacks Class C w/4% CaCl cement.	Tagged at 120'.	Lost 36'.
No. 7	50 sacks Class C w/4% CaCl cement.	Tagged at 120'.	No fill.
No. 8	50 sacks Class C w/4% CaCl cement.	Tagged at 120'.	No fill.
No. 9	50 sacks Class C w/4% CaCl cement.	Circulated 10 sacks cement to surface.	

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Region Operation Manager

DATE July 14, 1975

(This space for Federal or State office use)

APPROVED BY

TITLE

DISTRICT ENGINEER

DATE

JUL 15 1975

CONDITIONS OF APPROVAL, IF ANY: