

BOP's, manifold, all lines and valves to be tested to low pressure (approximately 200 psi) and 2000 psi at the time they are nipped up and every 14 days thereafter.

Wellhead Equipment:

9 5/8" SOW X 11" 2000 psi casinghead
11" 2000 psi X 7 1/16" 2000 psi tubinghead
7 1/16" 2000 psi X 2 1/16" 2000 psi tubinghead adapter
2 1/16" 2000 psi upper tree

Note: Starting head should be installed at a height such that the valves of the tubing head will be at ground level.

6. Mud Program:

<u>Specification</u>	<u>0-7750'</u>	<u>7600'-7750'</u>
Mud wt (ppg)		8.4-8.8
Vis (sec/qt)	Fresh Water	30-40
WL		8-10
Type System		Gel-Water

Casing Tests:

Before drilling out test as follows:

Surface Casing ----- 500 psi
Intermediate Casing -----1000 psi
Production Casing -----call office

Casing Seat Tests:

Surface Casing and Intermediate Casing:

Test to leak off or 13.0 ppg equivalent, whichever is less, report results immediately.

Deviation Specifications:

Maximum Deviation

5°

Maximum Rate of Change

1.5°/100'

7. None