Well name:
Operator:
Operator:
String type:

Devon-SFS Operating, Inc.
Surface

Location:
Unit H, Sec. 7, T22S, R24E, Eddy Co. NM

Design parameters:  Collapse  Mud weight: 8.500 ppg  Design is based on evacuated pipe.				Minimum design factors: Collapse: Design factor 1.125  Burst:			Environment: H2S considered? Surface temperature: Bottom hole temperature: Femperature gradient: Minimum section length: Minimum Drift: No 0 °F/100ft 8.750 in		
Burst				Design factor 1.00					
	x anticipated	surface							
pressure: Internal gradient: Calculated BHP Annular backup:			1,029 psi 0.000 psi/ft 1,029 psi 8.50 ppg	8 Round LTC: 1.80 Buttress: 1.60 Premium: 1.50 Body yield: 1.60 Tension is based on air weig		1.80 (J) 1.80 (J) 1.60 (J)	Non-directional string.		
						1.50 (J) 1.60 (B)	Re subsequent strings:		
							Next setting depth: 8,5 Next mud weight: 9.0 Next setting BHP: 3,9 Fracture mud wt: 11.00 Fracture depth: 1,80		8,500 ft 9,000 ppg 3,974 psi 11,000 ppg 1,800 ft 1,029 psi
Run	Segment	P:	Nominal		End	True Vert	Measured	Drift	Est.
Seq	Length (ft)	Size (in)	Weight (lbs/ft)	Grade	Finish	Depth	Depth	Diameter	Cost
1	1800	9.625	32.30	H-40	ST&C	<b>(ft)</b> 1800	(ft) 1800	(i <b>n)</b> 8.876	(\$) 14882
Run Seq 1	Collapse Load (psi) 795	Collapse Strength (psl) 1370	Collapse Design Factor 1.72	Burst Load (psi) 1029	Burst Strength (psi) 2270	Burst Design Factor 2.21	Tension Load (kips) 58.1	Tension Strength (kips) 254	Tension Design Factor 4.37 J

Prepared W.M. Frank by: Devon Energy

Phone: (405) 552-4595 FAX: (405) 552-4621

Date: January 15,2002 Oklahoma City, Oklahoma

Remarks:

Collapse is based on a vertical depth of 1800 ft, a mud weight of 8.5 ppg. The casing is considered to be evacuated for collapse purposes. Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.