pressured to 2500# with <u>leak to flange at guage connection</u>. Tightened.

Test #5 Repeated test. Pressured to 2500# with loss of approximately 100# during first eleven minutes then leveling out for remaining four minutes of test. NO VISIBLE LEAK. PRESSURE LEVELING OUT TOWARDS APPROXIMATELY 2400#.

TESTING: Pipe Rams with value closed next to stack on chokeline - pressure applied down drill pipe.

- Test #6 Pressured to 5000# with <u>leak to flange between blind rams</u> bop and casing spool. Tightened.
- Test #7 Repeated test. Pressured to 5000# with pressure steady and holding for the fifteen minutes of test. NO VISIBLE LEAK. PRESSURE STEADY AT APPROXIMATELY 5000#.

TESTING: Hydril with valve same as before.

Test #8 Pressured to 500# with loss of pressure; repressured to 2000# with loss of pressure; repressured to 2000# with loss of pressure; no visible external leak; repressured to 2000# with loss of pressure; repressured to 2000# with loss of approximately 100# during first eleven minutes then leveling out for remaining one minute of test. NO VISIBLE LEAK. PRESSURE LEVELING OUT TOWARDS APPROXIMATELY 1900#.

TESTING: Blind Rams with all values closed off choke-manifold cross - pressure applied thru guage connection.

Test #9 Pressured to 2500# with loss of approximately 100# during first

--2-